

CAMBRIDGE CO-PROCESSOR



KEYBOARD
CARD

Panos Editor

Start-up Options	
-File <name>	Name of file to edit
-Line <number>	Cursor position on entry
-Buffer <size>	Specify size of buffer (default is 50,000 bytes)
-Obey <KeyLog file>	Obey an existing keylog file
-New	A new file of given name is created
-Browse	Prevents edited file from being changed

To enter: Edit **RETURN**
To edit a file: Edit <file name> **RETURN**
Type Edit -help **RETURN** for start-up options
SHIFT + **ESCAPE** for on-line help

For detailed queries,
see the Panos Guide to Operations

Control Key Commands		Window Control	
CTRL - F	Auto-wrap switch	CTRL - f6	Edit a file whilst already in the editor
CTRL - T	Tabs highlighted	CTRL - SHIFT - F	Extends window to full size e.g. after splitting
CTRL - U	Line deleted	CTRL - SHIFT - D	Duplicate the current window
SHIFT + TAB	Undeletes	CTRL - SHIFT - S	Split the current window
		CTRL - SHIFT - ^	Switch windows: other window placed on top of current window
		CTRL - SHIFT - \	Switch window
		CTRL - SHIFT - K	Kill a window

Panos Editor



	f0	f1	f2	f3	f4	f5	f6	f7	f8
	Mark	Move	Delete	Panos	Learn	Save	Load	Search	Replace
<i>f</i> key + CTRL	Jump to marker						Edit an extra file		
<i>f</i> key + SHIFT	Jump to Line	Copy block	Delete block	+ Yes Leave editor	Execute learnt sequence		Clear, then load file	Repeat search	Repeat replace
<i>f</i> key	Set marker	Move block	Delete marker	Panos Command Line	Switch for learn sequence	Save as file	Load file	Search	Replace

	←	→	↑	↓
SHIFT +	shift buffer	shift buffer	shift buffer	shift buffer
CTRL	start of line	end of line	start of text	end of text
CTRL			page	page
SHIFT				
Key	character	character	line	line

Panos Editor

Search field characters

.	matches any character including spaces, punctuation marks etc.	c 1 - c 2	matches any single character in ASCII order between c 1 and c 2
\$	matches end of line	[a b c]	matches any one of a , b , or c where a b and c are single characters
@	matches the 'identifier' characters 0-9, a-z, A-Z, and @	c	matches CTRL -c if c is in the range ASCII 64 to ASCII 95
#	matches the digits 0-9	! c	matches the character with ASCII code of c plus 128
* c	matches zero or more of c in succession, always finding the shortest match	£	is a switch for case sensitivity
^ c	matches one or more of c in succession, always finding the longest match		

Replace field characters

- \$ stands for a newline
- & stands for the whole of the matched string
- | c as search patterns
- |! c as search patterns
- % n stands for the nth (counting from 0) wildcard section in the search pattern.
For example, % * 0 represents the first * match in the search pattern.

BBC BASIC Editor



f0

f1

f2

f3

CTRL				
SHIFT	Jump to BASIC line	Copy to buffer	Delete marked block	Return to BASIC
Key	Insert/Overtyp	Set marker	Insert from buffer	OS star commands

>EDIT Enter the BASIC editor
 >LOAD "filename"
 >EDIT Edit an existing file
SHIFT + f3 Leave the BASIC editor
SHIFT + **CTRL** + f0 Delete BASIC line

←

→

↑

↓

Start of BASIC line	End of BASIC line	Top of file	Bottom of file
Start of screen line	End of screen line	Up a screen	Down a screen
Left a character	Right a character	Up a line	Down a line

Panos Commands

access	delete	rename	asm32
catalogue	echo	set	cc
configure	edit	show	f77
copy	link	star	lisp
create	logon		pascal

Type `<command-name>-help` OR `help:<command-name>` for a complete list of keywords associated with that command.

COMMON KEYWORDS (UPPER case denotes minimum abbreviation)

<code>-Help</code>	Prints a summary of arguments	<code>-Verbosity <number></code>	Sets level of warning/error information
<code>-IDentify</code>	Prints version number	<code>-Confirm</code>	Confirmation will be necessary (default is 'Noconfirm' except in delete)
<code>-ERRor <name></code>	Output for error messages (default is screen)	<code>-Force</code>	Locked files are unlocked, files are overwritten
<code>-CONTRol <name></code>	Input for utility (default is keyboard)	<code>-Abandon</code>	Utility will be exited if any error occurs.

Documentation




Panos Guide to Operations
– includes linker and editor guides as well
as how to use other utilities, built-in
commands, and command files.

Panos Programmer's Reference Manual
– detailed document describing Panos modules.
Co-Processor User Guide
– how to get started, installation,
examples of use.

ACORN 32000 ASSEMBLER Reference Manual
BBC BASIC Reference Manual
CAMBRIDGE LISP Reference Manual
C Reference Manual
FORTRAN 77 Reference Manual
ISO Pascal Reference Manual





© Copyright Acorn Computers Limited 1985

Neither the whole or any part of the information contained in, or the product described in, these keyboard cards may be reproduced in any material form except with the prior written approval of Acorn Computers Limited (Acorn Computers).

The product described in these keyboard cards and products for use with it, are subject to continuous developments and improvement. All information of a technical nature and particulars of the product and its use (including the information in these cards) are given by Acorn Computers in good faith, but it is acknowledged that there may be errors or omissions.

In case of difficulty please contact your supplier.

Deficiencies in software and documentation should be notified in writing, using the Acorn Scientific Fault Report Form, to the following address:
Sales Department, Scientific Division, Acorn Computers Limited, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN

First published 1985
Published by Acorn Computers Limited, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN

Part number 201,655
Issue number 1

Within this publication the term BBC is used as an abbreviation for the British Broadcasting Corporation.