
BBC A3000 · ARCHIMEDES · BBC · MASTER

JULY 1991 £1.60



# WINNING PRINTOUTS

CHOOSING THE BEST PRINTER FOR CLASSROOM **COLOUR OR BUDGET BLACK AND WHITE** 

# SOUIRREL


#### THE REVOLUTIONARY NEW DATABASE FOR ARCHIMEDES COMPUTERS





**FRIENDLY** 

Squirrel is the easiest to use database yet, allowing simple point and click database creation and queries.




**FAST** 

Modern indexing techniques mean superfast searches every



**FLEXIBLE** 

lmages, text and sound may be stored in the same database



NETWORK COMPATIBLE

Client/server design ensures that squirrel runs just as well on networks as standalone.



INTELLIGENT

Squirrel understands days of the week, months of the year and recognises files from other popular packages.



**COMMUNICATIVE** 

Queries may be made onto other popular computers such as an IBM or Macintosh, even remotely over telephone lines.



REPORTING

Fully relational reporting with an entirely new graphic approach to data selection.



PROFESSIONAL

Quite simply, the most professional database for Archimedes users.

Single User Version £129.00 + VAT

**Econet/Site Licence** £516.00 + VAT

Suitable for Acorn A3000, A310 and A400 Series

DIGITAL SERVICES LIMITED 9 WAYTE STREET, COSHAM, PORTSMOUTH, HANTS PO6 3BS TEL (0705) 210600

# prices cut of A

The *ideA* range of hard disc upgrades is being welcomed as the best way forward for Archimedes and A3000 users. "IDE is the small-computer drive standard for the future," says RISC User. "ST506 is on the way out; SCSI has only a limited future in the small drive market."

#### **PERFORMANCE**

IDE is the only true 16-bit hard disc system currently available for Archimedes computers. All data transfers are 16-bit all the way from the disc, through the interface, to the computer (except that the A3000 internal interface has an 8-bit link to the computer).

#### **FLEXIBILITY**

An *ideA* system can turn your A3000 into a 20, 40 or 60 Mb workstation with no external attachments, using hard discs which sleep quietly during periods of inactivity.

The *ideA* system caters for two low profile hard discs in the same internal or external housing, allowing you to build up your capacity in easy stages without wasting money.

Then there's the *ideA* 'hard card' option – a 2½-inch hard disc on a standard podule.

#### VALUE

We think *ideA* upgrades offer the best value for your money, and we aim to keep it that way. Advanced IDE disc technology means simpler, cheaper, more reliable interfaces. Manufacturers' prices for hard discs fall gradually, and we pass these savings on to you as soon as we can.

Our upgrade prices include controller cards and fans where needed. Our disc cases are of metal construction.

#### RELIABILITY

The first *ideA* customers have been using the system successfully since last year. The A3000 internal hard disc is particularly reliable – not one has had to be returned to us.

The latest IDE discs are ruggedly designed with lap-top and portable computers in mind. You'll wait a long time to see a defect! A skilled service team is ready to back up our guarantee should the need ever arise.

#### **COMPATIBILITY**

The Micro User reported "no difficulty in running all fully RISC OS applications". Our IDE filing system is no different from ADFS in use, though it has a few extra features such as the facility to write-protect a hard disc. DOS partitions can be created for the PC Emulator.

#### **CONTINUED SUPPORT**

The coming months will see the introduction of many new IDE products, including tape streamers and removable discs. You may rest assured that our software and hardware will keep pace with these developments. Updates for existing users, if they ever become necessary, will be simple and cheap.

"A beautiful solution," said BBC Acorn User. Study our price list elsewhere in this magazine, and let us solve your storage problems too.

Be in at the beginning!

# Other products too good to miss!

See our other advert for prices



#### TWO (Task and Window Organiser)

Do you wish you could start applications, display directories, and open files all in one go? With TWO you can.

Do you wish your pupils were able to start work without understanding the Desktop? With TWO they will be.

Do you wish there was an easy way to tidy up your screen and find that buried window? With TWO there is.

TWO is far more than a 'sticky backdrop'. Its easy-to-use features make the Desktop a friendlier environment and will really save you time.



DrawBender distorts Draw files to follow a shape of your choice. A useful addition or cheap alternative to Poster, supplied with these **three** decorative forts.

DrawBender is simple to use, without any complex menu structures. The example above uses DrawBender with FontFX – the two make ideal companions.



Baildon Electronics Oddules open the way to cheap, flexible and almost unlimited external expansion via the I<sup>2</sup>C bus already supported by RISC OS. Baildon are producing a range of Oddules which may be daisy-chained.

Ready now is the *AnDi* Oddule. It has eight digital I/O channels with high current open collector drivers, four A/D inputs, and one D/A output. AnDi is capable of emulating user and joystick ports, allowing ADVAL operation from BASIC, and the use of Concept Keyboards and analogue or digital joysticks.

#### Cross-32 Meta-Assembler

This professional table-based cross-assembler works with over 50 target processors (including ARM2 and 3), and has been used for some time on PCs. A RISC OS Desktop version by Baildon Electronics is now available. Cross-32 is user-friendly and supports conditional assembly and macros. Output is in absolute binary, or Intel or Motorola Hex formats (ideal for eprom programmers and emulators).

You can modify the tables supplied or add new ones to cater for new processors and opcodes.




ACU17, 10 Frost drive, WIRRAL, Merseyside, England, L614XL

Fax 051-632 3434 Tel 051-632 1234

### PIPEDREAM

WINNER of the 1989/90 BBC Acorn User Award for Best 32-bit Business Software



The bar chart in the screen shown above was produced by using the HotLink between PipeDream 3 and HotLink Presenter.

#### Major features include:

- intuitive RISC OS user interface
- many documents loaded at once display and printing of pictures
  - within text •
  - wysiwyg display including all
  - RISC OS fonts built-in 93,003 word spelling
    - checker •
    - file compatibility with PC & Z88 PipeDream
    - & BBC View Professional natural, background
      - recalculation •
  - keystroke compatibility with
    - Z88 & PC PipeDream
      - Z88 filing system •
- automatic loading of VIEW, ViewSheet, Lotus, First Word
  - Plus, Tab and CSV files automatic saving of VIEW,
  - Lotus, Tab, CSV and Acorn
    - DTP format files •
    - multi-field sorting •
  - 62 spreadsheet and database functions •
  - external references between
  - documents for 3-D modelling
    - macro file recorder
      - slot protection •

PipeDream 3 breaks down the barriers between word processor, spreadsheet and database. With PipeDream 3, you can include numerical tables in your letters and reports, add paragraphs to your spreadsheets, and perform calculations within your databases.

PipeDream 3 has been written to take full advantage of RISC OS – if you can use RISC OS, you can use PipeDream 3. It is fully multi-tasking and multi-windowing, so you can work on many documents at once and instantly move information between them. PipeDream 3 can automatically load and save most popular file formats and is the first program to use the new RISC OS HotLink, which enables it to interact dynamically with Archimedes graphics programs, such as *HotLink Presenter* from Lingenuity and *GraphBox* from Minerva.

As well as winning the 1989/90 BBC Acorn User Award for Best 32-bit Business Software, PipeDream 3 was runner-up in the Best 32-bit Educational Software and Best 32-bit DTP/Word Processor categories.

PipeDream 3

Breaking down the barriers

#### POWER • SPEED • FLEXIBILITY • EASE OF USE

PipeDream 3 is for all Archimedes computers with 1Mbyte or more of RAM, including the A3000.

For a free brochure, see your Archimedes dealer, or phone us on 0954 211472, or return the coupon.

PipeDream  $3 \cos \pm 147.00 + VAT$ .

For a free brochure, coupon to the address	complete and return this ss below.
PipeDream 3 □	View Professional ☐
Name	
Address	
	Post code

Colton Software, Broadway House, 149–151 St. Neots Road, Hardwick, Cambridge CB3 7QJ, England. Tel. 0954 211472 Fax. 0954 211607. All trademarks acknowledged.

coltonare



#### JULY 1991 ISSUE 108

**Editor** Barry Monk

Production Editor Pauline McLernon Technical Assistant Paul James Editorial Assistant Sharon Halpern Advertisement Manager Duncan Pringle Senior Sales Executive Richard Power Sales Executive Jack Manzoor Ad Production Fiona Andrews Production Manager Jennifer Jeffrey Publisher Seamus Geoghegan

Publishing Director Michael Potter

Editorial Director Christopher Ward

Published by Redwood Publishing, a BBC Enterprises Company, 20-26 Brunswick Place, London N1 6DJ. Tel: 071-490 1444. Telecom Gold 10081:RED001, Micronet 919992492. Bureau setting and ad typesetting by Bold Gray Design, 52 Rosebery Avenue, London, EC1R 4RP. Colour by Trumps Studio, Ware, Herts. Printed by Riverside Press, St Ives PLC, Gillingham. Distributed by BBC Frontline, Park House, 117 Park Road, Peterborough. © Redwood Publishing 1991. All rights reserved. Acorn is a registered trademark of Acorn Computers Ltd. Redwood Publishing is a registered

#### PRODUCED ON THE **ARCHIMEDES**

of the Andri data user. ISSN 0263 7456.

All the editorial pages in BBC Acorn User are produced on a DTP system using Acorn Archimedes 440/1 and A540 computers, Computer Concepts' Impression 2 with Laser Direct printers and Taxan monitors

NEWS	7
EDUCATION	13
COMMS	15
MUSIC COLUMN	17
NEXT MONTH	18
LETTERS	21
QUESTIONS AND ANSWERS	24
SUBSCRIPTIONS	27
★INFO	49
Our new regular section of hints and tips for eight and 32-bit micros	
GAME PLAN  GameCore is the stuff your very own games software could be made of	55
	59
SNEAK PREVIEW  Look ahead and see how well your View document will print	פכ
<b>POWER POSTERS</b> First steps towards designing your own posters using <i>Edit</i> , <i>Draw</i> and <i>Paint</i>	69
SEASONED PLAYERS	77
Summer sun from your Beeb's screen and a box game to drive you batty	
YELLOW PAGES	83
THE DOTTED NINE	98
Our tests reveal that nine-pin printers still provide a quality solution – cheap	
GOOD LOOKING	103
The PCATS hardware enhances even the Arc's graphic capabilities	
WINNING WORDS	104
The latest (and greatest?) Archimedes wordprocessor – read our verdict	
WORLD CLASS	108
Create a world of imaginative screens in the classroom with My World	
SOUND JUDGEMENT	111
Speech! for the Arc is proving to be quite a talking point	
MAKING TRACKS	113
We sound out <i>Tracker</i> , the music sequencer from The Serial Port	
RAISING STANDARDS	115
Why it is important to upgrade your A3000's memory – and ways of doing	it
FILING A SUIT	117
CPFS could unleash essential powers and enhance your Master 512	
THOROUGH INVESTIGATION	119

Software to back up commercial software - but is it such a good idea?

The latest version of Magpie makes it an even more versatile educational tool

**GAME SHOW** 

**FLYING HIGH** 

**PUZZLE PAGE** 

SOFTWARE SHOWCASE

#### **73 PRINTING PRETTY**



#### 62 LINING LIP.



64 COMPETITION WINNERS

120

122

125

128





# Follege Computers



#### **ARCHIMEDES**

A3000 Computer £599

A3000 + Learning Curve

			0.5	
SYSTEM	ENTRY	MONO	COLOUR	MULTISCAN
410/1	£1099	£1159	£1288	£1448
420/1	£1299	£1359	£1488	£1648
440/1	£1699	£1759	£1888	£2048
540/1	£2995	£3065	£3184	

#### FREE OFFERS ON ARCHIMEDES MICROS

co	MPUTER	FREE OFFER
A30	000	Upgraded to 2Mb RAM on Board + Monitor Stand
A41	10/1	Upgraded to 2Mb RAM & a 20Mb Hard Disc, (A420) + Dust Cover
A49	20/1	Upgraded to 4Mb RAM & a 40Mb Hard Disc, (A440), Mk II Learning Curve + Dust Cover
A44	40/1	High Resolution 14" Multiscan Colour Monitor + Dust Cover
or		Taxan 775 Monitor (Entry System) + Dust Cover
or		Star XB-2410 24 Pin Colour Printer (Colour System) + Dust Cover
A54	40/1	High Resolution 14" Multiscan Colour Monitor + Panasonic KX-P1180 Printer & Connecting Cable
or		Taxan 795 or 775 Monitor (Entry System) or Star XB24-10 24 Pin Colour Printer (Colour System)

#### A3000 ACCESSORIES

3.5" External Drive	£97
Monitor Stand	£15
External Podule Case	£12
Serial Upgrade	£16
A3000 Technical Manual	£28
Dust Cover Micro/Monitor	£5
Dust Cover Micro	£9
User Port/Midi Upgrade	£44
UHFTV Modulator	£POA

#### RAM UPGRADES FOR ARCHIMEDES

	MIGITAL IED EO	
A3000	Upgrade to 2Mb RAM	£62
A3000	Upgrade to 4Mb RAM	£175
A305	Upgrade to 1Mb RAM	£96
A305/A310	Upgrade to 2Mb RAM	£239
A305/A310	Upgrade to 4Mb RAM	£429
A410/1	Upgrade to 2Mb RAM	£63
A410/1	Upgrade to 4Mb RAM	£117
A410/1	Upgrade to 8Mb RAM	£899
A420/1	Upgrade to 4Mb RAM	£169
A420/1	Upgrade to 8Mb RAM	£849
A440/1	Upgrade to 8Mb RAM	£739
R140	Upgrade to 8Mb RAM	£739

#### **CONCEPT KEYBOARDS**

A4 Standard Keyboard inc BBC Software £115
A3 Standard Keyboard inc BBC Software £140
A4 Archimedes Keyboard £116
A3 Archimedes Keyboard £141

**PLOTTERS** 

£509	GRX-300	£2769
£644	GRX-400	£3625

DXY-1300 **£844** DPX & GRX Include DPX-2500 **£2369** 12 months on-site DPX-3500 **£3385** maintenance

ROLAND DXY-1100

DXY-1200

#### **ARCHIMEDES ACCESSORIES**

NEW Multitasking RISC OS	£28
3.5" 800K 2nd Floppy Drive (305/310)	£109
5.25" 800K External Floppy Drive	£84
I/O Podule	
(Analogue & User Port & 1MHz Bus)	£77
MIDI add-on to I/O Podule	£27
MIDI Expansion Card	£64
Econet Network Board	£45
IEEE Interface Adaptor	£265
16 Bit Parallel I/O Card	£193
Software Developers Toolbox	£147
Floating Point Unit	£449
SCSI Adaptor Expansion Card	£167
Keyboard Extension Lead	£6
2 Podule Backplane	£24
4 Podule Backplane	£37

#### **HARD DISK DRIVES (ST506)**

20Mb for 410 ST506	£165
40Mb for 410 ST506	£259
75Mb for 410 ST506	£379
A3000 20Mb + Podule	£349
A3000 40Mb + Podule	£469

#### SCSI HARD DRIVES FOR A300/400 Supplied complete with controller card.

52Mb Internal	£348
105Mb Internal	£549
170Mb Internal	£829
210Mb Internal	£899

#### COMMUNICATIONS

Amstrad SM2400 V22BIS	£157
Miracom WS4000	£99
Miracom WS3000 V22	£185
Miracom WS3000 V22BIS	£247
Pace Linnett	£93
Pace Linnett 1200 V22	£150
Pace Linnett 2400 V22BIS	£209
Hearsay comms software	£48
BBC/Master Modem Cable	£14
Archimedes Modem Cable	£14

#### **BBC MASTER**

MASTER 128K with View, Viewsheet, ADFS BASIC Editor & Terminal and our Special FREE OFFER, A 5.25" Double Sided, 40/80 Track switchable 400K Disc Drive and 20 Floppy Discs.

£399

#### BBC B and MASTER ACCESSORIES

Turbo 65C102 Add-on-Module	£113
Econet Module for Master	£45
Twin ROM Cartridge for Master	£12
Master Reference Manual I (No VAT)	£13
Master Reference Manual II (No VAT)	£13
Master Advanced Ref Manual (No VAT)	£16
64K Upgrade Kit for B+	£31
Acorn 1772 DFS Complete Kit	£47
·	

#### MASTER 128 CUMANA DISC DRIVES

5.25" 200K Single 40T No PSU	£64
5.25" 200K Single 40T With PSU	£79
5.25" 400K Single 40/80	070
Switchable No PSU	£79
5.25" 400K Single 40/80	
Switchable With PSU	£89
5.25" 400K Dual 40T No PSU	£125
5.25" 400K Dual 40T With PSU	£149
5.25" 800K Dual 40/80	
Switchable No PSU	£159
5.25" 800K Dual 40/80	
Switchable With PSU	£179
3.5" Single Drive No PSU	£64
3.5" Single Drive With PSU	£79
3.5" Dual Drive With PSU	£125
3.5" + 5.25" 40/80 Switchable	£169



SPECIALISTS in the supply of **COMPUTERS** to PRIMARY, SECONDARY and TERTIARY **EDUCATION** 

#### ARCHIMEDES SOFTWARE

ART/DESIGN/GRAPHIC5 Artisan II Atelier Autosketch II Gamma Plot Graph 8ox Mogul Poster Pro Artisan Render Bender 2	£63 £66 £38 £62 £18 £82 £71 £56	LISP Prolog X <b>5ILICON VISION</b> Arc PC8 Professional Gerber Plot	£122 £145 £75 £75 £145 £145 £269 £91
Sigma Plot  DATABASES Alpha8ase Genesis Multistore DESKTOP PUBLISHING	£38 £34 £64 £192	Risc 8asic Robo Logo Solid Cad Solid Render	£105 £72 £52 £72 £52 £196 £19
Acorn DeskTop Publisher Impression Junior Impression II Tempest INTEGRATED Desktop Office Logistix Pipedream 3	£125 £77 £155 £97 £103 £83 £118	5PREAD5HEET5 Intersheet Schema Sigmasheet Viewsheet WORDPROCESSORS 1st Word Plus II Easiword	£23 £97 £53 £44 £68 £29
We also carry a wide range of GAME LEISURE software. Call for details.	ES and	Interword Protext 5 View	£23 £129 £44

#### LASER PRINTERS

FREE Parallel Printer Cable With All Lasers									
-	PPN	١		_	PPN	1			
Brother HL-4	4	*	£719	NEC LC890XL Postscript	8	*	£2359		
Brother HL-8e	8	*	£989	NEC Colourmate PS P/Script		*	£5489		
Brother HL-8PS Postscript	8	*	£1489	OKI Laser 400	4	*	£539		
Canon LBP-4	4	*	£649	OKi Laser 800	В	*	£989		
Canon LBP-III	В	*	£997	OKI Laser 840 P/Script	8	*	£1289		
Canon LBP-IIIT Dual Bin	8	*	£1394	Panasonic KXP4420	8	*	£657		
Canon LBP-IIIR Dual Bin				Panasonic KXP4450i					
Duplex	В	*	£1509	Dual Bin	11	*	£1029		
Epson EPL-7100	6	*	£695	Panasonic KXP4455 D/Bin					
Epson EPL-7500				P/Script	11	*	£1619		
Postscript	6	*	£1189	QMS PS410 Postscript	4		£1475		
HP Laserjet IIIP	4	*	£676	QMS PS810 + Postscript	8		£2009		
HP Laserjet III	8	*	£1028	QUME Crystalprint WP Plus	6	*	£689		
HP Laserjet IIID Dual Bin				Qume Crystalprint					
Duplex	8	*	£1589	S/Series II	6	*	£1059		
IBM 4019E	5		£679	Qume Crystalprint					
IBM 4019	10		£949	Publisher PS 2Mb	6	*	£1599		
Kyocera F800T	8	*	£949	Qume Crystalprint					
Laser Direct	6		£844	Express PS	12	*	£2539		
NEC Silentwriter 2 S60	6	*	£769	Star LP-4	4	*	£719		
NEC Silentwriter 2 S60P				Star LP-4PS Postscript	4	*	£889		
P/Script	6	*	£1225	Star LP-8 III	8	*	£1049		
NEC Silentwriter 2 266	В	*	£929	Star LP-8    Starscript					
NEC Silentwriter 2 290				P/Script	8		£1189		
P/Script	8	*	£1409	All printers marked by an * i	ncluc	le 1	2 months		
				on-site maintenance.					

#### **MONITORS**

SPECIAL OFFER 14" Multiscan Hi-Resolution 0.28 Dot Pitch, 1024 x 768 \$247

MICROVITEC		PANASONIC	
1431 Standard Resolution	£169	14" Super Hi-Res 0.29 Dot Pitch	£239
1451 Medium Resolution	£209	PHILIPS .	
14M325 (CU8 3000) Medium Re	s. £189	BM7502 12" Hi-Res Green	£68
1441 High Resolution	£349	CM8833/II 14" Medium Res	£169
1451AP RG8/PAL & Audio	£249	TAXAN	
2040CS 20" High Resolution	£659	770LR 14" 0.31 Dot Pitch Low Rad	£379
Touchtec 501 Touch Screen	£234	775 Plus 14" 0.28 Dot Pitch Hi-Res	£374
NEC		795 Trinitron 0.26 Dot Pitch	£427
Multisync 3D 14" 0.28 Dot Pitch	£338	970 20" 0.31 Dot Pitch	£1194

#### **PRINTERS**

#### FREE Parallel Printer Cable With All Printers

Canon BJ10e	£207	IBM Proprinter III	£199
Canon BJ300*	£359	IBM Proprinter IIIXL	£239
Canon BJ330*	£419	I8M Proprinter X24E	£339
Citizen 120D +	£98	IBM Proprinter XL24E	£419
Citizen 124D	£147	18M Quietwriter III	£479
Swift 9	£143	I8M Quickwriter 5204	£499
Swift 24	£208	IBM Execjet 4072	£449
Swift 24X	£297	Integrex Colour Jet	£499
Prodot 9	£203	Mannesman Tally MT81	£98
Prodot 9X	£248	Nec P20	£189
Prodot 24	£225	Nec P30	£253
Epson LX400	£113	Nec P60	£374
Epson LX850	£156	Nec P70	£475
Epson FX850	£287	Nec P90	£653
Epson FX1050	£362	Panasonic KXP1081	£113
Epson EX1000 Colour	£463	Panasonic KXP1180	£121
Epson DFX5000	£1094	Panasonic KXP1123	£154
Epson DFX8000	£2054	Panasonic KXP1124i	£211
Epson LQ400	£171	Panasonic KXP1695	£297
Epson LQ550	£214	Panasonic KXP1624	£297
Epson LQ1010	£320	Panasonic KXP1654	£437
Epson LQ850 +	£390	Star LC10	£114
Epson LQ860 Colour	£449	Star LC200 Colour	£158
Epson LQ1050 +	£482	Star LC15	£184
Epson LQ1060 Colour	£604	Star LC24-10	£153
Epson LQ2550 Colour	£698	Star LC24-200	£192
Epson SQ850	£445	Star LC24-200 Colour	£227
Epson SQ2550	£637	Star LC24-15	£299
Hew/Pack Thinkjet*	£239	Star FR10 Colour*	£239
Hew/Pack Quietjet*	£307	Star FR15*	£308
Hew/Pack Quietjet Plus*	£367	Star X824-10 Colour*	£308
Hew/Pack Deskjet 500	£303	Star XB24-15*	£371
Hew/Pack Paintjet*	£603	All printers marked by an *	
Hew/Pack Paintjet XL*	£1096	include 12 months on-site	
Hew/Pack Rug/Writer*	£848	maintenance.	

DELIVERY Archimedes Micros only: Free Delivery Hardware: £7 + VAT per box Software: £7 + VAT per order

Lasers: £15 + VAT per printer Next Working Day Service - call for details. UK Offshore - call for details

#### **ALL PRICES EXCLUDE VAT**

CREDIT CARD MAIL ORDER HOTLINE



FAX: 081-760 9861



Prices are subject to change without notice. Please check suitability with the manufacturers before ordering. Goods are not offered on a trial basis. Orders are accepted subject to our standard conditions of sale – available on request. avallable on request. E&OE.

Subject to availability despatch is normally effected within 2 days from receipt of cleared payment. Please allow 7 working days for cheque clearance. All orders will be fulfilled within 28 days unless otherwise unless otherwise notified.

College Computers, 14 Emmabrook Court, Sea Road, Rustington, Littlehampton, Sussex BN16 2NG

To: College Computers, 14 Emmabrook Court, Sea Road,	
Rustington, Littlehampton, Sussex BN16 2NG. I wish to orde	21

QUANTITY	DESCRIP	NOIT						_		PRICE
					_					
ease state disk s	size							_	Delivery	
nclose cheque								inc VAT	Total	-
r charge my Acc	ess/Visa No	):	Exp. d	ate					VAT	
						Т	Ţ		Total £	

Signature Address

Postcode

\_\_\_ Tel No:

# pecial Offers!



### **RISC User** Members' Disc ● Printer Set-Up Utility ● Icon Bar Clock

- Maestro Music Files Guessword 5 Game
- Ol' Blue Eyes fun program
- Text files offering informative tips for beginners, and more advanced users and other exciting and useful items

The most popular subscription magazine devoted solely to the **Archimedes** range of computers including the A3000.

**BEEBUG July** 

Magazine Disc full of high quality programs

Highly Professional Magazine Supporting Magazine Disc Quality Software Technical Backup

> RISC User offers 10 magazines a year which typically contain:

News on the world of Archimedes Reviews of the latest products

Ready to run applications

Utilities, routines and advanced programming

Programs and articles on sound and graphics Series of articles for all spheres of interest:

- 'Into the Arc' tutorial series for beginners
- 'Mastering the Wimp' series on Wimp programming
- 'Under the Lid' hardware series
- 'Assembler Workshop' all about ARM Assembler
- 'Beginning 'C' series on C language
- 'DTP/WP' advice on using commercial software
- 'Arcade' a round-up of the latest games Hints and tips

Postbag for your letters and answers to your auestions

Technical queries and expert answers

Magazine discs, containing all programs published in the magazine plus some additional items, are available to order or on subscription.



# REEBUG

The ONLY significant magazine still dedicated entirely to users of the BBC

#### Model B and Master series.

In April, BEEBUG commences its 10th year of publication, providing professional, useful and interesting information to thousands of subscribers. Each magazine offers:

- A variety of useful programs to type in, or run from disc:

  Stand-alone applications
  Handy utilities and useful routines
  Entertaining games
  News from the BBC world

- News from the BBC world
  Reviews of new products, and comparative surveys
  Series covering a range of interests:

   'First Course' series for beginners
   'Workshop' for the more advanced programmer
   'S12 Forum' for users of the Master 512
   'Practical Assembler' for Assembly language programmers
   'BEEBUG Education'
  Informative articles
- Informative articles

Hints and tips
Postbag for your letters and answers to your questions and lots more

All programs published in the magazine are available on disc, to order or on subscription.

10 years of publication

With your subscription you will receive not only 10 magazines a year, but you will benefit from a professional organisation with 9 years of experience in software, hardware, computing publications and support.

- Showroom with friendly professional staff, where you can try out the latest software and hardware
- BEEBUG's own quality software and hardware, with special discounts for magazine subscribers
- A large range of other products, and a Retail catalogue mailed free to magazine subscribers
- Speedy mail-order service
- Workshop repairs by qualified staff
- Trade-in service to upgrade your equipment

ò	Order Form
	1 would like to subscribe to RISC User Magazine starting with the July issue, and receive in addition the New Members' Disc Free  I would like to subscribe to BEEBUG Magazine, starting with the July issue, and receive in addition the July Magazine Disc Free (please indicate whether you want 5.25' or 3.5' disc)
8	RISC User/BEBUG Subscription Rates (1 year): £19.90 UK, BFPO, Ch.I, £29 Europe+ Eire, £35 Middle East, £38 Americas+ Africa, £41 Elsewhere Joint Subscription RISC User and BEEBUG (1 year): £29 UK, BFPO, Ch.I, £43 Europe+ Eire, £52 Middle East, £57 Americas+ Africa, £61 Elsewhere 1 enclose a cbeque for £ (all cheques must be in pounds sterling, drawn on a UK Bank) or, Please debit my Access/Visa account No.
(	
Í	Card Expiry DateSignature
100	Name
	Address
	A7 Post Code

BEEBUG LTD 117 Hatfield Road, St. Albans, Herts AL1 4JS Telephone: 0727 40303 Fax: 0727 860263



#### **3D CONSTRUCTION KIT FOR VIRTUAL REALITY ON ARC**

**DUE FOR** Autumn release. Domark's 3D Construction Kit will enable Archimedes users to build solid, three-dimensional model environments, and then 'walk into', explore and interact with them.

The idea of solid 3D graphics is nothing new, but this is the first system to allow such free interaction in realtime, and represents a significant breakthrough.

The package has been developed by the 3D professionals at Dimension International and Incentive, and is closely based around the company's existing Freescape mainframe software, which has been used for a new TV gameshow, Cyberzone, the pilot episode of which will be hitting our screens in the next few months

The package is far more than just a 3D object designing system - the mainframe version is actually a very highend virtual reality software system, of the type used to generate the worlds inhabited by those who don the head mounted displays in arcade





games such as those made by W-Industries. Since I saw this professional version running at a stand at the Computer Graphics '90 show last year, the system has been converted to the Archimedes. The Arc version is tipped to be the fastest and most powerful conversion of the software, and approaches the 25 per second frame-rate of its big brother.

A specially-written, full size arcade adventure game will be included with the package, and this will display some of the more impressive features of the kit. These include the ability to design environments through which any number of people can 'travel', down to a real resolution of 1mm within a very large area.

Through the use of a zoning system, the computer minimises the time taken to plot a scene based on what it knows is visible. For example, the separate rooms inside a building would be isolated zones. Objects do not have to be fixed and can also be animated for greater realism. This means that fully controllable vehicles can be designed and driven.

There are currently several Arc virtual reality hardware developments in progress, and if in the future the towns and cities that will be created with the Construction Kit were combined with future hardware developments, it would result in a very powerful, and relatively cheap, system. Domark estimates a £50 price tag for Construction Kit.

**Mat Tizard** 

#### **'SATISFACTORY' YEAR** FOR ACORN FORTUNES

ACORN claims to have had a 'satisfactory' year in 1990, particularly in the education market, which held its own compared with the general downturn in the computer market.

In the 12 months to December 31 1990, revenue was slightly higher than in the previous year (£45.5m compared to £44.9m in 1989). Whilst the operating profit before exceptional items rose by over 50 per cent to £2m (£1.3m in 1989), pre-tax profits fell by 38 per cent from £2.53m in 1989 to £1.58m.

Acorn sold intellectual property rights to Advanced Risc Machines (Arm) Ltd for £1.5m

and made a provision against bad debts due from one of the company's major customers of £0.9m. Interest charges rose to £1m in 1990. Extraordinary charges of £0.56m on two investments held since the mid-1980s were also incurred.

Acorn cited its achievement as maintaining its leading position in the UK education market.

Some 53 percent of all computers delivered to UK schools were Acorn systems, with the BBC A3000 and Archimedes outselling the eight-bit BBC Master by a factor of two-toone. Acorn systems have now been installed in 85 percent of all UK schools.

#### **PC EMULATOR** READY?

VISITORS to the recent CD-Rom '91 exhibition in London were given a sneak preview of the new multi-tasking version of Acorn's Archimedes software PC emulator.

Cumana, which is in the CD-Rom drive business, was demonstrating the possibility of Dos- or Apple Mac-based software being opened to the Archimedes via the new emulator. Other firms, such as Next Technology, will now be able to open up sales initiatives into education as soon as Acorn releases the new PCE.

The new software will run Windows 3, albeit slightly sluggishly, but Cumana proved at the exhibition that it was perfectly usable.

#### **NEWS IN BRIEF**

- TWO new Public Domain libraries for the Archimedes/A3000 are Arch PD and Arch Angel PD. Arch PD has 100 discs in its catalogue, which can be obtained by sending an SAE and disc to Adam Case, Arch PD, 109 Ferry Road, Hullbridge, Hockley, Essex SSS 6EL. Arch Angel PD offers a pick-and-mix service where for £1.50 the buyer chooses the software required from a list that includes graphics, demos, music, samples, comms, and so on, Readycompiled discs are also available at £1.10 each. Send for a free catalogue to Arch Angel PD, 9 Chancel Court, Chancel Lane, Pinhoe, Exeter, Devon EX4 8OE. • IF YOU live in Derbyshire, you may like to know that the newest Acorn dealer in your area is Selective Computer Services. The company can be contacted on
- (0332) 690691. ZCL, the Acorn distributor to the computer industry, has been nominated distributor of the year by computer retailers and resellers in the UK. ZCL's chairman, Don Carter, acknowledged the honour, but added that the quality of Acorn's product played a major role in the company's success.
- EVANGELTRUST, which produces bible-based computer games and databases, has launched a competition to write a piece of Christian software which could be used by RE teachers, ministers, youth groups, and so on. The closing date for entries is December 31 1991. For further details and entry forms send an SAE to Bible Software Competition, Evangeltrust, PO Box 224, Kingston upon Thames, Surrey KT1 2NX.
- FADED prints are usually the result of a depletion of ink on the fabric printer ribbon - now the Maxiprint Ribbon Re-inker can replenish the original ribbon up to 50 times. The Maxiprint can accommodate a wide variety of ribbon cartridges, and the ink cartridges used are available in a wide range of colours. With the optional Twin Cartridge Adaptor the inker can be made to ink two- and four-colour ribbons. Contact Digitone, Hagan deg, Llys y Coed, Mountain Road, Pembrey, Dyfed SA16 0AJ.
- THE Electronic Font Foundry has just released its range of Indian fonts, including Bengali and Punjabi. Contact EFF on (0344) 28698.

# The user-friendly solution to professional desktop publishing

#### Ovation

Ovation sets new standards of quality and value by offering professional features in an easy-to-use package at an affordable price. It is a complete desktop publisher providing a formidable array of features that are straightforward to learn and instinctive to use. We guarantee that you will be able to produce high quality documents within hours of opening the package.

#### Is it a word processor?

Ovation can be used just like a traditional word processor. In fact it provides more word processing features than most dedicated word processors themselves. And unlike many DTP packages, text may be typed straight in without any setting up whatsoever, and it flows from page to page with headers, footers and page numbering all done for you.



Ovation is frame-based, with typed or imported text formatted in rectangular frames. Frames may contain their own independent story, or may be linked together causing text to flow from one frame to another anywhere in the document.



You can import pictures that are in Draw or Paint format. Once imported, pictures may be moved freely around the document, enlarged, reduced, cropped, or scaled to fit frames precisely - all in an instant.

#### Adding style is simple

Ovation provides user-defined paragraph styles and easy-to-use local effects that give instant control and can be mastered in a matter of minutes! A wide range of styles are available allowing you to create documents with a distinctive appearance. Very accurate typographical control is provided, making Ovation suitable for the most demanding professional applications.

#### Extensive graphics

An extensive range of features is provided for manipulating graphics. Paint and Draw format pictures may be imported from scanners, digitisers and drawing packages etc. and may then be instantly enlarged, reduced, cropped as required. With line drawing facilities and definable border styles, Ovation provides features virtually unheard of in its price range.

Laser-sharp printing
Ovation uses the RISC OS
printer drivers to produce high
quality printing on dot-matrix, ink
jet and laser printers. It prints
pages exactly as they are created
on the screen, at the highest
resolution your printer can
deliver. The PostScript driver
allows for the printing of
documents on high quality laser
printers and typesetting machines.

#### Spelling checker

Ovation contains a fully integrated high speed spelling checker with a dictionary of over 60,000 words and a host of other features. You can even edit the main dictionary. Requires 2Mb.



The Ovation package includes a 250-page user guide for both novices and experienced users alike, a quick reference card listing all the keyboard and mouse short cuts, 7 outline fonts (22 faces), and a range of clipart.

#### Price breakthrough!

Ovation runs under RISC OS on an Archimedes or A3000 with minimum 1Mb RAM and costs just £99.00 plus VAT.

#### Ovation is available from all good dealers

**BEEBUG Ltd.** 117 Hatfield Road, St. Albans, Herts. AL1 4JS Tel: 0727 40303, Fax: 0727 860263 Please write or phone for a brochure. This advert was produced entirely using Ovation.



#### SUCCESSFUL PRES-ENCE AT **COMPUTER SHOPPER SHOW**

VISITORS who flocked to the recent Spring Computer Shopper Show at London's Alexandra Palace were greeted with new Acorn products from Pres for the BBC A3000.

A dual podule box for the A3000, launched by Pres, allows the use of a scanner and a hard disc card together for the first time.

The A3000 can normally be expanded by adding a single standard-sized expansion card to the rear. But because the cards are intended for 400series machines, they need to be protected in a podule case on the A3000.

The A3000 normally supports only one such podule, although some external system housings allow you to switch manually between two or

Pres' new box can be fitted in the normal way to the rear connector on an A3000, but makes an additional connection inside the machine to allow Risc OS to address two separate cards automatically.

The system works exactly the same as it does on a 400series machine and allows simultaneous use of a scanner and hard disc card.

Also released by Pres at the show was a 10Mbits per second link between two Archimedes. The Missing Link board slots into the Econet interface space, and provides fast communication between two machines. The physical link can be a special serial cable, or fibre optic for longer distances.

The Missing Link can also act as a filing system - files dropped into a filer window on one machine appear in a similar window at the other

\corn

Acorn

Possible uses include swapping large sprite files or scans between machines where an Econet would be too slow and Ethernet too expensive.

 Pres has also announced that it is knocking £100 off the normal advertised prices of its 20 and 40Mb hard disc upgrades. The units come complete with the ST506 (Acorn) expansion card and all cabling instructions.



**VISITORS FLOCK TO THE ACORN AREA OF THE SHOW** 

#### CANADIAN VISIT

REPRESENTATIVES of UK educational software producers have just returned from a sales initiative aimed at spreading the Acorn message in Canada.

The group - including Paul Richardson from ExpLAN, David Tee from Oak Solutions, Peter Stibbons from Anglia TV - gave seven major presentations of Archimedes hardware and software at venues like the Educational Computing Organisation of Ontario. Working with Paul Richardson was a team of 18 pupil demonstrators from Toronto schools who were trained (by fax!) from the UK.

In excess of 200 enquiries and orders were taken.

#### A3000 SPECIAL ACCESS

A NEW Special Access Pack has been launched by Acorn for people with disabilities and learning difficulties. Centred around the BBC A3000, the package is fitted with an Acorn serial and Morley user/analogue upgrades to enable the use of devices such as the Concept Keyboard and touchscreen.

A special utilities disc offers useful programs which can: emulate mouse movements using the numeric keypad; access other programs via a special switch input; convert the normal screen pointer to a larger size; magnify the screen to allow print and images to be seen more easily; allow text character input from a selection panel; create a flashing caret with a 'homing device' to make it easier to locate within a document.

Also included in the package is an overview booklet and a Special Needs Computing Handbook complied by Northwest Semerc in association with ACE centres. The handbook contains useful and relevant information, including sources of supply for accessories and details of the many applications available. The A3000 Special Access Pack is assembled and tested by disabled people who work for the Papworth Group of Industries in Papworth, Cambridgeshire. Priced at £795, registered disabled people and charities may obtain a £100 reduction from participating dealers upon production of their registration cards. Contact Acorn on (0223) 245200.

#### **NEWS IN BRIEF**

 AWARE of a lack of educational software to motivate older children with learning difficulties, Sherston Software has just released Sellardore Tales.

This is an exciting adventure with a high interest and low reading age. It is aimed at children who are aged 11 and over, but who have a reading age of about eight, and supports English AT 2 in the National Curriculum.

The computer adventure, Black River Quest, is accompanied by an illustrated book with 13 chapters which introduces the reader to the world of Sellardore and the main characters who reside there.

The package costs £24 and contains photocopiable activity sheets based around the book and game, as well as creative writing cards.

Contact Sherston Software, Swan Barton, Sherston, Malmesbury, Wiltshire SN16 0LH for further details.

#### DIARY DATES

- JUNE 22 The All Formats Computer Fair will be held at the New Horticultural Hall. London.
- JUNE 25-27 Multimedia is holding the first European multimedia conference at Olympia 2, London, with talks on the mass market, educational applications and multimedia in business. Running alongside this will be the Multimedia 91 exhibition the first event to demonstrate what multimedia is, and to show what it could do for your company. The conference costs £875.37 (£346.62 with academic discount). The exhibition is free, but by ticket only. Contact Jacqueline Wilson/Lynne Davey on 081-868 4466 for more details.
- SEPTEMBER 5-8 The European **Computer Entertainment Show** takes place at London's Earls Court 2.
- OCTOBER 11-13 The highlight of the year will the BBC Acorn User Show, which takes place at the Wembley Conference and Exhibition Centre in London. Opening times will be 10am to 6pm on Friday and Saturday and 10am to Spm on Sunday.

For further details on show ticket prices and availability, keep an eye on BAU or contact Safesell Exhibitions on (0737) 814084.



# BRING WORK HOME WITH NEW A3000 OFFICE SUITE

A NEW A3000-based home office package, priced at just under £650, has been launched to cater for the home office and small business user.

Acorn distributor Bonsai Lightning and Devon-based Minerva Software have combined to produce a special package, called the Home Office Suite, which includes a BBC A3000 and Minerva's Desktop Office software.

The latter is a fully integrated suite of database, wordprocessor, spreadsheet, charts and communications for the A3000/Archimedes. Data can be transferred between the programs, making the package a useful choice for education, small business and home use.

To coincide with the Home Office Suite launch, Minerva has produced a new version (I.01) of *Desktop Office* which includes several new facilities.

In the *DTOWord* wordprocessing section, previewing a

document will pause at the end of each screen to make reading easier. Page breaks are also shown when previewing documents and there are two new commands to control italics.

In the *DTOBase* database section, marked cards may be selected and deselected using the option on the main menu, as well as the Select option in the submenu. When setting up



a search, you can now place comparison operators in the fields to check for ranges in various ways. There is also a specialist labelling facility.

Ian Goodall of Bonsai Lightning, which is handling distribution to dealers, told BAU: 'We have been looking at producing a package like this which fits between the basic A3000 and the Learning Curve. We want to appeal to the home and small business user and possibly tempt BBC Master and model B owners to consider trading up to the A3000 for home use.'

The Home Office Suite costs £649 and, for those without a monitor, a built-in HCCS TV modulator is also available for £39.95.

Anyone wishing to purchase the package should contact their nearest Acorn dealer, who can contact the Acorn division of Bonsai Lightning on 081-963 1399.

#### TECHNO-I DIGITISES

**TECHNOMATIC** has released what it claims to be 'one of the most advanced video digitisers currently available'.

The new Techno-I card, with Risc OS multi-tasking software, allows the user to grah a picture from a video source (TV, video recorder, etc) and convert it to a sprite which can then be dragged to other applications, such as art or DTP packages.

Unlike simple RGB video digitisers, Techno-I handles colour in 25 bits, with seven bits luminance and 18 bits chrominance. The on-screen viewfinder displays live colour or monochrome in real-time, can be either 1/16 or 1/4 screen area, and can be offset vertically and horizontally under user control.

Frame buffer resolution is up to 512 × 512, with programmable vertical and horizontal resolution.

Complex frame manipulation features are built into the hardware, including options to grab the current, previous and last completed frames.

The Techno-I costs £249 for the Archimedes 300/400 series and £279 for the BBC A3000. Contact Technomatic Ltd, Techno House, 468 Church Lane, London NW9 8UF. Tcl: 081-205 9558.

#### I/O A3000 EXPANSION

UNILAB has developed an A3000 expansion unit which provides the essential BBC-type sockets. The I/O Box 3000 plugs into the expansion connector on the back of the A3000 and provides three user ports, an analogue port and a IMHz bus. All the user ports are bi-directional and one has the same number of pins as the BBC printer port. The unit costs £77.58.

For further details contact Unilab on (0254) 681222.



#### ARC INTO UNIX WILL GO

**IN A BID** to integrate its standard hardware products onto campus-wide Ethernet networks, Acorn has launched a low-cost Network Gateway Starter Pack. Using an Acorn R140 Unix workstation as the gateway, the package also includes a licence for Acorn's TCP/IP Protocol Suite, providing existing Archimedes systems access to the campus Ethernet. Thick and thin Ethernet and Econet connectors and a range of networking software, including ONC, NFS and TCP/IP are pre-installed. The Network Gateway Starter Pack is priced at £2499.

• Meanwhile, Acorn has also announced a special discount on its Unix platform to lecturers, research staff and academic support staff in further and higher education establishments. Until the end of June, they can buy an Acorn R140 Unix machine for £90 per month, spread over two years. Around 47Mb of compressed software includes full implementation of Unix (BSD 4.3 with System V extensions), X-Window System (version 11), C and Bourne shells and tools, Ansi C and Fortran 77 compilers, programmers and documenters tools, plus a range of connectivity software.

• New software has also been released which allows users of the Archimedes to connect their machines to a network of Unix workstations running the industry standard X Window System. X software from Gnome Computers Ltd, developed in conjunction with Acorn, provides a low cost means of turning an Arc into an X terminal. If loaded onto a BBC A3000, for example, a colour X terminal can be established for under £1500.X comes on a standard 3.5 in floppy disc and costs £199.

For further information on all these Unix developments, contact Acorn Computers on (0223) 245200.

#### RELEASES OF ARC-PCB

**NEW RELEASES** of *Arc-PCB* from Silicon Vision provide more PCB layout and schematic drawing possibilities.

Arc-PCB Professional V3.1 supports are and circle drawing for silkscreen and annotation, curved tracks for analogue design, layer swap operations, scaling of components, and so on. The top of the range Arc-PCB Schematics V4.1 includes many of the above, plus schematic drawing. V3.1 costs £375 and V4.1 costs £575. Contact Silicon Vision on 081-861 2173.

#### Announcing a new era in word processing... EasiWriter for the Archimedes

EasiWriter is a full featured, WYSIWYG multi-column word processor designed specifically to work with RISC OS.

Created by the same team that wrote MacAuthor – the word processor used to write *Tomorrow's World* and by Douglas Adams to write and typeset *Dirk Gently's Holistic Detective Agency* – EasiWriter sets new standards in ease of use and quality of output on the Acorn Archimedes.

#### Power with ease of use

EasiWriter can be used as a basic wordprocessor for writing short documents, yet has the flexibility to produce complete books or multicolumn layouts incorporating sprites and Draw files created by other Archimedes applications.

#### **User friendly**

Unique, on the Archimedes, to EasiWriter is a powerful **Undo command** that lets you undo your last action, anything from typing to changing the document's margins.

#### Table editor

Creating attractive tables has never been easier. It's as simple as pressing Tab and Return – no need to set tabs. EasiWriter's built—in intelligence does the rest, automatically adjusting the width of columns as you type.

# $\begin{array}{c|c} \textbf{Production of Hog Casings} \\ \textbf{(thousand metres)} & \textbf{1985} \\ \hline & \textbf{Jan-Mar} & \textbf{Year} \\ \hline \textbf{Farm manufactured} & 67.2 & 255.0 \\ \textbf{Abattoir manufactured} & 92.0 & 290.3 \\ \textbf{Synthetic} & 98.5 & 1,127.1 \\ \end{array}$


#### Multi-lingual

EasiWriter can hyphenate in all the major European languages and with optional dictionaries can spell check mixed language documents.

#### **Borders command**


Any part of an EasiWriter document can have borders added in a variety of styles and line thicknesses.

Rules between columns, sidebars, shadowed boxes – all can be added with a click of the mouse.



#### Structures

EasiWriter introduces a powerful new stylesheet capability for formatting entire structures – chapters, sections, lists, tables, pictures and figures.



For example a section style can control the position and type specifications of both its heading and paragraphs, the number of columns and separation rules between them, even its language.

#### Multiple columns

You can have up to nine columns anywhere in a document.

EasiWriter can automatically balance the text between them, keeping the length of each column the same, even as you type.


For even more professional results columns can be vertically justified.

- WYSIWYG word processor using outline fonts.
- ☐ Multiple columns.
- ☐ Headers and footers can be multi-line, multi-column and include graphics.
- ☐ Styles for emphasis, paragraphs and structures.
- ☐ Keyboard short cuts.
- □ Powerful multi-lingual spell checking – British dictionary supplied, other languages available.
- ☐ Hyphenates in all the major European languages.
- ☐ Left, right, centre and user definable decimal tabs.
- Insert date and time.
- Undo, redo commands to correct both editing and formatting mistakes.
- ☐ Revert to last version saved command.
- ☐ Search and replace.
- ☐ On line help.
- ☐ Multiple documents can be open at once.
- ☐ Cut and paste between documents.
- Automatic bulleted lists.
- ☐ Automatic table generation.
- ☐ Figure structure to add a caption to a picture.
- ☐ Documents can be scaled from 10% to 999% of full size for page preview and easy editing.
- ☐ Graphics can be in-line or in frames and can be scaled and cropped.
- ☐ Change case between Upper, Lower and Initial caps.
- ☐ Coloured text.
- ☐ Supports RISC OS printer drivers.
- ☐ Requires 2Mb Archimedes with outline fonts.

EasiWriter was developed in association with Acorn Computers. £150.00 + VAT (£176.25 inc)

ICON TECHNOLOGY LTD

# Turbocharge your Network



Since completing development work on Econet Level 4 for Acorn, our Network Development team has devoted its attentions to the remaining problems concerning the use of Archimedes on Econet, namely, the delivery of large applications quickly into machines, efficient network printing and effective application management in the classroom.

Our solution, CLASSROM (previously known as 'Project X') will be shown for the first time at the Access IT conference at Nottingham University from the 5th to the 6th of July, but to whet your appetite, here a just a few of the outstanding features of our new system:

- ☐ Full security system to protect applications from being tampered with.
- ☐ In recent tests we loaded !Impression simultaneously into 10 machines in only 5 seconds.
- ☐ Efficient network printing.
- ☐ Full Network facilities not simply a shared hard disc system.
- ☐ Utilises your existing Econet cabling and interfaces, AND leaves the A3000 internal expansion bus free for User/Analogue ports etc.
- Allows remote starting of applications from a master machine to ease setup at the start of lessons.
- Substantially better performance than Ethernet or shared hard disc systems.
- Minimum available application delivery bandwidth of over 6 Megabytes/second on a 10 station network - a figure that INCREASES with the addition of extra stations.

If you are interested in Archimedes on networks, do not miss this exciting solution to your problems.











with

CLASSROM





#### WEATHERING THE STORM

THE SUN was definitely shining on the Weather Reporter when it was honoured with the Silver Award in April at the Association Geographical Conference in Manchester.

On presenting the prize the Geographical Association noted that the automatic weather station, developed by Advisory Unit the for Microtechnology in Education together with Hardware Design, was 'an original item of equipment that should make an important contribution to remote sensing and weather interpretation'.

The station looks something like a television aerial, and is relatively easy to install. It works on the BBC B or Master and the Archimedes/A3000 computers, and gives similar readings to Meteorological Office data. However it does not need to be continually plugged into a computer, as the equipment's processor automatically records detailed weather data - wind speed and direction, hours of sunshine and daylight, temperature and rainfall - from the last 60 hours, and daily weather summaries over 60 days.

Whenever you wish to view the weather data you simply attach the serial lead from the Weather Reporter to the computer. The Weather Reporter software will then allow you to display the current weather data on screen, or to download the accumulated information from the processor to a disk. The software can also be used to analyse and display the readings in different ways. The downloaded data can be saved in appropriate formats for use on various machines.

The producers hope to have a new module ready by the end of the year that will measure and record atmospheric pressure and humidity.

The package costs £295, and will be of particular interest to teachers of geography, science, maths and technology at key stages 2, 3 and 4.

For further information contact Diana Freeman at The Advisory Unit for Microtech-



nology in Education, Endymion Road, Hatfield, Hertfordshire AL10 8AU.

#### LINE TO THE STARS

bulletin Electronic mail, boards and a database are just some of the facilities available on a new comms system set up by a Norwich school.

Based on an Arc running BB software, Star Net provides an on-line link between all Norfolk schools but, says Welbank of Eaton School's IT department, 'at this stage any school in the country is welcome to log on'. Although contact has been established with French and German schools, Paul would welcome calls from more schools in Europe and beyond.

The IT Department previously ran a viewdata type system before concluding that it was unsuitable for transferring substantial quantities of information. Neither did it have a proper Email function.

According to Paul, 'the system we have now set up is not far behind Telecom Gold in terms of its Email facilities and is capable of handling hundreds of users around the county's schools'. It is also open to the general public.

Files can be up- and downloaded with ease. Primary and secondary schools are currently using the system for information exchange and it is being utilised to transfer text and digitised images for collaborative newspaper projects.

Staff at Eaton are building a database of textual material which pupils can search and add to on-line, and special interest groups can set up their own message, database and file areas.

To access Star Net you need a computer, modem, telephone line and scrolling text terminal software. The number is (0603) 507216. Contact Paul at Eaton School, Eaton Road, Norwich NR4 6PP for details.

#### PRACTICAL IT

The London borough of Havering has published a comprehensive report on integrating IT into the primary curriculum. It identifies the main areas of IT for schools within a framework comprising creative skills, communication, control and information handling, and outlines strategies for incorporating these into a topic based curriculum.

By such means they explore the 'implications for providing a meaningful IT provision' in a situation where teachers are generally overworked, and there is limited pupil access to the computers.

Contact Gill Lock at the Educational Computer Centre, Tring Gardens, Harold Hill, Romford, Essex RM3 9QX.

Sharon Halpern

#### **NEWS IN BRIEF**

● IN CONJUNCTION with an archaeological officer from Cornwall County Council, Sherston Software has released Arcventure, an archaeological expedition into Roman times.

Pupils have to locate and identify 'finds' in a dig carried out in a Roman villa. The finds are then reconstructed on the screen in their original state.

Including draw and sprite files of Roman objects and people, it costs £29.95 and runs on the Archimedes/A3000. Contact Bill Bonham at Sherston Software, Swan Barton, Sherston, Malmesbury, Wiltshire SN16 0LH.

 LITTLE Red Riding Hood, aimed at five to eight-year-olds, takes the user on a journey with Red to her Grandma's house. The adventure requires number skills, money awareness and logic.

Designed for the Archimedes/ A3000 the pack also contains ideas for related activities, and photocopiable masters, and costs £14. Contact Selective Software at 64 Brooke Road, Street, Somerset BA16 OPP.

 LTS HAS recently released Ecos and Discover. Ecos provides access to a simulation of the world's ecology and economy and can be used at varying levels in geography and science lessons among others. The standalone version costs £32, the network version is £57.

Discovery is a text disclosure program for use in language lessons, and includes foreign language characters. The standalone version costs £25 and the network version is £20. Both programs run on the A3000/Archimedes. For further information write to LTS at Haydon House, Alcester Road, Studley, Warwickshire B80 7AN.

- TWENTY ONE photocopiable activity sheets and a teacher's guide comprise Longman Logotron's Logo Activity Sheets. Providing a range of simple activities it aims to help teachers tackle the Logo attainment targets in the National Curriculum. It costs £12 and is available from Longman Logotron, Dales Brewery, Gwydir Street, Cambridge CB1 2LJ.
- DIARY DATE: visit the National Micros for Special Needs exhibition in Oldham from October 1-3 1991. For further details contact Northwest Semerc on 061-627 4469.

# enperior THE WORLD

# except for the zero-rated items marked $^{V0}$ E.g., £100 × 1.175 = add 171/2% to the total price, UK customers pleese

£117.50. Free in meinlend

Oversees Add £6 (Europe) or £12 UK if you pay on ordering

in your own currency) the total price if you can only pay ance at cost. (Add £10 + 1% of card we will add airmail and insureach. If you are paying by credit Eurocheques not exceeding £100 bank draft payable in England, or item if paying by pounds sterling (elsewhere) for each software

Official orders welcome. Pay Credit cerds are welcome. The machine include your telephone number (home will do), the expiry lation of the total payment due date of your card, and your calculeaving an order on our answering credit card company. If you are goods must be as known to the name and address for delivery of

ment due in 14 days. Invoices ment charges. subject to carriage and late pay-

All products, prices and specifi-Site licences Please enquire if no price is shown.

and are subject to change without notice. Your order will receive our pliers attention immediately, but supcations are offered in good faith Sullea sometimes keep

Goods are guaranteed but we do not supply them on approval.

# **ELECTRON SOFTWARE** BBC / MASTER /

BET Basic Editor and Toolkit

rom module

ICS £19

	<ul> <li>extra manual</li> </ul>	<ul> <li>extra rom</li> </ul>	<ul> <li>site licence (extra)</li> </ul>	Wordpower	Spellmaster rom	Powerfont NTO	<ul> <li>rom in cartridge</li> </ul>	
1				S	റ്റ	S	S	
	V0 £7	£7	£100	£36	£52	£13	£25	

# ARCHIMEDES SOFTWARE

If it's not on the list, please ask for a quote. We will always try to match the best prices.

<ul> <li>Professional</li> </ul>	ARC-PCB	ArcLight	Archway 2	ArcComm 2	Apocalypse	ANSI C Release 3	Accounts	ABC Basic Compiler	
<u>s</u>	S	Ace	Sim	Lon	4th	Aco	<u>N</u>	Oak	
£276	£139	£40	£78	£50	£22	£125	£243	£77	
_				_			_	_	-

# Up-to-dote stock – no obsolete versions No carriage charges on UK cosh orders

# Credit cards not debited until orders fulfilled

# RETAIL PRICE LIST 22nd May 19

# Fax: 051-632 3434 Tel: 051-633

ICS, Dept ACU18, 10 Frost drive, WIRRAL, Merseyside, England, L61 4XL Maps and Landscapes 2 Cha

ABBREVIATIONS		Cla	Clares	<u>⊼</u>	Minerva
	_	<u>0</u>	Colton	Oak	Oak
	Ace	ComT Cor	Computer Tutorial	Pana	Panasonic
	Acorn	Dat	Data Store	Pand	Pandora
Apr Apricote			Digital Services	₽.	David Pilling
Arm Armadillo	_	Emr	EMR	Ser	Serial Port
_		Gra Gra	Graphics Factory	Si	Silicon Vision
	Arxe	Hum Hum	luman-Computer	Sim	Simtron
~			lan Copestake	Spa	Spacetech
Aut Autodesk	_	Ife	FEL	Sta	Star
Bai Baildon Electronics	-	lct .	lota	Sup St	Superior Software
Bee Beebug		Kad	Kador	Tec	TechSoft
Ω	aph I	₹.	Lingenuity	4ma	4 Mation
Can	_	Lon Longr	gman Logotron	4th Fo	Fourth Dimension
CC ComputerConcepts	-	MicP	Micro Power	д	Draw format
Cha Chalk		MicS	Micro Studio	ס	Paint format
	Circle	Mid Midn	Mid Midnight Graphics	V On	V On special offer!
Cit	Citizen	Mit	Mitre		

	Euclid 2 Expression-PS Financial Accountant First Words and Pictures	Drop Ship DTP Graphics 1 (Mono) DTP Graphics 2 (Colour) DTP Seeds Easiword EOUASOR V	Decorated Alphabet b Designer Intro Desktop Enhancer Desktop Office Desktop Publisher Disc Tree DrawBender + Fonts	Colour Screen» Mac - Arc/Mac Cable Concept Designer Craftshop 1 Craftshop 2 Cross-32 Meta-Assembler E DataVision	Charts & Graphs Chess 3D Children's Graphics DP Chocks Away  - Extra Missions Clip Art P Clip Art D	Cit Citizen Armadeus Artisan II Artisan Gallery Atelier Autosketch CAD Boogje Buggy Business Supplement
	Si Cha	ે જે છે ≃	8, 7, 7, 7, 8	fum fina sii	ComT MicP MicS 4th	A August
£86 £9 £70	£15 £52 £19 £75 £204 £19	£15 £15 £17 £17 V0£8	£17 £17 £75 £26 £96 £112 £112 £37 £12	£90 £24 £22 £28 £28 £28 £175		£59 £44 £16 £67 £69 £19
World War / Victorians each £18 Letters and Pictures Cha £17 Level 4 File Server Aco £180 Logo Logo Mappie Lon £47 Mappie Lon £47	Jigiet 4ma £26 Jigsaw 4ma £28 Keyboard Player Cha £17 Knowledge Organiser Cla £47 Landmarks Lon - Egypt / Rain Forest / Second	ra manual for sites variations a manual for sites variation 2 classification 2 Ser apartor 2 Ser Servi System Bee	ites	Hard Disc Companion Bee £35 Hearsay Bee £51 History Costume P Mics £17 Holed Out 4th £15 Hollink Presenter Lin £43 House of Numbers Cha £19 Hyperbook Reader Lon £47 Hyperbook Electronic Library	Sil E Oak £	Mitre  Font Pack 1 (Paladin, Swiss B. Symbolb, Vogue) Bee £43 Font Pack CC - Avant Garde / Bookman / Pembroke each £29 Fortran 77 Release 2 Aco £82 Fourier Analysis Arm £60

22nd May	10	991	Splice	Ace	£19
	1520	1924	- Econet or site licence	1 6	£475
		į	Super-Dump	<u>.</u>	£143
Maps and Landscapes 2	Cha Cha	£19	Super-Plot	S.	£32
viaik iviastei	2 2	10/	System Delta Plus II	<u>Z</u>	£54
Moyaword	2 2	£17	<b>T</b> imetabler	<u>₹</u>	£575
MultiFS	\$	£28	Timewatch	₹	£25
Multistore version II	<u>⊼</u>	£197	Toolkit Plus	Cla	£37
Nevryon	4 <del>.</del>	£15	Tools Graphics D	MicS	£24
Vote Invaders	Cha	£17	Tracer	<u> </u>	549
Numbers and Pictures	Cha	£17	Tracker	2 2	640
Vumerator	9	£65	Tween	A C	55
Numerator Chaos	Pon	£18	TWO (Task and	č	
Office Tools	S	£276	Window Organiser)	S	£19
Olympics -	° <del>1</del> ±	£15	- site licence		60
Orrery	Bee	£92	Utility Disc 1	Dat	£13
avroll	5	£129	Utility Disc 2	Dat	£13
<sup>2</sup> endown	L On	£50	■ Arc/Mac Cable	MUM	504
- Extra Outline Fonts	5	£18	Minn Como	<u>}</u>	
oneDream 3	<u> </u>	£118	Words and Pictures	2 5	617
rate	Cha	£17	World Geography Maps	9	
oster	4ma	£79		MicS	£24
	<u></u>	£19	World Wildlife A	MicS	£16
rehistoric Animals P	S S	£16	1 st Word Plus	Aco	893
- DataBase	ζ.	£25			
- WordProc	<u>ς</u>	£25	PRINTERS	v	
resentation System	; ≅	140	ArcLaser	Cal	€906
resenter II	5 5	636	- Sheet feeder	Can	55.4
rinter Driver, RISC OS	Ace		Bubble Jet BJ-300	Can	£399
- Epson / Star / Citizen	colour	r £13	Bubble Jet BJ-330	Can	£469
= Enson / Star colour	0	13	KX-P1123	ಹ	£199
ro Artisan	Cla	£74	- 328 FBTT 101 NA-F 1123 / 4	۵	5250
rofessional PDT CAD	^	£353	Laser Direct Oume	2 8	6856
rotext		£117	Laser Direct LBP-4 Card		£309
uncman 1 and 2	Cha	£17	Laser Direct LBP-8 8 ppm	_	
uncman 3 and 4	Cha	£17	600 dpi including toner	S	£1340
Juncman 5 to /	Cha	113	LBP-4 4 ppm	Can	£750
Real McCoy	4th	£24	LC24-10 32k ram card	Sta	£61
	_	£24	Behuilt Capon Toper carridge	קיי כי	545
Render Render	•	658	Archimedes parallel printer cable	er cab	е <u>1</u> 8
Revelation	3 8	887			

MEMORY AD	FUNCTION KEY STRIP ORGANISER Arckey - quantity of 4  FUNCTION No ETC OR TO THE T	ArcLaser  ArcLaser  Bubble Jet BJ-10e  Can £276  - Sheet feeder  Est  Bubble Jet BJ-300  Can £399  Bubble Jet BJ-300  Can £499  BYA-P1123  A £20  KX-P1123  Can £499  CC £385  Laser Direct LBP-8 B ppm  600 dpi including toner CC £1340  LBP-4 A ppm  600 dpi including toner CC £1340  LBP-4 A ppm  Can £750  C24-10 32k ram card  Sta £81  Swift 24 Cloour  Cit £279  Rebuilt Canon Toner cartridge £45  Archimedes parallel printer cable £8	1 st Word Plus
ADM3 ETC	_ S <b>E</b> S1	Can	Aco
j	<b>TRIP</b> %£3 %£10	£906 £276 £54 £399 £469 £199 £1369 £856 £309 £1340 £1750 £611 £779 £1750	893

RiscBASIC Compiler Rhapsody Upgrade Rhapsody 2 Reversals Revelation Render Bender Realtime Solids Modeller Sil

유

RISC OS Companion Vol 1 RiscForth Compiler

> £114 £114

£13 £68 £46

잁 តិ និ Cla Cla

£49

# MEMORY, ARM3 ETC Fitting extra unless stated

# Fitting requires experience of Fitting requires experience A3000 2Mb † Ife 18 A3000 2Mb † Ife 18 A300 2Mb † Ife 18 A310 2Mb † Ife 19 A310 4Mb † Ife 19 A31

4-slot 4-layer Backplane Ife £57	ARM3 £400	Ato £699	8Mb A400/1 / A440 / R140	- as above including fitting EPC
7	ŏ	Ø		7

Spark

SolidTools SolidsRende Snippet Sigma Sheet

4ma <u>Z</u>

£53 £109 £109 £109 £278

SolidCAD

ShowPage ShareHolder

S = 뷴

£139 £125

<u>S</u> Cla S

£69 £75

£91

Score PMS School Administrator RISC OS Style Guide RISC OS Programmer's

Aco V0 £11 Aco VO £75

Reference Manual

SCHEMA V RoboLogo

Timoon	Tracker	Tracer	Touch Type	Tools Graphics D	Toolkit Plus	Timewatch	<b>T</b> imetabler	System Delta Plus II	Super-Plot	Super-Dump	Studio 24 Plus	<ul> <li>Econet or site licence</li> </ul>	SOUIRREL V	Splice	Spelling - week by week Cha	
2	Ser	Ճ	₫	MicS	Cla	₹	<u>₹</u>	<u>Z</u>	S	S	Ē	(0	Dig	Ace	Cha	
3	£40	£48	£41	£24	£37	£25	£575	£54	£32	£24	£149	£475	£102	£25	£19	

MultiFS

Nevryon

Payroll

Ovation Orrery Olympics

TERS Can	IDEARCEX120L 19ms IDEARCEX200 15ms IDEARCEX200 11grade A3000 fully internal upgrade DEA3IN20 23ms IDEA3IN40 (ready June?) IDEA3IN60 (ready June?)	19ms 15ms 15ms 23ms lune?)	£935 £935 £975 £POA
	A3000 fully internal	upgrade	
Can	IDEA3IN20	23ms	£37
	IDEA3IN40 (ready J	lune?)	£₽O
300 Can £399	IDEA3IN60 (ready June?)	lune?)	£P0A
330 Can £469	Fitting if required		£25
Pana £199	A3000 external line	rade	
KX-P1123/4 £20	(External drive using inte	ligue	
Pana £369	sion elett can combine with DDEC	שהיים	מאַלאַ
9283 JJ 900	Sion Siot, can compile with Page	DILE WITH	770

Premier

Pro Artisan

_	CAR	5	will Capon Topor partidos
	£279	Ç	ift 24 Colour
- 1	 £61	Sta	24-10 32k ram card
_	£750	Can	-4 4 ppm
	£1340		00 dpi including toner CC
		_	er Direct LBP-8 8 ppm
	£309	S	er Direct LBP-4 Card CC
	£856	င္ပ	er Direct Oume
	Pana £369	Pana	P1624
_	1	1	CEX. (01.1.01.101.1107.1

IDEA3EX40 etc

Disc Buffer Board)

Tel 051-632 1234

Bewere of hidden or missing

compering hard disc prices

extres, such es fens, when

allel printer cable £8	oner cartridge £45	Cit £279	n card Sta £61	Can £750	ng toner CC £1340	- a o ppm
STANDIG LINE IL COLLEG	1st Mord Dive Times	ICS FONTS			Eiting if required	= prices as IDEARCEXAD etc ± 610

rd se £69 £243 £215 £215 £259 £POA £POA	# Fitting is straightforward # Fitting requires expertise \$4,0000 2Mb † Ife \$4,0000 4Mb † Ife \$4,0000 4Mb † Ife \$4,0000 4Mb † Ife \$4,0000 4Mb † Ife \$4,0000 including fitting \$4,0000 fitting \$4,0000 including fitting \$4,0000 fitting \$4,0000 including fitting \$4,0000 fitt	- 3 - 3 - 3 - 3 - 3
	3Mb A400/1 / A440 / R140	₹
<b>EPOA</b>	<ul> <li>as above including fitting</li> </ul>	1
£POA		310
£259	s above including fitting	ı
£215		310
£243		á
	02Mb t lfe	300
se	Fitting requires experti	
ď.	f Fitting is straightforwa.	

4-slot 4-layer Backplane Ife	ARM3	Ato	8Mb A400/1 / A440 / R140	- as above including litting EPOA
£57	£400	6693		E COA

1	Tools Graphics D	Toolkit Plus	Timewatch	<b>T</b> imetabler	System Delta Plus !I	Super-Plot	Super-Dump	Studio 24 Plus	<ul> <li>Econet or site licence</li> </ul>	SOUIRREL V	Splice	Spelling - week by week Cha	
	MicS	Cla	<u>Z</u>	<u>₹</u>	<u>₹</u>	S	S	Emr	ĕ	Dig	Ace	k Cha	
	£24	£37	£25	£575	£54	£32	£24	£149	£475	£102	£25	£19	

IDEARCEX40	case or racking system)	nal expansion slot using a podule	(May also be fitted to A3000 exter-	A300/400/500 series external	IDEARCIN200	IDEARCIN120L	IDEARCIN80L	IDEARCIN40L	IDEARCIN40	IDEARCIN20S	uporade	A300/400/500 series intern	you do use one it must be a four-layer type.	will require. A backplane is optional with the A310 internal upgrade, but if	controller card, a fen (where needed), and everything else you	Our 'upgredes' ere fully guarenteed end include the ideA	disc mounted directly on the controller card	external case, sharing the same controller card. An S indicates a 2½ inch wide	indicates a 1 inch high disc: two of these may be fitted in the same cradle or	The number at the end of a product name is the capacity in megabytes. An L	HARD DISC PRODUCTS
28ms	ystem)	ot using a po	to A 3000 e	es external	15ms	19ms	19ms	25ms	28ms	23ms	THE PROPERTY OF	es intern	nust be a fo	backplane i	a fon (w	, ore ful	ctly on the c	ring the san	high disc: to	end of a p	D DISC PRO
1395		odule	YPPr-		6839	£549	£389	£309	£269	£475			our-layer typ	s optional v	vhere nee	ly guare	controller ca	ne controlle	wo of these	roduct nam	OUCTS -
IDEARCIN	we have	sibility fo	(For use w	accessories	ido A contr	IC PLINTH SPECIALI &	A3000 accessories	IDEALZUL IZUMB	DEABOL		Additional hard discs		Φ	vith the A31	ded), and	nteed en	d	r card. An S	may be fit	e is the cap	
Archimede	we have tested ourselves)	r performa	ith your ov	accessories	offer cards	SPEC	essories				hard discs			0 internal	everyth	d includ		indicates :	ted in the	acity in me	
IDEARCIN Archimedes Intern £110	we have tested ourselves)	sibility for performance with discs	(For use with your own IDE hard	alla				T SUIG						upgrade, b	ing else	e the ic		a 21/2 inch v	same cradi	egabytes. A	
110	000	2 5	5			£18		1459	6053	£219				<u>=</u>	200	eA.		vide	e or	5	

Additional hard discs IDEA40L 40Mb IDEA40L 80Mb IDEA50L 80Mb IDEA5120L 120Mb A320D accessories IC PLINTH SPEC (IdeA controller cards accessories accessories (For use with your own discs; we can only sibility for perform we have tested ou IDEARCIN Archimed IDEARCIN A3000 Extended IDEARCIN A3000 Extended IDEARCIN A3000 Internal hard disc craft internal ha	Additional hard discs IDEAAOL 40Mb 19ms £398 IDEAAOL 80Mb 19ms £398 IDEAAOL 80Mb 19ms £398 IDEAAOL 80Mb 19ms £459 A3000 accessories IC PLINTH SPECIALI & £18 IdeA controller cards and accessories (For use with your own IDE hard discs; we can only accept responsibility for performance with discs we have tested ourselves) IDEAACIN Archimedes Intern £110 IDEAACIN ACHIMEDES IDEACIN ACHIMED	parade	£25	IN40 (ready June?) £POA <u>Rec</u>	s £375	£935	L 19ms £699	19ms £499	£449	s £395	or racking system)  or racking system)	also be fitted to A3000 exter-	rade (For	400/500 series external	15ms £839 ide.	ICIN120L 19ms £549 IC F	1CIN80L 19ms £389 <u>A3</u> /	£309	£269	20S 23ms £475		400/500 series internal
	25ms 19ms 19ms 19ms vn IDI accep nnce v scheles Entrel de kit all all ply & acking mpar	 Commended for e	Sport Light Disc Co	commended for b	kit (A3000 Intern	Fan kit (Standard) Case with power sup	ernal hard disc cra-	A3EX A3000 Exte	ARCEX Archimed	ARCIN Archimed	bility for performa	iscs; we can only	r use with your ov	accessories	A controller cards		200 accessories	_		40Mb	titional hard discs	

IDEARCEX80L IDEARCEX40L

# ord Plus First Fonts ICS FONTS

Seal 'n Type (spill-proof)

Archimedes

- A3000

Kad Kad

£14

KEYBOARD COVERS

Wordpower Power Fonts PipeDream PipeDrivers

most printers. For example: of Symbol Sets and Typefaces for Please ask for details of our range

Scan-Light Junior Scan-Light A4

င္ပ 8

£432 £175

- as above + Sheet Feeder

**SCANNERS** 

Scan-Light Junior 256

A3000 version (internal)

A3000 version (internal)

Raby, Shadow, Universal Black, Caldy, Outline, Pensby, PipeDriver Dot 1 Star LC-10 typefaces £19

For dot matrix printers with more what to do with - provides size and line spacing etc fonts, ink colours, variable print features than PipeDream knows access to resident and download

From our postbag

# 

CCCCE	U		
'nDi	Ba	£49	
Oddule Adaptor	Bai	83	
(needed with your first Oddule	Oddul	Φ	
unless you have an I2C socket)	socke	c	

ol. As though I've suddeni

ne across a new and unex red area, very refreshing.

TWO is the best thing I've eve

us for time saving. \*\*

ust received TWO - marvel



#### **SPEEDY COMMS TAKES OFF**

HIGH speed modems are not only becoming more common, but the prices are also rapidly falling, reflecting a more competitive market.

Whilst only a few months ago you had to spend over £1000 for the luxury of 9600bps (v32) the first v32 modem to break the £500 barrier was launched by Dataflex Design in April.

The Rapier modem was initially supplied as a PCcard. but standalone versions should now be available. A pocket version is also being developed. Of course you still get all the standard speeds (v21,v22 and v22bis) but there is no support for 1200/75. Full Hayes command sets and error correction up to MNP level 5 are included. Dataflex also offers v42 error correction v42bis compression. Prices start at £499.

Bradford based Amber Logic has also unveiled a v32bis modem. Its Mistral range offers the same features as Dataflex's Rapier modems and also offers v29 and v27 fax half-duplex standards. MNP5 and v42bis error correction and compression are also supported, although the modems themselves are likely to sell for around £900 for a standalone desktop model. Contact Amber Logic on (0274) 585483.

Racal-Milgo announced a new range of v42bis Maxam modems. The Maxam IV+ costs £399, and for this you get speeds of up to v22bis including v23 (1200/75). For £799 you get its flagship model, the Maxam V+, which offers v32. All models feature MNP error correction and compression, and cnhanced Hayes command sets.

Racal-Milgo is already working on a v32bis version to add to its range. According to the company its MNP compression is more efficient than other modems, due to the way compressed data is passed into the data pump. Until recently, MNP was considered to be the ultimate option for modem



owners. Now, the availability of v42 means that even MNP5 is looking rather old hat. It is more intelligent than MNP5 and recognises different types of data. This means that a file should never end up longer than the original, whereas when sending a compressed file via MNP5 you can quite easily end up making the file longer than the original.

So far, one of the few BBC orientated BBs supporting v32 that I have found is Hendon College of Higher Education BB on (0443) 733343 (scrolling,8N1), so if you have access to a high speed modem, why not give it a call?

#### PROCRASTINET

Procrastinet is a Beeb based bulletin board run by James Coates of Ludlow Sixth Form College. Catering for BBC owners and music enthusiasts, it has large download and special interest areas, including active mail areas. James is trying to organise a Music Network based on Procrastinet. This way numerous BBs can share and pass around music downloads, either for the standard Beeb or for the Music 500/0 range of add-ons.

It is hoped that a 'Net-Mail' protocol will be developed to enable echoing of messages from one BB to another. Interested Sysops (system operators) can contact James, who will send out more details.

The Yorkshire Boys, who have their own section on Procrastinet, are building a name for themselves by writing some excellent PD demos for the Beeb using sampled sound. Quite a few downloads are available which proves that the BBC scene is still very much alive and kicking. Try Procrastinet on (0584) 876012 (viewdata, v21/v23). Users of Procrastinet, and non-modem owners, can obtain a comms related PD magazine, also written and published by James. More details can be found by logging on to Procrastinet and sending a message to James.

#### DECODED

People often confuse the various v codes, and which modems offer which speeds the most common ones are listed below for reference.

Paul Vigay

v21 = 300/300bps v22 = 1200/1200 bps full duplex v22bis = 2400/2400 full duplex v23 = 1200/75 bps v26 = 2400bps, private lines only v27 = 4800bps for leased circuits v27bis = 4800bps (equalised) for leased circuits v27ter = 4800bps for PTSN (public BT lines) v32 = 9600bps for PTSN v42 = error correction and compression to give 9600bps

#### **NEWS IN BRIEF**

- NOW FAX users can turn green with a range of re-cycled fax paper from Kaleidoscope, Kaleidoscope claim its new paper, simply labelled Reclaim, performs perfectly in all makes of thermal paper fax machines at no extra charge.
- OWN A FAX can't afford a separate line? You need a Faxphone 1000 which automatically switches between voice calls and a fax machine connected to the same phone line. Developed by Switch Electronics Ltd it is currently awaiting BABT approval. All necessary leads and a mains adapter are included in the price of £149.S0. Switch Electronics can be contacted on (0494) 463S32.
- DO YOU get lost trying to reply to off-line bulletin board messages? If so, a new program, ReaderS, should be able to help you. Written by Anthony Frost and supplied by Norwich Computer Services as part of its Careware range ReaderS lets you read and compile replies to BB messages simply and within the Risc OS desktop. You can scroll backwards and forwards through the available messages and even re-quote portions of the original text.

This simplifies the whole process of sending and receiving mail via BB and should even make your phone bills smaller if you are a frequent caller.

- FURTHER to details provided last month, I regret to say that The Rabbit Run BB has closed due to unforseen circumstances. It will hopefully re-open during the summer or early autumn. Watch this space for news.
- DO YOU run a viewdata bulletin board? If so, your board can be added to the latest UK Viewdata Directory.

Send details of your board, including its name and location, Sysop's name, telephone number, hours open, speeds supported etc, to The UK Viewdata Directory. Phantom Comms, S6 Aldham House Lane, Wombwell, Barnsley, South Yorkshire, \$73 8RG.

PHANTOM BB is back on-line after a year's absence. Formed in 1986, it is one of the few original UK viewdata boards. Ring it on (0226) 34042S (viewdata 7E1). Keith Burton, the Sysop, is looking for new editors so, if you want to control your own area within the system, drop him an MBX.

#### **ARCHIMEDES**

#### A3000 PRODUCTS

**Monitor stand** (A3K1) Probably the best monitor plinth available for the A3000 & the basis of a modular system.

£24.9

System housing (A3K2) When you are ready to expand the A3000 this system housing is added, allowing up to 2 floppy drives and a hard drive to be added. £69.50

**Expansion card case** (A3K3) If you are adding an expansion card ('podule') to an A3000, such as a hard disc card, then you will need this podule case to connect & protect the card.

£14,95

Disc buffer (A3K6) If an extra floppy drive/s is to be connected then you will require a disc buffer. This one supports up to 3 additional drives and incorporates software control for physical to logical drive mapping: & 40/80 stepping which could prove essential when using dises in 65Host or PC emulator. A key feature is the built in expansion for further cards to be added internally; also see A3K12. NB some cheaper products may only provide connection for an additional drive without buffering.

20mb hard disc (A3K7) A 20 mb hard disc drive ready to fit in A3K2, including the hard disc card and all cabling. We are not aware of any other hard disc upgrade that is treated as an internal upgrade (consult your Acorn dealer or call PRES for details).
£399.00

40 MB hard disc (A3K14) as A3K7 but twice the capacity. £499.00

**3½" additional floppy drive** (A3K8) 3½" disc drive & mounting brackets for A3K2. £75

51/4" additional floppy drive (A3K9) 53/4" disc drive & mounting brackets for A3K2 – ideally suited for 65Host or using the PC emulator. £99,95

65Host 1770 DFS & DFS Filer (A3K12) A ROM & disc upgrade for A3K6 provides — 1) a desktop DFS filer that allows DFS filesto be dragged to ADFS viewers or straight into applications as Edit or Pipedream. 2) BBC 1770 DFS for use in 65Host. Automatic Icon and loader which can allow BBC DFS dises to have <SHIFT BREAK> operation. "...effectively turns your A3000 into a model B..." Acorn User Sept '90. £19.95

All prices exc. VAT



"PRES's range of add-ons offers tremendous advantages. The system can grow with your pocket, it offers security and strength but most importantly it offers choice." (AU Feb.90)

The starting point is the monitor plinth, probably (we feel definitely) the best on the market @ only  $\mathfrak{L}24.95$  (plus VAT) from there ... System Housing, Hard Disc Upgrade, Additional  $3\frac{1}{2}$ " Disc Drive, Additional  $5\frac{1}{4}$ " Disc Drive, Podule Case, Dedicated A3000 Disc Buffer, 1770 DFS for BBC Emulator & DFS Filer for Desktop, plus more to come! (the last three products can be added independently of the other items)

Contact your local dealer or call PRES direct on 0276 72046 for advice on upgrading your A3000.

We have built our reputation on honest dealing on quality products with thousands of satisfied customers.

WE STILL PRODUCE & SUPPLY OUR RANGE OF "8 BIT" PRODUCTS FOR THE electron, BBC B AND MASTER. IF YOU WANT TO KNOW MORE ABOUT UPGRADING WITH ACORN COMPATIBLE PRODUCTS... CALL FOR DETAILS.

#### SPECIAL PRICE

DUE TO A REMARKABLE PURCHASE WE CAN OFFER OUR ARCHIMEDES HARD DISC UPGRADES FOR...

#### £100.00 LESS

THAN OUR NORMAL ADVERTISED PRICES

20 & 40 MB DRIVE UNITS COMPLETE WITH THE TRIED & TESTED ST506 (ACORN) EXPANSION CARD, COMPLETE WITH ALL NECESSARY CABLING & INSTRUCTIONS FOR SYSTEM FITTING.

SUBJECT TO AVAILABILITY

BY POPULAR DEMAND WE NOW SUPPLY A MUCH WIDER RANGE OF ACORN PRODUCTS.

SO WHY NOT JOIN THE MANY CUSTOMERS WHO SAY THEY PREFER DEALING WITH US BY CALLING THE NEXT TIME YOU REQUIRE ANY ACORN RELATED ITEMS.

EDUCATION AND DEALER ENQUIRIES WELCOME

#### STOP PRESS

FOR THE MANY CUSTOMERS WHO SAY THEY WOULD PREFER TO DEAL WITH US DIRECT... WE NOW OFFER A 'ONE STOP' SOURCE FOR YOUR ACORN REQUIREMENTS. THIS INCLUDES COMPLETE A3000 SYSTEMS, A400 SERIES AND LEARNING CURVE PACKAGES. PHONE FOR DETAILS.

#### **NEW PRODUCTS**

THE S.P.A.C.E. KIT ... FIT A SECOND HARD DISC TO YOUR A400 COMPUTER.

The Missing Link (TML) ... FAST DATA TRANSMISSION BETWEEN ARCS.

FLOPPY LOCK ... DISABLES AN ARCHIMEDES DRIVE BY LOCK & KEY.

#### **COMING SOON**

TRUE PODULE EXPANSION FOR A3000.





P.R.E.S. LTD. BOX 319, LIGHTWATER, SURREY. GU18 5PW





#### AN AMPLE CREATION

I RECENTLY asked why Ample music composers tended to be a humble and apologetic lot. A new album from Ted Kirk, the man responsible for the Theory of Music programs, shatters this supposition Good for you. Ted!

His album is divided into two sections - Wishful Thinking and Instrumental - each consisting of four tunes, and comes with four A5 pages of sleeve notes.

Wishful Thinking is an integrated work which began life as a brass quintet. It has been radically re-worked, however, although it is still for five players. The first piece, Flight From Reality, is a full fivevoice fugue. Very clever, although you don't need to know it's a fugue to enjoy it. No More Drum Machines is in a modern vein but contains 7/4 and 9/4 time signatures - and no drum sounds! Son Of Superman is Ted's version of a theme (not the theme) for a superman-type movie.


The Instrumentals are even more interesting. Magic Circle contains interlocking themes, repeats and variations - tasteful stuff. Andrea's Tune is a jazz waltz – nice brush sounds here - with five improvised solos selected at random each time the piece is played. Black Hammer is an oriental heavy metal track, containing alternative solos played with a fuzz guitar sound.

Some of the pieces take advantage of the Music 3000 if attached but they will also run on a standard Music 5000 system. The album costs £3.95, and an audio cassette is available at the same price.

Contact Ted Kirk at 33 Humber Crescent, Sutton Leach, St. Helens, Merseyside, WA9 4HD.

#### PICK OF THE DISCS

This month's dip into the Archimedes Shareware/Careware bag of Norwich Computer Services' music discs brings forth Shareware 36. It contains a fix for Sound-Tracker modules which cause



MICROSTUDIO - ONE OF EMR'S UPDATED MUSIC PACKAGES

exception' 'Abort on data transfer' errors. You'll know if you need it!

It also contains a rather neat, very basic, MIDI recorder designed to save data from a Yamaha PSS780 portable keyboard. If you have one of these, you're laughing.

It should let you save voice and song data from portable keyboard-type instruments. saving you a fortune in Ram packs. It will also record MIDI in real-time (that is, from a keyboard as you play it) but it's not in any way a MIDI sequencer.

Careware 4 contains 18 Maestro tunes. Five are rock pieces by Queen, Supertramp and Genesis. The others are a mixture of classics, Mozart, Rossini, Gounod and Hadyn, and traditional pieces such as Narcissus and It's a Long Way To Tipperary, although some of these are very short.

It's worth remembering that Maestro files will play over MIDI but even if you don't have a MIDI interface, connecting the Archimedes' audio output to your hi-fi will greatly improve the sound. Remember too, that Maestro files can be loaded into Rhapsody (though not specifically mentioned in the manual) to give the added benefit of Rhapsody's printout and editing features.

Shareware discs cost £3, and Careware discs £7. There are also lots of other programs available on these discs. For further details contact NCS at 18 Mile End Road, Norwich, NR47QY.

#### **MEMORY SAVER**

If you don't have Hybrid's Ample Toolbox or the SideMod utility, you may be interested in a program on the Amplinex 19 disc. It's a utility which puts Hybrid System modules such as M.PAD, M.MIX and M.STAFF into sideways Ram.

The program is menu-driven and interrogates your system disc for modules. You can create up to three banks of Rom images. Contact Amplinex at 26 Arbor Lane, Winnersh, Berks, RG11 5JD. If you haven't yet joined, send them a fiver and blank disc (plus p&p) immediately.

#### THE GENUINE ARTICLE

Hybrid has taken on the final development and distribution of Music Publisher, a scorewriting program for the BBC micro which offers automatic and authentic layout of music.

Hybrid Technology become a division of Music Information Technology Ltd to allow them to develop new products in other areas but to ensure that the Hybrid name associated with remains Hybrid products. This coincides with a move to new premises: 88 Butt Lane, Milton, Cambridge, CB4 6DG.

Ian Waugh

#### **NEWS IN BRIEF**

- A FINAL reminder about The International Music Show which takes place from 10-14 July at the Olympia exhibition centre in London. The 10th and 11th are trade days, the 13th and 14th are public days and the 12th is education day. If you want to see, touch, feel and play all the latest musical instruments - be there! Contact Westland Associates Ltd, 23a Kings Road, London, SW3 4RP, Tel: 071 730 7852.
- EMR HAS been busy updating its range of music software. MicroStudio now features the automatic printing of guitar chord parts from any recorded track. This update is free to existing MicroStudio users, and is available as an update for Studio 24 Plus bringing it to V2.0H.

EMR's Music Player will play background music created with MicroStudio or Studio 24 Plus while you run any RISC OS compatible program. It costs £19.9S.

EMR has also released a new disc of Studio 24 Plus music files called Symphony 2 containing music by classical composers such as Grieg, Bizet, Beethoven, Mozart and Puccini along with arrangements by groups such as Level 42, the Pet Shop Boys and Phil Collins.

I recently reported that there were plans to integrate Rhapsody files with Genesis although this has been held up by technical difficulties - that's computers for you! EMR is hoping to put EMR music into Genesis, too.

More from EMR Ltd, 14 Mount Close, Wickford, Essex, SS11 8HG. Tel: (0702) 33S747.

• INSPIRATION, reviewed in March, has rapidly acquired a somewhat tarnished reputation, the early versions being rather unstable. Circumstances forced a release before the program had been thoroughly tested but the boys at Pandora have been beavering away to right the wrongs: The result is version 1.03.

Existing owners should receive a free update. If you haven't, contact your supplier or Pandora on (0273) 72SS36 between 10am-6pm. More about version 1.03 soon!

 IF YOU have any music news, tips or topics that you would like to see covered in this column write to lan Waugh at BBC Acorn User, Redwood Publishing, 20-26 Brunswick Place, London, N1 6DJ.

# 

# CORNUSER

#### ANYONE FOR CRICKET?

If you go batty trying to keep track of cricket matches, this helpful database should help you sort your Gooches from your googlies

#### TOUCHTYPE

Sorry we had to hold over the review of this typing tutor from Iota - find out how we rate it next month

#### **COMMS SERIES**

In the final part of our series on the fascinating world of communications, we investigate 'handshaking', intelligent modems and file transfer

#### DESKTOP FOLIO

We review the long awaited interactive publishing package which is already creating great interest in the education market

> Watch out for the August issue of BAU - available July 11 1991

#### **PLUS**

#### FIRST STEPS

Our series on using the BBC A3000 continues with advice on typing in programs from our yellow pages

#### **UPGRADING THE A3000**

The second of a special two-parter on expanding the memory of your A3000 looks at 8Mb upgrades

#### ARCCOMM 2

How good is the revised version of Longman Logotron's comms package? Don't miss our review

#### PIECES OF EIGHT

We delve deeper into the BAU archives for more classic programs for the Beeb

#### REGULARS

- All the latest news and views from the world of Acorn
- Our ★INFO helpful advice and ideas section covering A3000, Archimedes and Beeb
- Your letters and problems
- Programs galore on the yellow pages and much more

To be sure of your copy, please fill in the coupon

TO THE NEWSAGENT	
DEAR NEWSAGENT, PLEASE ORDER MY REGI	ULAR COPY OF BBC ACORN USER

YOUR NAME

**ADDRESS** 

BBC Acorn User is published by Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. Distributed by BBC Frontline, Park House, 117 Park Road, Peterborough.

As market leaders in SCSI drives for the Archimedes and A3000, Oak Solutions has earned an enviable reputation for quality and reliability. Whilst other manufacturers may claim that their drives are 'among the fastest available for the Archimedes', we can truly claim to produce THE fastest drives for the Archimedes with sustained data transfer rates of 1.9 Mbytes per second from disc to Archimedes memory on our larger drives.

The recent introduction of the Worra Winnie range has brought the price of our SCSI hard discs within the price range of users who previously would not have been able to consider adding a hard disc to their system. And yet all drives are top quality units, at least twice as fast as conventional ST506 drives, manufactured and tested under a zero defect quality control regime and with full scope for future expansion.

The 'High Speed' range gives an extra tier of performance and additionally carries a 24 month guarantee, whilst the 'Elite' range offers the ultimate in quality and speed.

Software supplied with the SCSI card allows hard discs to be partitioned into several logical partitions, which may be write protected if required. This feature can prove invaluable in the classroom situation where applications can be stored on a write protected partition – safe from accidental or malicious tinkering – whilst still allowing a read/write partition for data and scrap files. Extra free applications now include 'Euclid', the de facto standard Archimedes 3D software package, as well as 'Disc Tree', 'RISC OS Companion' and 'Worra Battle'

The 16 bit SCSI card gives great scope for future expansion, and can support up to four hard discs, as well as tape streamers, CDROMs, WORM and Magneto Optical drives.



Please specify type of computer when ordering.

Add £10 to cover P&P. Prices exclude VAT



#### Telephone for Education Prices

Oak Solutions Cross Park House Low Green Rawdon Leeds LS19 6HA Tel: 0532 502615 Fax: 0532 506868

# Oak Solutions SCSI Hard Discs with 16 Bit Controller Card

- □ Over £170 worth of Free Software\*
- ☐ More Versatile
- Plug in and go

Quality Reliability
Compatibility Performance

#### Worra Winnie Range

Internal Drives f	or 300/400 series	External Drives and A3000	for 300/400 series
20Mb	299.00	20Mb	344.00
45Mb	<b>3</b> 99.00	45Mb	445.00
80Mb	495.00	80Mb	545.00
100Mb	599.00	100Mb	649.00
200Mb	875.00	200Mb	925.00

#### High Speed Range

Internal Driv	es for 300/400 series	External Drives and A3000	for 300/400 series
50Mb	425.00	50Mb	549.00
100Mb	625.00	100Mb	749.00
200Mb	975.00	200Mb	1095.00

#### Elite Range

#### External Drives for 300/400 series

and	A3000	
211111	A 31HH	


and A5000			
50Mb	750.00	300Mb	1850.00
100Mb	950.00	680Mb	2500.00
200Mb	1300.00	Mag-Opt	4800.00

\*Drives include 'Euclid', 'Risc OS Companion', 'Disc Tree' backup software and 'Worra Battle' worth over £170






KiddiCAD works by mimicking the use of building bricks - models are simply created by placing bricks on top of one another in a realtime 3D perspective view. It really is childsplay.



# 3D Made Easy

KiddiCAD is a revolutionary new 3D CAD system from Oak Solutions, the leaders in CAD on the Archimedes.

Unlike other 3D systems, KiddiCAD has been designed specifically for use by children in the 5 to 14 age range, and completely avoids complex mathematical descriptions of planes and surfaces.



256 colours can be used within KiddiCAD, and there is an optional wire frame mode. KiddiCAD can output sprites in any mode for transfer into art packages, Genesis, DTP systems etc., and can output to a wide range of colour or monochrome printers via the standard RISC OS printer drivers.







RRP £99 +VAT
Telephone for Education Prices



#### HISTORY LESSONS

Your Letters Page in the May issue carried a letter from a history teacher. Mrs J A Rowley-Williams asks for information on databases which might allow her to file and quickly find history questions. Your reply mentions two flat-file databases designed primarily for other purposes, and fails to mention a program which has, in fact, been designed to solve this problem: Clares Knowledge Organiser, a development of an earlier program, ArcTFS.

As a history teacher myself, I designed these programs to allow fast access to variable length text items - anything from a short question to a historical source of several pages in length, or research notes. Knowledge Organiser will put over 100,000 words of text on a floppy, and well over two million on a 20Mb hard disc. If everything related to Henry VIII, was coded HVIII. the typing of this code would retrieve all items, which could then be sorted into strict chronological order for hardcopy or export to DTP.

I know that many packages now exist for the Arc, but I am surprised to find BAU forgetful of a powerful, relational freeform database, which it reviewed very favourably in November 1988 as ArcTFS. and even more favourably in August 1990 as Knowledge Organiser.

> Sean O'Conaill Texellence

#### GAMES CONVERSION

As a games enthusiast I can't see why some software companies for the Archimedes, like the Fourth Dimension and Eterna, don't convert more of the hit games for the Atari and Amiga to the Archimedes.

I have seen the graphics of games like Golden Axe and Shadow of the Beast on my friend's Atari and they could easily be achieved on the Archimedes. Some big software companies have converted games like MadProfessor Mariarti, Pacmania and Twinworld to Archimedes format so why don't they bring out the rest of the brilliant



Atari and Amiga games for the Arc, and maybe even a couple of enhancements!

Also, I'm sure that Arc owners would like to see some old Beeb classics like Citadel and Palace of Magic converted and upgraded.

> William Fletcher Welywn

Recently the Acorn games market has seen a small flood of companies, producing games for the Archimedes that you would normally associate with the higher volume Amiga and Atari market.

Virgin released Wonderland, Domark brought out Mig 29 Fulcrum and soon we should see Lemmings from Psygnosis. French company Eterna is also supporting the Arc, transferring its coin-op games to standard Archimedes format.

Keep an eye on the BAUgames page for further interesting developments, you may be pleasantly surprised by what you read.

#### YELLOW FEVER

Further to the letter from B Hunt in the June issue I agree almost entirely with much of the letter, especially how typing in listings can help develop programming skills.

Over the years, as I have progressed through the BBC model B, Master 128 and now the Archimedes, I would guess that at least 50 percent of my knowledge of BBC Basic is due to the typing in of such listings. However what I do disagree with is the subject of checksums

I have been an avid reader of BBC Acorn User since issue one. As far as I can remember, you pioneered the inclusion of checksums in your magazine for a few issues in the early days. For some unknown reason these were stopped! Please, oh please, bring them back, especially for the longer listings, they really are worth their weight in gold when it comes to debugging.

Finally, where is listing 3 for the PicList utility, published in the May issue?

> M A Bodley Lincoln

Mr Hunt's letter suggested checksums make typing more of a chore and we, here at BAU, tend to agree. Checksums do make typing in more of a 'chore' ie, a process of 'mechanical' ensuring the checksums match. We think readers find they learn more from correcting programs using their own brain power.

We still think the best way of debugging a program is to run it, see where the mistake occurs and then search for the procedure that contains the possible cause of the error.

Of course, if anyhody has any different ideas then please let us know.

Listing 3 for PicList, which was left out of the yellow pages by mistake, is as follows:

Set Pic-List\$Dir <Obev\$Dir> IconSprites <PicList\$Dir>.!Sprites

RMEnsure ColourTrans 0 RMLoad System:modules.Colours WimpSlot -min 96K -max 96K <Obey\$Dir>.!RunImage

It must be entered into an Obey file created by Edit and saved as !Run in the !Piclist directory. An Obey file called !Boot should also be created, containing the following line:

Iconsprites <Obey\$Dir>.!Sprites.

#### **DRIVERS VIEW**

Having used your printer driver generator for some time, I discovered how to overcome the problem of the first embedded code being used as the second if ESCAPE is pressed during printing.

The solution is simple but not obvious, it only needs each code to be duplicated.

To do this you enter the code to turn the effect on in both the on and off position of the table. Then use the next letter to switch the effect off by entering the off code in both positions. This way, the embedded code implicitly turns on or off the printing effect when it is encountered.

Also, if your printer does not support ESC 64 RESET, all the off codes can be included at the beginning of the text, giving the same effect.

You may also include another code if and when less than three parameters are needed. Two useful examples of this are:

24.27.64 - Clear printer buffer and reset

18,27,84 - Condensed off, Super/Subscript off

William Woodhall Yeovil

#### STAR LETTER

The Letters Page is one of the most important pages in the magazine. It is the page where you can let us, and all our readers, know what you think about the magazine, your computer, software, or anything else you think readers would be interested in. To encourage you to write to us, we will be offering £15 for the best letter we receive each month. Send your letters to The Editor, BBC Acorn User, 20-26 Brunswick Place, London N1 6DJ.



# Professional Upgrades for the A3000

To really make the most of your A3000 you need more than the basic 1Mb of memory.

The Oak Solutions A3000 RAM card offers an increase in memory to 2Mb or a full 4Mb, to greatly enhance the usefulness of the machine. The RAM card has low power consumption and gives off a minimal amount of heat so that reliable operation is ensured.

The card is easy to fit, and, of course, is fully compatible with all A3000 upgrades such as Econet, disc buffers and internal and external podules.

# RAM

2Mb65.00 2Mb Upgradeable 85.00 4Mb 199.00

# Monitor Stand

The Oak Solutions A3000 monitor stand provides a low cost entry point to our A3000 expansion system, as well as a superb way to make the most of your A3000 desk space.

The stand bridges the A3000 whilst still allowing access to the mains switch, disc drive and reset button. Unlike some other systems, the A3000 can be pushed underneath the stand, out of the way, when not in use. The stand is of strong steel construction, finished in a sturdy powder coat paint coloured to match the A3000.

Monitor Stand

£21.00


At last, a professional range of User Port upgrades for the A3000. Our internal expansion podules are available in three varieties. The entry level model provides a fully functional BBC user port, supported with fully 'Acorn Legal' software - ideal for interfacing with the Concept Keyboard.

The next model in the range has a BBC analogue port in addition to the user port, and the top model in the range has both these ports as well as a floppy disc buffer interface to allow extra 5¼" and 3½" drives to be added to your system.

# User-Analogue Port and Disc Buffer

Concept Keyboard Port £45.00 User-Analogue Port £54.00 User-Analogue Port + Floppy Disc Buffer £65.00

Oak Solutions Cross Park House Low Green Rawdon Leeds LS19 6HA Tel 0532 502615 Fax 0532 506868



Oak Solutions Cross Park House Low Green Rawdon Leeds LS19 6HA Tel: 0532 502615 Fax: 0532 506868



I have a BBC micro fitted with a disc filing system and am searching for a program to assist me in the transfer of programs from tape to disc. I am having problems in locating a suitable program, although a friend who owned a BBC said that there were lots available. Can you help?

> H R Angus Ashford

A Due to alterations in the copyright laws there are now fewer programs of this nature available. I would certainly have recommended Tape to Disc or The Replay Rom packages published by Vine Micros but they have been withdrawn from sale. Perhaps a reader has one for sale? However, I have heard that Clares Micro Supplies still markets a package called Replica 3, which is a powerful disc-based tape to disc package which will transfer many games to disc that some of the public domain programs will not. You could also try Watford Electronics which may still have its own tape to disc Rom which was similar to one of the Vine products.

I'm used to using MicroSoft Basic, or GW Basic on the IBM PC and find that with BBC Basic the LPRINT command is missing. How can it be emulated?

> A Tate Smethwick

You are quite right, **BBC** Basic does not have the LPRINT command of Microsoft Basic. However a

# **UESTIONS ANSWERS**

simple BBC Basic program can emulate LPRINT. For instance if you wished to have a line like

LPRINT "BBC Acorn User" in BBC Basic you should use 10 VDU 2

20 PRINT "BBC Acorn User" (where VDU 2 turns on the printer).

I have heard that the Archimedes suffers from problems with the serial port? Is this true, as I am thinking of using an A310 for communications work? If everything is okay can you recommend a comms package?

> T H Huxton Liverpool

A When the Archimedes first appeared, there were some fairly obsure but inhibiting problems with the serial port system, getting the machine off to a poor start in the comms world.

However, this has been solved with Risc OS, and the upgrading of the hardware chip.

Before Risc OS there were two major comms programs,

Hearsay from Beebug and ArcTerm from Serial Port. These are now available in Risc OS versions but they do not multi-task.

David Pilling markets a package called Risc OS Terminals which does multitask. The package actually contains three applications one for viewdata mode, and the others for Ansi (VT100) terminal emulations. They are straightforward to use and will work well with most viewdata and BB systems.

I have written my own of transfering text files from the Cambridge Computer Z88 and my BBC A3000, however 1 am experiencing some difficulties with the transfer of data between the two machines. What help can you offer?

> Robert Newmark Sunderland

A I wonder if you have your machine correctly configured when using higher baud rates. Incidentally the official Z88 to Arc transfer package which uses

the Cambridge Computer PC Link package works at 9600 baud.

I use this regularly on my A310 without problems. For use with this the Arc is configured \*CONFIGURE band 7 (which is 9600 baud) \*CONFIGURE Data 4.

The Z88 must be set to 9600 baud with no parity and Xon/Xoff protocol.

You may find it worth getting hold of the public domain package for data transfer between the Z88 and the A3000 written by D J Holden of 39 Knighton Park, Sydenham, London SE26 5RN.

What is the biggest hard disc drive that an A3000/ Archimedes can access? Who will supply me with one and what would it cost?

> John Miles Swindon

A Oak Computers sells a 640Mb SCSI external drive. However Acorn's software will only access 512Mb per logical drive. It will cost you around £4000.

Since purchasing one of the first BBC A3000s sold I've been very busy writing software for this super machine. I am worried about people exploring and exploiting my code and am therefore most interested in protecting my software by a form of password protection or encryption. Are there any packages around that you could recommend?

Andrew Lootle Kingswood

If you have a particular problem with an Acorn micro, commercial
software or a program you are trying to write yourself, then BBC
Acorn User might be able to help. The BAU Post A Problem service
guarantees to give you a personal answer to your problem within 10
working days – and for just £4.

Write out your problem with as much detail as possible and, if a program is involved, include a disc or cassette. Fill in the coupon and send it and your problem along with a cheque or postal order for £4 (including VAT) made out to Redwood Publishing. If you require recorded delivery, please add the cost of this.

Please note that debugging readers' own programs or those from other magazines is a complex task and we cannot guarantee to give a full solution. Unless the problem can be spotted quickly, the Post A Problem service will only be able to make general comments. The Post A Problem service will answer the problem and return all corresponding material received within 10 working days of receipt. If we fail to match this promise then your cheque or postal order will be

BBC	Acorn User	Reader	Service
20-26	Brunswick Pl	ace, Londo	on, N1 6DJ

Name
Address
Daytime phone number I enclose a cheque/postal order for £4 made out to Redwood Publishing and an SAE with my problem.

Office use only: Date in......Date Out.....Reference.....

returned - you just can't lose!

A I think you will find Encode, a program published by Beebug for the Archimedes and BBC A3000 to be what you need.

The program is published on Risc User Special Disc Volume 3.

I have had an Acorn Electron for many years and I now find that the power supply unit has failed. I'm experiencing some difficulty in obtaining a replacement main power adaptor for it. What do you recommend?

Robert Burnie

Southgate

As you may know Acorn no longer manufactures the Electron, although I'm sure it holds some parts, or could advise you of a suitable source. Try its Customer Services Department (0223) 245200.

You may be able to get your mains power adaptor repaired. Clarke Computer Services, which specialises in repairing BBC computers for the educational market, can be contacted at Abacus Buiness Centre, Manor Road, Ealing W13 0AS, Tel: 081-566 7292. You could also consider the purchase of a separate power supply unit of the correct voltage and amp to connect to your Electron. Maplins may be a good source for such a device.

I am about to write some database software for my BBC Master Compact that will enable me to computerise my telephone directory.

However, I realise that I need some help in writing routines to add and delete records from the file. Can you recommend any books that will offer me both basic advice, and more specialist knowledge?

J F Thorton Lampeter

A For basic information on data structures and data handling in BBC Basic I recommend BASIC Programming on the BBC Microcomputer by Neil and Pat Cryer, published by Prentice Hall.

Two more specialist books on file handling are File Handling on the BBC Micro-

computer by Brian J Townsend, published by MacMillan, and Filing System and Databasees for the BBC Micro by A P Stephenson and D J Stephenson, published by Collins. Beebug has also recently published a book called File Handling for all - on the BBC Micro and Acorn Archimedes by David Spencer and Mike Williams.

I am confused over the function of the Q parameter used with the \*SRLOAD command with my Master 128. Can you explain what it is for and what it does?

> Dr R Giaccio Australia

The optional Q parameter used in \*SRLOAD speeds up loading by using OSFILE rather than OSBGET. As it uses I/O main memory as a buffer, from OSHWM onwards, it will corrupt data in memory unless you have a co-processor.

We have a number of BBC Master 128s at our school, and a parent recently donated a Tandy DMP 200 printer. We are delighted of course, but are having problems getting it to work properly. Could it be that it is incompatible with the BBC computer?

R Howitt Windsor

A The Tandy DMP 200 printer is Epson compatible and should work with a BBC computer without any problems.

It should work with a standard BBC Centronics ribbon cable attached from the printer port to the printer itself. You may have to alter some settings inside your DMP 200 to enable it to be used with its parallel interface. These are called DIP or DIL switches, and your printer manual should help you with this alteration.

You can also use the printer with the RS-423 port, also known as the serial port on the BBC model B.

If you continue to have problems with your printer, you can contact Tandy direct on (0922) 710000.

#### **ACORN CUSTOMER HOTLINE**

Unfortunately, there were a few errors in last month's Acorn Customer Hotline column which I would now like to correct.

Contrary to last month's column, the Risc OS Extras disc is not available from Acorn Direct, however, it can be obtained from vour local Acorn authorised dealer. The correct version number of NetFS should be 5.53, and Econet, which was omitted altogether, is 5.48.

Last month's article also documented the version number of 65Host as being 1.40, but the correct version number for the application is actually 1.60 and the module's version number should be 1.19.

To find out what version number of the module you have, run the 65Host application, and exit the emulator by typing \*QUIT, followed by RETURN. Press the function key F12 to access the command line, whereby the star prompt(\*) will appear, then type \*HELP MODULES followed by RETURN. Press RETURN at the next star prompt.

 We have had a number of enquiries regarding the use of the Archimedes/A3000 range of computers with Open University courses. Acorn has spent some time working together with the Open University, and the PC Emulator is now approved for use on various courses.

Any users wishing to use the PC Emulator for a particular course, should contact the Open University in Milton Keynes.

 The printer drivers for the First Word Plus wordprocessor can be found on the First Word Plus utilities disc in the directory 1wp print.config'.

However, on the various bulletin boards mentioned in the Comms column each month, there are now a number of First Word Plus printer drivers which users have modified for their own printer types if different from the printer drivers supplied with First Word Plus.

If you wish to contact these bulletin boards you will of course need a modem and a serial upgrade for the BBC A3000, plus suitable driving software.

 For many years now Acorn has been dedicated to the area of

computers in Special Needs. With the launch of the Acorn Special Access system (see the News pages) Acorn has included a disc containing a number of utilities, some of which are public domain and some of which have been specially written by Acorn.

The utilities include different screen modes to provide larger text sizes. And there's Flasher which makes the caret (the cursor used when entering text) flash so that it can be seen more easily. and BigPointer which provides a large pointer. There are also a number of other functions supplied which help to meet the requirements of a wide range of users with special needs.

In between the BBC model B and the BBC Master 128 Acorn produced the BBC model B+.

Here in the Customer Services department we have a large number of enquiries from users who think that they have a model B when they actually have a model B+. The B+ is recognisable in that. when switched on, it behaves differently to the Beeb. When switched on, the B+ displays the following message on screen: Acorn OS 64K (or 128K).

Furthermore, by typing \*FX0 followed by RETURN the operating system version number displayed on the B+ will be 2.00.

If your B+ only has 64K fitted it is possible to add a further 64K of sideways Ram to the system by using the Acorn upgrade product ANB27. This costs £34.75 (ex VAT), a price which includes expert fitting by your local authorised Acorn dealer.

 If you need to contact Acorn for any reason please do not phone us if at all possible. We would prefer people to write, and the address is Acorn Computers Limited, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN.

I would be interested to hear any ideas as to what topics you would like to see covered in the Acorn Customer Hotline column. Please note that the ideas can only cover Acorn software or hardware products, as I am not permitted to cover third party hardware or software.

Please send any ideas to me at the above address.

**Peter Dunn** 

### The Complete Upgrade Solution

















- Uses only eight RAM devices
- User upgrodeoble from 1 to 4 Mb
- Four loyer printed circuit boord
- Low power consumption
- Avoiloble without RAM devices

Bare card - £35 2nd Mb - £56 4th Mb - £159

- Includes MEMC1o upgrode
- Lorge copocity OS ROM sockets
- No soldering required
- Four loyer printed circuit boords
- Courier collection of your mochine 2nd Mb - £225 4th Mb - £299
- 400 series RAM upgrode kits
- Supplied with full fitting instructions
- 410/1 to 420/1 requires 1Mb
- 420/1 to 440/1 requires 2Mb
- 410/1 to 440/1 requires 3Mb 1Mb - £35 2Mb - £65 3Mb - £99

- Uses only eight RAM devices

- Suitoble for A440, A400/1 & R140
- Fully RISC OS compotible
- Four lover printed circuit boords
- Courier collection of your mochine 8 Mb upgrade - £749
- New series Aleph One ARM3
- 3 to 4 times performance increase
- Surfoce mount technology
- Four loyer printed circuit boord
- Courier collection of your mochine ARM 3 upgrade - £399
- Increoses resolution with oll Multiscon monitors
- Doubles desktop work oreo
- Custom modes for Toxon and Eizo monitors
- Suitoble for oll Archimedes computers
- Free with ony multiscon monitor from Atomwide Atomwide VIDC Enhancer - £29
- Syquest removoble disk systems
- Including one cortridge, drive unit ond oll cobles
- 42Mb removoble cortridges
- High-flow fon fitted for improved cooling
- Pleose phone for prices on other SCSI reloted products Atomwide Syquest drive unit - £470 42Mb disks - £64
- All products ore cross-compotible
- Combination deals available on all products
- Typicol combination A310 4 Mb and ARM3 £675
- Deoler enquires welcome
- Phone for full detoils on oll products

All prices exclude VAT at 17.5% but include delivery







# FREE MONTHLY DISCS

WHEN YOU SUBSCRIBE TO BBC ACORN USER



Every month, BBC Acorn User is packed full of useful features and programs for all the Acorn machines. That's why BAU is renowned as the leading magazine for Acorn computer users. Now, as an additional service to new subscribers we are offering FREE monthly discs with every 12 month subscription to the magazine.

#### THE MONTHLY DISC

Each monthly disc contains all of the programs listed on the yellow pages in each issue, so you can save yourself the time, frustration and effort of typing them in by subscribing today.

If you purchased each monthly disc separately, it would cost you up to £5.95 per disc. So, with a 12 month subscription to BAU, you could receive discs worth over £70 absolutely FREE!

#### WHAT DO I DO?

Simply fill in the coupon below and send it to:

BAU Subscriptions, PO Box 66, Wetherby LS23 7HL. Or ring the credit card hotline number: (0937) 842489

NB: offer applies to UK subscriptions only, for details of overseas subscriptions see order form on page 81.



#### COMPATIBILITY

The 3.5in disc is compatible with the A3000/Archimedes, BBC model B, BBC Master and Master Compact with 3.5in drive and ADFS.

The 5.25in disc is 40/80track DFS and is suitable for use with BBC B/B+ and Master computers with a 5.25in, 40 or 80-track drive. So, no matter which Acorn machine you have, you can take advantage of this fabulous offer now.

I would like to subscribe to BBC Acorn User for 12 months at the cost of £22.95 and rece	eive
my FREE monthly discs. (Discs are only sent from the beginning of a subscription period	D.

NAME	SIGNATURE	
ADDRESS		
Disc size required (please tick) - ☐ 3.5 ☐ 5.2		
☐ I enclose a cheque/PO made payable to Redwood Publishing Ltd.☐ I wish to pay by Access/Visa		
Card Number	Expiry Date	



#### Please Note Our New Telephone Number

#### 7el: (0772) 623000 (4 Lines)

Fax: (0772) 622917

Orion will not charge extra if you wish to pay by credit card









#### **Acorn Computers**

BBC Master 128K	£399.00
BBC A3000	£599.00
BBC A3000 Learning Curve	£680.00
Archimedes 410/1	£1099.00
Archimedes 420/1 Learning Curve	£1267.23
A440/1 (47 Mb HD, 4Mb Ram)	£1699.00
A540 (100Mb HD, 4Mb Ram)	£2995.00

0% Finance available over 12 months On A3000 LC & A420/1 LC with or without Acorn Monitor Promotion Ends 30th June 1991

We will try to match or beat any price advertised in this magazine, please phone for best prices.

We operate the Acorn **Education and Teachers Phase** IV Purchase Schemes.

#### Special Offer when purchased with computer!!

	William County wood
A3000 - £3	35.00 discount off subsequent items
b	ought with computer, plus either
2	Mb Upgrade F.O.C., 4Mb for £100.00
A410/1 - 20	OMb HD + Upgraded to 4Mb F.O.C.
A420/1 - 42	2Mb HD + Upgraded to 4Mb F.O.C.
A440/1 - A	RM 3 F.O.C.
A540 - 41	Mb Ram Upgrade F.O.C.
*This offer can	not be used in conjunction with any other offer.

#### **Monitors**

Acorn Colour Monitor (AKF17)	£200.00
Philips CM8833 II Colour Monitor	£209.00
Microvitec CUB 3000	£199.00
Taxan MultiVision 775 (0.28 d.p.)	£389.00
Taxan MultiVision 795A (0.26 d.p.)	£469.00
(FST Black Trinitron Anti-Glare Tube)	
Taxan Viking II (19" Mono, MS)	£749.00

#### Cables

Arc to Monitor + Audio 2m (Not 8833 II)	£	8.65
Arc to 8833 Mk II Monitor Cable + Audi	ο£	8.65
Arc Parallel Printer Cable 1.8m	£	5.25
Arc Parallel Printer Cable 3m	£1	0.40
Arc to BBC Serial Cable 2m	٤	6.95
Arc Keyboard Extension Cable 2m	£	7.75
Arc Mouse Extension Cable 2m	£	7.75
Surge Protector Plug	£1	0.49
4 Gang Protector Socket	£1	7.95
Arc Keyboard Replacement Cable	£	6.95
Arc Mouse Replace. Cable (State Type	£(	6.95

#### A400/1 Accessories

Items marked with an * can be used on	A300/540
1Mb Ram Upgrade	£45.00
2Mb Ram Upgrade	£85.00
3Mb Ram Upgrade	£120.00
Above memory fitted for £1	0.00
Ethernet Card	£219.00*
Acorn SCSI Card	£239.00*
Arm 3 Upgrade	£399.00
Floating Point Rom (AKA20)	£469.00
Com. Con. Scan-Light Mk II A4	£369.00*
Com. Con. Sheet Feeder for above	£149.00*
Com. Con. Scan-Light + Feeder	£454.00*
Com. Con. Scan-Light Junior	£174.00*
Acorn Midi Expansion card	£65.00*
I/O Expansion Card	£79.00*
Midi Upgrade for above	£27.00*
Acorn Midi Expansion Card	£65.00*
Lingenuity SCSI Card	£169.00*
VIDC Enhancer	£27.00
Econet Module	£48.00*
Beebug Disc Buffer	£29.00

#### A3000 Accessories

Orion 1 Mb Ram Upgrade	£65.00
(Expandable to 4Mb using only 8 ch	ips)
Onon 3 Mb Ram Upgrade	£169.00
Upgrade from 2Mb to 4Mb	£149.00
Acorn Monitor Stand	£27.00
Serial Upgrade	£18.00
User Port/Midi Upgrade	£46.00
Morley Analogue/User Port	£68.00
PRES Disc Buffer Board	£48.95
PRES DFS Reader (A3K12)	£19.95
PRES Monitor Stand	£24.95
PRES System Housing	£69.50
31/2" Drive for PRES System Housin	
51/4" Drive for PRES System Housin	
Lingenuity SCSI Card	£149.00
Wild Vision External Expansion	£129.00
CC Scanlight Junior A3000	£174.00
CC Scanlight A4 Mk II A3000	£369.00
CC Sheetfeeder for A4 Scanner	£149.00
CC Scanlight A4 + Sheetfeeder	£454.00
RTFM Joystick Interface + S/W Disk	£34.95
Serial Port Joystick Interface	£18.95
Voltmace DeltaCat Joystick	£26.00

#### **Spares**

Orion can supply spares for any machine Acorn have produced mostly from stock. With next day delivery available or you can take advantage of our in house repair service. We can also supply parts for other computers and printers.

250

500

1000

#### **Bulk Diskettes**

All our Disks come complete with labels etc. and are 100% certified error free. In the event that a disk fails it will be replaced immediately. Quantity

25



50 51/4 DS/DD 96tpi £14.00 £26.00 £60.00 £115.00 £210.00

100



MF/2DD 1Meg £9.75 £19.50 £34.00 £77.50 £145.00 £270.00 £12.50 £25.00 £45.00 £106.25 £200.00 £375.00

Discounts available for trade orders - Phone for prices

#### **Books (No Vat)**

Programmers Reference Manuals	£77.00
BASIC V Guide	£19.45
A3000 Technical Guide	£28.95
A540 Technical Guide	£65.00
Basic V: A Dabhand Guide	£9.95
Archimedes First Steps	£9.95
Archimedes Assembly Language	£14.95
Archimedes Operating System	£14.95
C: A Dabhand Guide	£14.95
Budget DTP: A Dabhand Guide NEW	£12.95
Budget DTP: A Dabhand Guide NEW	£12.95

#### Extra Manuals

Acorn D.T.P.	£10.00
1st Word Plus Release 2	£10.00
ANSI C Release 3	£20.00

#### Orion - TV Modulator

Near Monitor Quality Picture Improved Sound through the television Integral Mains Adapter (One Box) No Podule expansion slot is taken Suitable for A3000 & A400 Series Only £65.00 - Bought with computer £49.00

#### **Printers**

C.C. Qume Laser Direct	£859.00
C.C. 600 DPI Expansion Card	£309.00
Canon LBP4 Laser for above	£699.00
C.C. 600 DPI LBP8 Laser Direct	£1319.00
Canon Bubblejet BJ300	£399.00
Canon Bubblejet BJ330	£449.00
Canon Bubblejet BJ10e	£269.00
Star LC10	£125.00
Star LC 200 Colour	£175.00
Star LC24-200 Mono	£205.00
Star LC24-200 Colour	£249.00
Star LC24-10	£170.00
Citizen 120D+ (Parallel)	£115.00
Citizen 124D	£165.00
Citizen Swift 9	£162.00
Citizen Swift 24	£225.00
Citizen Swift 24x (132 Column)	£329.00
Panasonic KX-P1081	£129.00
Panasonic KX-P1180	£138.00
Panasonic KX-P1123	£172.00
Panasonic KX-P1124i	£239.00

#### Orion Hard Drives

Orion SCSI drives are high speed, typically 750K 1200K per second, they are extremely quiet, and the external drives come in a small case unlike those of some of our competitors. Price includes SCSI expansion card

#### ST506 Internal (A410)

20Mb Drive

42Mb CMS Drive	£249.00
47Mb Rodime Drive (Same as 440/1)	£299.00
SCSI Internal (Suitable for AS	300 & A400
40/45 Mb Drive	£369.00
75/80 Mb Drive	£499.00
105 Mb Drive	£549.00
175 Mb Drive	£949.00
SCSI External (Specify A3000	or A400)
40/45 Mb Drive	£429.00

£139.00

SUST EXCEPTIAL (Specify AS	3000 or A400)
40/45 Mb Drive	£429.00
75/80 Mb Drive	£599.00
105 Mb Drive	£799.00
175 Mb Drive	£1049.00
345 Mb Drive	£1699.00
SyQuest 42Mb Removable Drive	£699.00

Larger drives available on request please phone



#### **Opening Hours** Mon-Sat 9am - 5.00pm



Acorn Qualified Dealer Acorn Component Level Service Centre Acorn Econet Installation & Service Centre

#### (Ribbons (Compatible)

Amstrad DMP2000/3160	£2.55
Brother M1009,M1109	£2.95
Brother M1509	£5.95
Brother M1724	£5.95
Brother HR10,15,20,25,35 Fabric	£3.25
Brother HR10,15,20,25,35 Multistrike	£4.65
Canon PW1080A	£3.85
Citizen 120D/Swift 24	£3.05
Epson LX80,86	£2.25
Epson FX80,MX80,LX800,LX850	£2.95
Epson LQ500,LQ800,LQ850	£3.00
Epson MX100	£3.00
Epson LQ1000,LQ1050,FX1000	£3.50
Epson LQ2500,LQ2550	£3.55
Epson EX800	£4.45
Panasonic KXP1081,1090,1080	£3.65
Panasonic KXP1124	£3.55
Seikosha GP100	£3.20
Star LC10	£2.55
Star LC24/10	£3.95

#### Ribbons (Branded)

Amstrad DMP2000/3160	£5.50
Canon BJ130 Bubblejet	£10.00
Canon BJ10e	£16.29
Canon BJ300	£12.00
Citizen 120D	£3.25
Citizen Swift 24 Black	£3.95
Citizen Swift 24 Colour	£13.75
Citizen Swift 24x Black	£8.00
Citizen Swift 24x Colour	£14.75
Colourjet 132/Canon PJ1080 Black	£8.60
Colourjet 132/Canon PJ1080 Colour	£14.60
Epson LX80/86	£3.75
Epson FX80,MX80,LX800	£4.50
Epson LQ400,550 Fabric	£5.25
Epson MX100,FX1000,FX1050	£5.75
Epson EX800/1000 Black	£7.25
HP Paintjet Black	£21.00
HP Paintjet Colour	£26.00
HP Deskjet + (Permanent Ink)	£13.20
Panasonic KXP145	£7.50
Panasonic KXP140	£9.35
Panasonic KXP115	£7.50
Star LC10	£3.80
Star LC10 4 Colour	£5.75
Star LC200 Black	£5.00
Star LC200 Colour	£9.75
Star LC24/10 / LC24 200 Black	£4.75
Star LC24 200 Colour	£11.50
Canon LBP4 Toner Cartridge	£59.00
Canon LBP8 Toner Cartridge	£69.00
Qume Crystal Print Toner Set	£67.00
Qume Crystal Print Drum Set	£89.00

#### Software

	DTP	
	Impression II (CC)	£145.00
	Impression Junior (CC)	£74.00
	Tempest D.T.P. (Clares)	£99.00
	Ovation D.T.P. (Beebug)	£99.00
	Desktop Folio (ESM)	IEW £79.00
	Spreadsheets	
	Sigmasheet (Minerva)	£39.95
	Schema (Clares)	£99.00
	WordProcessors	
	1st Word Plus Release 2 (Acom)	£69.95
	EaslWord (Minerva)	£31.95
	Protext 5.0 (Arnor)	£119.00
	Integrated Packages	
	Pipedream 3 (Colton)	£119.00
	Desk Top Office (Minerva)	£99.00
	Databases	
	Datavision (Silicon Vision)	£127.45
	Flexifile (Minerva)	£119.00
	Multistore (Minerva)	£199.00
	Genesis II (Oak Solutions)	£119.00
	Knowledge Organiser (Clares)	£42.00
	Accounting Software	
	Financial Accountant (S. Vision)	£233.75
	Home Accounts (Minerva)	£39.45
	Business Accounts (Minerva)	£325.00
	Office Tools (S. Vision)	£318.75
	Shareholder (S. Vision)	£165.75
	MicroTrader Accounts	£199.00
	MicroTrader Stock Control	£75.00
ı	Languages	
i	ANSI C Release 3 (Acorn)	£125.00
i	RiscForth (S. Vision)	£127.45
	Music	
į	Armadeus (Clares)	£61.00
	Rhapsody (Clares)	£39.95
	Tracker (Serial Port)	£38.95
	Utilities	
	Arc DFS (Dabs Press)	£22.95
	Dot Matrix Colour Printer Driver (A	ce) £13.00
	Education	
	Maths Pack (HS Software)	£11.95
	Reading Pack (HS Software)	£15.75
	Bumper Pack II (HS Software)	£15.75
	Graphics Manipulatio	n
	Poster + Fonts (4Mation)	£79.00
	Render Bender (Clares)	£58.00
	Solids Render (S. Vision)	£127.45
	CAD	
	ARC-PCB (S. Vision)	£165.75
	PCB Professional (S. Vision)	£318.75
	SolidCAD (S. Vision)	£127.45

1	7	9	1	11		3
- 1	•		ч		u	23

Games	
Arcpinball (Shibumi)	£18.00
	£18.00
Ballarena (Systeme)	£14.75
Blowpipe (Eclipse)	£14.45
	£18.00
	£14.45
Chocks Away Version II (4th Dim.)	£18.00
Chocks Away Extra Missions NEW	£14.45
	£28.00
Drop Ship (4th Dim.)	£14.45
E - Type (4th Dim.)	£14.45
E - Type 100 Miles (4th Dim.)	£12.75
E - Type Designer (4th Dim.)	£12.75
	£18.00
Holed Out (4th Dim.)	£14.45
Holed Out Designer (4th Dim.)	£14.45
Holed Out Vol. 1 or 2 (4th Dim.)	£12.75
Hostages (Superior)	£14.45
Iron Lord (Cygnus)	£14.45
Inertia (4th Dim.)	£14.45
Interdictor 2 (Clares)	£26.00
Mad Professor Mariarti (Krisalis)	£14.45
Manchester Utd. (Krisalis)	£19.50
Master Break (Superior)	£14.45
Microdrive 3D USA Courses	£14.75
	£29.00
Minipack 5 (C.I.S.)	£23.95
Nevryon (4th Dim.)	£14.45
	£14.45
The Olympics (4th Dim.)	£14.45
Pipemania (Empire)	£16.45
Powerband V. II (4th Dim.)	£18.00
The Real McCoy (4th Dim.)	£21.50
The Real McCoy 2 (4th Dim.) NEW	£21.50
Turtles Tour the World (E. Crayon)	£14.45
Twin World (Cygnus)	£14.45
Speech (Superior) NEW	£14.45
Superior Golf (Superior)	£14.45
Square Route (Computereyes)	£14.45
Wimp Game (4th Dim.)	£14.45
World Champ. Boxing Man. (Krisalis)	£19.50
WorldScape (Eclipse)	£14.45
Graphics - Art	
Artisan II (Clares)	£49.95
Pro Artisan (Clares)	£79.00
Atelier (Minerva)	£79.00
	£19.95
Graphics - Presentation	
Hotlink Presenter(Lingenuity)	£46.95
Graphbox (Minerva)	£62.45
	202.43
Misc	80455
PC-Emulator (Acorn)	£94.00
Investigator II (Serial Port) NEW	£22.95

#### Instant Finance available up to £1000


Puchases can be made at our premises and instant credit is available with Lombard Tricity Finance Ltd (Subject to Status). Finance is over 36 months on any purchase over £100 (APR 36.8%\*).

10% Deposit is required. Identification will be required, ie Driving Licence, Bank Card or Credit Cards.

Written details are available upon request.

\* Subject to change without notice

#### Where to find usl



#### All Prices Exclude VAT.

Please add VAT @ 17.5% to all prices

Dept. BAU 7, Units 18e & 18f Boxer Place, Moss Side Employment Centre, Leyland, Preston, PR5 3QL.

#### Callers Most Welcome

We ere situated 3 miles from M6 J28, All offers subject to avellebility. Government & Educational Orders Welcome. Next Working Day Delivery in UK - £5.50 Ex. Vat Carriage on Export Orders charged at cost.

#### Minimum Order Value £10.00 Minimum Educational Order Value £15.00

75% of all goods despatched within 24 hours, subject to stock levels.

Send for fact sheets on technoSCAN, technoTablet, Multipod & Hard Disk **Upgrades** 

### **l'ECHNOMATIC**

Techno House 468 Church Lane, London NW9 8UF Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice. Please add carriage (a) £8.00 (Courier) (b) £4.00 (c) £2.00 (d) £1.50 (\*) Courier included

#### rchimedes computers

#### **TECHNO LEARNING CURVE**

A3000LC + Cub 3000 Fitted with 2MB RAM A420/1 + Cub 3000

Fitted with 4MB RAM

£829

£1389

**Archimedes Learning Curve 0% FINANCE AVAILABLE** 

A3000 LC with Acorn Colour Monitor

£925

A420/1 LC with Acorn Colour Monitor

£1485

Please ring or write for a personal quotation

Archimedes A410/1

A410/1 with Cub 3000 A410/1 with Taxan 770 + LR £1265 £1425

410s enhanced to 2MB and 20MB Drive Archimedes A440/1

A440/1 Cub 3000 A440/1 Taxan 770 + LR £1855 £2055

Free PIPEDREAM 3 with A440/1 **New A540** 

ARM3 + 100MB SCSI fitted with 8MB RAM upgradeable to 16MB

A540 plus Taxan 795

£3299

Carriage £8/computer

£12/system

HP Deskiet 500

#### technoTablet

£309(a)

Our 12" by 12" working area technoTablet offers a resolution of 1000 lines/in and connects through the serial port of the computer. The tablet can take over virtually all the functions of a mouse simplifying the use of graphics packages.

A four button puck moves over the special surface, its cross-wires allowing simple and accurate transfer of drawings. The optional stylus will make tracings, line drawings etc much easier and more accurate.

The driver software is genuine RISCware and provides commands to turn the tablet on or off. select relative or absolute coordinates, change puck movement sensitivity and scaling.

The package includes the tablet, puck, software and mains power supply, no connections are required to the ARC main board.

technoTablet

£209(a)

including Stylus

£15(d)

PC mouse drivers and art package

£12(c)

#### STOP PRESS

techno-i available now £249(a) Send for details and free demo disc

#### What we offer in addition to efficient sales service and professional backup!

We not only offer professional advice when you are purchasing your system but we will also provide friendly assistance afterwards. All our products carry a 12 month full warranty for parts and labour.

#### LEARNING CURVE PACKAGES

#### **ARCHIMEDES**

An Archimedes 420/1 with 2 MB RAM + 20 MB Hard Disc and First Word Plus wordprocessor Genesis database Acorn Desktop Publisher

PC Emulator and DOS software Informative video and parental guide to the National Curriculum

**0% FINANCE AVAILABLE** 

#### A3000

with 1MB ACORN A3000 **Tutorial Video GENESIS Database** 

PC Emulator FIRST WORD PLUS Wordprocessor the parents guide to the national

curriculum

**0% FINANCE AVAILABLE** Special offers must end June 30th

#### Probably the definitive monochrome scanning package!

The all NEW technoSCAN II package provides full monochrome operation at 400 dpi as well as 8 and 16 level grey scale scanning and provides

the following features: Suitable for all Archimedes micros and integrates fully with the multitasking RISC OS environment.

memory Advanced management system releases memory when not required allowing scanning and DTP in a 1MB computer. Flexible zoom control allows palettes to be

imported, tailored and resaved with more powerful tone and tinting features than most painting packages.

Interactive help and a superb manual. Direct printing with RISC OS drivers.

Saves sprites direct into PAINT and DTP or to

Saves sections and palettes into any graphics mode.

At the same low price as the well tested original.

technoSCAN II complete with £149(b) interface card and manual

technoSCAN II for A3000

£175(b)

technoSCAN II upgrade

for techno SCAN

£22.50(c)

#### **MULTIPOD PROFESSIONAL**

The MultiPod is a single-width Podule for the Archimedes which incorporates five high-quality devices in one:

- Video digitiser
- Sound sampler
- Analogue/joystick port
- RS232 serial port
- **BBC Rom Sockets**

combination with the on-board Podule Manager to make an easy link with the familiar Risc Os Desktop environment. For most users this ought to provide sufficient control over the hardware features, but to accommodate advanced users several \*Commands and SWI calls are supported. There are no Rom sockets in the A3000 version of the board.

The software provided with MultiPod works in

MultiPod 300/400 series £117(b) £145(b) MultiPod for A3000 MultiPod RGB Filterset £15(d) **B&W CCTV** camera plus lens £200(b)

Special prices for educational establishments. Please ring for details.

#### technoSCSI Packages for Archimedes

The technoSCSI interface card from Brainsoftware uses state of the art components to handle up to 4 SCSI drives with data transfer rates of up to 1.5 Mbytes/second (synchronous mode up to 2.8 Mbytes/ second) Supports SCSI tape streamers, scanners and laser printers.

#### A300/400 technoSCSI

For A300 & A400 Archimedes a full 16 bit MEMC controller with tagged cache and both internal and external SCSI connectors £179(b)

A3000 technoSCSI card with USER PORT

Now for A3000, a new internal 8 bit technoSCSI card with on-board BBC compatible user port. £179(b)

#### **SCSI DRIVES**

An expanding range of internal and external SCSI drives with 24 ms, or better access times and fast data transfer rates.

All drives are supplied with cables and external drives are housed in stylish, compact metal cases.

We carry a full range of printers from Hewlett Packard, Epson, Panasonic, Canon, Integrex, Ring for prices.

81-205 9558

**A300 SERIES UPGRADES** -Send for Details

# ECHNOMATIC

Techno House 468 Church Lane, London NW9 8UF Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice. Please add carriage (a) £8.00 (Courier) (b) £4.00 (c) £2.00 (d) £1.50 (\*) Courier included

#### Archimedes SOFTWARE

#### WORD PROCESSORS

First Word Plus Rel. 2 £65(c) £119(c) Pipedream 3 £19(d) Graphics Writer £25(d) Spell Master

#### **SPREADSHEETS**

Sigmasheet £45(c) Pipedream 3 £119(c) Schema £90(c)

#### UTILITIES

ARC DFS £25(c) PC Access £30(d) DFS Reader £12(d) £5(d) £5(d) Clares Buffer Module Clares Toolkit £135(d) Disc Sharer (Econet) Printer Spooler (Econet) £80(d) £89(c) PC EMULATOR RISC OS EXTRAS '91 £10(d) SID Utilities Disc 1 £5(d) SID Utilities Disc 2 £5(d) SID Utilities Disc 3 £5(d) £10(d) £27(d) ChangeFSI new version Snippet RISC Paintjet driver £15(d) Acorn Fonts Starter Pack £35(d) Newhall Font

#### **LANGUAGES**

£35(d)

ANSI C Rel 3 £129(c) TWIN £27(d) Arch Assembler £185(b) RISC BASIC Compiler £125(c) RISC FORTH £125(c)

#### **COMMS PACKAGE**

Hearsay £50(d) Arc Comm £25(d) Arc Comm 2 £54(c)

#### **DATABASES**

Multistore £199(c) Knowledge Organiser £42(c) System Delta Plus £57(c) Progs Ref. Manual for above £25(d) Ancestry £60(c) Genesis £79(d) £82(c) DataVision Alphabase £15(d) Deltabase £15(d)

#### **DESKTOP PUBLISHING**

Acorn Desktop Publisher £110(c) £79(c) Ovation Impression Junior £79(c) Impression II £149(c) £95(c) Tempest Desktop Folio £85(c)

#### **EDUCATIONAL PACKAGES**

£27(d) Craftshop 1 Craftshop 2 £27(d) Poster £85(d) £27(d) **Jigsaw** £27(d) Jialet Snippet £27(d) Desktop Folio £85(c) Poster £79c)

#### **EMULATED PACKAGES**

View/Viewsheet/

Viewstore each £47(d) Interword/sheet each £35(d) each £35(d) Interchart

#### ART/GRAPHICS/CAD

AutoSketch 2 £65(c) ProArtisan £70(c) Artisan 2 £45(c) £49(c) Arcol £65(c) Atelier Gammaplot £39(c) Presenter II £35(c) Graph Box £59(c) £69(c) Revelation TABS

From the producers of ARCOL, allows 3D objects to be designed and their nets to be printed & then

assembled. £89(c)

#### SILICON VISION

SolidCAD £120(c) **Realtime Graphics** £86(c) Language Super Dump £22(d) Super Plot £29(d) Solids Render £120(c) Robo Logo £60(c) £279(c) Solid Tools Financial Accountant £135(c) £35(d) Presentation Manager FilmMaker £65(c)

£90(b)

#### techno-l

A Real-Time Colour Video Digitiser totally controlled from the desktop. Grab video images and save them as sprites for use with art and DTP packages. Techno-I encodes colour in uvL colour space and mimics the human visual system by manipulating hue, saturation and luminance.

#### Features include:

- □ 25 bit colour, 7 bits luminance, 18 bits chrominance
- ☐ Real-Time colour viewfinder
- ☐ 2 frame buffers giving 512 by 512 resolution
- ☐ Image scaling to 1280 by 1024 in any 256 colour mode
- Supplied complete with the latest Change FSI release
- Single width podule utilising surface mount technology
- ☐ All adjustments from Desktop no presets!
- ☐ Auto black level and gain control ☐ Compatible with PAL, B, G, H, I.
- M, N, NTSC 4.43 MHz NTSC M.
- □ SVHS Upgrade available soon.

#### NO PRINTED PICTURE CAN DO IT JUSTICE!

techno-I 300/400 £249 (b) £279 (b) techno-I A3000 Special Educational Price is available

Send for full details and free demo

#### rchimedes **EXPANSION OPTIONS**

#### **A300 SERIES**

A310 SPECIAL OFFER £350(a) RAM & ARM 3 Extra 1MB £260(\*) Extra 3 MB £320(\*) ARM 3-25 MHz fitted by us £375(a) Backplane £45(b) FAN £13(c) AEDA external floppy drive adapter £30(c) External 5.25 40/80 floppy drive £90(b)

#### **Hard Drives & Controllers** techno HD Controller for 2 drives

Internal ST506 drives supplied with mounting bracket, cables & instructions. 20 Mb 40ms £165(a) 40 Mb 25ms Autoparking £240(a) 50 Mb 28ms (as A440/1) £330(a)

External Drives see A3000 upgrades in 3rd column

#### External HD Adapter Plate **SCSI Drives & Controller**

as A400 Series in 2nd column

#### A400 SERIES

RAM & ARM 3 1MB Upgrade (410/1) £49(c) 2MB Upgrade (420/1) £79(c) £149(c) 3MB Upgrade (410/1) ARM 3 - 25 MHz fitted by us £375(\*) AEDA external floppy drive adapter £30(c)

#### **Hard Drives & Controllers**

#### **SCSI Drives & Controller**

technoSCSI card £179(b) technoSCSI card with internal 40 MB Drive £349(a) technoSCSI card with internal 105 MB Drive £699(a) technoSCSI card with external 40 MB Drive £399(a) technoSCSI card with external 105 MB Drive £799(a) technoSCSI card with external 313 MB Drive **CPOA** 

#### External 5.25 40/80 floppy drive

as A300 Series in 1st column

#### ACCO & AACC CEDIEC

£149(b)

£30(c)

A	000 & A4	UU SEKIES	
Acorn I/O expansion Card MIDI Add-on to I/O card MIDI Expansion Card MultiPod Video Digitiser/Sound Sampler MultiPod Filter Set for Video Camera (RGB) technoSCAN II Hand held Scanner Wild Vision Chroma Genlock CG2 Tracker Ball — new low price	£80(b) £37(c) £66(c) £117(b) £15(d) £149(a) £215(b) £30(c)	technoTablet Stylus for tablet 16 bit Parallel I/O card AD C1208 A to D Convertor Dual RS232 Serial card IEEE Interface Arc Prototyping board	£209(a) £15(d) £195(b) £495(b) £195(b) £283(b) £35(c)

#### **A3000 UPGRADES**

£56(c) £149(c) AEDA external floppy drive adapter £30(c) External 5.25" 40/80 floppy drive £90(b)

#### **Hard Drives & Controllers**

Cased techno HD Controller £175(b) External ST506 drives are cased with mains PSU. 20 Mb 40ms Cased, PSU & Cables £249(a) 40 Mb 25ms Autoparking, cased £359(a) 50Mb 28ms (as A440/1), cased £449(a) For 300/400 please state drive 4 or drive 5

#### **SCSI Drives & Controller**

Internal 8 bit technoSCSI card & USER PORT £179(b) technoSCSI card with external 40 MB Drive £399(a) technoSCSI card with external 105 MB Drive £799(a)

Acorn MIDI/user Port £49(b) MultiPod Video Digitiser/Sound Sampler £145(b) £175(a) technoSCAN II Hand held Scanner Wild Vision Chroma Genlock CG1 £215(b) Tracker Ball - new low price £30(c) technoTablet (needs serial upgrade) £209(a) £15(d) Stylus for tablet Serial Port Upgrade Kit £19(c)

A3000 Technical Manual

£29(c)

#### ARCHIMEDES MODEM PACK

Miracom WS4000 lead and ARC Comm Software Modem Pack £129(b) Serial upgrade required with A3000

TEL: 081-205 9558

**Archimedes Applications** Software for **Business & Leisure. Ring for lists** 

### **TECHNOMATIC**

Techno House 468 Church Lane, London NW9 8UF.

Tel: 081-205 9558 Fax: 081-205 0190

Mon-Fri: 9.15-5.30. Sat: 10.30-4.00

All prices ex VAT. Prices are subject to change without notice. Please add carriage

(a) £8.00 (Courier)

(b) £4.00

£2.00 (c)

#### (d) £1.50

#### rchimedes monitors

Microvitec CUB 3000 14" RGB

Med Res, specially designed for ARC £195(a) £5.50(d) Dust Cover for CUB 3000

Philips CM8833 14" RGB Med. Res.

TTL/Linear Mono/Colour, Stereo

£209(a) sound, Full UK version

Acorn 14" Colour Monitor

£199(a) with stereo sound

**TAXAN 775** 

MultiSync 14" colour, ideal for Archimedes hi res modes. Our price includes tilt and

£379(a) swivel stand.

**TAXAN 795** 

Flatscreen multisync colour complete

£429(a) with Atomwide VIDC Enhancer £17(b)

A3000 Monitor Stand

#### **MODEMS\***

£105(b) MIRACOM WS4000 V21/23 £195(b) MIRACOM WS3000 V22 MIRACOM WS3000 V22bis £249(b) PACE LINNET V21/23 Ext. £105(b) PACE LINNET V21/23 Int. £95(b) £10(d) ARC/BBC cable (state type)

\*All models carry a BABT Approval

#### **EPSON PRINTERS**

#### Epson LX400

Epson's budget priced 9 pin printer offers quality and reliability with Epson's advanced paper handling technology, draft and NLQ print in variety of typestyles and fonts:

Epson LQ range

Epson's 24 pin printers with superior draft and letter quality, variety of typestyles and fonts, high res graphics, advanced paper handling and Epson's reliability:

£180(a) LQ400 180cps draft 60cps LQ LQ550 180cps draft 60cps LQ £235(a) £409(a) LQ850+ 264cps draft 88cps LQ

**Epson Laser Printers** 

EPL 7100 6 pages/min with up to 6000 pages per cartridge scaleable fonts up to 960pt.

EPL 7100 (includes, free 0.5Mb kit) £699(a)

#### **NATIONAL PANASONIC**

KXP1081 + Master Printer Lead £125(a) KXP1123 24 pin 240cps draft £179(a) 53 cps LQ. With 42K buffer

#### INTEGREX

132 Inkiet Colour Printer £515(a)

#### **HEWLETT PACKARD**

HP Laserjet III £1035(a)\* HP Laserjet IIIP NEW £695(a)\* £619(a)\* Paintiet

\*FREE 12 months on site maintenance contract included.

#### CANON

£365(a) Bubblejet BJ-300E £99(c) Cut Sheet Feeder for above £215(a) Bubblejet BJ10E Portable Cut Sheet Feeder for above £45(b) LBP4 (for Laser Direct Hires) £665(a)

#### **ROLAND PLOTTERS**

£515(a) **DXY 1100 DXY 1200** £649(a) £849(a) **DXY 1300** £349(a) **SKETCHMATE A4** 

#### **CABLES**

£15(d) Arc BBC Serial Link inc software Arc BBC Serial Cables £7(d) Arc PC Serial Cables £7(d) £7(d) Arc Parallel Printer Lead Arc Keyboard Extn Lead £7(d) £7(d) Arc Scart Lead £8.50(d) Arc Dust Cover Arc/CM8833 Lead with Audio Jack £10(d) £3.50(d) High Quality Mouse Mat

technoCAD for Master 128

technoCAD will meet the needs of most professional applications and it is an ideal tool for

teaching CAD in technical schools, CDT

NOVACAD

**Computer Aided Draughting** 

**System for BBC** 

Novacad can drive a plotter to produce drawings

of highest quality ... Novacad is excellent. It is

flexible, genuinely easy to operate without much

practice, ... and a pleasure to use. Deebug Dec86

**EPROMRYTER** 

\*Highly sophisticated & Advanced Programmer

\*All current single rail eproms handled

\*State of the Art Programming Algorithms

The single rail eproms handled by the EpromRyter are: 2716 2732 2764 27128 27256 27512 27513 27011

2516 2532 2564 (NMOS & CMOS) One time eproms P27XXX, 87CXXX etc.

departments and collages.

NOVACAD T/M Version

Plotter Driver Generator

NOVACAD T/M + Plotter DG

#### **Master Series & Accessories**

#### **MASTER SERIES**

£379(a) **BBC Master 128** £169(a) Microvitec 1431 Std Res 14" £209(a) Philips CM8833 Med Res 14" £13(d) Rom Cartridge £12(d) 32K RAM Cartridge and Utilities £115(b) Turbo Module £39(d) New Master OS Rom £229(b) IEEE Interface

We carry a full range of software and accessories for BBC B and Master as well as spares and upgrades.

Acorn 1772 DFS kit for BBC B

#### **ECONET ACCESSORIES**

£49(d)

£85(b)	Econet Starter Kit
£29(c)	Econet Socket Kit
£174(b)	Econet Bridge
£799(a)	Filestore Hard Disc E40S
£49(c)	Econet module
£189(d)	LEVEL 4 FILE SERVER
£174(b)	Econet Bridge
£41(d)	Printer Server Rom
£34(d)	10Station Lead Set
£17.25(d)	Master FS Utility Disc
£135(d)	Disc Sharer (for ARC)
£80(d)	Printer Spooler (ARC)

**Econet Referral Centre Installation & Consultant** 

#### **DISC DRIVES**

5.25" Single Drives 40/80 switchable:

(d)083 TS400 400K/640K

PS400 400K/640K with integral

(d)0e3 mains power supply

5.25" Dual Drives 40/80 switchable:

£160(b) TD800 800K/1280K

PD800 800K/1280K with

integral mains power supply £160(b)

PD800P 800K/1280K with

integral mains power supply and

£179(a) monitor stand

PD400/PS351 are Compact/Archimedes compatible. PD800/PD352/PD853 are Archimedes compatible.

#### 3.5" 80T DS Drives

PS351 3.5" single drive with integral mains power supply £95(b) in a 5.25" case.

£126(a) TD352 Dual 800K/1280K

PS352 3.5" dual drive with integral mains power supply in a 5.25" case.

£139(a)

Also A suffix eproms such as 27XXXA

for Master & BBC

£89(b)

£39(d)

£49(c)

£12(d)

081-205 9558

#### **PRINTER SWITCH-BOXES**



These high quality 3 and 4 way printer switch boxes are ideal for use in schools and colleges. The switch is extremely cost-effective it will allow up to four computers to share just one printer by simply pressing a button. All versions come complete with cables. The PS4/7 boxes have 2 x 3.7m + 2 x 1.7m + 0.4m to the printer, the PS3/6 have same but only 1 x 3.7m Data buffers are fitted to the extra long 3.7m cables to give reliable data transfer. PS3 3 BBCs to 1 Printer £59.50 PS4 4 BBCs to 1 Printer £59.50 PS6 3 Archimedes to 1 Printer £67.50 PS7 4 Archimedes to 1 Printer £77.50



This quality switch box is designed for the Archimedes / A3000 range of computers and IBM PC compatibles. The ribbon cables supplied are  $2 \times 1.5 m + 0.4 m$  to the printer. The unit can also be used with a parallel plotter.

2 Archimedes to 1 Printer ...... £34.50

These useful switch boxes are ideal for use in the office or at school. No need to keep swapping cables over just press the button! The cables supplied are  $2 \times 1.7 m + 0.4 m$  with appropriate connectors fitted. Both version may be used with a plotter if required. Super value.

2 BBCs to 1 Printer ... £31.50 1 BBC to 2 Printers ... £31.50



#### **32K RAM MOOULE**

Store all your ROMs on disc then load them into the RAM module as and when required. Plugs into just one sideways ROM slot giving two separate 16% banks, Complete with write switch software on 40 or 80 track disc plus full documentation.

RM2 32K RAM module ..... £25.95



#### Terrell Electronics

7-B ESSEX GARDENS HORNCHURCH ESSEX RM11 3EH

PLEASE ADD 15% VAT TEL: 040 24 71426 POST & PACKING PREE EDUCATIONAL AND GOVERNMENT ORDERS WELCOME \* QUANTITY DISCOUNT QUANTITY DISCOUNTS

#### UNIVERSAL TELETEXT ADAPTOR

- RISC-OS version multitasks.
- Computer controlled tuning.
  - Download and save pages
- User programmable via SWIs & OS calls
- \* Unique composite video & audio output.
- \* High performance T.V. front end
- \* Fully mains powered unit in metal case.

\* Upgrades available for existing users.

The ARC/A3000 version contains many powerful features making it very easy to use, i.e. point and click at page numbers. SAE for details

Prices include:-User port lead TTX V1.60 S/ware User notes BBC B

Parallel port lead TTX V1.08 S/ware User notes A3000/ARC

Podule socket lead TTX V2.00 S/ware User notes A3000/ARC

Reviewed in Acorn User, June 1991

#### A3000 MEMORY UPGRADES

- Low power design, only 8 chips.
- 1 Meg upgradeable to 4 Meg.
- \* Easy to fit, just plugs in. +
- \* Screw fixed for reliability.
- \* PCB size only 175 x 50mm.

1 MEG £70.00 inc VAT & P+P (Gives 2 Meg total memory)

4 MEG-£170.00 inc VAT & P+P (Gives 4 Meg total memory)

NOTE: Memory prices fluctuate, please phone for our best quote SAF for full details

#### **ARM 3 PROCESSOR**

- Cache operation at 24 MHz.
- RISCOS !Armspeed software.
- 3 + times speed increase.
- DIY plug in design.
- \* Fits A300/400 series.

Introductory price .....

£299.00

#### A305/310 4 MEG MEMORY UPGRADE

- Low power 8 chip design.
- \* DIY fitting, just plug in,

  \* Accepts our ARM 3 processor,

£260.00 Introductory price .....

SAE for details of above products



TEL: 0702 230324

GROUND CONTROL ALFREDA AVENUE HULLBRIDGE **ESSEX SS5 6LT** 

DEPT AU.

ALL PRICES INCLUDE VAT AND P&P MAIL/TELEPHONE ORDERS ONLY PLEASE EDUCATIONAL AND GOVERNMENT ORDERS

WELCOME

#### ACORN APPROVED LONDON DEALER

Wide range of software and hardware stocked

**EDUCATION ORDERS WELCOME** 

PHONE FOR BEST PRICES

Easy to get to Train: WOOD ST Station (British Rail) Road: Bottom of M11. just off North Circular Tel No: 081-521 1784





**AUTOMATIC SERVICES** 217 WOOD STREET WALTHAMSTOW **LONDON E17 3NT** 

PRI	CE BREA	KER T.	T.D.K. VERBATUM DISCS		
QUANTITY	5.25 DS/DD	3.5 DS/DD	3.5 DSHD	BOXES 5.25	BOXES 3.5
10	5.00	7.00	15.00	1.00	0.95
25	10.00	15.50	31.50		
40					5.50
50	16.50	27.00	54.00	6.00	
80					6.00
100	26.00	38.50	64.00	6.50	
200	48.00	71.00	127.00		
500	118.00	158.50	310.00		
1000	218.00	300.00	612.00		
	ALL PR	ICES INCLU	DE POSTAC	E, V.A.T.	

LABELS AND ENVELOPES • 100% ERROR FREE **FULL REPLACEMENT GUARANTEE EDUCATION AND GOVERNMENT ORDERS WELCOME** 

A.S. COMPUTER SUPPLIES 84 HAMILTON ROAD, READING RG1 5RD • 0734 669354



From Britain's Largest Supplier of **Educational Software** 

230 Page Guide To The Best Educational Software For BBC Nimbus Archimedes & IBM All Ages · All Subjects

For Your Free Copy Contact School Hill Centre Chepstow Gwent NP6 5PH Telephone 0291 625439 0291 279671

#### Watford Electronics

(A member of the Jessa group of Companies - Established 1972)



Jessa House, 250 Lower High Street, Watford WD1 2AN, England

Tel: Watford (0923) 37774 Tlx: 8956095 Fax: (0923) 33642



The sign of Quality

Shop Hours: 9am to 6pm (Mon.-Sat.) Thursday 9am to 8pm. FREE customer car park. All prices exclusive of VAT; subject to change without notice & available on request.

The choice of Experience

#### Archimedes micro

System	Basic	Mono	Colour	Multiscan
410/1	£1099	£1159	£1278	£1448
420/1	£1299	£1359	£1478	£1648
440/1	£1699	£1759	£1878	£2048
540/1	£2005	£3065	£3178	

#### Archimedes A3000

MONTHS FREE MAINTENANCE ON SITE

£9

€45

£220

<ul> <li>A3000 Microcomputer</li> </ul>	£599
---	------

- A3000 + Learning Curve pack £699
- 3.5" External Drive £99
   Dust Cover Micro
- Monitor Stand External Podule
- Serial Upgrade £17
- Technical Manual £60 SCSI Card £149
- User port/MIDI

#### upgrade UHF TV Modu-£30

Dust Cover for

Micro + Monitor

#### **Unbeatable Sale Offers** on Archimedes Micro

only

When you purchase an Archimedes Micro from Watford, look what you get FREE with it

IMICIO	Free Orier
A410/1	Upgraded to 2MB RAM & a 20MB
	Hard Disc, (A420)
A420/1	Upgraded to 4MB RAM 40MB Hard
	Disc (A440), MK II Learning Curve
	pack and Acorn DTP pack
A 4 4 0 / 4	High Dog 44" Multipoon Colour Manitor

High Res Multiscan Monitor & 540/1 Panasonic KX-P1180 Printer Upgraded to 2 Megabyte of RAM & a A3000 A3000 Monitor plinth.

+ 12 months FREE On-Site Maintenance (P.S. Instead of the above Hardware upgrades on A410/1 & A420/1, we will fit the 30MHz Turbo Board if required. Please specify your requirement when ordering.)

Archi Accessories	3
NEW Multitasking RISC OS	£29
	£118
• 5.25" 800K external Floppy Drive	£85
• I/O Podule (with Analogue port, User port,	
& 1MHz bus)	£76
MIDI add-on to I/O Podule	£29
MIDI Expansion Card	£65
- Country Campion Mone (Firmacine)	£129
Court Campion Clares ( minus (	£186
ornandictive court	£275
Econet Network Board	£44
, not mission in the majority	£269
	£195
. Company of the contract of t	£195
Archi replacement mouse – New design	£32
PC Emulator NEW Faster Version	£62
	£149
Trouble of the control of the contro	£455 £162
occi, icabici mihaniani ma	£102
Keyboard Extension Lead	£25
2 Podule Backplane     4 Podule Backplane	£25
4 Podule Backplane     Fan for above backplanes	230
Risc Os Extras Software Disc	£5
Smoked Perspex Low profile Keyboard Cover	£8

Ethernet Card

#### 0% Finance Now Available

On Acorn Archimedes A3000 and A420/1 with learning curve packs. (Please telephone for details)

#### 8 Meg RAM Upgrades

<ul> <li>R810 – A410/1 upgraded to 8MB</li> </ul>	£740
<ul> <li>■ R820 - A420/1 upgraded to 8MB</li> </ul>	£689
<ul> <li>R840 – A440/1 upgraded to 8MB</li> </ul>	£579
R814 - R140 upgraded to 8MB	£579

#### **Turbo Charge Your Archimedes**

Increase the speed of your Archimedes by a factor of THREE to SIX times (depending on the software you are running), with Watford's ARM3 Upgrades

,	37.	
• ARM-3	20MHz Upgrade Board	£32
• ARM-3	30MHz Upgrade Board	£37
• MEMC	1A Upgrade	£4:
(ARM 3 p	rice includes a FREE Chip	extraction too
(Special	Offer - If purchased tog	ether with a
	an Adiana dhan nad anlu will	

Archimedes Micro, then not only will we fit the card Free of Charge but we will also reduce the price by £40 i.e. You pay only £285 for ARM3 20MHZ & £335 for ARM3-30MHz)

#### **Archimedes RAM Upgrade**

All our memory upgrades are simple to fit. No soldering required. Fitting instructions supplied.

● R302-A3000 - to 2MB RAM Upgrade	£52
<ul> <li>■ R304-A3000 - to 4MB RAM Upgrade</li> </ul>	£169
● R311-A305 – to 1MB RAM Upgrade	£50
● R312-A305/310 — to 2MB RAM Upgrade	£235
• R314-A305/310 - to 4MB RAM Upgrade	£425
<ul> <li>■ R412-A410/1 — to 2MB RAM Upgrade</li> </ul>	£39
<ul> <li>R413-A420/1 — to 4MB RAM Upgrade</li> </ul>	£75
<ul> <li>R414-A410/1 – to 4MB RAM Upgrade</li> </ul>	£105

#### **Archimedes Hard Disc**

Watford's ST506 Hard disc drives for A310 & A410 series fit internally into the space provided. The 'simple to follow' fitting instructions supplied makes drive fitting very easy. All disc drives are auto parking. 40Meg & 53Meg drives are fast 24mS type, while 20MHz are 28mS

P.S. A310 upgrades require a backplane and a fan.

, ,	
3HDP - Hard Disc Podule only	£135
• 3HD20 - 20Meg H' Disc + Podule for 310	£289
• 3HD40 - 40Meg H' Disc + Podule for 310	£389
• 3HD50 - 53Meg H' Disc + Podule for 310	£474
• 4HD20 - 20Meg Hard Disc for 410	£165
● 4HD40 - 40Meg Hard Disc for 410	£245
• 4HD50 - 53Meg Hard Disc for 410	£335
A3000 20Meg Hard Disc + Podule	£345
A3000 40Meg Hard Disc + Podule	£459

#### Convert your Archi 410 to a 420 or 440 with Watford's unique Upgrade Kits

UP10 - to 2MB RAM + 20MB Hard Disc	£210
UP15 - to 2MB RAM + 40MB Hard Disc	£315
UP20 - to 4MB RAM + 20MB Hard Disc	£265
UP30 - to 4MB RAM + 40MB Hard Disc	£345
UP40 - to 4MB RAM + 53MB Hard Disc	£475

#### Silicon Vision

Gerber Plot	£95	Super Dump	£22
Solid CAD	£120	Solids Render	£120
Super Plot	£30	Solid Tools	£279
Arc PCB Professional			£275
Realtime Solids	Modeller		£138

#### STAFF VACANCIES

Watford Electronics is the leading supplier in the Acorn computer field and has established itself in the PC compatible market with its Arles PC computers. In its eighteen year history, Watford has always kept itself at the forefront of the new technology. Due to our torefront of the new technology. Due to our latest expansion, we require staff to man our BBC/Archimedes and PC Technical Departments. Applicants will be required to be familiar with BBC/Archimedes hardware and software, and PC staff will need to be familiar with PC computer hardware. Good rates of pay, excellent prospects. Subsidised company accommodation is available to single persons if required. Telephone Kelth Archer or Shiraz Jessa for interview, or write to us enclosing your CV.

#### Archi Mouse Port Splitter

Continuous plugging and unplugging of the mouse is not only inconvenient but can also damage your is not only inconvenient out can also damage your micro. Our handy little Archi mouse port splitter unit eliminates this risk by allowing you to connect a mouse and a joystick or a tracer ball simultaneously to your Archimedes micro. The miniature slide switch on the box enables you to select the socket to be used.

MahJong Patience

£15

Tracer

£46

Graphics,	Art,	Design & Gai	mes
GRAPHICS		Manchester United	£19
Atelier	£65	Nevryon	€14
Artisan II	£47	Olympics	£15
Artisan Gallery	£16	Pipe Mania	£19
Autosketch II	268	Pirate	£16
Craftshop 1 & 2	£28	Power Band	€20
Euclid 2	£52	Puncman 1 & 2	€16
Graph Box	£59	Puncman 3 & 4	£16
HotLink Presenter	£42	Pysanki	£15
Kermit	£46	Real McCoy	£22 £23
Mogul	£19	Real McCoy 2 Redshift	£23 £14
Poster	279		£14 £16
Pro Artisan	£72 £58	Return to Doom Revelation	£16
Render Bender	£26	Repton 3	£15
Snippet Tween	£25	Rotor	£20
GAMES	223	Splice	£25
ArcPinball	£18	Sporting Triangles	£24
Apocalypse	£21	Star Trader	£14
Arcade 3 Compil.	£12	Superior Golf	£15
Arcade Soccer	£15	Talisman	£12
Arc Pinball	£18	The Pawn	£19
Arc Trivia	£18	Thundermonk	£11
Avon	£16	Timewatch	€24
Ballerina	£16	Trivial Pursuit	£23
Blowpipe	£16	Twin World	£17
Break 147	€20	U.I.M.	£23
Bug Hunter	£14	White Magic	£15
Caverns	£14	White Magic 2	£15
Chess 3D	£17	Wimp Game	£15
Chocks Away	£18	Worldscape	£16
Conqueror	£18	Miscellaneou	
Cops	£14	Ancestry	£59
Corruption	£18	Arccomm Pack	£24
Crisis	£23	Arcterm 7	€69
Drop Ship	£15	Armadeus Sound	€60
Enthar Seven	£22	BBC DFS Reader	26
E-Type	£17	Equasor	£40
E-Type Designer	£15	FlexiFile	863
E-Type Extra 100	045	Genesis	£65
miles	£15	Genesis 2	£125
Family Favourites	£15	Hearsay Comms	£50
Fireball 2	£19 £15	Pack	£30
Holed Out Designer	£15	Investigator 2 JX Archi Colour Prin	
Holed Out Golf	£15	Driver for Citizen &	tei
Hostages Ibix the Viking	£14	Star	£15
Inertia	£15	Numerator	266
Inter Dictor 2	£15	Presenter 2	£35
Iron Lord	£15	Presenter Story	£145
Jet Fighter	£10	Revelation	£62
Jiglet	£25	Rhapsody in Blue	£39
Jigsaw	£27	Speech!	£16
Magpie	£39	Toolkit (Clares)	£42
Man at Arms	£16	Touchtype	£40

#### LANGUAGES (Archimedes)


ISO-PASCAL; FOR	RTRAN	177 £7	7 each
Assembler; LISP;	Prolog	X £14	9 each
ANSI C Rel. 3	£125	BASIC Compiler	£77
Cambridge Pascal	£60	Logotron Logo	£55
Macro Assembler	£40	Risc Basic	£120
Robo Logo	£69	Risc FORTH	£110

#### Minerva's Archimedes Software

Home Accounts*	£36	Sales Ledger*	£53
Stock Manager*	£53	Purchase	
Nominal Ledger*	£53	Ledger*	£53
Ancestry	£59	Reporter	£29
System Delta+	£55	Mailshot*	£29
System Delta + Re	ferenc	e Manual	£25
Order Processing/I	Invoicii	ng*	£53
School Administrator			£118
* Requires System	Delta		

**NEW Business Accounts Packages** Nominal Ledger, Order Processing/Invoicing, Purchase Ledger, Sales Ledger & Stock Control Price: £78 per Module or £299 for the complete Software Suite

#### ULTIMUM - Archimedes A3000 **Podule Racking System**



#### THE ONLY LOGICAL WAY TO **EXPAND YOUR A3000 COMPUTER**

The accepted standard for Archimedes computer expansion is the Acorn Podule, designed initially to fit the old 310, and also for the later A400 and A400/1 series micros. The podules fit inside these computers up to four at a time. The A3000 is the little brother of the family, but can only have one podule at a time, plugging into the back of the

Other attempts have been made to expand the A3000 by trying to introduce a 'mini-podule'. This is impractical for many reasons, amongst which is the reluctance of manufacturers to produce them. Nobody wants to re-design podules already produced. Some cannot be produced on a 'minipodule' as they are far too complicated and simply

Watford Electronics listens to the demands and requirements of its customers, and we are glad to say that we have come up with the only real solution to the A3000 expansion problem. The ULTIMUM Podule Racking System allows up to three FULL SIZE standard Archimedes 300/400 series podules to be fitted to the computer. In addition, there is also provision for a hard disc drive and a podule to be fitted internally. Since the ULTIMUM Podule Racking System takes

proper full size podules, you will be able to use any of the currently available peripheral equipment, from companies like Computer Concepts, Armadillo, Acorn and of course, our own brand. Fitting the podules to 'ULTIMUM' is simple. They are neatly fitted inside the metal case of the rack, available the proviously until y mother of barriers.

avoiding the previously untidy method of hanging the podule off the back of the computer, risking damage to both, it and to the computer.

damage to both, it and to the computer.

'ULTIMUM' has its own power supply, so no strain is put on the A3000 power supply. There is also an IEC mains output socket for an Acorn type monitor so reducing the number of plugs required to go to the mains. The ULTIMUM is rigidly clamped over the top and under the computer, and allows direct access to the floppy disc drive and reset button, rather than obstructing access as on other systems. The mounting method employed is so firm that the computer could even be safely transported without the assembly falling apart.

Price: £125

#### Archimedes A300/A400 **SCSI Hard Disc Offer**

100MB Hard Disc Upgrade complete with Controller card, Cables, Formatter and Manuals

> RRP: £1030 Offer Price: £475

#### Archimedes to BBC Serial Link Mk 2

Using this simple data link, it is possible to solve all your BBC to Archimedes data transfer problems. The kit is supplied with a disk, and the necessary cable to connect the two computers. New RISC OS Version

#### **Archimedes External Disc Drive Interface**

With this interface it is possible to connect almost any 5.25"/3.5" disc drive with its own power supply to the Archimedes. Upto 4 disc drives can be connected. Fully Buffered Board. NO SOLDERING is involved. Supplied complete with necessary lead. A300/A3000 • A400 £21

#### Special Education Prices

All education establishments qualify for special education prices on micros, etc. Please write in or telephone (0923) 37774 or 50335 for written

#### BBC MASTER

MASTER 128K Micro incl. Acorn's View, Viewsheet, ADFS, BASIC Editor & TERMINAL plus FREE OFFER (see £399 (carr £7)

#### FREE OFFER



A 5.25" Double Sided, 40/80 track switchable 400K Disc Drive complete with cables and a Utilities disc incl. 2 games, plus

Gemini's OFFICE MATE & OFFICE MASTER packages on Disc consisting of: Database, Spreadsheet, Beebplot graphics. Accounts packs: Cashbook, Final Accounts, Mailist, Easyledger, Invoice & Statements, Stock Control.

FREE with every BBC Master purchased from us during June

#### **ADD-ONs & ACCESSORIES**

Turbo 65C102 Add-on Module	£115
Econet Module for the Master	£45
Twin ROM Cartridge for Master	29
Quad ROM Cartridge for Master	£14
Master Reference Manual I	(No VAT) £14
Master Reference Manual II	(No VAT) £14
Master Advance Ref Manual	(No VAT) £17
64K Upgrade Kit for B+	£32
Acorn 1772 DFS Kit complete	£49
ECONET Upgrade Kit for BBC B	£42
ALL ECONET UPGRADES Available	
ARIES' IEEE Interface for BBC B & N	Master £238
Morley Teletext Adaptor with ATS Ro	m <b>£99</b>
Ecolink	£270



**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### **Desk Top Publisher**

Acorn's Archi DTP Package	£125
Impression 2 DTP Pack	£135
Impression Junior	£79
Tempest DTP Package	295

#### Archi Wordprocessors

Pendown Archi	£49	Archie Spell Maste	er £39
Wordwise + Disc	£24	PD Spellchecker	£40
Image Writer	£25	View	£45
Interword Disc	£24	Graphic Writer	£23
1st Word Plus - 2	£69	EasyWord	£30

#### **Databases**

	_		
AlphaBase	£36	Multistore	£195
Knowledge Organise	er <b>£45</b>		

#### **Spreadsheets**

Intersheet Disc	£24	Viewsheet	£45
Sigmasheet	£39	Schema	£92

#### **Business Graphics**

GammaPlot	630	Sigmonlot	£39
Gammariot	200	Sigmaplot	203
Interchart Disc	620		

#### Integrated Packages

• L	ogistix		£79	<ul> <li>Pipedre</li> </ul>	eam 3	£119
•	Desktop	Office -	Datab	ase, Grap	ohs &	
- (	Charts, \	Nordprod	essor	Spreadsh	eet,	
- (	Commur	nications				£98
• [	Desktop	Folio - 1	Wordpr	ocessor,	Desktop	
- 1	& Interac	tive Pub	lishing.	Ideal for	school	
	environm	nent.	_			£85

#### Watford's Scottish Dealer

We are pleased to announce the appointment of Messrs Computer Depot as Watford's official Scottish Dealer. The full range of our BBC/Acorn products is now available from their Dundee, Edinburgh & Glasgow shops. Their technical staff will be very happy to discuss all your peripherals' requirements.

#### **Education Software**

- Advanced Folio: 7-14 years. Has the simplicity of a basic wordprocessor with the presentation quality of a Desk Top Publisher £38
  Colourcopter & Numbercopter: 4-7 years. Flying
- start in pre-reading and pre-number skills
- Colourcopter includes 7 programs to develop matching, sorting, coordination, letter & word recognition
- Numbercopter: Includes 8 programs to develop memory, sequencing, logic, number, more and gone away, word order and rhythm skills
- Best Four languages 5-11 years: Four best selling programs which encourage children to work together to improve their linguistic ability £33
- Hands on Spelling 5-11 years: Promotes a visual approach to mastering spelling, linking the skill with other National Curriculum areas as and writing, talking and reading.

riano mining, talling and roading.	
<ul> <li>Asian Folio – Gujarati 80T</li> </ul>	£45
Best Four Languages	£35
Best Four Maths	£35
Frieze 7-16 years	£37
<ul> <li>Kaleidoscope 7-16 years</li> </ul>	£37
Merlins Castle	£22
Maths 9-13 years	£25
<ul> <li>Number in the National Curriculum</li> </ul>	£55
<ul> <li>Screenprint pack of 5 5-16 years</li> </ul>	£150
Time Traveller 7-16 years	£40
The Lost Frog	£22
<ul> <li>World Map Study 7-16 years</li> </ul>	£35

(More Educational software on page 10) 

#### Archi A4 Scanner



This new A4 image scanner from Watford Electronics is supplied complete with ROM based podule software. Features provided include facilities for zooming in on an image and inverting the image in X and Y directions, saving and printing of the sprite created. Interactive help is supplied using the IHELP application on the Acorn applications discs.

applications class.

The 216mm scanning width can cope with both desktop scanning of single sheets, photographs, diagrams, etc., with its fast ten page automatic document feeder, but it can also detach from the feeder to become a convenient hand-held full page

feeder to become a convenient hand-held full page scanner for larger documents or pictures. Scanned image control can be freely adjusted in increments of 10 dots per inch from 100 up to 400 dpi resolution with 64 levels of grey scaling. A built in shading controller and manual brightness control achieve optimum image clarity. Unlike some scanners, which use a red light source, the Watford scanner uses a yellow/green source which vastly improves the light/dark contrast, thus eliminating the effect where any redbased colours are faded down to white and so do not show up in the scanned image. All these features and facilities combine to make the Archi Page Scanner the fast and convenient

the Archi Page Scanner the fast and convenient way in which to add that extra impact, interest and clarity to documents, reports, instruction sheets, manuals, news letters, etc., from your Archimedes DTP package.

#### Introductory Prices:

Archi A4 Scanner	£349
Sheet Feeder for above	£95
Scanner + Sheet Feeder	£419

#### **Z88 Portable Micro**



£185

#### **FREE**

With every Z88 purchased from us, we are giving away absolutely FREE, a Z88 to BBC Interface Link, 4 rechargeable batteries and a compact Mains Battery Charger worth £38.

#### 700 ACCECCODIEC

Z88 AUCESSURIES	
32K RAM Pack or 32K EPROM Pack	£18.00
• 128K RAM Pack or 128K EPROM Pack	€42
512K RAM Pack	£175
<ul> <li>Z88 Eprom Eraser Unit</li> </ul>	£33
<ul> <li>Z88 Spellmaster for Pipedream</li> </ul>	£51
Z88 Carrying Case	<b>£</b> 8
Z88 Computing Book	£9.95
AA Nicad Rechargeable Battery	£1.50
Battery Charger Compact & Fast	93
Z88 Serial Printer Cable	83
<ul> <li>Z88 Parallel Printer Cable</li> </ul>	£25
<ul> <li>Z88 to Archi Link</li> </ul>	£15
● Z88 to BBC Link £20 ● Z BASE	£56
■ Z88 to PC Link II £30 ■ Z TAPE	£42
● Z88 to Macintosh £52 ● Z TERM	€42
<ul> <li>■ Z88 Mains Adaptor</li> <li>£9</li> <li>■ Z88 Modem</li> </ul>	£149

#### Archi Real-Time Digitiser



#### Now supplied with NEW RISC OS Version Software

Watfords' Archimedes Video Digitiser is the most sophisticated digitiser ever designed for a micro. It provides a fast and flexible means of capturing images from a video camera or recorder for display and manipulation on the Archimedes range of Micros. Off-air televison signals may also be digitised via a video recorder or TV tuner. Please write for further details.

#### Price £175

A Set of Colour Filters for colour image grabbing £16 using a video camera New Risc-OS Software Upgrade

#### Archi Graphic Tablet



The Archi Graphic Tablet offers performance and accuracy comparable to other tablets priced at well accuracy comparation to other habits priced at wein over £400, and has the useful addition of a liftable cover, which can hold tracing material or menu templates securely. The package is supplied complete with sophisticated Archi software. (Now, fully LinCAD compatible. Recommended by Linear Graphic for use in Education).

(FREE this month, PC Mouse Drivers

Act package)

& Art package)


#### Special Price £199

(Price includes Tablet, Leads, Software & Puck) Stylus Optional Extra £15

Archi Graphic Tablet Junior. Working area 9" x 6". Price includes Stylus £125

#### **Disc Plonker** Rack

When using ones micro, there is a tendency to have more than one Disc on the desk. This exposes them to the hazards of fingerprints, scratches, dust, coffee and



Protection at Only: £2

#### Acorn & Watford DESs

Acom a mation bio.	_
Watford sophisticated DFS ROM	£16.00
Watford DFS Kit complete	£69.00
<ul> <li>We will exchange your existing ROM for</li> </ul>	
Watford's ultimate DFS ROM at only	£12.00
DFS Manual (comprehensive)	£6.95
Acorn DNFS ROM	£17.00
<ul> <li>Acorn ADFS ROM only</li> </ul>	£25.00
Acorn 1772 DFS ROM Kit	€49.00
(The single Density DES system is now old	

technology. Like Acorn, Watford too have decided to replace it with the their more up-to-date 1770 DDFS interface. We have informed most of the software houses of this decision in order that they can ensure compatibility with our highly sophisticated and fully Acorn compatible DDFS)

#### Watford's MkII 1772

#### Single/Double Density DFS

Many of our customers have wanted to use our superior DDFS and Acorn ADFS together. Now our Mk II DDFS Board with its 1770 Disc Controller, has been adapted to allow the use of Acorn ADFS as well. It also has all the commands of the Acorn's 1770 DFS, plus the added features.

Added features include:

- Acorn ADFS compatible Use ADFS on our DDFS board.
- Tube host Code No longer any need to have the DNFS in your machine to use Co-Processors, even the CoPro and Master 512.
- Auto 40-80 Track sensing no need to fuss with 40/80 track switches (even works with protected
- disks).
  An extremely powerful 8271 emulation ensuring compatibility with almost all software. New low profile – small footprint board.
- Fits with all third party ROM boards Option to double the speed of file handling
- operations BPUT and BGET.
- Operates in both single and double density
- OSGBPB has been recoded, increasing still further the speed of file handling.

Please note that not all DDFS's are capable of providing either the full 80% storage increase or of allowing a file the full size of the disk - Ours allows both of these!

If you already have a DDFS (any manufacturer), and wish to upgrade to our MkII version, then simply return your existing ROM and DDFS board and we will supply the new DDFS for only £39.00.

SPECIAL PRICE

DDFS Manual

(No VAT) £6.95

We will exchange your existing DFS Kit for our sophisticated DDFS for only £30.00

Please note, as the MkII DDFS is a hardware and sofware upgrade, it is not possible for existing Watford DDFS users to simply exchange the ROM for the new version.

#### 3M - Diskettes

3M - SCOTCH Diskettes with Lifetime warranty from Watford Electonics your 3M Appointed Distributor

• 10 x 5.25" S/S D/D 40T (744)	<b>£</b> 5
● 10 x 5.25" D/S D/D 40T (745)	<b>£</b> 5
• 10 x 5.25" S/S D/D 80 Track (746)	£7
● 10 x 5.25" D/S D/D 80 Track (747)	£7
• 10 x 5.25" 1.6M D/S D/D High Density for	IBM
XT and AT	£11
● 10 x 3.5" S/S D/D 40/80 Track	£7
● 10 x 3.5" D/S D/D 40/80 Track	£8
• 10 x 3.5" Double Sided High Density	£13

#### Top Quality 3.5" & 5.25" **Diskettes**

To complement our range of Quality Discs and Disc Drives. WE are now supplying SPECIAL OFFER packs of 10 Lifetime guaranteed discs. Each disc has a reinforced hub ring. Supplied complete with selfstick labels and a Plastic Library Disc Box.

£7
12
£5
£5
£7
12
.ch



**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### **Quality Disc Drives from** Watford

All our Disc Drives are Double Sided and will operate in both Single and Double Density modes. All 5.25" Disc Drives are 40/80 track switchable. For ease of use, the switches are front mounted.

Various UK "manufacturers" of disc drives for the BBC micro (more accurately, "packagers" label other manufacturers drives with their own name). We buy the high quality NEC and Mitsubishi drives in large quantities directly from the manufacturers, package them and sell them at "dealer" prices direct to the public.

If you look around the popular BBC micro press, you will find that the prices we quote for the top quality, new slimline disc drives are, virtually without exception, are the best around. These prices, coupled with the backup of one of the country's largest distributors of BBC peripherals


provides a superb deal.


Unless you anticipate using dual drives in a fully expanded BBC system for long periods of time with expanded BBC system for long periods of time with little ventilation, then we suggest that our range of "CL" disc drives without the PSU (Power Supply Unit) would be quite adequate (extensive tests within our workshops have confirmed this). All drives are supplied complete with a SPECIAL UTILITIES Disc, Cables and Plugs. The Drives with power supply have a mains moulded plug for safety purposes. Ideal for Schools & Colleges.

When using a BBC Micro, most people find themselves short of desk space. The Watford's BBC Micro plinths form an ideal way of recovering some of this precious space. Your BBC Disc Drive and Monitor can all occupy the same vertical footprint and still be comfortably situated. With the Watford Double plinth, your Disc Drive is mounted vertically at one side, leaving a very valuable area directly in front of you for such useful items as spare discs, pen, paper, reference manuals, etc. Follow the trend with a Watford plinth. (Turn to the 6th page of our advert for the Plinths).
P.S. All our 5.25" Disc Drives with PSU are

compatible with the Compact Micro. All you require is our special Compact Disc Drive cables designed by us.

#### "Test Bureau Approved for Use in Education"





#### **Our Disc Drives conform to BS415**

Type

Description

Disc	Drive without PSU	
•CLS400S:	Single, 40/80 track 400K Double sided Drive	£72
•CLD800S:	Twin, 40/80 track, 800K Double sided Drives	£142

#### Disc Drive with PSU

•054005:	Double sided Drive	£82
•CD800S:	Twin, 40/80 track, 800K	

Double sided Drives £155

Special Cable to connect both 3.5" and 5.25" Disc Drives simultaneously to the BBC Compact £13

#### Disc Drive/DDFS Offer



- The popular CLS400S 40/80 track switchable disc drive
- Watford's popular Mk II DDFS Interface (allows up to 720K storage). Will run both in single & double density modes.
- A comprehensive DFS Operating manual Bargain at Only £119 (Offer valid until stocks last)

#### 3.5" DISC DRIVE




These top quality 3.5" Double sided, 80 track, are attractively finished in BBC beige. They are supplied complete with all cables and a Utilities Disc.

Type	Description	
	Disc Drive without PSU	
• CLS35:	Single Disc Drive, 400K	£62
• CLD400S:	Twin Disc Drives, 800K	£109
	Disc Drive with PSU	
● CS35:	Single Disc Drive, 400K	£83
● CD35:	Twin Disc Drives, 800K	£126
/De Ceas le el	innlied in a twin case with a	

CS35 is supplied in a twin case with a blanking plate to enable easy expansion to a dual drive at a later stage)

#### **Disc Drive Sharer**




(Ideal for educational establishments)

A low cost alternative to the Econet system.Watford's Intelligent Disc Drive Sharer allows you to connect 3 BBC micros (model B, B+ and Master series) to a single or double disc drive. Running under any DFS or DDFS, this intelligent unit will automatically queue the computers. Each computer has a status light dedicated to it. If it is green you will get immediate access to the disk, and red means that you are next in line. The unit plugs directly into the disc drive socket on each computer and is powered by the mains. (N.B. Not for use with

Price includes 3 Cables

#### Disc Drives in Monitor Stand



• CDPM 800S — Twin 5.25", 800K Double sided 40-80 track switchable disc drives mounted in an attractively finished Beige colour plinth for the BBC B & Master 128K micros. Supplied complete with integral power supply, cables and Utilities disc. The mains switch with neon On/Off light indicator, and the two 40/80 track switches are mounted on the front panel for ease of use.

£165

• DP35 800 - Same as above except, one disc drive is a 5.25" and the other is 3.5".


£154

#### Floppy Head Cleaner Kit

The heads in floppy drives are precision made and very sensitive to dirt. The use of cleaner Kit is a sensible precaution against losing valuable data. It is recommended to clean the drive head once a week, it is very simple to use. Available in 3.5" & 5.25", please specify.

Price £4

#### Antistatic Lockable Disc Storage Units



Gives double protection – Strong plastic case that affords real protection to your discs.


Antistatic helps avoid data corruption whilst in

storage. The smoked top locks down.

Dividers and adhesive title strips are supplied for efficient filing of discs.

•	M35 - holds up to 50 5.25" discs	£4.95
•	M85 - holds up to 95 5.25" discs	£6.95
•	M25* - holds up to 25 3.5" discs	£4.95
•	M50 - holds 50 3.5" discs	£6.50
•	M10 - holds 8 of No. 10 Data Cartric	
	* No	lockable

#### **Plastic Library Cases**



Holds up to 10 x 3.5" Discs. Holds up to 10 x 5.25" Discs. £1.50 £2.00

#### **Dust Covers** (For our Disc Drives)

£3.20
£3.25
£3.85
£3.90

#### **Disc Albums**

Attractively finished in black leather-look vinyl. Stores up to 20 discs. Each disc can be seen through the clear view pocket.

£4


#### Special Bulk Offer on Discs

(Supplied packed in Anti-Static Lockable Storage Units) (Lifetime warranty on Discs)



#### **BULK PACK DISCS in lots of 100**

Туре	S-S 40T D-	S 40T D-	S 80T
<ul> <li>Without Sleeves 5.25</li> </ul>	5" £30	£35	£40
<ul><li>With Sleeves 5.25"</li></ul>	£33	£38	£43
• 3.5" D/S D/D	£29 for 50	£52 fc	r 100





#### **Microvitec Monitors**

■ 1431 - Standard Resolution Monitor	£169
• 1451 - Medium resolution, suitable for word	i
processing in mode 0	<b>£20</b> 9
Cub3000 Medium Res for A3000	£189
• 1441 - High res, exceeds the capabilities o	f the
BBC Micro	£359
● 2040 CS 20" Hi Res	£675
Dust Cover for Microvitecs	£5.50

• Touchtec 501 Touch Screen £239 Now 3 years Parts & Labour warranty on all Microvitec Monitors

#### **Multiscan Colour**

• Eizo 9060S	£389	NEC 5D	£1299
<ul> <li>Eizo 9070S</li> </ul>	£579	<ul> <li>Taxan 770LR</li> </ul>	£379
NEC 2A	£255	● Taxan 775	£375
NEC 3D	£345	<ul> <li>Taxan 795-PC</li> </ul>	£425
NEC 4D	£679	<ul> <li>Taxan 875</li> </ul>	£725
<ul> <li>VIDC Enhancer</li> </ul>	Board		£25

(P.S. Taxan 795 monitor is supplied with a FREE VIDC enhancer board)

#### **Philips**

•	BM7502	12" Hi-res Green Monitor	£70
•	CM8833	14" Med. Res Colour Monitor	£178

#### STAR BUY

 PHILIPS 14" Medium Res, dark glass, attractively finished Colour Monitor . A pushbutton switch toggles between Hi-Res monochrome green text mode and full colour display. (Please state the type of Connecting Lead you require).

**ONLY £176** 

**Dust Cover for Philips Monitors** £6 (Securicor carriage on Monitors £7)

#### Spare Monitor Leads

BNC Lead for Zenith or Philips	£3
Skart Monitor Lead	£5
RGB lead for TAXAN Monitors	£3
Archimedes Colour Monitor Lead	£7.50

#### Anti Glare VDU Screen

These extremely effective, easy to install, 12" & 14" VDU screens eliminate harmful glare, improves contrast on colour monitors. Increases productivity in offices. A must for wordprocessor users.

£12

#### Canon Bubbleiet Printers

			D'ble	Ink
	Printer	CSF	Bin	Cart
BJ10E	£205	£54		£18
BJ300	£354	£88	£65	£12
BJ330	£399	£110	£79	£12
<ul> <li>Spare</li> </ul>	Battery pack	k for BJ10E		£33

#### **NEC Pinwriter Printers**

			$\overline{}$
• P20	£198	• P70	£485
• P30	£257	• P90	£655
● P60	£379		
- F00	2019		

#### Be Satisfied Before You Buy

We have on display, various Micros, Printers, Disc Drives, Monitors, etc. Call in at our showroom to evaluate before you buy.

#### Concept Keyboards

Standard A3 Keyboard with BBC Software	£143
Standard A4 Keyboard with BBC Software	£117
Archi A3 Keyboard	£144
Archi A4 Keyboard	£118

#### **FREE On-Site Maintenance**

This month we are also offering at no extra cost to all our customers, 12 months, On-Site Maintenance on all Multiscan colour monitors, all Panasonic printers, and all Laser Printers, Roland Plotters and of course the full range of Archimedes micros. Should the machine fail, simply telephone the maintenance engineer, who will call in within 12 working hours. (Offer applicable only when bought at prices advertised in this advert. UK mainland only).

#### **Hewlett-Packard Printers**

£309 Paintjet XL

£1125

• # Desk Jet 500

Desk Willer (Wac) 1402 Quiet Jet Flus	2009
● Desk Jet Cartridge £15 ● HP Think Jet	£239
● Paint Jet Colour £589 ● Rugged Writer	£839
# Now 3 years extended Parts & Labour warran	nty
Paintjet Cartridges Black £19; Colo	ur <b>£25</b>
<ul> <li>Desk Jet 500 256K RAM cartridge</li> </ul>	£129
<ul> <li>HP Epson FX Emulation Cartridge for Desk</li> </ul>	Jet £59
HP Apple Talk Interfaces for	
● Scan Jet £299 ● Paint Jet	<b>£POA</b>
<ul> <li>Desk Jet Unlimited (Book No VAT)</li> </ul>	£19.75

#### Panasonic Printers



FREE with every KX-P1081 & KX-P1180 Printers: A printer lead (please specify type required) and a Dump Out 3 ROM for the BBC Micro or 1,000

sheets of paper for other micros (please spe	cify)
• KX-P1081 9pin 80col. 144/28 cps	£122
• KX-P1180 9pin 80col. 192/38 cps	£129
• KX-P1123 24pin 80col. 192/63 CPS	£158
• KX-P1124I 24pin 80col. 192/63 CPS	£215
• KX-P1624 24pin 132col. 192/63 CPS	£299
• KX-P1695 9pin 132col. 330/86 CPS	£299
• KX-P1654 24pin 132col.	£429
Above prices include FREE, Watford's 12 m	nonths

on-site maintenance

#### Panasonic Accessories

#### **Cut Sheet Feeders**

KX-P1592/1595 (P32)	£175	KX-P1540 (P35)	£175
KX-1124 (P36)	£85	KX-P1180 (P37)	£79
KX-P1624/1695 (P38)	£124	KX-P1123 (P37)	£79
		( /	

#### **Buffers**

P12	4K buffer Board for 1081	£55
P42	32K buffer Chip for 1592/1595	£16
<b>P4</b> 3	32K Buffer Chip for 1540/1124/1180	£16

#### **Serial Interfaces**

P17 P1081/1592 £32 P19 P1124/1180 £55

#### Citizen Printers

120D Plus	190	124D Pfinter	2130
Prodot 9	£205	Prodot 24	£225
Prodot 9X	£245	Swift 24#	£205
Swift 9	£138	Swift 24X	£279
<ul> <li>Prodot Cut She</li> </ul>	eet Feede	er	£120
<ul> <li>Swift 24 Colou</li> </ul>	r Option		£29
Swift 24 Ribbo	ns Blad	k £4	Colour £13

# Special Offer this month - A FREE Colour option cartridge with every Swift 24 printer purchased

#### Star Printers

● LC10 9pin 80col. 144/36 CPS	£112
• LC15 9pin 136col. 180/45 CPS	£180
<ul> <li>LC24-10 24pin 80col. 180/60 CPS</li> </ul>	£150
• LC24-15 24pin 136col. 200/67 CPS	£295
<ul> <li>*FR10 9pin 300/76 CPS 31K 16 fonts</li> </ul>	£229
<ul> <li>FR15 Wide carriage version of above</li> </ul>	£290
• *XB24-10 24pin 80col. 240/80 CPS	£299
• XB24-15 24pin 80col. 240/80 CPS	£365
XB-24 Colour Kit	£29
<ul> <li>LC-200 Colour 9pin 80col. 180/45 CPS</li> </ul>	£158
• LC-24-200 24pin 80col. 222/67 CPS	£189

• LC24-200 Colour 24pin 80col. 222/67 CPS £222 \*FREE Colour Ribbon with these printers

#### Star Accessories

**Cut Sheet Feeder** 

LC15/LC24-15 LC10/200/24-10 £65 £125 XR24-10 CRN XB24-15 £139

Serial Interfaces

SPC-10 LC10; LC10-II; LC10-CoI; LC15; LC24-10; LC24-15; LC-200; LC24-200 £49 8K Ser LC-200; LC24-200; FR10; FR15;

XB24-10; XB24-15 £64

Paper Roll Holders LC-200; LC24-200; LC24-200 colour £29

**Buffers** 

32K Ram Card for LC/XB24-10; 15; LC200 655

Ribbons

LC10; LC10-II; LC15	Black £4;	Colour £6
LC-200; LC24-200	Black £5;	Colour £12
XB24-10; XB24-15	Black £5;	Colour £12

#### **Laser Printers**

Canon LBP-4	4ppm	£655
Canon LBP-8 IIIR	8ppm	£1505
Canon LBP-8 IIIT	8ppm	£1389
● Epson EPL7100	6ppm	£689
HP Laserjet III	8ppm	£1025
HP Laserjet IIID	8ppm	£1539
Laserjet IIIP	8ppm	£689
Panasonic KX-P4420	8ppm*	£648
<ul><li>Panasonic KX-P4450i*</li></ul>	11ppm*	£1025
<ul> <li>Panasonic KX-4455 Postse</li> </ul>	cript 11ppm*	£1699
<ul> <li>Qume Crystal Print Publish</li> </ul>	ner 2	£1899
Star LP-8 III		£979
<ul> <li>Star LP-8 Star(post)script</li> </ul>		£1195
Ctar I D-4 Appm		C706

Star LP-4PS Postscript 4ppm
 \* Now 2 years warranty

£875

	-4001	1011010	
Canon 2 & 4	£54	Laserjet II & IIP	£55
Epson GQ	£18	Laserjet III	£75
Star LP-8	£69	Qume Crystal	£56
KX-P4420/50	£22	,	

#### Laser RAM Upgrades

● IIP & III 1MB	£74	● EPL7000 2M	£365
<ul><li>IIP &amp; III 2MB</li></ul>	£109	<ul> <li>GQ5000 512K</li> </ul>	£95
<ul><li>II &amp; IID 1MB</li></ul>	£76	<ul> <li>KX4420/50 1M</li> </ul>	£115
<ul><li>II &amp; IID 2MB</li></ul>	£112	<ul> <li>KX4420/50 2M</li> </ul>	£159
● II & IID 4MB	£299	<ul> <li>KX4420/50 4M</li> </ul>	€349
<ul> <li>Canon LBP4 1M</li> </ul>	£175	<ul> <li>Star LP8 1M</li> </ul>	£143
<ul> <li>Canon I BP8 2M</li> </ul>	£150	Star I P8 2M	£285

#### Laser Drum & Developer

<ul> <li>Epson Drum</li> </ul>	GQ5000 9	293 EF	L7100	£129
<ul> <li>Panasonic 4420 I</li> </ul>	Drum 9	:60 De	veloper	£59
<ul> <li>Panasonic 4450 [</li> </ul>	Orum 🤉	:93 De	veloper	280
Qume Drum	ç	76 De	veloper	£56

# Jetpage Postscript Cartridge

HP IIP/III	1200	טווו & טוו	1205
	NEW - HP	Laseriet	

anous Font Cartiloges	243
Superset Font	£195

#### Integrex Colour Jet

Colour Jet 132 Printer	£515
Paper Roll	£6.50
BBC Screen Dump Software	£10
Colour Cartridge	610 50

£11.25 Black Cartridge • 100 A4 OHP transparencies 8K Serial Interface Optional £123

Watch this space for our **NEW LAUNCH** for Archimedes micro products

#### **Epson Printers**

	_		
DFX5000	£1089	LQ860 Colour	£465
DFX8000	£1999	LQ1050+	£475
EX1000	£456	LQ1060	£599
FX850	£283	LQ2550+	£709
FX1050	£358	LX400	£109
FX1060	£5 <b>9</b> 9	LX850	£150
LQ400	£166		
LQ550	<b>£20</b> 9	SQ850	£439
LQ850+	£385	SQ2550	£645

#### **Cut Sheet Feeders for**

LX400/800/850	/LQ400	/500/550	£69
EX800/FX800/850/LQ800/850			£130
FX/LQ 1000/10	50/SQ8	50	£159
LQ 2550	£390	SQ2550	£390

#### **Tractor Feed for**

LQ800 £44; LQ850/FX850 £69; LQ1050/ FX1050 £85; LQ2500 £90; LQ2550 £90.

#### Accessories

<ul> <li>EX800/1000 Colour Option</li> </ul>	£45
● EX800/1000 Colour Ribbon	£14
■ LQ2500 Colour Option	£65
Multifont Card for LQ550/850/1050	£95

#### **Epson Printer Interfaces**

All th	nese interfa	aces fit inside the printe	r
RS232	£32	RS232 + 2K Buffer	£52
IEEE 488	£95	RS232 + 8K Buffer	£75

#### **Printer Leads**

BBC Centronics 4' long	£5
BBC Centronics 6' extra long	£7
Compact's Special Centronics Lead	£7
Archimedes Printer Lead 6'	£6
Nimbus Centronics Lead	£6
IBM/Archimedes Parallel Lead 6'	£6
IBM/Archimedes Parallel Lead 5 metres	£13
IBM/Archimedes Parallel Lead 10 metres	£19
Double Ended 36 way Centronics Lead 4'	£7
Double Ended 36 way Centronics Lead 6'	£9
MSX Centronics Parallel Lead 4'	£12
RS232 Leads (Various)	P.O.A.
IBM Keyboard extension lead coiled	£5
in the justice of the little of the desired	

#### **Plotters**

• HP7440	£425	• HP7475	£599
	Roland	Plotters	
<ul><li>DXY1100</li></ul>	£515	<ul> <li>DXY1200</li> </ul>	£645
<ul> <li>DXY1300</li> </ul>	£845	<ul> <li>DXY2500</li> </ul>	£2375
<ul><li>DPX3500</li></ul>	£3289	<ul> <li>Sketchmate</li> </ul>	£379
<ul> <li>Roland plotte</li> </ul>	r Pens, Fib	re tip	£7.50

#### Roland SketchMate

#### The Intelligent Graphic Plotter

It is very compact and lightweight. In restricted space, it can be operated in a tilted position is compatible with virtually all CAD software as Is compatible with virtually all CAD software as well as a wide range of business softwares. Specifications: Plotting area: 297 x 216mm. Number of Pens – 8. Magnetic Paper holder. 5K Buffer. Parallel and RS 232 Serial interfaces. Accessories: 8 pens, AC Adaptor, 4 x Magnetic paper holders, User manual, marking sticker, Rubber sticker, 10 x A4 test paper, 2 x A4 OHP transparency film. Dimensions: 360(W) x 410(D) x 105(H)mm. Weight 2.6 Kgs.

£379



**CREDIT CARD 24 HOUR** Ansaphone Hot Lines (0923) 50234 or 33383

#### Listing Paper (Perforated)

1,000 Sheets 9.5" x 11" Fantold Paper	£/
• 2,000 Sheets 9.5" x 11" Fanfold Paper	£11
● 1,000 Sheets 9.5" x 11" NCR 2 Part Fanfold	£21
● 1,000 Sheets 15" x 11" Fanfold Paper	£9
• 2,000 Sheets 15" x 11" Fanfold Paper	£16
• 1,000 Sheets true A4 Fanfold Paper 70gms	£11
• 2,000 Sheets true A4 Fanfold Paper 70gms	£21
Teleprinter Roll (Econo paper)	£4

(All our Fanfold paper is Micro perforated leaving a smooth clean edge when the tractor feed strips are

Carriage 1K Sheets £2.50, 2K Sheets £3.00

#### **Printer Labels**

#### (On continuous fanfold backing sheet)

1,000 90 x 36mm (Single Row)	£6.00
1,000 90 x 36mm (Twin Row)	£6.25
1,000 90 x 49mm (Twin Row)	£7.50
1,000 102 x 36mm (Twin Row)	£6.75

#### Special Offer

Hitachi/Acorn 12" High Resolution, ergonomically designed Colour Monitors. Supplied complete with a swivel base and a BBC lead.

Only: £145 (While stocks last)

#### Printer Ribbons & **Various Dust Covers**

Туре	Ribbons	<b>Dust Covers</b>
Brother HR15/20	£6.00	_
BBC Micro	-	£3.50
BBC Master		£4.00
Archimedes Micro pair	-	£9.00
Citizen 120D	£2.75	£4.50
DMP2000	£2.75	£4.75
EX800/1000	£3.50	£5.00
RX/FX80/85/800/MX80	£2.95	-
FX/MX/RX100/1000	£3.95	-
Kaga/Taxan KP810/815	£3.25	£5.00
LQ400/500/550/800/850	£3.25	£6.00
LQ1050/LQ2500	£4.00	_
LX80/86/800/850	£2.75	£4.50
LX400	£3.50	£5.00
M1009/GLP	£2.95	£3.75
NEC P2200	£4.50	£5.00
Panasonic KX1080/81	£3.25	£4.75
Panasonic KX-P1124	£7.50	£5.00
SQ2500	£23.00	£5.50
Star LC10/NL10	£2.75	£5.00
Star LC24-10	£2.95	26.00
Olivetti ink Jet		
Cartridges (set of 4)	<b>£</b> 9	

Our attractive Dust Covers are manufactured from translucent PCV. The seams are stitched and edges are taped to prevent splitting due to continuous use.

#### **Original Panasonic Ribbons**

Guaranteed to last 3 million characte	ers
P110 for KX-P1081, 1592 & 1595	£7
P115 for KX-P1180 £7 P145 for KX-P1	1124 £7
P140 for KX-P1540 £8 P155 for KX-P1	624 <b>£10</b>
Colour Ribbons for KX-P1081, 1592 & 1599	5
Brown, Blue or Red £9.	95 each

#### **Professional Printer Stand**



professional printer stand takes hardly more space nardly more space than your printer. Due to the positioning of the paper feed and re-fold compartments ie. one above the other, the desk space required for

your printer func-tions is effectively halved. Its ergonomic design ensures smooth paper flow and automatic

80 Column version £24 (carr. £3) 132 Column version £29(carr. £4)

#### Universal Printer Sharers/Changer

Connect up to 5 Micros to 1 printer or 5 Printers to 1 Micro with our combined, Sharer/Changer. These Units are made to a very high standard. For extreme reliability, they all have Printed Circuit Boards mounted inside the case, (not a Spaghetti Junction of wires). Internal connection is made via high quality ribbon cables.

#### (Ideal for School environments)

Connects	Serlal	Centronics
2 to 1	£16	£17
3 to 1	£22	£24
5 to 1	£32	£36

(Cables extra at £6 each. Please specify type required when ordering)

#### 2 Way Compact Printer Switch

A handy 2 way printer switch. Enables one micro to be connected to 2 printers or vice versa. Centronics £18; Serial £17 (Cables extra at £6 each)

#### Auto Printer Sharer Switch

Connects	Serial	Centronics
2 to 1	£40	£45
4 to 1	£62	£59
8 to 1	_	£89

#### 256k Multi Spooler


These Auto Centronics Printer Sharers have built-in 256K of Printer Buffers. They can be used as Auto Sharers, Printer Buffers or both.

2 In/2 out 4 In/2 out • 8 ln/1 out £199

#### **Compact Converter Units**

Serial to Parallel £36 Parallel to Serial £37


#### Plinths for the BBC B & Master 128K Micros



Protect your computer from the heat of your VDU. Our micro plinths have slots for maximum ventilation. The single plinth is suitable for a BBC and VDU, whilst the double height version provides enough room for our stacked disc drive and other peripherals like, Eprom programmer, music unit or simply discs & stationary. The computer slides neatly in the lower section allowing easy access to remove the lid. Colour: Matching BBC Beige.

Single BBC Plinth 420 x 310 x 105mm £13 Double BBC Plinth 420 x 310 x 210mm £24 Single Master Plinth 490 x 310 x 105mm £14 Double Master Plinth 490 x 310 x 210mm £26 (Carr. Single plinth £2; double plinth £3)

#### Perspex Printer Stand



Give your Computer System a touch of Class with our elegant, smoke finished Perspex Printer stand.

80 Column version 136 Column version £16 (carr £3) £20 (carr £4)

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 



Quest Mouse III & Quest Paint	£59
<ul> <li>Quest Mouse III, Quest Paint, AMX</li> </ul>	
Stop Press & Pagefont	£89
Quest Mouse III only	£30
Quest Paint Software only	£34
Quest Font Disc (22 Text Fonts)	£15
Quest Mouse Mat (Red or Blue or	
Green please specify)	£3
<ul> <li>Quest Colour Dump Disc – This new</li> </ul>	
software allows you to print direct from	
Quest Paint to your Integrex Colour	
Printer	£18
(P.S. Quest Paint is not compatible	
with BBC Compact)	

Quest Paint is the winner of the BBC Acorn User 1990 Award for the Best Art/Graphics software

Quest combined with ConQuest and Acornsoft GXR ROM make up THE MOST POWERFUL drawing packages available for the BBC range. Quest Paint is able to take advantage of almost any additions to your machine, such as Shadow or Sideways RAM. ConQuest takes this principal even further, by utilising the otherwise normally incompatible Sideways RAM facility by holding pictures in them


ConQuest ROM Package £30 (Price includes software in ROM and a comprehensive Manual).
(Not Compatible with BBC Compact)

#### **ARCHI MK II MOUSE**

An extremely reliable replacement mouse for Archimedes Micro

#### Quest - Tracer ball

An attractively finished, extremely reliable, mouse replacement, input device. Requires very little desk space. Connects directly to your BBC B, BBC Master or Archimedes Micro



QT-10 BBC/Master Version £27 QT-20 Archimedes Version £30

#### **RB2 Marconi** TRACKER BALL

RB2 (AMX/Quest compatible)	£45
RB2 including Quest Paint	£75
RB2-A for Archimedes	£46

#### THE NEW MK III AMX MOUSE


Inc. Super Art package

ONLY: £59 (carr £3)

(Please specify for BBC, Master or Compact)

MOUSE MAT	£3
AMX MOUSE ONLY	£29
AMX SUPERART Package	£34
AMX STOP PRESS – A Desktop	
publishing software. Works with	
Keyboard, Joystick or a mouse	£32
PAGE-FONTS - Over 20 Fonts for	
use with AMX Pagemaker	£13
AMX DESIGN (ROM)	£55
AMX XAM Educational	£15
AMX EXTRA EXTRA	£16
AMX MAX A gem of desktop	
(ROM)	£20

#### **WE Mouse House**



Treat your mouse to a cosy Mouse House. This handy little gadget solves the problem of where to store your mouse when it is having a rest. Made of sturdy plastic, the WE Mouse House attaches to the side of your computer, monitor, disc drive or

It protects it from damage when not in use, yet within easy reach when you need it again. At £4 it does not cost a rodent's ransom.

Price £4



Our Mark II Light Pen is the very latest in light pen technology. It is totally insensitive to local lighting conditions and works with many different monitors. The pen only responds to the High Frequency light produced by your monitor/TV. An LED indicates when valid video data is being produced. A conveniently located switch is also fitted. (Price includes FREE software Disc and Operating Manual)

Only £21

#### FLEET STREET EDITOR

Software pack for BBC Micro	£33
Software pack for the Master	£39
Admin Xtra Disc Utility	£13
Fonts N Graphics Disc Utility	£13

#### BEEB **VIDEO DIGITISER**



"Test Bureau Approved for Use in Education"

Using any source of composite video (colour or monochrome) and the Watford Beeb Video Digitiser, you can convert an image from your camera into a graphics screen on the BBC Micro. This uses the full graphics capacity of the BBC micro in modes 0, 1 or 2. The video source may be a camera, video recorder or television, and is connected via the video output socket. The software supplied includes a sophisticated, fast screen dump routine.

Images produced can be compressed, stored to

disc, printed on an Epson compatible printer, directly used to generate graphics, analysed for scientific and educational use or converted to other formats e.g. Slow Scan TV or receiving a picture from a remote camera using a modem. The output from the digitiser exactly matches the graphics capability in each mode, with up to 8 levels of grey in mode 2. The unit connects into the User Port and automatically scans a complete picture in 1.6

### £109 (Carr. £5)

(BBC B+ and Master compatible, except Master with Econet)

(Price includes) Digitiser Unit, Software in ROM & a Comprehensive Manual)

#### The Beeb HandScan

Hand-held Scanner for the BBC Micro



Watford Electronics are pleased to announce the launch of the first hand held scanner for the BBC Micro. HandScan is a compact unit which will allow Micro. Handscan is a compact unit which will allow photographs, diagrams, or any other documents to be digitised quickly and easily, to then be used in a desk top publishing package, art program, or even in your own Basic programs! These useful devices have been available for faster and more expensive micros for some time, but only now is Watford Electronics able to offer the BBC Micro computer. The HandScan plugs directly into the 1MHz bus on the BBC while a comprehensive set of utilities provided by the sophisticated ROM firmware. The scanner has a resolution of either 100 DPl or 200 DPl when accuracy is essential. Pictures as wide as 4" may be scanned in mode 0 and various types of dithering may be selected to simulate the grey levels of a scanned picture.

All necessary software has been included in the firmware to allow the scanner to read images directly into our Wapping Editor with little more than the click of the mouse. The digitised picture may then be incorporated into your magazine, newsletter, report or any other document.

Beeb HandScan & Firmware



Winner of the BBC Acorn User 1990 Award for the Best DTP/Word Processor

#### The Wapping Editor

The Wapping Editor from Watford Electronics represents a breakthrough in Desktop Publishing for the Beeb. The package includes a 64K ROM containing ALL the software needed to get into print fast; a very sophisticated graphics module, professional quality typesetting software, a word processor, a comprehensive font editor for designing your own typefaces, and a variety of printer dumps. This mouse-driven system is printer dumps. This mouse-driven system is designed for the BBC B, the B+ and Master computers and will take full advantage of any Sideways and Shadow RAM that may be fitted. It will run under DFS, ADFS and Network filing systems and requires as a minimum just a single 40 track drive.

Included with the system is a utility disc containing several high quality fonts, various utilities and a ROM image of a Support ROM. A comprehensive 100 page manual completes the package. The Support ROM contains routines to allow an area to be rotated to any angle or distorted to any four-sided shape. Also included are facilities to draw ellipses at any angle and sectors, segments and arcs (in Master or BBC B with Acorn GXR). Another of the features of the Support ROM is a 'Turbo DFS' which gives DFS access times comparable with those of ADFS.

#### Page Layout Section

The Wapping Editor may be used to create pages of any size from an A6 to a full A3 page. If none of the eight default page types suit your purpose, the stand-alone page creation program may be used to create pages to your own requirements. By using proportionally spaced fonts and genuine microspacing it is possible to print over 150 characters across an A4 page. A unique feature of the Wapping Editor is the 'A5 x 2' page size allowing two A5 pages to be printed side by side onto a single A4 sheet.

The graphics module incorporates the facilities like: pencil, brush, airbrush, polygon, circle, eclipse, fill, cut & paste, etc.

Text may be typeset, either justified or unjustified, in any font anywhere on the page. Simply select which font and text document you wish to use, and pull out a rectangle on the page where you want the text to be – it's as simple as that! Multiple columns may be printed just as easily and a special 'expand' feature may be used to expand the microspacing so that the document exactly fits the space defined.

#### Word-Processor

The integral word processor is the ideal tool for producing your text documents, although text can of course be read in from any of the other popular word processors such as View, Wordwise etc.

#### The Font Editor

The font editor module will allow you to design your own typefaces or to modify the ones provided on the utility disc. This sophisticated editor has numerous functions designed to take the tedium and frustration out of producing good looking, well balanced fonts. Each character may be individully proportionally spaced and characters of any size up to 16 x 16 pixels may be defined.

Pictures may also be 'grabbed' from a video source by using the Watford BEEB Video Digitiser.

Wapping Editor Software Pack Wapping Editor plus Mouse

(Wapping Editor only works with Master Compact if a Mertec Expansion box is fitted)



At the request of many of our customers we are now able to offer training in the use of Wapping Editor DTP package. For further Information please telephone 0923 37774 and ask for Tim or Shiraz

#### Wapping Art Disc

Over 250K of clip art to cut and paste into your Wapping Editor pages. Pictures include maps, transport, people, media, sport, games etc. Two 'ratio' screens for use with hi-res and rotated A5 pages to ensure images are not distorted when printed out.

Music writing symbols in the form of pattern and brush for quick production of manuscripts are included together with staves.

There are two prepared hi-res pages layed out for printing labels, both single and double width. Ready made label designs are included but these can be easily replaced with your own designs.

A wide o screen dump routine is also included. To pack such a large amount of data onto the discs the screens have been compressed and routines to compress and expand Mode 0 screens are included on both discs. Using the packing routine you can archive large numbers of screens onto a single disc. A Mode 0 screen dump routine is also included. To

£12

#### Wapping Font Disc 1

Sixteen additional fonts, including smaller version of Oberon and Daisy and two new sizes of the standard font for the Wapping editor.

Also included are three Mode 0 screens containing giant 'headline' fonts to cut and paste to create extra smooth headlines.
Supplied complete with instructions.

#### Wapping Font Disc 2

This new addition to our Wapping range of DTP software provides you with additional 23 fonts for the Wapping Editor DTP pack. (80 track discs

#### Laser Direct



By using the power of the Archimedes RISC processor, it offers the best of both worlds - pr speed up to 5 times faster than typical Laserjet compatibles – uses outline fonts so that any font can be scaled to any size – works with all programs that use RISC OS printer drivers. Ideal for use with Genesis, !Draw, Acorn DTP, Impression, etc. Includes 50 sheet paper tray and a printle best forwards. single sheet/envelope tray. Requires one expansion slot and at least a 2Mbyte Archimedes. A very compact printer, a very low initial cost and very low running costs.

Special Price: £849

- Special High Res Laser Direct Card 600 DPI for Canon LPB4 Laser Printer £325
- £1025 LPB4 Printer plus High Res Card


(For demonstration, call in at our retail shop)



**CREDIT CARD 24 HOUR** Ansaphone Hot Lines (0923) 50234 or 33383

All prices are exclusive of VAT

#### Archi Mk II **Hand Scanner**



Watford Electronics is now able to offer a complete hand held scanning package, possibly the most essential addition to any desk top publishing system, for only £149. The package includes the most comprehensive utility software available for the Archimedes, a high quality hand held scanner, and all necessary documentation to get you going straight away.

#### SCANNER

The scanner is capable of scanning up to an amazing 400 dots per inch (DPI)I The scanning area is 4" wide, and the height is only limited by the maximum amount of memory available. The dot resolution may be switched to 100, 200, 300 or the maximum 400 dpi. One of four operating modes may be selected offering either pure monochrome scanning, or one of three grey level modes. The grey level modes use different size dither patterns to represent up to 16 shades of grey. There is also a dial to allow the "brightness" to be adjusted over a wide range, in order to optimise the quality for any specific image. The scanner interface is a standard, single width, expansion card (podule) which plugs into the Archimedes' backplane. The socket on the rear panel connects the scanner by 1.8 metres of cable.

#### SCANNER SOFTWARE

Full use is made of the windowing and the multitasking facilities of RiscOS. The software is supplied in a 64Kbyte ROM located on the interface board. The scanner appears as a small icon on the desktop icon bar, and the software is retrieved from the ROM simply by clicking on that icon. As you scan a page, the image appears in the scanning window on the screen, scrolling up in real time. The other facilities included in the software are

Cropping and scaling to any size including stretching and squashing in X and Y direction separately.

Colour tinting. X and Y flip.

Edge detection which turns solid objects into

Selective directional copying which allows features (i.e. lines or text) to be made thicker or thinner.

Scanned images may be saved as sprite files or transferred directly into other RiscOS applications (DTP, Draw, Paint) simply by dragging the sprite file into the application's window. Sprites may also be generated using anti-aliasing. This greatly improves picture quality and is particularly effective when scanning material with a range of grey tones, such as photographs. Images can be printed on any printer that is supported by a RiscOS printer driver, with optional settings for portrait or landscape modes, image scale and positioning. Images are printed using the full resolution of the printer and are not limited to the screen resolution.

On-screen help is provided via the RiscOS interactive help facility. Calls are also provided in the ROM for users wishing to write their own software, incorporating the use of the scanner.

£149

AHS-4 Archi 300/400 Version AHS-3 Archi A3000 Version

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 

#### 16K Disc Ram Module

(16K Sideways RAM Module)

Complete with such features as read and write protection, these new modules from Watford Electronics are ideal for the hobbyist, software developer and ROM collector.


Key points to note about this new addition to the Watford range of products are:

- · Write protection (useful in a variety of circumstances)
- Compact construction
- No overheating or overloading problems.
- Free utilities disc supplied
  Can be used as a 16K PRINTER BUFFER.
- Ideal for profressional software development.
- Supplied with utilities software disc

Only: £29 (carr £2)

Optional Battery back-up fitted

#### Solderless Sideways ROM Socket Board



The key features of this new, no fuss, easy to install quality product from BBC leaders Watford Electronics are as follows:

- Increase your BBCs capacity for ROMs from 4 to
- No soldering required.
- Very low power consumption.
- Minimal space required.

  Compatible with Torch, DDFS, RAM Card, 2nd
- Socket 14 takes two 6264 RAM chips.
  Read protect to make RAM "Vanish") allows recovery from ROM crashes.
- Battery backup option for RAM chips.
  Supplied ready to fit with comprehensive

#### Price: Only £35 Battery Backup fitted £39 Battery Backup only £3 16K Sideways RAM £8.50 (carriage £3)

Sideways RAM Utilities Disc for Solderless ROM Board. Includes the options to load and save ROM Images and the facility to use Sideways RAM as Printer Buffer.

Only: £8


#### **User Port Splitter Unit**



Gone are the days when you had to plug and unplug devices from the User Port. This extremely useful little device allows two units to be connected to the User Port simultaneously, and select between them simply by toggling a switch. This device is particularly useful for those people using Quest Mouse and the Watford Video Digitiser or any similar combination. any similar combination

Excellent Value at £22 (carr £2)

#### Sideways ROM **ZIF Socket System**



Allows you to change your ROMs quickly and efficiently, without opening the lid. The ZERO INSERTION FORCE (ZIF) socket is located into the ROM Cartridge's position.

- Very simple to install. NO SOLDERING required. The ZIF (Zero Insertion Force) eliminates the possibility of damage to your ROM pins when inserting & extracting.
- The low profile of the socket allows unrestricted access to the Keyboard.
- All data and address lines are correctly terminated to ensure correct operation of suitable ROMs with the BBC micro. We also supply a purpose designed see-through storage container with anti-static lining, allowing you to store up to 12 ROMs, protecting them from mechanical and static
- This versatile hardware solves the problem of running out of socket space. Simply lift the ROM from the ZIF & insert a different one (No pulling or pushing of Cartridges. It is a must for professionals and Hobbyists alike.)
- BBC, B and B+ compatible.

ONLY £18 (carr £3)

#### **BBC B Low Profile** Cartridge System

Complete System consists of: Low profile ROM Cartridge, Socket housing, Cable assembly, 5 labels and a library storage rack for the BBC B.

Complete System

£11

Spare Cartridges

£2.75

## Spare Rack

£1.65

#### **ROM Cartridges for the BBC Master**

Will accept the new larger Piggy Back ROMs like: Interword, Interbase, Quest, Conquest, etc.

Twin £9; Quad £14

#### Commander Joystick

Watford Electronics' new Commander Joystick for the BBC B and Master 128K has a unique dual mode of operation giving selective free floating or self centring fully variable control in both X and Y axis directions. Commander is particularly good for flight simulation and drawing programs.

- Features:
- Direct connection to BBC Analogue input port no interface needed.
- Fully compatible with all BBC Joystick controlled games programmes.
- Switchable springs allow selection of floating or centring operation.
- Trim adjusters for both X and Y axes for fine centre adjustment.
- Convenient stick mounted fire button with additional base buttons.

Launch Price: £15



# ARIES CORNER

#### **B-32 Shadow RAM Card**

Like the BBC B+, the B32 provides 20k of shadow screen RAM and 12k of sideways RAM. Unlike the B+, the B32 has simple software commands which allow the user to reconfigure the RAM as 16k of shadow RAM and 16k of sideways RAM, or all 32k

shadow RAM and 16k of sideways RAM, or all 32k as sideways RAM.

With the B32, the programmer gets up to 28k of RAM available for Basic, Logo, Cobal, Forth, Lisp and BCPL programs in any screen mode. The business user gets extra memory for View, ViewSheet, Wordwise Plus, Interword and many other applications. For advanced applications, the

other applications. For advanced applications, the scientific user gets access to a massive 47k of data storage using the Acorn approved ★FX call. Sideways RAM enables you to load sideways ROM images from disc, allowing you to have a large library of sideways ROMs (subject to the copyright holder's permission) stored on disc. The B32's sideways RAM can also be used to extend

B32's sideways HAM can also be used to extend any operating system buffer (such as the printer buffer) or to load tape programs into a disc system. The B32 simply plugs into the 6502 processor socket on you BBC micro – no flying leads to connect and no soldering. Provision of the onboard ROM socket means that the Aries-B32 control ROM does not use up one of your existing ROM sockets

Recommended by Computer Concepts for use with their Inter series of ROMs.

Price: £69 (carr. £3)

#### Aries B-12 Sideways ROM Board

The B-12 provides a total of twelve sideways ROM sockets (the four in the original machine are replaced by the twelve on the board), all fully accessible by the MOS sideways ROM system. In addition, there are two sockets for sideways RAM, giving up to 16k of RAM using 6264 static RAM

If you do not have a B32 or B20, a small adaptor module (the Aries-B12C) is available at a nominal

Price:

Aries B-12 £36 Aries B-12C £5

#### Aries B-488 IEEE-488 Interface Unit

The Aries-B488 is an interface unit to enable the BBC micro to control and monitor IEEE-488 bus systems. The IEEE-488 bus (also known as the 'GPIB or 'HP IB') is the standard method of interconnecting programmable laboratory instruments and control equipment. Using the B488, up to 15 devices may be connected in a single high-speed data network.

£238 (Carr £3)

#### Voltmace Joysticks

TOILING OUYSTICKS	
Deita 3B Single Joystick	
Delta 3B Twin Joysticks	
Delta 3C Joystick for Compact	
Delta 14B Single Joystick	
Delta 14B/1 Adaptor Module	
Transfer Software Disc-Tape	
Delta-Cat A mouse eliminator Joystick	
for the Archimedes	

#### **Delta Base B**



Analogue aircraft style yoke Joystick to run in the analogue port of the BBC B & Master 128


£10 £15

£10 £11 £12

£7,

£24

#### ROM/RAM Card



Watford Electronics announced the first ever commercial ROM board for the BBC micro, the Watford Electronics 13 ROM Socket Board 7 years ago. Following the success of this board, we have designed what probably represents the ultimate in expansion boards, the new Watford Electronics ROM/RAM board. This highly versatile and sophisticated board represents the latest in "2nd generation" sideways ROM technology for the BBC micro, designed to satisfy the serious BBC user.

- NO SOLDERING required to fit the board.
- NO User Port corruption (avoids problems with the mouse, modems, Eprom Programmers, etc.)
- Fully buffered for peace of mind.

  Compatible with BBC micros (not BBC+ or
- Total number of ROMs increased from 4 to 8
- Up to 8 banks of sideways RAM (dynamic).
  Option for 16k of battery backed CMOS RAM (CMOS RAM needs one ROM socket).
- Software Write protect for ALL RAM.
  Read protect for CMOS RAM (ALLEVIATES
- crashes during ROM development).
- Separate RAM write register (&FF30 to &FF3F)
- Automatic write to currently selected RAM socket for convenience.
- FREE utilities disc packed with software.
  Compatible with our DDFS board, 32k RAM
  Card, Delta Card, sideways ZIF, etc.
- Large printer buffer.
- UNIQUE fully implemented RAM FILING SYSTEM (similar to the popular Watford DFS).
- ROM to RAM load and save facilities

The SFS (Silicon Filing System) can utilise up to the full 128k of RAM (with the SFS in any paged RAM) as a SILICON DISC. This behaves as a disc drive, with all the normal Watford DFS features (including OSWORD &7F for ROMSPELL, etc.) to provide an environment that looks like a disc but loads and saves MUCH faster.

The ROM-RAM Board plugs into the 6502 CPU socket. This leaves free all the existing ROM sockets, which can still be used normally.

Any ROM that can be plugged into the BBC micro's own ROM sockets may be used in the ROM-RAM Board.

The ROM-RAM Board is supplied with all ordered options fitted as standard. Upgrade kits (with full instructions) are available for all of the options, for later.

#### PRICES:

- ROM/RAM card with 32k dynamic RAM £48
- ROM/RAM card with 64k dynamic RAM £65
- ROM/RAM card with a massive 128k dynamic RAM (carriage on ROM-RAM Card £3)


#### OPTIONAL EXTRAS-

•	16k plug-in Static RAM kit	£9
•	16k Dynamic RAM for Upgrade	£13
•	Battery backup	£3
•	Read and Write protect switches	£2 each
	Complete ROM-RAM board	
	All options installed	£115

#### P.S.

IS your existing ROM Board overflowing with ROMS? Do you need more Sideways RAM? Is your Board unrellable? Then upgrade to Watford, ROM/RAM Board and pay £5 less.

#### 32K Shadow RAM/Printer **Buffer Card Expansion Board**



#### A MUST FOR WORD PROCESSING

Don't throw away your BBC B for a BBC B Plus or BBC Master. Just plug the ribbon cable into the 6502 processor socket, and fit the compact board inside the computer. Immediately you will gain not 16k or even 20k, but a massive 32k of extra RAMIII

- IMPROVE your WORD PROCESSING system, whether disc or cassette based. Don't wait for a slow printer – type in text while printing. TWO JOBS DONE SIMULTANEOUSLY and £100+ saved on a printer buffer.
- "VIEW" Wordprocessor users can now type in letters in 80 columns and have up to 28,000 bytes free - 5 times as much as normal.
- In WORDWISE (or WORDWISE-PLUS), preview in 80 columns with the full 24k of text in memory. This product is recommended as an ideal complement by Computer Concepts.
- Combine GOOD GRAPHICS and LONG PROGRAMS. Use the top 20k of the expansion RAM as the screen display memory, leaving all the standard BBC RAM free for programs. Benefit from MODE 0/1/2 graphics and 28k of program space.
- Use the FULL 32k or the bottom 12k of the expansion RAM as a PRINTER buffer for PARALLEL or SERIAL printers, sound channels, RS432 etc. Print large text files while running long graphics programs, and have all your buffer options available as well (\*FX15,21,138, 145,ADVAL etc). Please note only a 12k printer buffer can be used with Wordwise or Wordwise-Plus, due to the way they are written.
- Unique facility to turn ROMs off and on again.
   Unlike all other ROM managers, this feature does not use 'unofficial' memory. Two bytes of normally user-inaccessible memory on the RAM card are used to ensure ROMs are disabled WHERE OTHER ROMS FAIL.

#### Only £59 (carr £3)

(Price includes a comprehensive manual and the ROM)

#### **BBC SOFTWARE'S Popular Educational Software**

•	Maths with a Story	1 (Disc)	. 4 pr	imary	level
	maths programs				£20.0

£20.00

£16.00

£29.00

- Maths with a Story 2 (Disc). 4 further maths programs.
- Picture Craft (Disc) 6-14 age group. Pack consists of flexible geometrical design &
- colouring programs. £17.00 ECOLOGY O-Level program. £20.00 POLYMERS O-Level program. £20.00
- Classification & Periodic Table O-Level. The suite is supplied with its own database of chemical elements which can be classified according to your own rule. £20.00
- ADVANCED TELETEXT SYSTEM £8.65 PERIOD TABLE SOFTWARE £20.00 Computers at Work - Primary £17.35
- Introducing Geography 11-17 years £17.50 Electric Fields 6-14 years £11.25 Espana Viva - 3 Discs £19.95
  - WHITE KNIGHT Chess game A Vous La France

#### More Educational Software

• FUN SCHOOL 2 - Red: Under 6 yrs - 8 programs on Discs, Shape Snap, Find the Mole, Teddy Count, Write a Letter, Colour Train, Pick a Letter, Spell a Word & Teddy Bears Picnic.

£12.00

- FUN SCHOOL 2 Green: 6-8 yrs Eight programs on Disc, Number Train, Shopping, Maths Maze, Treasure Hunt, Bounce, Packing Caterpillar, 3 Number jump
- FUN SCHOOL 2 Blue: Over 8 yrs Eight programs on Disc, Build a Bridge, Passage of Guardians, Unicorn, Logic Doors, Souvenirs, Code Boxes, Mystery Machine & Escape. £12.50
- FUN SCHOOL 3 Red
- FUN SCHOOL 3 Green £19.95
- FUN SCHOOL 3 Blue £19.95
- Six French Games Aimed at pupils in their first year of French, but also useful as revision for more advanced students 11 years+ £26
- More French Games Another 6 games 12 years+ £26
- Au Restaurant and Accident de Route 12 years+ £26
- Boulogne and Oh-Les 2 programs for beginners £26
- Letters to French Penpals 11 years+ French Programs with Henri Beret - The programs in this series present vocabulary,
- grammar and role-play phrases in the form of animated games, 11-16 Six German Games - Aimed at pupils in their
- first year, but useful as revision for more advanced student of German. 12 years+ £22
- More German Games Aimed at pupils in their 2nd year of learning German. 12 years+ £22
- The Cloze Program Using context clues to predict is much more than a gap filling exercise.
- An Introduction to Electronics Brings together all the basic electronics required for a GCSE Physics or CDT course, 14-16 years
- Computer Control This is a package of 3 programs simulating control of a greenhouse, a robotic arm & a chemical plant. 14-16 years £26
- The Nuclear Reactor An interactive, menu driven program for GCSE pupils. Demonstrates & explains nuclear fission & the chain reaction. 14-16 years
- PUNCMAN Learning punctuation Puncman 1 & 2 for 7 - 13 years Puncman 3 & 4 for 8 - 14 years £15 £15 Puncman 5 & 6 for 8 - 15 years £15
- Yes Chancellor A chance to take over number 11 at Downing Street. 12 years+ £18
- Letters & Pictures Introduces phonic skills to Infants 6-8 years
- Numbers & Pictures Early number learning is a great fun (4-6 years) £15
- Note Invaders Budding musicians can learn the notes on the Clef with this elegant game 3
- programs (7 to Adults) £15 Maps & landscapes No. 1 (9-14 years) £18
- Help Your Child learn Basic Map work No. 2 £18
- Pirate Educational Adventure (8-14 years) £15 Spelling Week by Week (6-14 years) £18

### **Archimedes Software**

Bookbinder £43    DigiSim	£35
BUMPER DISC £14    Droom	£17
● Bumper Disc 2 £14 ● Jiglet	£27
● Craftshop 1 £26 ● Jigsaw	£28
Craftshop 2 £26    Numerator	£60
Desktop Stories £27     Snippet	£26
<ul> <li>Fun School 2A Red (up to 6 years)</li> </ul>	£12
<ul> <li>Fun School 2A Green (6-8 years)</li> </ul>	£14
Fun School 2A Blue (8 years +)	£14
Gate Array Teaching System	£68

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 

#### Computer Concept's **ROMS**

£49
£28
£49
£25
£37
£36
£76
£42
£25
£24

## Wordwise plus

£40

We are giving away absolutely FREE, the superb Word-Aid ROM worth £24, with every WORDWISE PLUS package bought from us.

## Word-Rid

#### The most comprehensive utilities ROM for Wordwise-Plus

Extend the power of your Wordwise Plus word processor with this most advanced ROM from Watford. By utilising the powerful Wordwise Plus programming language, WordAid provides a whole host of extra features, all accessed via a special new menu option. This ROM has been personally approved by Mr Charles Moir, the author of WORDWISE PLUS.

- Alphabetical sorting of names and addresses.
- Text transfer options.
- Chapter marker. Epson printer codes function key
- Search and display in preview mode. Embedded command removal.
- Print Multiple copies of a document.
- Multiple file options for print and preview.
- Address finder.
- Label printer.
- Mail-merger. Number/delete/renumber.

View 3.0 ROM

- Clear test-segment area.
  BBC B, B+ and Master compatible.

Only £24

£45

£14.00

£16.00

(N.B. Word Aid requires a Disc interface in your Micro)

### **Acorn ROMS**

View Professional	£50
Viewsheet (Acornsoft)	£36
Viewstore	£36
Viewspell with 80 track	
disc	£25
Viewplot Disc	£20
(Please specify for Master 128 or Co	ompact)
View-Index	£12

£65 Overview packs 1 & 2 Hi-View £38

#### MINI OFFICE II

DISC version for BBC	
B & B+	
DISC Version for BBC	
DIGO VOISION TO BBO	

Master DISC Version for the

Compact £18.00

(When ordering please specify for which Micro & 40 or 80 track Disc)

All prices are exclusive of VAT

#### View Printer Driver Discs

Epson FX & RX 80 £10 Juki & Brother HR

#### View Printer Driver ROM



View is a powerful word processor, but it seriously lacks in terms of printer driver support. With the View Printer Driver ROM, the View users will find themselves in the realms of advanced word processing.

The VPD extends View's printer command with a series of mnemonic commands. All standard highlight sequences are also supported. A large range of printers are supported by drivers contained within the ROM (the drivers can be downloaded and customised). Printers supported include: Epson's MX, RX, FX, LX, JX80 range, HI80, KP810/910, PW1080, JP101, HR15, M1009, GLP, Panasonic KX-P1081/2, JUKI 6100,

Other printers are readily supported by defining a Printer Driver using the built-in Printer Driver Generator. The features mentioned below are available to both the built in Printer Drivers and user defined drivers (assuming the printer supports the features).

NLQ control, Underline, Bold, Proportional Spacing, Microspacing, Italic, Superscript, Subscript, Condensed, Enlarged, Double Strike, Set lines per inch numerically (e.g. LPI 6), Set characters per inch numerically (e.g. CPI 5), Select printer font, Select printer ribbon colour, Translation sequences, Emulation of BBC Character Set, Simple numeric expressions for certain operations, Full printer setup, Send control codes, Print prompt on screen, Redifinable Pad character, Pause for key press, Prompt to change daisywheel, and Execute \* command when printing.

Other features include a very powerful on-screen preview, with bold, italic, underline, super/subscript, enlarged highlights, and a special printer driver to allow memory-based text to be previewed by View 1.4. Of course, View 1.4, 2.1 and 3.0 are all supported, as is Shadow RAM and 6502 Second Processors. The BBC B series and Master series of micros are supported. A comprehensive manual is supplied. All in all, a very professional product for the discerning user who wants power at their finger tips.

Price: Only £33



CREDIT CARD 24 HOUR Ansaphone Hot Lines (0923) 50234 or 33383

#### **OFFICE** MASTER



CASHBOOK - A complete "Stand Alone" accounting software package for the cash based sole trader/partnership business. It is designed to replace your existing cashbook system and will provide you with a computerised system complete to trial balance.

FINAL ACCOUNTS - Will take data prepared by the Cashbook module and produce a complete set of accounts as following: Trial Balance with inbuilt rounding routine; Notes to the accounts; VAT Summary; Profit & Loss A/C; Balance Sheet.

MAILIST - A very versatile program. Enables you to keep records of names and addresses and then print, examine, sort and find them, all with special selection techniques

EASILEDGER - A management aid software tool designed to run alongside an existing accounting system. Essentially a Debit/Credit ledger system which can handle sales, purchase and nominal ledger routines to provide instant management

**INVOICES & STATEMENTS - Greatly** reduces the time and cost of preparing Invoices and Statements by storing essential information like customer names, addresses and account numbers. Has VAT routines and footer messages facility.

STOCK CONTROL - Allows you to enter stock received, stock out, summary of stock items and current holdings together with details of total cost, total stock to minimum level, units in stock ordering, quantity and supplier

All this for only £21 (Disc)

#### **OFFICE** MATE



- DATABASE
- BEEBCALC SPREADSHEET
- **BEEBPLOT GRAPHICS**

DATABASE - Set up a computerised card index system with powerful search facilities.


SPREADSHEET - Offers many calculation and editing features

**BEEBPLOT** – Provides visual representation from Spreadsheet data.

Only £10 (Disc)

Acorn Speech Synthesizer package complete, for the **BBC B Microcomputer** 

Special Offer £14



Whether you want to type in your latest program or the draft of a new trilogy, Watford's manuscript holders are superb for holding your paper at the ideal height and angle to allow you to read and type in ease and comfort.

Available in 2 full A4 versions, desk resting and shelf clamping. Paper is held firmly by means of a plastic retaining ruler and a clip grip. (for resting books or magazines, the desk top version is recommended).

Desk Top £7 (carr. £3) Angle poise £12 (carr. £3)

#### The Epson RX/FX/KAGA **Printer Commands Revealed Handbook**

#### Printer Commands Revealed

So you bought yourself a new printer, because the salesman in the shop showed you how clever it is and impressed you with all sorts of printouts to show its capabilities - he may even have offered you a special

However, now that you have got it home and connected it to your BBC microcomputer, you are wondering how to make it perform these magical tasks. The manual seems to give no clues, and when you type in the example programs, the computer throws the LPRINT statements back in

your face. Now what do you do, when this £400 piece of high technology refuses even to move its head, and you have stayed up until 2 in the morning with copious supplies of coffee, desperately trying to print something out? Once again, Watford Electronics comes to your help with our new book entitled 'THE FX-KAGA EPSON PRINTER COMMANDS REVEALED'.

This book describes in plain, easy to understand English, how to use and make the most of your KP810, PW1080A or any other Epson FX80 compatible printers like Panasonic KX-P1080/1, etc., with the BBC Micro, both from Basic and Wordwise.

It describes in detail how to obtain the maximum in graphics capability from your printer and includes full indexes allowing you to cross index the numerous commands. Every command is explained in detail, with an accompanying BBC Basic program and an example of its use from Wordwise.

£5.95 (No VAT)

**ALL PRICES EXCLUDE** VAT

#### **BOOKS** (No VAT on Books)

(140	V/\I	אטטם ווט	رد.
15 Hr Wordpr	ocessing	BBC/View	£6.95
15 Hr Wordov	ocessing	BBC/WW & WW+	£6.95
30 Hour BAS	IC (BBC I	dicro)	£12.95
1st Word Plus			£10.00
A3000 Techn			
		ai	£29.00
Acom DTP A			£17.00
Advanced U			£10.95
Archimedes 1	ist Step –	Beginners Guide	£9.95
Archimedes A	Assembly	Language	£14.95
Archimedes E	BBC Basic	Guide	£20
Archimedes E Archimedes E	OTP Manı	ıal	£10.00
Archimedes (	Operating	System	£14.95
Archimedes F	Risc-Os P	rogrammers	
Reference M			£79.00
Arm Assembl		roo. Manual	£15
Assembly Lar	nguage Q	uick Ref.	£21.95
BASIC 2 - U	ser Guide		£2
Basic V – A D	ahhand (	Fulda	£9.95
BBC Basic G			£19.95
BBC Compu			113.33
		JUUN -	£14.95
The Comple			
BBC Micro -		,	£11.95
BCPL User G			£9
C Big Red Bo			£8.95
C - A Dabhai	nd Guide	to	£14.95
C Programmi	ng Lang.	2nd Edition	£24.95
COMAL - Int	roduction	to	£9.50
Deutsch Dire	ktl (Book	only)	£5.95
DISC FILING	SYSTEM	(DFS)	
Operating N			£6.95
FORTH on th	e BBC Mi	cro	£9.95
Hackers Hand	dbook - N	lew	£9.95
ISO-PASCAL	Reference	e Manual	£9.95
Mastering Inte	erpreters	&	
Compilers			£14.95
Master 512 G	iuide – Da	bs Press	£9.95
Master Opera			£12.95
Master Refere	ence Man	ual Part 1	£14
Master Refer			£14
		ual - Advanced	£17
Mathematical	Program:	s in BBC BASIC	£9.95
MINI OFFICE			£9.95
Mouse User (			20.00
the Complete		DO IIIIOIO	£5.95
		Disc for above	£4.95
PASCAL on the	ho BBC M	lioro	£9.50
PASCAL on the PASCAL Program	rammina	licio	£10.95
DISC Tooksis	gramming	1 000 nm	
RISC Technic	W MANUA	DENITED	£14.95
The Epson F	A-KAGA	PRINTER ED	05.05
Commands			£5.95
Understandin		ra –	00.50
A Beginners			£6.50
View 3.0 Use			£10
View Guide (			£5.00
		vstore - Mastering	
		Dabhand Guide	£12.95
VIEW Dabhai			£12.95
Viewsheet Us			£10
Viewstore Us			£10
Z88 - A Dab		ie	£14.95
Z88 Computin	ng		£9. <b>9</b> 5
Z88 Magic			£14.95
Z88 Using Yo	ur		£9.95

# BOOKS for IBM PC & Compatibles

FC & Compatible	<b>C</b> 5
1-2-3 For Business	£25.95
1-2-3 Mastering Release 3	£22.95
1-2-3 Mastering - 2nd Ed.	£20.95
1-2-3 Quick Reference	£7.95
1-2-3 Special Edition (OUE) - Using	£22.95
1-2-3 Using - Rel. 3	£25.95
8086/8088 Assembly Language Prog.	£8.45
8086/8088 Programming the	£17.95
Ability - Using	£12.95
Accountancy software in Business - Usir	ng£14.95
Agenda - Using	£21.95
Aldus PageMaker = Using	£21.45
Amstrad 1512/1640 Step by Step -	
Using the	£POA
Amstrad Basic 2 User Guide	£9.95
Amstrad PC Programmers Ref Guide	£7.50
Amstrad PC1512-1640 Step by Step -	
Using	£10.95
Assembly Language - Quick Ref.	£7.95
Autocad 4th Ed - Mastering	£31.50
Autocad - Mastering Through Rel. 10	£28.95
Autocad - Using Release 10	£27.95
C Introducing	£12.95

C Programming Language 2nd Ed	£26.95
Clipper - Using	£22.95
Computer Users Dictionary	£9.95
Corel Draw Quick Ref Thro V1.2	£7.95
Corel Draw made easy	£24.95
dBase III Plus - Complete Reference	£19.95
dBase III Plus Handbook 2nd Edition dBase Instant Reference (III & III+)	£22.95
dBase IV – Handbook	£10.95 £21.95
DOS & BIOS Function - Quick Ref Guide	£7.95
DOS Instant Reference (up to 3.3)	£6.95
DOS Power Tools (includes a disk)	£45.95
DOS - Programmers Ref. Manual 2nd Ed	£25.95
Excel IBM Version – Using the	£22.95
FAX - Managing with	£12.95
Framework III – Mastering	£22.95
GW Basic - Quick Prog. Ref GW Basic Users Guide & Ref	£8.95
Hard Disc management – Quick	£12.95
Reference Guide to	£4.95
Hard Disc - Using Your	£27.45
IBM PC & PS/2 3rd Ed	£21.70
Microsoft GW BASIC	£12.95
Microsoft Windows 3 - Using 2nd Ed	£20.95
Microsoft Word 5 _ Using	£20.45
MS-DOS – ABC's of 2nd Ed.	£17.95
MS-DOS Bible 3rd Edition	£24. <b>9</b> 5
MS-DOS First Book	£15.50
MS DOS for Beginners	£14.95
MS-DOS Quick Prog Ref Guide	£8.95
MS-DOS Masters - Tricks of 2nd Ed	£24.95
MS-DOS – Running 4th edition MS-DOS – Supercharging 2nd Edition	£19.95
MS-DOS Users Guide 3rd Edition	£17.95 £27.95
MS-DOS OSEIS Guide Sid Edition	£19.95
MS Windows 3 2nd Ed – Using	£22.95
Netware User Guide	£22.95
Networking Personal Computers 3rd Ed.	£20.95
Norton Utilities - Inside the	£21.95
Novell Network - Mastering	£27.95
Novell Network - The ABC of	£21.95
Novell Network - Using	£22.95
PageMaker on IBM PC - Using	£22.95
Pagemaker – Using	£22.95
PCs & Compatible Computers for Beginners	£14.95
PC Crash Course 2.0 2nd Edition	£19.95
PC Tools - Quick Ref	£7.95
Programming Guide to EGA & VGA Cards	£24.95
Quattro - Mastering	£21.95
Ouattro Pro VI - Using	£22.95
Smart – Using	£21.45
Smartware II – Using	£22.95
Smart, tips, tricks and traps (QUE)	£22.95
Supercalc 5 – Using Supercalc Professional	£27.50
Symphony Made Easy	£17.95 £19.95
Symphony – Using Special Ed.	£27.45
Symphony 4th Edition - Mastering	£24.95
Timeworks Publisher Companion	£12.95
Turbo C Bible	£27.95
Turbo C++	£22.95
Turbo Pascal 5 - Using	£22.95
Turbo Pascal - Advance Techniques in	£20.85
Unix – Using	£27.45
Upgrading & Repairing PC's	£27.45
Ventura Mastering – 2nd Ed. Ventura Publisher – Using	£22.95 £22.95
Ventura – Instant Reference	£10.95
Ventura – Tips & Tricks 2nd Ed.	£24.95
Window Programming 2nd Ed	£27.95
Window 3.0 Programming	£27.95
Window 3.0 Ouick Ref.	£7.95
WORD for Windows - Using	£22.95
Wordperfect 5 – Using	£24.95
Wordperfect - Quick Reference V5	£8.95
Wordperfect 5.1 - ABC's of	£18.95
Wordperfect 5.1 – The ABC of	£7.50 £14.95
Wordperfect 5.1 – 1st Book of Wordperfect 5.1 – Mastering	£14.95 £24.95
Wordperfect 5.1 Quick Start	£18.45
Wordperfect 5.1 – Using Special Ed	£22.95
Wordstar & CPM Made Easy	£15.75
Wordstar Using 5.5 & 6 3rd Ed	£25.95
Wordstar 6.0 Made Easy	£19.95

Carriage on Books vary between £2 to £3.50, depending on their weight

£25.95

Wordstar 6.0 - Using

#### **New Release**

#### ACORN TO PC

#### Stop the Confusion!

Do you have to use both Acorn computers and PC's? Would you like to use your Archimedes or A3000 in PC-emulation mode but are unsure of the new commands?

Although Acorn machines (such as the BBC B, the Master, the Archimedes and the BBC A3000) are mainly used in education, most commercial computers use other operating systems, particularly MS-DOS. As a result school computer users are at a disadvantage when moving into business' computing. PCs and other commercial computers use MS-DOS as the operating system, so commands for formatting, copying, backing up, printing and the modem are not the same. Even file names are written differently! And did you know that there is one Acorn command which, if used in MS-DOS, wipes everything in the current directory? 'ACORN TO PC' enables you to change over painlessly. It shows

change over painlessly. It shows clearly and quicly how, why and where the two systems (Acorn and MS-DOS) differ. As with a foreign language dictionary, you can use the book to transfer either way — from Acorn to MS-DOS, or from MS-DOS to Acorn.

'ACORN TO PC' also acts as a handy reference guide to all Acorn star commands and their MS-DOS equivalents. It also has an extensive and readable explanation of the directory tree and hierarchical filing systems in general. Both DFS and ADFS Acorn systems are covered.

'ACORN TO PC' is written clearly and concisely by Dr. John Lockley, who has wide experience of writing and broadcasting. He is currently appearing as a regular contributor on Radio 5, and is co-author of 'The Complete BBC Computer User Handbook'.

Price: £15.95 (No VAT)

#### The Complete BBC Computer User Handbook

If you own a BBC B, B+, Electron, Master 12B or Master Compact, or Archimedes, then this is the book for you. It shows how to get the best from your machine, and how to make it work for you. The general style and level of presentation means that both the expert and beginner alike will feel comfortable with the quality and quantity of the material. Subjects covered include the general use of computers, hardware design and peripheral devices like printers, disc drives, etc, and Networking. Programming hints and tips and various disciplines for making a better program are discussed in some detail, including debugging of specific errors. Standard programs are covered, such as wordprocessors, spreadsheets, databases, graphics, communications, etc., which brings you neatly on to the subject of using computers in the office or at work - even giving advice on writing and marketing your own programs.

programs.

A book you will enjoy to use as a reference, or read from cover to cover, over and over.

Only: £14.95 (No VAT)

#### The Complete Mouse User Guide to BBC Micro

This manual has been written to reveal the secrets of the mouse. It explains all the principles required by the hardware and associated software, and also example listings for inclusion into custom programs. The manual first details the basic principles of the mouse and a simple program which uses these principles. This information should be adequate for most applications. However, it is possible to improve the performance of the mouse by expanding on the principles already used in the software. This is again fully explained and an example program given.

It is possible to gain a full understanding of the mouse from this manual. For those not interested in exactly how the mouse functions, complete example programs are also included. These may be typed directly into the micro, without the need for any understanding of the hardware or software involved, enabling the mouse to be used for custom applications.

Price £5.95 (No VAT)
Example programs on Disc £4.95

#### Beeb PC (BASIC)

Beeb PC Basic is designed for program authors wishing to convert programs so that they will run on IBM personal computers. To convert BBC BASIC programs manually can waste days of valuable time with every occurrence of common statements such as PROC, DEFPROC, TAB, having to be changed.

Beeb PC (BASIC) automates many of these changes, and will convert majority of BBC statements that are invalid for IBM BASIC into equivalent acceptable statements. In addition BBC BASIC data files can be converted to IBM BASIC format, with support provided for all BBC data formats:- INTEGER, REAL & STRING.

Price: £38

#### Beeb DOS 3.0

(Now reads Archimedes Discs)

The BBC and IBM PC's are the most popular micros in the UK. The BBC is firmly established in the education sector and the IBM is the industry standard in the business world. The-pools of information and applications held on these computers are immense, yet the means of passing information between them are very limited. Beeb DOS provides a practical method of transferring information between these two micros.

Beeb DOS is a collection of utilities which run on the PC's and enable it to read and write information on BBC discs. You can transfer files between your PC's 360K floppy, high density floppy or hard disc and your BBC discs. In addition Beeb DOS allows you to catalogue, format and compact BBC discs and delete, re-name, lock and unlock BBC files, all on PC's. Each Beeb DOS utility is written in IBM assembler and is run directly from PC or MS-DOS. The Beeb DOS utility can be run from floppy disc, hard disc or RAM drive.

Beeb DOS is supplied on an IBM 5.25", 360K disc complete with a comprehensive operating manual. (Will only work on 360K Disk Drives & read only ADFS and Watford DDFS – not DFS).

Price: £39

(Please write in for technical literature)

Continued  $\rightarrow \rightarrow \rightarrow \rightarrow \rightarrow \rightarrow$ 

#### **Panafax Facsimile**

Top quality Panasonic Fax machines, at Watford's budget prices. Ideal for Schools, Colleges, Home & Offices. Supplied complete with telephone handset & 12 months on-site maintenance warranty.

UF120 £339 UF121 (P.S. We stock full range of Panafax)

#### Watford Electronics are:

- Acorn Qualified Dealer & **Econet Referral Centre**
- ARIES PC Dealer/Distributor
- Canon Authorised Printer Dealer
- Cambridge Computer Dealer
- Computer Concept Premier Dealer
- . **EIZO Monitor Dealer**
- Microvitec Appointed Dealer .
- **NEC Appointed Dealer**
- Panasonic Premier Dealer
- Roland Plotter Official Dealer
- Star Printer Premier Dealer
- Taxan Appointed Monitor Dealer
- 3M Media Premier Distributor

#### **ADDER**



The Adder unit connects to the User Port and draws its power from there too. The EPROM is mounted in a top quality ZIF socket. There are no switches or controls as Adder is entirely software

The Adder software provides sophisticated facilities for programming EPROMs from a RAM image produced by loading disc files. The software is menu driven and designed for ease of use.

#### Features:

- Two ultra fast programming algorithms or standard slow algorithm.
- Supports standard 21V programming and newer 12.5 volt EPROMs. (Software switched).
- The RAM image to be programmed can be built up in many ways. Sections of image can be loaded separately. Part programming. Read EPROM. Edit data in memory.
- Automatic processing to handle a list of files to program into the EPROM.
- Automatic disc buffering to allow programming of 32K 27256 devices from a 32K file without extra
- Verification gives detailed error list and checksums are maintained. There is also a blank check facility.
- Works with all standard filing systems. Generates header code for RFS ROMs to allow Basic programs etc. to be stored in EPROM. More than one file per ROM permitted.
- Programs the following EPROMs: 2516, 2716, 2532, 2732, 2764, 27128, & 27256.

£65 (£5 Carr)

#### TEX EPROM ERASERS

EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by not erasing too fast.

- ERASER EB Standard version erases up to 16 chips. £32(carr £3)
- ERASER GT Deluxe version erases up to 18 chips. Has automatic safety cut-off to switch off £35 (carr £3) the UV lamp when opened.
- Spare UV tubes.



**CREDIT CARD 24 HOUR Ansaphone Hot Lines** (0923) 50234 or 33383

#### Servisol Foam Cleaner

This king size multipurpose foam cleaner spray is ideal for cleaning Keyboard, Monitor, Disc Drive & Computer furniture surfaces. £2.50

#### **Antistatic Aerosol Spray**

Ideal for cleaning and preventing static build-up on TV/Monitor Screens.

#### **Aerosol Dust Spray**

Ideal for removing dust & dirt from Keyboard & similar inaccessible spaces.

£3

#### **Spares for BBC Micro**


UHF Modulator	€4	16MHz Crystal	£2
Speaker Grill	£1	17.734 MHz Xtal	£2
Speaker	£3	32.768MHz Xtal	£1
Keyswitch	£1.50	BBC B Refurbi	ish
Master PSU	£59	Casing	£25
Master Keyboard	£62	Keyboard	£46
Master Casing	£49	Power Supply	£59
Replacement Flex	ible 17	way Keyboard	
Connector			. £4

#### Surge Protector Plug

Fitted in place of your normal mains plug, this device protects your equipment (and data from corruption), against mains high voltage translent spikes/surges caused by lightening or thermostats

Protection for only £8.50

#### 4 Way Mains Distribution Socket



4 way top quality mains trailing sockets. Supplied wired up with mains plug ready for use. Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from

£9.50

#### Aries Spike Cleaner Unit

A 4 way mains distribution unit as above with a built-in Surge Arrester, providing protection for your complete Computer/Hi-Fi System

£14.95

#### **ROM Extraction Tool**

This extremely useful tool allows you trouble free chip insertion and removal from your computer by distributing the removal force over the whole body of any 24 or 28 pin chip.

Metal Chip Extractor

£3

#### 28pin DIL Header Plug

£1.50 IDC CRIMP type £1.95

#### 8 Way DIP Switch

Increase the speed of your Disc Drives by soldering this switch to your BBC B or B+ keyboard

Only £1.00

28 pin ZIF SOCKET (Textool)

#### Connecting Leads

(All ready made and tested) CASSETTE LEADS 7 pin DIN Plug £2.50 to 3 pin DIN Plug + 1 Jack Plug to 7 pin DIN Plug £3.00 to 3 Jack Plugs £2.50 6 pin DIN to 6 pin DIN Plug (RGB) £3.00

#### **Disc Drive Power Leads**

Supply from BBC power supply to standard Disc Drive Connection: Single £3.00; Dual £3.75

#### Disc Drive Interface Leads

BBC to Disc Drives Ribbon Cable Single £4 Twin £6

#### **Miscellaneous Connectors**

	Plugs	Sockets
RGB (6 PIN DIN)	50p	75p
RS423 (5 pin Domino)	70p	80p
Cassette (7 pin DIN)	40p	95p
ECONET (5 pin DIN)	35p	50p
Paddles (15 pin 'D')	150p	250p
Disc Drive Plug 4 way	100p	_
6 way Power Connector	120p	150p

#### Watford DATA DUCK

Convert two single Disc Drives into one Dual Drive with this simple external unit (Suitable for Disc Drives with PSU. For Disc Drives without PSU, you will also require Watford Power Duck, see below).

> £14 £8

Watford POWER DUCK

#### **CHIP SHOP**

MB-10 DIL D-RAM £4.50 MB ZIP D-RAM £4.90 256K x 4-8 DIP 256K x 4-8 ZIP £4.75 £4.80 DS3691 DS88LS120 £4.50 £5.25 LM324 SN76489 £5.50 SAA5050 £8.75 UPD7002 2764-250nS £3.00 27128A-250nS

(12V5) 27128-250nS £2.50 (21V) 27256-2 £4.00 £3.00 27512-2 27C101G (1 Meg) £7.00 4020 4164-10 £1.00

£3.50 £2.00

£2.00 £1.50

£4.00

£5.00 £9.75

£9.00

£4.00

£5.00

£8.50 £4.00

£2.95

£7.50

50p £1.00

£1.00

£1.00

£10.00

£10.00

4464-10 4816 RAM 41256-8 41256-10

6264LP-8K 6502A CPU 65C02 3M

65C12 6512A 6522 6522A 62256ALS-15

62256P-12 6818 6845SP 68B50

68B54 74**3**8 74LS00

74LS10 74LS123 74LS163 74LS244 74LS245

74ALS245 74LS373 74LS393 7545**3** 

75159 ICL7673PA

£6.95

#### **Assorted** ROMS



ACORN ADFS 5
ACORN BASIC 2 plus £25 User Guide £42 £17 £32 Acorn BCPL ACORN DNFS Acorn FORTH £25 £36 Acorn Graphics Acornsoft C Disc Acorn LISP £19 £25 £14 £24 Acorn OS B+ Acorn OS 1.2 Basic Editor BBC PCB Designer £49 £22 £20 £49

Beebmon Buffer & Backup Communicator Dump Out 3 EPSON NLQ ROM Graphics Extension Rom GXR-B GXR-B<sub>4</sub> ICON Master Logotron LOGO MASTER OS ROM Master ULA (47)

£25

£25

£21

£22

£28

£43

£38

£15

£25

£46

£39

£32

£20 £29

£13

£35 £28

£14

£26

£199 £25 £69

Master ULA (60) Micro Prolog 50p 50p 50p Microtext Disc Microtext Rom NLQ DESIGNER

Numerator - Archi Numerator - BBC Pendown ROM Rom Manager ROMIT

£1.00 £2.75 £1.00 SERIAL ULA TED Termulator B. B+

Termulator Master Video ULA ULTRACALC II

£1.00 £1.00 £3.00 £2.00 1Mb OS ROM

#### ARIES PC 386-SX



The Aries PC 386-SX combines many of the powerful features of the 386 system with the frugality of a price tag more at home on a 286 system. With 8/16MHz CPU, this system provides virtually full 386 performance, including the more convenient scheme of memory control that allows easy configuration of expansion RAM as EMS for DOS application.

#### Features:

- 80386-SX CPU with optional 80287/80387 Maths Co-Processor
- 8/16 MHz selectable speed
- Legal Bios with built-in Setup routine
- OS/2 and XENIX compatible

#### Specifications:

- 1MB RAM on-Board expandable to 16Meg
- 1 x 5.25" 1.2Meg Drive fitted
- 1 x 3.5" 1.44Meg Drive fitted
- 40Meg 28mS Hard Disc Drive fitted (1:1 interlaced)
- HDD/FDD Controller Card
- 102 Key Keyboard
- Case with Keylock
- Eight expansion slots
- Two Serial and One Parallel Ports
- Logitech mouse
- 12 months On-Site maintenance
- £300 worth of Software, (MS DOS 3.30, GW BASIC 3.21, Digital Research's GEM, Finesse 1.1 DTP pack, Multiwriter Wordprocessor & Spellchecker, PC Organiser), FREE with every

## **New Low prices:**

- System 1 Specification as above plus a 14" High Resolution Flat Screen mono monitor
- System 2 As system 1 plus a 14" High Resolution Flat Screen EGA Monitor and £1045
- System 3 As system 1 plus a 14" High Resolution Flat Screen VGA Monitor and £1095
- System 4 As system 3 (VGA) with 80MB 28mS fast Hard Disc Drive £1245
- System 5 As system 3 (VGA) with 155MB 16mS super fast Hard Disc Drive

#### PC External Disc Drives


(for IBM PC, Amstrad 1640 & Compatibles. Supplied complete with case, cables and power supply. Ready to plug)


PCS-3L5	3.5" - 720K Cased Drive	£85
PCS-3H5	3.5" - 1M44 Cased Drive	£95
PCS-5L2	5.25" - 360K Cased Drive	£86
PCS-5H2	5.25" - 1M2 Cased Drive	£99

Our December 1990 catalogue now available. Please write in for your FREE copy

#### Aries Notebook PC XT & Notebook PC NB286-12

Full Desktop PC Power for People On The Move





Aries Notebook PCs are equipped with a full complement of 6 built-in ports; 2 x RS232 Serial; 1 x Printer; 1 x External floppy drive; an external Keyboard and a CGA colour monitor. The obvious benefits include the ability to connect directly to a printer, and to a full size desktop computer to transfer data or text, etc, or to a modem for communications.

Multiwriter 2 Word processor/spell checker, and PC Organiser diary software is supplied with all Notebook PCs to get you started, so now you can take computing power with you where you want to go, in the office, workshop or laboratory, on site, on the train, plane, or at home.

#### Aries Notebook I, II and III

Aries Notebook I, II and III
These Aries Notebook PCs have energy-efficient
80C88 processor chips running at 10 MHz.
In his independent review (Computer Shopper) the
reviewer writes, 'The Aries Portable offers
exceptional value for money... The computer
itself is very much what you'd expect a notebook to
be, small, with a cramped but very usable keyboard
and a respectable backlit display. It is nice to see
that you can actually use the extra 384K as EMS
memory — there is even a utility that can turn the
EMS into a RAM drive for you.'

EMS into a RAM drive for you.'
In his final verdict he writes, 'Overall, the single most outstanding feature has to be the price tag. A notebook PC with hard disc for under £1,000 has no competition at the moment. If you have a small briefcase, weak arms, or just like the concept of a truly portable computer, then this is your man'.

#### Aries Notebook NB286-12

The New Aries NB286-12 has a faster, high efficiency 80286 processor running at 12MHz.

. . the strongest feature of the Aries is its Hard Disc, with a data transfer rate that would put most desktops to shame . . . the only notebook reviewed that incorporates a 16MHz processor (landmark speed). These two factors combine to make it the strongest performer . . .

'In terms of value, the Watford comes up on top ...

'VERDICT: Excellent specification performance. This has to be THE choice based on price and ability'.

Computer Shopper Jan. 1991

**Specifications** 

Processor: 80286 running at 10MHz (Notebook I, II & III); 80286 (Notebook NB286-12) running at

12MHz – Zero Wait State – Real Time Clock/Calendar 1MB RAM – 640KB + 384KB LIM/EMS Memory:

Internal: 3.5" Floppy Drive (Notebook I) — 2.5 " 20MB Hard Disc (Notebook II & Notebook NB286-12); Notebook III has an internal 2.5" 40MB Hard Drive all 28mS Drive:

Access speed - Optional external 3.5" or 5.25" floppy drive

£798

Display: Electro-luminescent (EL) backlit transflective supertwist LCD - 80 x 25 characters -

640 x 200 bit mapped IBM CGA compatible

Keyboard:

Full size Qwerty layout – Integrated Numeric Keypad
Internal NiCad battery – External 12V DC – Mains Adaptor provided Standard
Parallel Printer Port – Twin RS232 Serial Ports – External Disc Drive Port – CGA
Colour Monitor Power:Interfaces:

Dimensions:

300mm (W) x 220mm (D) x 61mm (H)
MSDOS 3.3; GWBASIC; Word Processor software – PC Organiser Software – Desk Bundled Software: Diary & Calendar

Optional Extras: External 3.5" Disc Drive - External 5.25" Disc Drive

 Notebook I – Internal 3.5" Floppy Drive (Optional external 3.5" or 5.25" Floppy Drive)

Notebook NB286-12 - with Internal 3.5" -1.4MB Floppy and 28mS 20MB 2.5" Hard Disc

• NB 386SX-20 - 3.5" 1.44M Floppy; 20MB H/D; VGA

NB 386SX-40 - 3.5" 1.44M Floppy; 40MB H/D; VGA

**Accessories** External 3.5" 1.44MB

£89 Floppy Drive

• External 5.25" 1.2MB Floppy Drive

£89 £1195 • Spare Battery Pack

£29 Car Cigar Lighter Adaptor £35

£1495 • Carrying Case

# atford Electronics

250 Lower High Street, Watford WD1 2AN, England Tel: 0923 37774/240588 Fax: (0923) 33642 Telex: 8956095

Prices subject to change without notice and available on request. ALL OFFERS subject to availability. Mail Order and RETAIL SHOP. Trade and Export inquiries welcome. Government and Educational Establishments' OFFICIAL OR Monday to Saturday. Thursdays 9am to 8pm. (Free Customer's Car Park). VAT: UK customers please add 17.5% VAT to cost incl. Carriage. CARRIAGE: Unless stated otherwise, minimum £2 on all orders. £3 on Larger items. On bulkier items, £7 Securicor charge applies (UK mainland only). Overseas orders, carriage is charged at cost. Specifications of all products are given in good faith but are subject to change without notice. Some items vary in their availability. Please ring for latest delivery situation.

# PERSONAL & BUSINESS ACCOUNTS

The Account Book & The Invoice Program

These two programs have had excellent reviews over the years and enjoy a wide user base. They are very easy to use whether you are VAT registered or not and run on the BBC B, Master, Compact and Archimedes. Although they do not multitask on an Archimedes we are currently working on a multi-tasking version. They are available at £34.95 each or £59.95 together. Please state computer and disc size when ordering or send/phone for our brochure.

Personal Accounts for the BBC B, Master Series
10 Bank/Credit Accounts, 48 Income/Payment Headings, Full Scrolling entry/edit system with extensive reporting including bank reconciliation and statements. Only £18.95

!Personal Accounts SPECIAL EDITION VERSION 2 for the A3000 and ARCHIMEDES

RiscOS Multi-tasking version of the above with brilliant features

including a 50 character description space per entry, 28 fully automatic standing order templates for any period on payments and income including forecast feature. Autosave option, Calculator, Note-Pad and much more. Fully scrolling entry, edit and search system makes this a joy to use which is why Archive Magazine described it as "very powerful, good value, easy to use and highly recommended". Only £28.95

### APRICOTE STUDIOS

2 Purls Bridge Farm, Manea, Cambs, PE15 0ND



**☎** 035 478 432



#### SENLAC Computing Ltd. (Est. 1988)

£	(ex VAT)		£	(ex VAT)
Impression 2150.00	(127.66)	Cash	Micro Studio Graphics from 17.50	(14.89)
Impression Junior81.00	(68.93)	On	Poster87.00	(74 04)
FontFX9.50	(8.08)	Delivery	Pipedream 3138.00	(117.45)
Scan-Light Plus Junior 192.00	(163.40)	available on	Schema113.00	(96.17)
Scan-Light Plus A4407.00	(346.38)	single	Rhapsody45.00	(38.30)
with Sheet Feeder 506.00	(430.64)	orders up to	Genesis 2	(117.45)
Laser-Direct1050.00	(893.62)	£350.00	Magple56.00	(47.66)
Laser-Direct Hi-Res1575.00	(1340.43)	value.	Revelation81.00	(68.94)
ShowPage	(117.45)	Only £2.00	Squirrel	(104.68)
Equasor	(40.85)	extral	Multistore255.00	(217.02)
!Tracer57.00	(48.51)		Flexifile	(113.19)
Midnight Graphics Clip Art 34.00	(29.94)		MultiFS34.00	(28.94)

\*\*\* REMEMBERI Prices include VAT at 171/2%, postage and packing \*\*\*

Please make cheques/postal orders payable to SENLAC Computing Ltd.
P.O.Box 304, BRIGHTON, BN2 2TT
We offer similar discounts across our whole range. Please send S.A.E. for current price list.

VAT Reg. No. 508 7594 16 Company Registration No. 2277309

### THE COMPUTER DEPOT

205 BUCHANAN ST **GLASGOW G12JZ** Tel: 041-332 3944

55 CLERK ST **EDINBURGH** EH8 9JQ Tel: 031-668 4146

DUNDEE Tel: 0382 29653

Scotland's leading micro specialists

Best display in Scotland of BBC and Archimedes FREE installation of upgrades Scottish dealer for WATFORD **ELECTRONICS** 

Service Dept: Phone 041-332 Licensed Credit Brokers Mail Order Service





**EDUCATION AND TRAINING-MICROCOMPUTER SYSTEMS** 





AUTHORISED DEALER

Acorn

Telephone ALTON (0420) 87213

The choice of experience APPROVED DEALER

Problem with your **ECONET wiring?** Diagnose the fault with our easy to use Test Box The "FLAT" Box £75+VAT

Connect your Archimedes to a 'normal' television for only £20 + VAT

WE'RE MOVING TO A NEW ADDRESS SOON!

- ACORN REPAIR CENTRE
- UNIX & TCP/IP SOLUTIONS
- NETWORK INSTALLATIONS

NEW! Acorn's LEVEL 4 Fileserver only £160 + vat

We offer both telephone and personal support should you have difficulty with your choice of computer purchased from us. Plus - our prices will surprise you. Simply the best combination you could ask for ....

Low Prices

call now







## ■★PRIZE £30★I

#### LISSAJOUS FIGURES

Lissajous figures - the fascinating curves produced on oscilloscopes -M take a step into the third dimension with 3DLiss (Infola) from Michael Attenborough of Liverpool. Methods of displaying lissajous figures using computers were first broached in BAU by Michael St Aubyn with his now famous Mathsin-Motion listing in November

This original two-dimensional version worked by varying Cartesian co-ordinates (x,y) sinusoidally. The remarkable figures are created because of 'phase differences' between x and y.

1985 (re-printed in March of

this year).

The easiest way to express a point on the 2D curve is as (Rsin(At),Rcos(Bt+c)). A and B are constants which determine the 'phase' of the curve. The 'parametric' value t is varied from 0 to 360 degrees in order to plot the whole curve, and c is changed to give the appearance of rotation. R is simply a scaling factor.

Points in three-dimensional space clearly have three carco-ordinates each (x,y,z). However, they can also be described using so-called 'polar' co-ordinates (A,B,r) where A and B are angles and r is the distance from the origin. Using this polar system, you can vary the angles A and B in much the same way as the 2D program varies its Cartesian co-ordinates x and y. The results are delightful lissajous figures that appear as the surface of a sphere.

(For more information about the theory have a look at the January 1991 issue of Scientific American.)

Having entered 3DLiss, run it and experiment by changing the various parameters. The Z and X keys alter the value A and the C and V keys alter B.

# **DAVE ACTON and DAVE LAWRENCE**

# deliver a monthly mix of bits and pieces for your eight and 32-bit computers

The ratio A:B - which determines the basic nature of the curve – is shown at the top left of the screen. You can rotate the curve using the up and down cursor keys and vary the speed of rotation with left and right. The shape of the curve can also be changed with B and N - these vary the angle C, shown top right.

You can also press 0 or 9 and change C to 0 degrees (at which the display is generally cone shaped) and 90 degrees (producing a sphere).

The best way to find out the possibilities is through experimentation though.

The machine-code routine at the heart of the program makes use of look-up tables and the Arm's multiply instructions to show the curve.

Most of the required parameters are passed to it from Basic as integer variables (A% and B% are the A and B of the equations for example).

Perspective is introduced by means of a look-up table. Having calculated the 3D coordinates of a point (x,y,z) these are converted to 2D. Such a conversion generally involves two of the coordinates being divided by a function of the remaining one. In fact, using the table per allows the division to be replaced by a multiplication and, as there is an Arm instruction to do this, it is much quicker. So you can see the effect of perspective, it can be switched on and off with the P key. A 'P' is displayed when perspective is active.

As we like to cater for both eight and 32-bit machines in **★INFO**, we thought it would be nice to provide an eight-bit version of 3Dliss. The result is 3Dliss8 (Info1b). The keys are the same for both versions so Beeb and Arc owners can experiment alike.

As you might imagine, producing an eight-bit version necessitated a few changes! The 32-bit program contained many multiplications and a couple of disguised divisions. Both these operations are very

time consuming on eight-bit machines and so had to be replaced. The divisions required for perspective were costly in terms of processing time and so perspective is not used in the eight-bit version. However, the 3D effect is still strong since the motion is fast and smooth.

As for the remaining multiplications, a little schoolbook trigonometry comes to the rescue here (see figure 1). You have three angles a, b and c. The nature of the curve is determined by the ratio a:b and the angle c is the rotation of the curve as controlled by the up and down cursor keys. Converting these polar values to Cartesian form (x,y,z) you get equations (i), (ii) and (iii) where d is a plus some constant. You can throw away the x because this is only needed if perspective is used. When you add rotation in direction c you end up with (iv) and (v). Already there are quite a few multiplications involved, but you can simplify products of sin and cos using equations (vi) and (vii).

Thus one multiplication is replaced by several additions or subtractions - comparatively slower on an Arc with its MUL and MLA instructions but much more efficient on a Beeb. So, y can be calculated simply using (vii), and z with perspective added can be expanded to form the grand equation (viii).

For increased speed, the number of points used in 3DLiss8 is 256. On eight-bit machines, tables can be referred to much more quickly if they are no bigger than 256 bytes. Screen mode 4 is used rather than mode 0 - this takes up less memory and also means that each point is bigger, compensating somewhat for having fewer points.

The other major modification required to the eight-bit version comes about because you can't switch screen banks casily. On the Arc, two screens are used for smooth animation,

#### FIGURE 1

- $x = \sin(a) \cos(b)$
- y = sin(a) sin(b)
- $z = \sin(d)$ (iii)
- y' = sin(a) sin(b)
- $z' = x \sin(c) + z \cos(c)$ 
  - $= \sin(a) \cos(b) \sin(c) + \sin(d) \cos(c)$
- sin(a)cos(b) = sin(a + b) + sin(a + b)
- sin(a)sin(b) = cos(a b) cos(a + b)
- $z' = \cos(a+b+c) \cos(a+b+c) + \cos(a-b-c) \cos(a-b+c)$

+ sin(d+c) + sin(d-c)



but the eight-bit version has to remember the old position of each point and 'unplot' it before moving it on.

#### **SORTING IT OUT**

Sorting data is one of the key areas of computing. Databases, financial appli-M cations and even some games all need to maintain some semblance of order to the data they are dealing with. It will come as no surprise then that

many years have been devoted to making sorting algorithms as efficient as possible in both execution time and memory usage.

Sorting algorithms are often compared in three ways: 1) the time taken to sort, 2) the number of comparisons made during the sort and 3) the number of 'moves' (loads and stores) executed during the sort. (2) is taken to mean the of comparisons number between items of data to sort only. Any other comparisons made, for example with the control variable of a loop, are ignored. The value of (3) must be increased whenever an access is made to an item of data. This includes accesses during direct compares of data 'in situ'. For example in the instruction:

IF a(x) < a(x+1)two moves and one comparison are executed. Although quite rigorous, these three methods are rather stuffy and not always very easy to interpret. A far more interesting way to sort is to represent the

data graphically and to animate the sorting process in some way. This will slow down the sorting time but will provide you with a nice visual representation of how the sorting algorithm works and may possibly give you some ideas as to how to improve its performance.

SortDemo (Info2a) on the yellow pages illustrates six quite different sorting methods in this way. It allows you to select the number of elements to sort (256, 128, 64 or 32) by pressing 1-4 and the sorting method by pressing A-F. An array is set up from 1 to, say, 64 which contains the numbers 1 to 64 in ascending order. The array is then 'unsorted' by swapping random elements. The data is represented graphically by plotting a point for each element, the x coordinate is derived from its position within the array, the y from the element's value. Sorted data therefore appears as a single diagonal line starting in the bottom left-hand corner of the screen. Unsorted data appears as widely scattered points. The dots are scaled so that they always exactly fill the screen, larger dots are therefore used for the smaller array sizes. 256 is the maximum number of dots as each element is then represented by a single pixel.

After jumbling the array, the appropriate sort routine is called to repair the damage. As the sorts progress, they update the dots on screen to mirror the status of data within the array.

FIGURE 3	
а	b
2 1	9 4 2 5 1
c 9 4 X	d 6 4

The sort is thus complete when the screen once again shows a single diagonal line. The program keeps track of the number of comparisons and modes made by the sort and displays these values in a table after the sort has finished. The timing columns are only very approximate and can only really be used as a rough guide as large proportion of time in each sort is taken up by plotting the dots!

We ran the program on a BBC, an A3000 and an A440 with an Arm 3 with point sizes of I and 4 and the results are shown in figure 2 below.

Bubble Sort is an exceedingly 'stupid' sort. It steps through the array one element

1.11

0.66

at a time comparing each with the next. If the next element is less than the current one they are swapped. This process is continued until a complete pass is made through the array without having to swap any elements at all.

In a Sift Sort, when an element is found to be out of place, the rest of the elements in the array are examined until a more suitable position is found. All the elements up to this point are shuffled and the original element is inserted into the newly created gap. Note this will not necessarily be its final resting place!

An Exchange Sort is the simplest sort to write that takes a reasonable amount of time to execute. It is also the most natural way for us humans to sort objects or data. For these reasons it can often be found within programs. Quite simply for an array of size n, n passes are made through the array starting at successive elements. On each pass the lowest element in the remainder of the array is found and swapped with the current element.

This sort is particularly good for small values of n, if you look in figure 2, you'll see it is actually faster than the infamous 'quick sort' with 32 elements. Implementations of quick sort often check to see how many elements it has to

FIGURE 2						
Sort	Elements	Compares	Moves	BBC*	A3000*	Arm 3*
Bubble	256	61965	183430	1348.64	119.55	60.96
Sift	256	\$6874	88512	903.07	80.43	38.62
Exchange	256	32896	66816	206.17	14.19	3.55
Quick	256	3279	2777	60.82	5.23	2.81
Merge	256	3444	10980	93.06	8.44	4.91
Heap	256	3690	9138	108.16	9.81	5.67
Bubble	32	837	2502	25.81	2.20	1.24
Sift	32	1012	1548	20.56	1.74	0.96
Exchange	32	528	1184	6.37	0.50	0.23
Quick	32	294	231	6.87	0.57	Ŏ.32
Merge	32	244	810	9.75	0.90	0.53

673

12.07

Heap

32

267

<sup>\*</sup> Timings in seconds



sort, and if there are only a few it uses an exchange sort rather than its usual recursive calls.

Quick Sort is a 'divide and conquer' algorithm. It uses the idea that sorting two arrays of size n/2 must be easier (and quicker) than sorting one array of size n. How does it sort these two smaller arrays? Simple! It just calls itself to split each into two n/4 arrays.

The actual sorting is performed during the splitting. A 'pivot' value is chosen, ideally a value close to the average of the data to be sorted.


The array is then ordered so values lower than this pivot are stored in the first half of the array and higher values in the second. Quick sort is then (recursively) called on each of these two new partially sorted sections. The main problem with quick sort is the time and memory overheads of using a recursive routine. It also not particularly good at sorting partially sorted data.

Merge Sort is another divide and conquer algorithm. The array is split in two and each half sorted (recursively) with merge sort.

The two sections are then recombined by maintaining a pointer for each section and, taking the lowest of the two current values, the relevant pointer is then moved on. Because of this merging process, merge sorting needs another array the same size as the data array in which to keep the other section of data.

Heap Sort is a sorting algorithm that works on binary trees rather than linear arrays. It may therefore not be immediately obvious how it can be made to work with arrays. There is, however, a very subtle way of doing what you want - more of this later! The heap sort employed by SortDemo is a version of the code used by Risc OS in the operating system routine OS\_HeapSort. Before explaining how it works, you really need to understand the principles behind a 'true' heap sort working on a binary tree.

A binary tree consists of a number of nodes, each containing its value and, because it is a binary tree, two pointers



to other nodes. These pointers may be null if there is no further node. A node is sometimes referred to as a parent and the two immediately connected nodes as its children.

Of course each child may have further nodes connected to it, creating grandchildren and so on - hence the tree analogy. Continuing this idea, the first node in a tree (or indeed, subtree) is usually called the root. The portion of a tree below a parent is often known as a subtree.

In a plain binary tree, there is no pattern to the nodes, and in this form the tree is not much use. Trees are therefore often ordered. In an ordered binary tree, all nodes in the left subtree of a node are less than its root which in turn is less than all the values in the right subtree. If data was in this form it would make sorting it relatively easy. However, it is not always a simple matter to get the data into this form and keep the tree balanced so that sorting progresses as quickly as possible.

Another form of binary tree is a *heap* (we're getting there!) In a heap the value of a node is greater than all the values within the subtree taking the node as the root. Figures 3a and 3b show the numbers 4, 2, 1, 6, 5, 9 in the form of an arbitrary tree and heap respectively. Note that these are not the only possible tree and heap representations of this data!

Heap sorting involves taking a heap (eg, figure 3b), removing the root value as a sorted value, moving the rightmost value on the bottom row of the tree to the root (figure 3c) and converting the resultant tree back into a heap (figure 3d). This process is repeated until the heap is empty.

Finding the rightmost node is quite tricky. It involves finding out how large sub trees are and whether there are any 'hanging' nodes remaining. Converting a tree into a heap is a fairly straightforward task; the only hard think about heap sort is understanding how it works! Note that the data emerges from the sorting process in reverse order. This is not a problem, but just remember that it does.

Heaping (Info2b) is a program that demonstrates graphically how this process works. It prompts for 15 numbers to be entered which will be built into a binary tree. You may terminate the list with less than 15 by pressing RETURN after the last value. If you press RETURN immediately with no data entered, the computer will generate a random tree.

You can then sit back and watch the program sort the data. It will tell you what it's doing, as it displays the sorted data at the bottom of the screen as it makes it.

If you really want to appreciate how clever the array version of heap sort is, have a closer look at the appalling methods used to generate the tree, convert it into a heap and find the rightmost node in Heaping!

Sorting Arrays. The main problems in the tree version of heap sort are firstly, creating the tree with all its accompanying nodes and pointers and secondly, the recursive nature of the MakeHeap procedure. If these problems could be eliminated, heap sorting would be a very time and space efficient algorithm.

There is a very simple and, in fact, annoyingly obvious way of representing an array as a tree which does away with the need for using pointers. If you take a tree and number the nodes as in figure 4 and treat each node as an element within the array, then for any node x, its children are nodes 2x and 2x+1.

If you assume that this tree form of the array is actually a heap, then the value of array(1) is the highest in the array and so should be moved to the last element in the array. If, in fact, you swap these elements then no data will be lost but you will no longer have a heap. This means that you need to convert the array (excluding the 'last' element) back into a heap before repeating the above process.

What actually happens is, starting at the root, the old end value, lets call it newval, gets compared with the higher of the two children of the node: if it is less than this, the child is moved up to become the parent (you know it is greater than the other child) and the process iterates down the tree



until it reaches the bottom.

If this happens, or a node is found where newval is greater than both children, the process stops and the tree is once again a heap.

To convert the original tree into a heap you simply use the process above on each node in turn. You don't need to 'heap' the nodes at the very bottom of the tree as they have no children; instead, for an array of size n, you can start at node number n DIV 2 and work back to the root. Sorting is then achieved by copying array(1) to array(n), decrementing n, finding the right place in the array for the old value of array(n) and repeating until n=1. Figure 5 shows, in some arbitrary language, how OS\_HeapSort implements this algorithm. The version used by SortDemo has been neatened up for Basic with the various GOTOs and such like removed or hidden!



Note that there are no pointers, no recursion and, in fact, not even a subroutine call to create a heap. This is because the piece of code which initially heaps the data is also used by the main sort routine to replace the array(n) value.

If you are interested, the Risc OS OS\_HeapSort routine is in the Utility Module starting at &0380A4C4 - follow it through at your own risk!

So eight-bit users aren't left out, listing Heap8 (Info2c) is a 6502 implementation of the same algorithm. It has been set up to sort 256 two-byte values (to allow addresses to be sorted). A demonstration is included which generates 100 random text strings and sorts them alphabetically.

OS\_Heap Sort. Readers of the PRM may know that OS\_HeapSort can do a lot more than simply sort out numbers. Out of the seven parameters you can supply, BAU (Risc

```
FIGURE 5
HeapSort(array):
      count = sizeof(array)
      node = (count div 2) + 1
MainLoop:
      if node = 1 [
              value = array(count)
              array(count) = array(1)
              count -= 1
              if count = 1 array(1) = value
     l else [
              node -= 1
              value = array(node)
      if count = 1 exit
      child = node
SortLoop:
      parent = child
      child = child * 2
      if child > count goto HeapEnd
      if child < count [
              if array(child) less_than
                      array(child + 1) child += 1
      if value less_than array(child) [
              array(parent) = array(child)
              goto SortLoop
```

Revue) has only ever covered the first three, so read on for the whole gory story!

goto MainLoop

array(parent) = value

HeapEnd:

R0 contains the number of elements to sort pointed to by R1. These are four-byte (ie, word size) objects so will often have to be pointers to the 'real' objects. The top three bits of R1 have special meanings, more of which in a mo. R2 contains the address of a comparison routine or a number less than six for various special cases. These cover most of the usual uses for sorting, ie, an array of integers, or pointers to strings. However, you may need to sort say, a five-byte time reading, in which case it will be necessary to write a comparison routine and supply its address in R2. This routine will be called with R0 and R1 contains two elements from the array (don't forget they may be pointers!) which need to be compared. Your routine can corrupt R0R3, but should return LT (ie, less than if 'R0' < 'R1'). If you wish you can pass a workspace pointer in R3. This will be passed in R12 to the comparison routine. This could useful if you are using OS\_HeapSort in a module and want to have access to the module's RMA workspace. R3-R6 do not have to be specified, but are really very useful in certain applications.

If you are sorting objects of a fixed size, but larger than four bytes you have to build a table of pointers to your objects. OS\_HeapSort will do this for you if you tell it where the objects actually are (in R4), how big they are (in R5) and set bit 30 of R1. Unfortunately it can't automatically create a table of pointers to variable length objects! Bit 31 of R1 can be set if you want OS\_HeapSort to physically reorder these objects in memory after sorting by using the now

sorted pointers at R1.

Due to internal memory limitations, if your objects are bigger than 16K, you'll need to set bit 29 of R1 and pass the address of a suitable area of memory large enough to hold one data object.


OS\_Heapdemo (Info2d) is a demonstration program which sorts 64-bit numbers and makes use of these extended features (except R6). The machine code at .compare simply compares the two words of the 64-bit number. The rather contrivied BIC and ORR instructions are needed because the numbers are unsigned, and CMP doesn't quite return the correct bits set for the LT condition to work.

#### **SQUIGGLE GAME**

BAU regular Barry Wickett has supplied a little game for the Archimedes. M It's called Squiggle (Info3a). There is a version for eight-bit machines called Squig8 (Info3b). The idea of this twoplayer game is to make a

path connecting the bottom left square of the board with the top right. Achieving this wins the game, but if you divert the path off the edge of the board you lose. The two players take





turns in placing a piece on the board at the square indicated. You have a choice of the three styles shown at the bottom press 1, 2 or 3 to select. Once you have laid a piece the computer will follow the new



section of path made and then ask the other player to make a

The program is quite simple to follow. The board is stored in the array board%() and the variable pd% contains which side of the current square the path entered. When a new tile is laid, values are looked up in the arrays ix%(), iy%() and entrance() to find out where the path goes to next. A REP-EAT...UNTIL loop is used to trace the path until it finds a blank square. If this is the top right square, or off the board the game is over.

The eight-bit version is similar to the Arc program, the only major differences relating to the display.

There is no circle-plotting facility on the Beeb so the curved pieces are drawn with user-defined characters, read in from DATA statements at the end. Rectangle plotting and filling is done by special procedures.

If you master the game and are feeling adventurous why not try adapting the program so you can play against the computer or get it to play itself? We'd be delighted to publish a good computer-play version in ★INFO.

#### PIC-LIST UPDATE

We are grateful to Dr Chris Corbett pointed out a possible cause of error in Chris Ruseman's Pic-List application in the May 1991 issue of BAU (page 80). It A seems that drawfiles can have bounding boxes with one dimension zero. For example, a single thin vertical line produced in Draw is saved with zero width and this causes a 'division by zero' error which actually shows up in Pic-List as 'Bad colour translation'. The solution is to add the following two lines:

6845 IF rwidth=0 THEN rwidth=1 6855IF rheight=0 THEN rheight=1

Another problem has come to light regarding the display of sprites with their own palettes. Chris points out that palettes as stored in sprites consist of eight bytes per colour (presumably so that images may be stored with specific flashing colours). When creating colour translation tables though, palettes are required to have only four bytes per colour and this results in \*ScreenSaved mode 0 sprites appearing as plain black in Pic-List! The solution is to change/add the following lines:

6380 IF saddr%!32<>44 THEN 6381 FOR i%=0 TO saddr%!32-45 STEP 8 6382 buffer%! (i%/2) =saddr%!(i%+44) 6383 NEXT 6384 spal%=buffer% 6385 ELSE 6386 spal%=FNwpal (spmode%) 6387 ENDIF

You should also change the version number at line 4770 from 0.90 to 0.91 and the date to May 2 1991.

#### SYSTEM SPRITES

Graham Hick of Marlborough has asked how it B is possible to customise the system sprites on the Arc, having noticed in a screen-shot that the A logo on the icon bar was different. Well, it's pretty easy to alter the standard sprites in this way. All you need to ensure is that your new versions have the same name and are the same size.

Risc OS sprites are stored in two groups. One set is in Rom and here you will find the standard Archimedes logo, disc-drive icons and so on.

Another set can be found in Ram and it is here you will find the sprites loaded by applications using the \*IconSprites command. These are the various icons for applications themselves along with any associated file type icons.

You can replace any of the Rom sprites by loading a Ram sprite with the same name. Perhaps the easiest way is to add the desired new sprites to the Sprites file in your System directory.

So you can have a look at the system sprites in more detail, try running GrabSpr (Info4). This will save the

Rom and Ram sprites as two files so you can load them into Paint and observe the correct sprite names and dimensions. It uses the operating system call "Wimp\_BaseOfSprites". This returns the start address of the Rom sprites in R0 and the Ram sprites in R1

One point to note is that replacement sprites will only appear when the screen is redrawn. Hence, it may be best to run a Boot file from Basic which loads the new sprites using the \*IconSprites command and then enters the desktop.

#### OOPS!

Apologies must go to Dr John Barker whose con-B tribution to Eight Bits one of the precursors to **★INFO** - was 'mangled' slightly before publi-E cation! Any reader wishing to modify his 24-pin colour printing program to work with nine-bit printers should note that the relevant part of the instructions (page 58 of the April issue) ought to have read as follows:

'Lines 1240-1270 deleted so each byte is printed once only. The code for moving to a different colour on the ribbon at line 500 is ignored by the monochrome printer, and need not be removed.'

#### **★OUIT**

Well, we've come to the end of the first ever \*INFO. We hope that eight-bit and 32-bit users have all found something of interest, of use or indeed, of both. If you have an item to contribute, be it program, hint, tip or simply an idea, do write in to ★INFO at the address below. Any comments, suggestions or even complaints are all equally welcome, so if this column does not reach you

in perfect condition do let us know - your statutory rights will not be affected!

Programs, aside from the very shortest, should be sent on disc together with sufficient explanation of how they are to be used and how they work. Where possible we will supply BBC/Master versions of Arc submissions and vice versa.

Of course, if your program works on the whole range of machines then so much the better. Graphical items are particularly popular with readers, but there are really no limits. Any submissions too long to carry as listings in the yellow pages may find a home on the monthly disc, so don't despair if you've written some 2000 line masterpiece that you'd like to share with the discerning BAU readership!

So, if you've come up with something good and you can't keep it to yourself any longer, you know what to do - put it in a Jiffy bag and send it to us!

Till next month then, thank you for reading and happy key-tapping!

#### **Dave Lawrence** Dave Acton

Submissions to ★INFO should be sent to us at: BBC Acorn User, Redwood Publishing, 20-26 Brunswick Place, London N1 6DJ. If you enclose a stamped address envelope it will ensure a speedier reply and return of your disc(s).

### COMPATIBILITY KEY

BBC B compatible

BBC B+ compatible Master compatible

C Master Compact compatible

Electron compatible Archimedes compatible

BBC A3000 compatible

## **★INFO COMPATIBILITY TABLE**

	BBC B	Master	Electron	Arc
Info1a (3dLiss)				*
Info1b (3dLiss8)	*	*	*	
Info2a (Sort Demo)	*	*	*	*
Info2b (Heaping)	*	*	*	*
Info2c (Heaping8)	*	*	*	
Info2d (Os Heap Demo)				*
Info3a (Squiggle32)				*
Info3b (Squiggle8)	*	*	*	*

# **UNIX** now available as an upgrade

Chameleon specialise in the sale of Acorn Unix products and networking of PC's Apple and Unix. We are happy to announce that in addition to sales of R140 R260 series we can now supply upgrades for most Archimedes computers to the latest Acorn Unix standards.

RISC IX 1.2 X/Open XPG3, Sytem V and BSD compatible. X WINDOWS ver 11. Release 4 compatible server.

NFS 4.0, TCP/IP support.
ANSI C, FORTRAN 77 & PASCAL included.

X DESKTOP 2.0 from IXI

OSF Motif derived toolkit

& Much more. UNIX requires 4Mb RAM and 100Mb hard disk. (hardware upgrades available).

Prices start from £ 999 + VAT including installation and full UNIX support for 1 year.



Tel: (061) 745 9849

# The Weather Reporter



The Weather Reporter is a fully automatic weather station which continuously records wind speed, wind direction, temperature, hours of sunshine, hours of daylight and rainfall. It is accurate, easy to install, robust, vandal-proof and needs no maintenance.

The Weather Reporter does not need to be permanently connected to a computer. It will record the weather unattended even through weckends and school holidays. The data collected can then be downloaded and investigated using a simple serial lead and the supplied user-friendly software available for BBC, Nimbus or Archimedes/BBC A3000. It can also be exported for use with Oriel, Quest, Grass or Key. The complete Weather Reporter package, hardware and software, costs only £295 (exc. VAT).

To order or for more information, contact:

Advisory Unit for Microtechnology in Education. Endymion Road. Hatfield, Herts. AL108AU

Tcl. 0707 265443 Fax. 0707 273651 BT Gold 87:CBL001







RISC OS Euclid is the best multi-tasking 3D graphics and animation system for the Archimedes. It is effectively a 3D version of Draw.

Mogul makes full use of Euclid's unique hierarchical data structure to generate animations of 3D objects with articulated motion and simultaneous camera motion.

ArcLight is a multi-tasking ray-tracer which will generate produced by Mogul or a realistic Euclid picture, or a complete Mogul film, while you are free to get on with other work.





# ce Computing



Tween produces films from Draw files. It uses techniques similar to Mogul and generates Euclid £70 a film by calculating intermediate frames from a set of key positions.

Splice allows you to edit films Tween. You can even produce hand-drawn cartoons by converting sprites from any source.



Such is the enthusiasm for Euclid there is a user group called Elements, now in its second year, which provides a quarterly disk containing hints, tips, animations and user pictures.

ArcLight £50 Mogul £20 Splice £30 Tween £30 (inc.VAT)

> Ace Computing 27 Victoria Road, Cambridge, **CB4 3BW.**

Tel: (0223) 322559 Fax: (0223) 69180



# GAME PLA

he idea of getting computers to play and even beat humans at games of strategy has been popular with programmers for many years. Perhaps the motivation is the same gentle obsession that affects train-spotters, or maybe it's a more sinister 'Frankenstein' complex that possesses them - a desire to create a thinking being'. It's really anyone's guess.

Getting a computer to play a simple game such as noughts and crosses is not too tricky. There are tried and trusted methods of searching through the list of possible moves in order to find the best. And in simple games this list of possibilities may well be small enough for the computer to stand a good chance of winning a game or two! Still, it can be a fiddly process writing 'thinking' programs. They are unavoidably recursive by nature (that is, a program examining a set of possible moves may 'use itself' to look one level deeper). It occurred to me that it might be useful to have a single module to take the hard work out of getting the computer to play and that could be used for a variety of strategic games. The result has become known as GameCore and this article is about how it works and how it is used. An example of GameCore in action is provided in the shape of 3D noughts and crosses.

THE THINKING MACHINE


There are two commonly known approaches to the task of getting machines to play games. The first employs the so-called 'heuristic search'. This method really belongs in the realms of artificial intelligence and, although it has had some success in chess-playing programs and shows great promise, is currently somewhat in its infancy.

The second, older and simpler approach is employed by most commercial strategic games programs and is also used by GameCore. The idea is to go through the 'tree' of possible moves - looking at every option open to you and, for every one of these, every reply your opponent may make. And of course, to each of these

No-one to play with? You could always challenge your Archimedes to a game! **DAVE ACTON** explains how it's possible







replies there is a set of responses that you can make in turn! So the search goes on, trying out moves and counter-moves until a specified 'depth' of search is reached.

At this point you have to count up the values for each of the possibilities you've looked at and find the best.

The process of finding best moves by looking through trees like this is often called minimaxing (from minimising and maximising) and is illustrated by figure 1.

lmagine you are playing a game - draughts say - and there are three possible moves that you can make next turn. Your current position is Root in the diagram and the three moves available take you to new positions A, B and C. Because you're looking for the best move, you'll try out in your mind each of A, B and C and make a note of their values (based on how many pieces are taken, how well positioned the remaining pieces are, etc) The highest scoring move is the one to make. But your opponent is also trying to make the best move they can.

Consider move A. There are three responses to this: D, E and F. The values of the position after these moves are 9, 4 and 6 respectively. Your opponent will play E because this is the worst move for you. Hence the minimum at A is 4. Similar minimums are calculated for B and C. At the root you are looking for the maximum value, so C is chosen. Even if your opponent plays the nastiest move in reply you will not end up in a worse position than value 7.

A problem with tree searches is scale. It has been estimated that an average of 38 moves are available each turn in chess. To look 10 halfmoves ahead would require trying out 38<sup>10</sup> positions - over six thousand million million of them! It's no wonder methods x of pruning the move tree have been sought and the best known - alpha-beta pruning - is used by GameCore.

#### SAFE PRUNING

The advantage of alpha-beta pruning is that it's safe. All valid possibilities are explored and the best move, even if it appears to be a bad move at first glance, will always be found.

The alpha part of the process is shown by figure 2. First, move A is tried with all the possible replies D-F. This produces a minimum value at A of 4. Next B is looked at. The first response is G which makes the minimum-so-far (or minsofar) value 2. Because the opponent always looks for minimum value, the 2 at B can only get lower, so will never be bigger than the 2 at A. We can thus prune off H and I with complete confidence!

Beta pruning works similarly but at the other end of things. Figure 3 shows another move tree. Firstly, move A is tried with all its responses, C to E. A further level is considered - moves F to

N. At C you are looking for the best reply in response to your opponents move C. G is chosen and so the maxsofar at C is 4. After trying D you achieve a maxsofar of 9 by the time you get to J. Here there is no point in even looking at K - the maxsofar at D is already 9 and will only get bigger. Thus it will never fall below the minsofar of 4 you had at C, therefore you can prune K off.

Alpha-beta pruning dramatically cuts the number of moves that need to be examined and is vital to GameCore and every good chess program. Ironically, it is most efficient when the order in which moves are looked at runs from best to worst. Clearly though, you don't know the best until you've worked it out!

You can, however, pre-sort moves according to either guesswork or a shallow lookahead which involves a preliminary tree search of fewer levels than the main one.

The idea is to order the moves as best you can before looking at them. Sometimes the best of all will be disguised and may not be looked at until quite late on in the search. Mostly though, providing your lookahead is sound, you will spot the best moves in your preliminary search and in these cases the thinking procedure is sped up considerably by the improved pruning rate.

#### **USING GAMECORE**

And so we come to GameCore itself. What is it? Well, it takes the form of a relocatable module that provides a set of SYS calls that can be used by Basic and other programs. To write a new game you simply provide the routines specific to that game (to list possible moves, make them, unmake them and so on) and GameCore does the rest.

The module has been designed for use in the desktop environment. It can think in short time slices, so you can use it to play games while other tasks are active.

The desktop side of things deserves explanation in its own right, so I'll be covering it next month. I'll also be providing a full Risc OS application that allows simultaneous play of different board games in the desktop. As a taster though, I've included a single-tasking demonstration this month. You'll find all the necessary listings on the yellow pages.


You will need to create a directory called !GameCore. In this you should save listing 1 as !RunImage, You should then create an obey file using Edit and save it as !Run in !GameCore. It should contain these lines:

Set GameCore\$Dir <obey\$dir> <GameCore\$Dir>.!Runlmage

Next enter and run listing 2. This assembles the thinking module and saves it as GameCore. Ensure this module is also in !GamcCore. Finally, save listing 3 as TD in the directory.

This is the 3D noughts and crosses library and contains all the necessary routines to play the game. This Basic program will be used next month by the full Risc OS application and I'll also be supplying another game in the same

Finally, to run the demonstration, click on !GameCore from the desktop, You will be supplied with a 3D noughts and crosses board. Click on the arrows to rotate the board and on



2D-3D to change the view as you like. To make a move simply click on a blank square.

You play as white and the computer as red. To win the game you just need to get a row of four in any direction - horizontally, vertically or diagonally. Rows running vertically or diagonally through all four levels also win, Because the game is just a single-tasking demo, the front-end has been kept to a minimum. If you can't wait until the full desktop version next month, do play about with some of the variables in !RunImage. The array control() contains 0 or 1 for each player depending on whether they are computer or human. Set both control(0) and control(1) to zero to watch your Arc play itself. You might also like to alter the time allowed per move - stored in timepermove(). The program tries to intelligently manage the time available for a move. A quick 'desperation' search is made at a low depth and then progressively deeper and deeper searches are made until the next level up is expected to take too long.

Occasionally, longer than the allotted time will be taken if it is thought that a valuable deeper search can be completed.

#### HOW IT WORKS

Next month we will look in more detail at how GameCore works and how to write your own game using it. This month I'll list the calls it provides and look briefly at how the game libraries work.

GameCore, like many modules on the Arc, provides a range of routines that are called with SYS. The first call used by !RunImage is SYS "GameCore\_Init" which takes a pointer to an information block. This block of 128 bytes contains details about how your game works - where the board is in memory, how many bytes it takes to store a move and so on. In 3D noughts and crosses you can see the info block being built in FNtd\_init.

Having described your game to GameCore it provides you with a handle. Using this you may ask it to find the best move for a given player in a given game position.

Two sys calls are provided - sys "GameCore\_Think" which starts the process off and SYS "GameCore\_Continue" which is called however many times is necessary to find the best move. Both calls take as their second parameter (R1) a duration in centiseconds. This is how long you want the module to think for. It will return after the specified time and say 'I've found a move' or 'I need more time'.

In the latter case SYS "GameCore\_Continue" will need to be called again. Splitting up the thinking in this way allows the module to be used by multi-tasking applications.

Two other calls are provided to make life easier for the programmer. SYS "GameCore\_Validate" uses the routine you've provided to list possible moves to check one for validity. This makes the task of ensuring user moves are legal simpler. Another call, SYS "GameCore Stale", checks for stalemates. What happens when a player can't move depends upon the game in question. In chess the game is declared a draw whereas in reversi the player who can't move simply misses a turn. A byte in the information block supplied to GameCore describes what you should do when no valid moves can be found.

Each game has its own library of routines. loaded by !RunImage using Basic's LIBRARY command. These should all be functions and procedures with names prefixed appropriately. In TD each function name begins td\_ and among them are some special ones that must be provided by all game libraries. FNtd\_getmove is provided with button clicks from the user and is asked to return details of any valid move made with those clicks, FNtd initdomove and FNtd domove are used to physically make a move, including any animation. Like the other functions, these are passed a single parameter by !RunImage. This is the address of the information block first set up by the program. This block contains not only information about the nature of the particular game but also whose turn it is, what mouse buttons have been pressed and so on.

Some bytes are used by specific libraries for their own purposes, For example, TD stores either 0 or 1 in byte 92 of the information block depending on whether a perspective view is selected. By keeping the link between !RunImage and the TD library down to this single block you prepare yourself for the multitasking environment and the possibility of a single calling program running several games simultaneously using different libraries.

To further simplify this link, each game has its own sprite and before any of its library routines are called, VDU output is redirected to that sprite. If the library changes any part of its own display (for example, if a square is highlighted before being moved to) this is detected by the main program !RunImage and the appropriate arca of the private sprite is replotted on the screen. (The handy call OS\_ChangedBox enables you to do this, but there'll be more detail on that next month!)

!RunImage simulates a multi-tasking program and uses flags wherever possible to keep track of what's going on. For each game (there are potentially 8 loadable at once although only game 0 is used this month) there is a status byte. This contains one of five status values:

- 0 I am about to think
- 1 I am thinking
- 2 I have thought of a move and am about to do it
- 3 I am making my move
- 4 I have finished moving prepare for the next one

Generally the status moves on from 0 to 4 in sequence and then back to 0 again, although there may be a jump from 0 to 4 if a player has no valid moves available.

As a final note it is worth giving an inkling into the strategy used by the computer when playing 3D noughts and crosses. Weight is clearly given to winning lines of four and indeed, the longer the line made the more it scores. Points are also scored for blocking opposing lines however.

The computer can often be seen vacillating between following its own strategy and blocking yours. It will also favour forcing you to make lines of three so it can block them. Initially this was seen as a weakness in its play but I now think it might be an advantage - exhausting the opponent's potential threats before they become




FIGURE 2. ALPHA CUT-OFFS - WHEN 'MINSOFAR' FALLS BELOW ALPHA VALUE





FIGURE 3. BETA CUT-OFFS - WHEN 'MAXSOFAR' IS BIGGER THAN BETA VALUE



real. Positional values are also included. PROCid\_makemap builds a table which gives weight to the most useful squares, notably the corner ones on the top and bottom layers and the central ones in the middle layers. These can be used in lines in seven possible directions and so should generally be grabbed towards the beginning of the game to strengthen your position in the later stages.

With these strategies in mind you might be able to work out how best to beat the machine. If you still find it hard to outsmart your Arc though there is of course still one option. Just write a program that plays even better...

# **PUT SOME COLOUR BACK...**

	ı						
	Re	esults — 1990					
		7					
		January	February		March	SPARAD SH	EET PROGRAM
J Smith		75	70	1	55		
S Bowes		65	60		61	THE STATE OF THE S	N. Er skon Rolling
A Williams	-	80	78		71		
S Watson	1	55	66		55		
R Wyatt		68	63		56		
AVERAGE		69	67		60	67	(
						Overall Ave	erage
80 -							
60 - 50 -							
40 - 30 -	7						
20 - 10 -							
0		A CONTRACTOR OF THE PARTY OF TH	pro-control of the control of the co			Jan Jan	AC .

# ...INTO YOUR REPORTS

A Williams

If you're excited by figures, then Clares Schema will amaze you with its abilities. You can perform almost any type of calculation on a set of figures including Financial, Statistical or Mathematical operations. You can even pass data between upto fifty different spreadsheets.

But if you find all things mathematical tedious then let *Schema* do the hard work for you. You can even automate those boring but necessary tasks such as weekly or monthly summaries.

Not only will it help you make sense of previously incomprehensible figures, but you can display them in various graph formats — all in glorious colour. The graphs can then be incorporated into DTP packages such as Clares Tempest for really professional reports which will impress your colleagues. Your reports will never be dull again.

Schema runs on all Archimedes and BBC A3000 computers with at least 1 Mb of memory and RISC OS.

Price £135 inc. V.A.T. (Education £99.95 ex. V.A.T.)

S Bowes

J Smith

Schema was produced in association with Acorn Computers Ltd.

S Watson

R Wyatt



# SNEAK **PREVIEW**

DAVE LAWRENCE has come up with a program for previewing Beeb screens

n the May issue of BAU, we published three of the best extensions to View that have appeared in the magazine over the years. I would now like to present PreView, a screen previewer which acts as a replacement for the SCREEN command, but is also capable of interpreting the various highlight commands that View can handle.

It is loaded as a printer driver with the PRINTER command in the usual way and summoned into action when the text is PRINTED. This may not sound very revolutionary, but as far as 1 know, PreView is the only highlight previewer that can cope with normal and extended highlights, underline, bold, italic, superscript and subscript, all within the allowed 256 bytes! It can also detect 'illegal' highlights. Other similar drivers may offer some of these, but invariably they will load fonts off disc, or make use of sideways Rom or Ram.

I've had to use some fairly horrible programming techniques to squeeze this in, including using some zero page locations &90-&9F. This means that the program may not work on Econet, but if anyone knows of any zero page locations available to the user when View is running, I'd be very interested to know. I also use locations &F8 and &F9, but according to the Advanced User Guide, these are unused by OS 1.2, so I think I'm fairly safe here.

#### USING THE PROGRAM

Type in the source code PVsrce and save and run it - this will assemble the code and perform a simple checksum. If all is well, it will save a file called PreView. Now enter View with \*WORD and type PRINTER PREVIEW. Typing SCREEN will display the text formatted, but with the highlight commands still displayed as \* and -. Typing PRINT will display the formatted text, but will also translate the highlights into various onscreen effects.


PreView can handle both normal and extended highlights. Normal highlights allow only underlined and bold characters (highlight 1 and 2 respectively). Extended highlights include these, but also allow italics, super- and subscript and an alternate character set. A printer reset code is also included.

To use extended highlights you need to change the code generated by highlight 2. This is achieved simply by including the View command HT 2 130 at the start of your text - you can then use the various combinations of highlights shown in figure I to generate the desired effects.

- \* - Reset printer
  - Toggle underline
- Toggle bold
- Start subscript
- Start superscript
- Revert to full text
- Toggle alternate
- Toggle italics

#### FIGURE 1





You do not need to tell PreView which sort of highlights you are using, since it can tell automatically from the Ascii codes. Due to lack of memory (15 bytes to be precise), I was not able to put in any screen effect for the alternate character set highlight. This is normally set to produce pica-sized text on the printer. If an illegal highlight is inserted in the text, eg, \*\_\*-\*, PreView will generate an error and return to View command mode. Again, due to lack of space, this error is simply a "?". Figure 2 is a screen shot of View edit mode and shows a 'test' document which demonstrates all the features of PreView. If you type this in and preview it, you should end up with the display in figure 3.

As with all printer drivers, PreView needs to be loaded at &400 and can only be one page, ie, 256 bytes long. The first 15 bytes consist of three JMPs to routines within the rest of the code - PreView only uses the first two.

These are print character and initialise and call the two routines .writec and .init respectively. The other entry points are not used and begin with an RTS. Note that the label .nostyle actually appears half way through an entry point – there is nothing wrong with this, it just saves one byte in the initialisation routine!

The main part of the program starts at .writec which is called with a character in A. This is either an Ascii character or &80 for highlight 1, &81 for a non-extended highlight 2 and &82 for an extended one. These special values are checked for first - &81 always means bold, &82 is always extended, but &80 may mean nonextended underline or it may be part of an extended sequence. The location 'extended' is used to keep track of extended highlight sequence. If the top bit is clear then you are not in a sequence. If it is not clear, then the values &80 and &82 are converted into 0 and 1 respectively and inserted at the start of extended. The code for this can be seen at .extend.

When an 'ordinary' Ascii character is to be printed, the value of extended is first checked to see if an extended sequence needs to be dealt with (starting at plain). If it does, the top bit is cleared and the bottom bits are treated as a 'highlight number'.

This can be visualised by taking the highlight sequence, representing \* as 1 and - as 0 and treating the result as a binary number.

Some self-modifying code comes next which extracts a branch from the table at btable for the highlight number. The modified branch at .branch is a BNE so that entries of 0 (an illegal highlight) will simple fall into the error generator. The location style contains a bit pattern which represents the highlights 'on' at any time.

These branches jump to small routines which simply modify this bit pattern and thus change the style of printing on the screen. Figure 4 shows the layout of the STYLE byte.

When a 'real' character is printed, its definition is read (with OSWORD 10), the various bits in style are tested and the appropriate bit twiddling routines used to modify the definition. These can be found starting at .realchar.

Finally, this new definition is used to define character 128 which is then printed on the screen. A fully commented listing can be found on the BAU monthly disc.

# Impression is not

Well OK, that's not true. Although Impression has established itself as the most popular DTP program (and the most flexible) for the Archimedes, it may be surprising to learn that most owners use it day in, day out as their preferred word processor.

Impression was in fact designed from the start to be a word processor, by the company that developed Wordwise and Inter-Word, the most popular word processors on the BBC Micro. However Impression now uses the power and flexibility of the Archimedes to take word processing beyond what was possible on the original BBC Micro while losing nothing of the ease and simplicity of its predecessors.



"Easier to use than Wordwise". Well certainly no more difficult. For example to create and print a simple letter, even one many pages long, involves the following simple steps, (assuming a printer is set up and ready).

- ➤ Start Impression
- ➤ Click on icon for new document
- ➤ Click in window and type letter
- ➤ Press PRINT key followed by RETURN

There are no embedded commands to remember and it's not even necessary to use any menu options. If you want to use different text styles or justification options, these can be selected from the function keys (or menus). Selecting regions of text (for deleting, copying, moving etc) could not

be easier than with the mouse, especially since we added such touches as automatic scrolling of the window when attempting to select beyond the visible window.

So not only do we feel Impression is easier to use than other word processors, it is also more powerful - not only can it handle more complex documents, it copes with much longer documents and provides unmatched control of the presentation and appearance of the finished document. By using the Acorn outline font system Impression offers complete control of type style and size - the type on screen exactly matches the final printed result.

One feature that sets Impression apart from other DTP programs is that it offers both the outline fonts system and a system-like font for simple 'character' mode or draft mode operation. This also means it can drive dot-matrix printers using their native built-in fonts for maximum speed. Of course using the RISC OS printer drivers in high quality mode means that whatever you do on screen, whatever fonts, size, position, style, graphics are used, they will be reproduced at the maximum resolution of the printer.

For the power user (that is someone who produces documents of any type on a regular or professional basis) Impression II provides the necessary features (frames, styles, master pages, embedded graphics, unlimited length documents, contents and index generation etc).


$$J_n(x) = \frac{x^n}{2^n n!} \sum_{s=0}^{\infty} \frac{1}{s!(n+1)^s} \left(-\frac{1}{4}x^2\right)^s$$

Version
2.1 is now
available. It
includes automatic timed save,
crop- mark printing,
vertical rules for things
like tables and sidebars,
and other new features. Contact Computer Concepts for
upgrade details.

When used with our highly acclaimed Equasor equation generator program (£49+VAT) Impression is the ideal tool for producing technical or mathematical documents.

In order to highlight particular sections of text Impression 2.1 allows sidebars, such as the one used here, to be set as part of the style. The vertical position, thickness and colour can all be controlled from the style editor.

But rather than the more obvious and powerful features, it's the subtle and often overlooked aspects of Impression that make it a delight to use - its speed of operation; the fact that most dialogues can stay on screen while you continue to edit, the care and attention paid to the visual side of the program. Even though the program is now more than a year old it continues to receive glowing reviews.



Impression 2.1 can automatically save your document every 'n' minutes, with options to do this with or without prompting.

# a DTP program!

To quote Paul Beverley, editor of Archive magazine. "Thanks to Impression (which I am more and more impressed with every day) I have managed to shorten the time taken to produce the magazine quite considerably."

Although Impression is a word processor, what other word processor, or for that matter DTP program, is able to produce results like this advert.

Impression 2.1 . . . . . £169.00 +VAT (£198.57)

Impression Junior ... £89.95 +VAT (£105.69)

# Beyond other WP's

Impression and Impression Junior offer many features beyond those normally found on Archimedes word processors. Here are just a few:

- · Format as you type no reformat key or menu
- · Outline fonts, any size, any typestyle, any position on the page
- Multi-column work
- · Text automatically flows around graphics
- Full graphics capabilities
- · Embedded graphics (flows with the text)\*
- Simple, intuitive editing with a wide range of key short-cuts
- Retroactive styles and master pages\*
- Fine typographic control kerning, text size, line & paragraph spacing etc to a 72,000 dpi resolution\*
- · Rules for sidebars, rule-offs, tables\*
- Huge range of print options
- · Multi-line headers/footers even with graphics
- · Draft 'character' mode printing or RISC OS printing
- Full colour control
- Includes enhanced version of SpellMaster, the popular BBC spelling and typing checker

\*Not all of these features are available on Impression Junior

# Impression business supplement

This optional extension pack provides a range of new features for the professional or business user. It includes:

- A new range of file loaders for Microsoft Word (RTF), Word Perfect, Wordstar and Pipedream 3
  allowing files from these word processors to be dropped directly onto Impression frames.
- Our ExpressionPS utility for typesetting documents. Greatly simplifies the process of producing PostScript files suitable for typesetting. Automatically substitutes PostScript font names, allows screen angles and screen density to be set.
- Full (four) colour separations. So now at last Archimedes owners can output four colour PostScript separations from any Impression document. Essential for anyone producing high quality colour leaflets or adverts. This offers advanced features such as under-colour removal and Adobe recommended screen angles.
- Mail merge program and record sorter utility. Allows simple multi-field records to be seamlessly merged into Impression documents.

£49 +VAT (£57.57 inc)



Computer Concepts Ltd

o get your first taste of comms, you need to use your computer as a 'dumb terminal' - ie, one that displays (and even scrolls) text. In this article, I have included a BBC Basic listing for a very simple dumb terminal emulation which will run on either a Beeb or an Archimedes.

The fact that the program is not particularly efficient (it isn't very usable at speeds in excess of 300 bits per second) is not important it has been written to demonstrate what is involved in transmitting characters you type into the keyboard via the serial port to another computer. The program also takes incoming characters from the serial port and displays them on the screen.

Quite simply, there is a loop which alternatively listens for characters from the keyboard and serial port and, once one is trapped, displays it on the screen or sends it out to the serial port. BBC Basic's VDU command sends characters to destinations like the screen or serial port as determined by \*FX2 and \*FX3. In fact, it is very easy to write terminal programs in BBC Basic and commercial comms programs written largely in this language are very common.

The loop has to be quite fast. If your terminal is set to 300bps, your program must be fast enough to catch at least 60 characters per second (30 travelling in each direction). Although Ascii characters are defined as eight-bit values, it is safer to assume characters transmitted using most affordable modems are 10 bits long. Data is made up of eight-bit bytes but data transmissions are just serial streams of bits - 1s and 0s.

When data bytes are presented to an asynchronous comms link, usually between a pair of modems, bytes must clearly be picked out of the random-looking stream of 1s and 0s. Therefore. a start bit is added to indicate that the next eight bits are data - there might be a parity bit to check for missing bits and then there will be at least one stop bit.

#### DATA FORMATS

One of the most common data formats is eight data bits, no parity, and one stop bit - this is usually referred to as 8N1. The other commonly used format is 7E1 - seven data bits, even parity and one stop bit. Both formats have a start bit to make 10 bits per character in all, hence 300bps equals 30 characters per second. Less common synchronous modems synchronise data transmissions and so start and stop bits are unnecessary. This makes them slightly faster as two out of 10 bits no longer need to be transmitted. Terminal programs usually have a data format option setting which must be matched with the same format used by the host computer you want to connect with.

Although 300bps is a slow standard today, it was very common only five years ago. Today, most on-line services will offer 2400bps links and some go up to 9600 or even 14,400bps, and there are data compression techniques which can increase that speed by up to four times. The latest high speed modems can now effectively operate faster than the standard serial ports in either a Beeb or an Arc (19,200bps max).

Connected to the serial port you might have a cable linked to a modem or even directly linked IAN BURLEY looks at terminal emulation, how data is formatted in a comms link and explains how to get on-line for as little as £20


# LINING UP

to another computer. A quick word about cables - a computer-to-modem serial cable differs from a computer-to-computer or computer-to-printer version. The latter is known as a null-modem lead, which will not work with a modem. If you want to wire your own modem cable, a minimum of three serial port connections must be made. These are:

- Computer TX (or TD) linked to modem TX (or TD)
- Computer RX (or RD) linked to modem RX (or RD)
- Computer ground linked to modem ground A null-modem lead swaps the TX/RX links over. Incidentally, because of some oddities in the Archimedes serial port, pins 1, 4 and 8 at the Arc end usually need to be wired together.

The CCITT (Committee Consultative Internationale de Telegraphique et Telephonique) is the international standards body responsible for telecommunications at the computer modem level and it has an agreed series of definitions for communications speeds. These definitions are labelled v, followed by a number - for example v2, v32, and so on.







0 8	Quick	Setup
○HST/PEP	(19200)	♦ 8-None-1
♦ ₩32	(9699)	♦ 7-Even-1
♦ ¥27	(4899)	Filter
♦ v22bis	(2400)	
∨22	(1200)	
∨23	(1275)	Accept
♦ v21	(300)	
<b>TYPICAL</b>	MODEN	A SET UP

These are actually hardware definitions which describe tone generator frequencies and encoding/decoding, but they are generally used to indicate modem speed in lay terms. v22 is 1200bps and v32 is 9600bps. I use the term 'bits per second' here, as 'baud', can be misleading. Baud is often considered equivalent to bps, but baud actually refers to a frequency which can, in a modem link, be multiplied via efficient coding and so produce a greater bps rate.

#### **GOING ON-LINE**

Last month I said you could go on-line for as little as £20. Really good modems will probably set you back around £100 for a secondhand bargain, or about £200 upwards for a new one. However, there are lots of very cheap new and secondhand v23 manual (no auto-dial) modems which you can buy for as little as £20. Check out computer classifieds and computer fairs models like the Prism 1000 or 2000 or OEL Telemod, GEC Datachat, or slightly more versatile modems like the WS3000 and Pace Nightingale are all worth looking at. These will work at 1200/75bps (v23) on most UK host services. If the comms bug bites deep, you can go on to an intelligent 2400bps (v22bis) model, or even one of the latest v32 (9600bps) beasts.

For Arc users I recommend ArcTerm 3. This is a public domain program written by The Serial Port and should not be confused with the commercial versions 6 and 7. It has all you need to get into comms and a bit more, although it isn't Risc OS compatible. For the Beeb, I would look out for secondhand SoftMachinery, CommSoft or Beebug Command Roms. Pace's Commstar is also good to start with.

Once you have your modem set up, try these numbers for starters:

The World of Cryton - scrolling text Archimedes BB. Tel: (0749) 679794.

Prestel Demo Database - viewdata mode. Tel: (0272) 250000 (ID and password are all 4s).

Equinox - the BB run by BAU's comms columnist, Paul Vigay. Tel: (0705) 871531 (viewdata or scrolling).

SID - Acorn's Support Information Database, viewdata mode. Tel: (0223) 243642245.

#### **JARGON BUSTER**

AN AT-A-GLANCE GLOSSARY OF COMMS TERMS

- RX or RD Receives data line in a serial connection
- TX or TD Transmits data
- DUPLEX AND HALF DUPLEX Duplex is a simultaneous two-way conversation, with data flowing in both directions at the same time. Half duplex is where the conversation only flows one way at a time and must be switched around to enable both sides to send and receive. Half duplex is cheaper to implement than full duplex, but less desirable. Simplex a one-way only link - a good example is broadcast teletext
- v21 The CCITT (Committee Consultative Internationale de Telegraphique et Telephonique) protocol describing 300 bits per second (bps) transmission speed between modems. Details how the tones transmitted at either end of the phone link are interpreted. v21 is a full duplex speed
- v22 As above, but at 1200bps
- v22BIS As above, but at 2400bps. This is the most cost-effective speed in use today
- v23 As above, but half duplex 1200bps or full duplex 1200bps send and 75bps receive or vice versa. It can also describe 600bps half duplex. Most commonly known for 1200/75bps which used to be the standard for viewdata services, such as Prestel
- v32 9600bps
- FULL DUPLEX The up and coming standard, although requiring expensive modems
- v32BIS An extension of v32 capable of 14,400bps, or over 10 times faster than v22 or v23
- PSTN The Public Switched Telephone Network you plug your telephone into
- DTE DATA Terminal Equipment. The computer at either end of the communications link eg, your Beeb or Arc at one end and a PC running a BB at the other end are both DTEs
- BPS Bits per second, the rate at which binary data is transmitted. If Ascii characters are being carried you can, as a rule of thumb, divide the bps figure by 10 to calculate how many characters per second are being transmitted
- HANDSHAKING Hardware or software signals which inform either end of a comms link when to start sending data and when to stop, especially when a buffer has become full
- BAUD The rate of signalling elements in a comms link. Sometimes equivalent to the bps rate of that link but especially where higher speeds are concerned, the true bps rate may be a multiple of the baud rate
- SYNCHRONOUS Data transmission is clock-synchronised. The transmitter and receiver know precisely where the beginning and end of a byte are in a stream of bits without needing marker start and stop bits
- ASYNCHRONOUS The transmitter and receiver are not synchronised and so the receiver must recognise individual bytes by noting start and stop bits surrounding the data bits. Most modems for the personal computer market work this way

#### **NEXT MONTH**

I will investigate handshaking, wiring of cables, serial port connections, intelligent modems and file transfer protocols.

# WINNING VISIONS





A few months ago we invited readers to create exciting graphics and enter our competition to win a Taxan 795 monitor. BARRY **MONK** reports on the judging panel's verdict


he Archimedes/A3000 has a reputation for producing good graphics. So a few months ago we asked readers to show us exactly what could be done - and what a creative bunch you turned out to be!

As a special 'carrot' to attract your entries, a 795 Multivision monitor, fitted with Atomwide's VIDC enhancer, was offered as first prize, courtesy of Taxan (UK) Ltd. Discs arrived at the BAU offices from Arc users of all ages and interests, from schoolchildren to high-tech art freaks. There were no special categories - we were looking for the best example of graphics produced on an Archimedes which would best demonstrate the high-resolution capabilities of the Taxan 795 monitor.

The panel of judges - which included Hugh Chappell and Denise Buck from Taxan and Paul James and myself from BAU - scanned carefully through all of the submissions. What became immediately obvious was the sheer high quality of the entries, many of which were not produced using expensive art packages, but instead made use of the built-in Archimedes applications, Paint and Draw.








In fact, the winning entry (below left) proves both the ease of use of the A3000 and the creative possibilities offered by Paint. Winner Bob Hooper, age 43, bought his first computer, an A3000, nine months ago. He chose the machine on the recommendation of his wife, a teacher, and, being a keen artist and science fiction fan, he set about producing his graphical masterpiece for the competition. Called Chariot of the Gods, the image was created in about six hours using Paint and, according to Bob, the whole excercise was 'relatively easy'.


In fact, Bob said that, if more memory had been available, he would have made the image even more complicated. Even so, the panel agreed unanimously that the theme and its execution more than justified first prize - and it beat off good competition from graphics created


















with more expensive art packages.

All the entries were viewed and 12 were shortlisted for the final round. As well as individual entries, we also received a couple of discs from Testwood School, in Totton, Southampton, which included a wide range of graphics which pupils had produced. All will receive runner-up prizes of Taxan watches.

The full list of the winning and shortlisted entries is listed below.

#### Winner

Chariot of the Gods by Bob Hooper, Leeds

Runners-up

Rapids by Brian Brown, Hull Saviour by Angus Gillies, Glasgow Mermaid by Ian Wilson, Wallington, Surrey City by D Allen, Camberley, Surrey Xmas Church by David Marshall, Retford, Notts Park by Colin Garden, London N4 Autumn by R Pearce, Wickford, Essex Droid Arena by Adam Bowers, Sheffield Life by Simon Cooper, Pitsea, Essex Gremlin by E and K Clover, Timperley, Cheshire Modern Design by Tadashi Suzuma, London Highly commended

Group entry from Testwood School, Totton, Southampton

# The Sampler and MIDI Card

£69 exc VAT - Econet Version

The sampler and MIDI card opens up the exciting world of sound manipulation and control at a price that allows everyone to join in.

The card fits neately in the Econet socket inside your machine thus leaving your podule slots free for other upgrades. It has no unsightly cables protruding from the machine - all leads connect via an adapter directly to the standard Econet socket.

Even though the cost may be low, specification and quality haven't been skimped on. The board is an 8-bit sampler with variable sample rate capable of sampling at up to 250 Khz with input via a 3.5mm jack allowing connection to Hi-Fi's, CD players, Walkmans etc. The software supplied supports a range of features including over-sampling, sample rate conversion, and software filtering. Waveform editing is possible with facilities to view the waveform (including real-time analysis), fade in/fade out, and cut and paste features. The samples produced are perfect for use in other packages such as Tracker and Armadeus.

The MIDI side provides 16-channel MIDI IN and MIDI OUT and the supplied software emulates the latest version of Acorn's MIDI software. This allows it to work with programs that can run using Acorn's podule and their software.

# **Tracker**

£49.95 inc VAT

Tracker is the perfect complimant to the Sampler and MIDI card. It is a full 8 channel sequencing package that creates stand-alone music modules which will play on any Archimedes without any need for extra hardware. Using the supplied samples (over 150 of them!) or your own, you can create complex pieces of music using Trackers many advanced features including:

Pitch bend (portamento) • Arpeggio • Stereo Panning • Volume Slide • Track Swapping and Mixing •
 Note entry either via the Archimedes or a MIDI keyboard •

A number of complete songs are supplied together with a comprehensive manual explaining all the facilities in detail. Extra music disks (Numbers 2-10) are avialable at £4 each.

# SPECIAL OFFER: SAMPLER/MIDI CARD + TRACKER FOR ONL £99 exc VAT

# The Joystick Interface


£23.95 exc VAT

- Plugs into the parallel printer port No special support necessary Control modules supplied for most games •
- Comes complete with software to mimic key presses Programming language supplied for complex modules •

"The programming language and the compiler enables the joystick....to be used to control virtually any piece of software. Since the RTFM interface does not do this, The Serial Port's effort is the best buy of the two."

Acorn User February 1991

The Serial Port, Burcott Manor, Wells, Somerset BA5 1NH Tel: 0243 531194 Fax: 0243 531196




# User/Analogue Podule

HCCS have developed a podule for the Archimedes A3000 which provides two of the most popular ports found on the BBC B and Master128.

The User/Analogue offers two ports when fitted internally to the A3000. The User port is a digital based port, eight bits of bidirectional data can be facilitated using simple commands in Basic. The Analogue port can monitor four varying signals and display a number which represents the level of the signal between ground and the voltage reference.

A User Guide which covers commands, pin-out information and a few simple routines to control concept keyboards and



joysticks is also included with every podule. If however you require a more in depth explanation of the uses of general control concepts and practical experiments then "Control on the Archimedes" is required reading. All of the application circuits featured in "Control on the Archimedes" written by Joe Telford, were tested on the HCCS podule.

All HCCS products are tested before despatch and are covered by a twelve month parts and labour warranty.

# HCCS User/Analogue podule £44.00 "Control on the Archimedes" £9.95(NO VAT)

All Prices are exclusive of VAT. Prices correct at time of printing.E&OE.

HCCS also produce a comprehensive range of MEMORY upgrades and add-on products for the A3000.

A3000 1Mb RAM

£59.00

A3000 3Mb RAM

£189.00

A3000 TV\_modulator

£39.00

A3000 20Mb Hard Drive

£349.00

Telephone our sales Hotline for Education Quantity Discounts, Dealer Enquiries, or if you simply require a full colour brochure covering the whole of our product range

Tel (091) 4870760 Fax (091) 4910431

HCCS Associates Ltd., Engine Lane, Gateshead, Tyne and Wear, NE9 5JJ.



How to design a simple poster on your A3000 using Edit. Draw and Paint

ast month we showed you how to design a simple document (a jam pot label) on screen using the A3000's built-in applications, Paint, Draw and Edit. Now you should be ready to further explore the desktop publishing capabilities of your machine by having a go at designing a poster.

Fonts are important on the Archimedes and many different types are available. On older machines, the fonts supplied are called bitmap fonts - the letters are like a sprite, so the larger you make them, the chunkier they become. Owners of an Acorn font pack or any DTP package will have the new font system, called the outline font manager.

Just like drawfiles, these new fonts are made from lines and curves, so they stay smooth no

arina

matter how big they get. To check your version of the font manager, first bring up the directory viewer of your fonts disc, so that the module can be loaded from inside the application.


Now press F12 to access the command line and type HELP MODULES. In the list that comes up you will find Font Manager, and a version number next to it. The newer outline font manager will have version number 2.44 or greater, with lower numbers representing the older bitmap font manager.

If you don't have the new font manager, you can buy a font pack from Acorn, which includes the module together with a few fonts to get you started. But the best way to obtain the outline font manager, and a few fonts, is by purchasing a DTP package such as Computer Concepts' Impression or Beebug's Ovation, thereby killing two birds with one stone.

But this month's First Steps project involves producing an A3-size poster (twice the size of A4) using Paint, Draw and Edit. You are probably wondering how this can be produced on a standard printer which only takes A4 sheets. Well, there is a way of doing it...read on.


The best disc setup for this exercise is to have Paint, Edit, Draw and your System directory on one disc and fonts on another, decreasing the amount of time you spend changing discs when using the different applications, which can be frustrating. Don't forget to use the Ram disc (set it to 800K temporarily) to speed up copying.

Show your A3000 System and Fonts applications and then load up Draw and activate it by clicking on its icon, swapping discs as necessary. Now set the paper size (from the Misc and





**GIVING TEXT A STYLE** 



# **Weserve** of Hampshire Educational Specialist

#### Star

LC10 ribbon £4.70 inc.
Black ribbon £6.40 inc.
Colour ribbon £12.90 inc.

Colour Dump Rom £52.50 inc.

LC10 Mono £149.00 (126.81

+ VAT)

LC200 Colour

£209.00 (£177.87 + VAT)

#### STAR LC 2410

(24 pin) with cable & paper £192.00 (£163.40 + VAT)

£192.00 (£163.40 + VAI

STAR LC24200

£249.00 (£211.91 + VAT)

STAR LC24200 COL

£299.00 (£254.47 + VAT)

CITIZEN 120D +

wifh cable & paper

£128.00 (£108.94 + VAT)

**CITIZEN SWIFT 24** 

(24 pin) with cable & paper

£265.00 (£225.53 + VAT)

#### PRINTER RIBBONS

			Inc VAT
	LX800 & FX800 Print Ribbon		2.69
	LC10 Print Ribbon original		4.70
	120D Print Ribbon original	4.00	4.70
	Taxan/Canon Ribbon		3.78
	Juki 6100 Print Ribbon	1.60	1.88
П	Phono for full range 100 . or	ucupal S	

#### Compatible ribbons — Bulk discounts

#### UPGRADES/8271

		Inc VAT
27128A 250nS 12.5V	3.00	3.52
8271 controller	38.26	44.95
Acorn 8271 DFS	44.26	52.00
Acorn 1770 DFS	45.11	53.00
Acorn Tracker 8all	38.30	45.00
A3 Concept Keyboard	.139.00	163.32
Masfer PSU	52.77	62.00
Masfer Keyboard	50.21	59.00

#### **VOLTMACE JOYSTICKS**

	Ex VAT	Inc VAT
Archimedes Delta CAT	23.83	28.00
Delta 3B single	11.87	13.95
Delta 3B Twin	17.83	20.95

A410 + 4M + 40M HD. £1410.00 (£1200.00 + VAT)

40M HARD DISC £257.33 (£219.00 + VAT)

A420 LC + COLOUR £1492.25 (£1270.00 + VAT)

A540 + MULTISYNC £3337.00 (£2840.00 + VAT)

A3000 + 2M RAM

£678.00 (£577.02 + VAT) A3000 LC + 2M RAM

£778.00 (£662.13 + VAT)

A3000 + 1M RAM

£79.00 (£67.23 + VAT)

#### SAMSUNG SF1000

group 3 FAX

£292.58 (£249.00 + VAT)

#### **PANASONIC KXP1123**

(24 pin) with cable & paper

£195.00 (£165.96 + VAT)

#### NEC P20

(24 pin) with cable & paper £234.00 (£199.15 + VAT)

ATARI 520 ST £245.00 (£208.51 + VAT)

#### **TAXAN 775**

with cable

£450.02 (£383.00 + VAT)

#### **TAXAN 795-A**

with cable

£505.25 (£430.00 + VAT)

AMIGA 500 £315.00 (£268.09 + VAT)

#### ROMS/SOFTWARE

Ex VA	T Inc VAT
Inter-Word Rom35.7	5 42.00
Spell Masfer Rom40.0	0 47.00
View 3 Rom40.0	0 47.00
DTP-Acorn120.0	0 141.00
Real McCoy22.0	4 25.90

Phone for BBC/Archimedes Software catalogue 100's of titles Inc. Educational

#### INTERDICTOR 1 FLI/SIM £19.50 (£16.60 + VAT)

#### A3000 TV MODULATOR £29.90 (£25.45 + VAT)

#### DISKETTES

(lifetime warranty)
(100% certified Error free) Inc VAT

·	' INC VAI
10 5.25 8anana reversible	9 95
10 5.25" DS/DD 96tp1	5.95
50 5.25" DS/DD 96tpi	20.20
100 5.25" DS/DD 96tpi	37.70
10 3.5" DS/DD	5 95
50 3.5" DS/DD	19 80
100 3.5" DS/DD	37.95
250 3.5" DS/DD	82.25
1k 3.5" DS/DD	. 309 03
50 x 3.5" Disk 8ox with lock	5.99
100 x 3.5" Disk 8ox with lock	7.50

#### SONY BRANDED

	Inc VAT
10 3.5" DS/DD	7.50
50 3.5" DS/DD	32.30
100 3.5 DS/DD	59.93
1k 3 5" DS/DD	540 50

#### 3M BRANDED

	Exc VAT
10 3.5" DS/DD 135tpi	
10 3.5" DS/HD	
10 5.25" DS/DD 48tpi	5.00
10.5.25" DS/HD	

#### Phone for our 40 Page Catalogue

EDUCATIONAL & GOVERNMENT ORDERS WELCOME
All products have a 30 day money back & 12 month warranty
Prices subject to variation without prior notification
Established 6 years. We are closed Saturday afternoons
Free parking 2 minutes from M27, junction 11
Postage 94p (80p + VAT) Securicor £7.05 (6.00 + VAT)



Larger items

delivered

by Securicor



Acorn Dept. 40-42 West Street, Portchester Hants PO16 9UW Tel 0705 325354

# 4Mb RAM for the A310. £298

- ✓ Expands the A305 and A310 to 4Mb.
- ✔ Plug-in construction no soldering required.
- ✓ Accepts larger OS ROMs when released.
- ✓ 4-layer circuit board for greater noise immunity.
- ✓ Low power consumption.
- ✓ Includes MEMC1a upgrade worth over £80.
- ✓ ARM3 compatible.
- A no-quibble money-back guarantee.

All for only £298+VAT. (£350.15)

Free information sheet from:





IFEL, 36 Upland Drive, Derriford, Plymouth PL6 6BD (0752) 847286

# Archimedes Software

A new communications package for the Archie, Consisting of Viewdata and

#### RISC OS Terminals Plus

text terminals providing accurate ANSI, VT100 and VT220 emulations. Fully compatible with the RISC OS desktop. File transfer protocols supported include, ASCII, Xmodem, Ymodem, Zmodem, Kermit and CET Telesoftware. Unlike most programs, these have been written from scratch in ARM code, making them compact, and fast. Easy exchange of data with other programs e.g. mark text for transfer to Edit. File transfers can take place whilst you work with other things. ACF scripts let logon and configuration be set up for easy reuse. Zmodem allows the resumption of interrupted downloads and achieves fast transfers. Ideal for all Archie comms users, Prestel, BBS's or mainframes. Extensive printer support. Many extra features, on screen keypads, call logging, new data warning, proper ANSI displays even in mode 12, Viewdata editor. Terminal windows are easily useable in normal screen modes.

Programs, manual, case £17.97 inclusive. (upgrade from disc 24, £11.98 + old disc)



לתתל!

#### Chess Program for The Archimedes.

A Chess program that takes full advantage of RISC OS, installing itself on the icon bar and running on the desktop in a window at the same time as other applications. You can carry on working with other programs whilst the Chess program is thinking of its next move.



#### The Spark RISC OS Archive program

Spark, allows you to store files and directories in archive files in a very compressed form. e.g. sprites often take up only 10% of normal space. Files in archives, can be accessed just like files in disc directories. Now new Spark series 2, has lots more features. Background operation - archive whilst you do someffning else. Reads all these formats, zoo, zip, lzh, UNIX and Archie Tar, Compress. Reads and writes PKarc, SEA/PC arc, uucode, atob/CET+, FCET and Archimedes archives. 16 bit higher performance compression. Script files, message driven operation. DES data encryption.

#### Clip Art Packs

Each pack, consists of three discs, full of black and white sprife format clip art. Spark archives, mean every pack has many 100's of files and MB. Suit Impression, Ovation etc. Pack #1: Alphabets (decorative letters), Anatomy, Animals, Astrology, Books, Egyptian, borders, snippets of text, pointers (hands and arrows), cards.

Pack #2: Assorted cartoon characters. Escher, Flowers, Foods, Miscellanea.
Pack #3: Music, Monsters, Mythical and religious beasts. People (assorted people plus

celebrities). Space, space-travel, and space exploration.

Pack #4: Heads, Chrisfmas/Easter, Transport - cars, boats, trains, planes. Logos+icons.

Pack #5: Victorian woodcuts. Whimsy - cute pictures. All sorts of sports.

Spark, Chess, Clip art packs £5.99 each inclusive.

David Pilling, P.O. Box 22, Thornton Cleveleys, Blackpool. FY5 1LR.

Free Air Mail delivery on overseas orders. Extensive range of other Archimedes software available (programmers fools, games, utilities, art), please send for free list.



Paper Size menus) to A3 portrait (press Adjust on Portrait, Select on A3!). You won't be able to see the whole of the A3 sheet, so zoom it down to 2:7 and the whole sheet will be visible on screen. This allows you to visualise your poster before printing it out.

The example used here is a poster for the forthcoming BBC Acorn User Show, but it could be adapted to design any poster for a school jumble sale, local gymkhana or similar event.

The first thing to do is put the words on the poster. Click on the Text tool in the toolbox (the T) and give the text a style by choosing a medium font from your Text Font menu. I used Homerton for this example, but you may select any font from the menu.

If the only font you have on your list is System font, this means that your A3000 does not know where your fonts disc is, ie, you have not shown the A3000 the Fonts application. If this happens, quit *Draw*, show the disc with the Fonts application on it to your computer and reload Draw. Also, check that the font cache has at least 72K of memory set aside for it, using the task manager display.

Click in the Draw window and, when the caret appears, type 'BBC Acorn User'. The computer will ask you for your fonts disc, so insert this into the disc drive, which should whirr into action - after a short delay the text will appear on the screen. Now if you type anything, the disc drive will not whire again because the font definitions are now in the font cache - reading from memory is far faster than reading from the floppy disc, which is why it is important to have a sizeable chunk of memory set aside. If you had no font cache configured your machine would not be able to hold any information about the font in memory and would have to read it straight off the disc, which can take hours!

Press RETURN and the 'BBC Acorn User' text is now a draw object. Now type 'Come' 'To' 'The', and 'Show', pressing RETURN after each word to make sure they are also separate objects.

Now if you choose the Select tool (the arrow at the bottom of the toolbox) you can move the three objects about and arrange them approximately as shown. If you have a family of fonts ie, medium, bold, italic and bold italic - then it would be a good idea to accentuate the BBC Acorn User as shown here. Do this by selecting the object and choosing another font from the text font submenu.

You can also do this with multiple selections, by selecting the objects you wish to change and then choosing the fonts you wish to plot them in. Don't forget to use the grid so you can line up the text accurately.

Here I will digress slightly. If you use any single quotes (' or ') in your poster then don't use the ones from the key to the left of RETURN. The font you are using has its own 'smart' quotes (66s and 99s for those of you who remember their school days). To access these you need to use the numeric keypad on the righthand side of your keyboard. Hold down the ALT key and type 145 on the numeric keypad, then let go of ALT. A single closed quote (') will appear, which looks better then the (') character from the quote key. (Incidentally, the open quote keystroke is ALT 144 while double quotes are ALT 148 and ALT 149 (" and ").

Type in the other details, 'Wembley Conference Centre, October 11-13, admission £6 for adults, £4 for children, Family ticket £16, Special prices for advanced tickets', in 40pt text. You can then move each object around and resize it until you are happy with how it looks.

The best way to re-size the text is with the magnify box or the editable field in the Font Size menu. If you use the re-size ear then you will lose the aspect ratio of the text.

Select a text object and then move over the Select submenu into the Magnify box. Typing 2 into here the text will double in size and typing .5 will halve it. Of course, you can still use the re-size ear if you want your text to look squashed or stretched.

Now for clip art. All good posters have artwork on them and, in most cases, it can easily be added. Bring up another draw window by clicking on the icon and draw the flag shown here. After you have finished it, group all the separate objects into one big object by choosing Select All, then Group.

Now you can save your flag object onto the poster window by going over the Save Selection menu and dragging the save box onto the poster - it will appear as a selected draw object. Move the flag into the position shown and scale it up.


You can add more artwork by drawing it in the smaller window (your 'sketch pad') and then saving it onto the poster. Don't forget to Select all and Group the artwork first. You can also save-sprites and large text areas into Draw the same way, as demonstrated last month.

Now all you need to do is print your A3 poster. Select all of the objects on your poster and group them as one. Load the printer driver and tick Show from the Paper Size menu by clicking Select on it. A grey border will be drawn on the page and the white area is where your printer can print. Move your poster so that you can print one corner and, when this is printed, move the poster so the part that was not printed is in the white area. When all four parts of your poster have been printed, you need to glue them together. If you are producing several posters, you can photocopy the individual sections before putting them together.


So there you have it - a poster designed and printed with the software supplied on your A3000.



**GROUP BEFORE** 



**BEFORE PRINTING** 



#### COMPETITION

We would like to see your design of A3 poster advertising our show, using only Paint, Edit and Draw. Send in a drawfile containing your design and we will print out the entries here at the BAU office. We may include the best in a forthcoming issue and display them on our stand at the show. The first prize will be a copy of 4Mation's Poster program, which will help the winner develop his or her poster designing skills still further.



# micro power

We are Yorkshire's leading Acorn Dealer with almost 10 years of experience in the Acorn market, offering expert advice and full back up on all products.

Suppliers to Government Departments, Education & Corporates. Visit our showroom - open Mon - Fri 9.00 - 5.30 Sat 9.00 - 5.00 Ample free car-parking.



#### Computers

"The Learning Curve" system	Ex. VAT
A3000 The Learning Curve only	£628.23
(Excluding monitor) TLC	
A3000 Inc. Colour monitor & stand	£925.64
A420/1 Archimedes Learning Curve only	£1269.47
(Excluding monitor) ALC	
A420/1 Inc. Acorn Colour Monitor	£1484.79

#### 0% Finance

#### On Acorn Archimedes Learning Curve

Product	RRP	Deposit	Repayments
	Inc. VAT		X12
TLC A3000 + S/W	£799.00	£91.00	£59.00
TLC Col. System	£1085.00	£137.00	£79.00
ALC	£1489.00	£181.00	£109.00
ALC Col. System	£1742.00	£194.00	£129.00
Ends 3	0th June 19	91 Please call fo	or details

Archimedes Professional systems (Excl. Monitor)	
A410/1 1Mb single drive	£1099.00
A440/1 4Mb & 50Mb hard drive NEW A540/1 4Mb base unit & 100Mb	£1699.00
hard drive, ARM 3 13.5 mips	£2995.00
AKF-17 Acorn stereo colour monitor BBC Master 128 computer	£220.00 £399.00
IBM PS/1 Mono VGA Single Disk drive 512K IBM PS/1 Colour VGA <b>30</b> megabyte hard disk	£599.00 £999.00

#### Software

Ex. VAT



We carry a complete range of Archimede software - Please call for details

#### **How To Order**

- \* Please add VAT @ 17.5% to all prices, including carriage
- \* CARRIAGE: Minimum £2.00 on all orders, rising to £5.00 courier charge for bulkier items.
- Overseas carriage charged at cost. \* 90% of items are IN STOCK NOW!
- \* Prices are correct at time of going to press, but are subject to change without notice; E & OE

#### **Printers**

Printers NLQ Near L	etter Quality	Ex. VAT
Seikosha SP-1900	(200cps,1K Buffer)	£127.61
Seikosha SP-2000	(200cps, 2K Buffer,	£161.66
	Dual Interface)	
Panasonic KX-P1081	(120cps 1K Buffer)	£161.66
Panasonic KX-P1180	(192cps, 6 Fonts, 2K Buffer)	£195.70
Star LC-200 Colour	(2 <b>00</b> cps, <b>8</b> Fonts, 16K Buffer)	£212.73
Panasonic KX-P16 <b>9</b> 5	(330cps, 8 Fonts, 16K Buffer Wide Carriage)	£399.96

#### 24 Pin Printers I O Letter Quality

24 Pin Printers LQ Lo	etter Quality	
Panasonic KX-P1123	(192cps, 4 Fonts, 6K Buffer)	£225.00
NEC P20	(216cps, 9 Fonts, 8K Buffer)	£255.28
Panasonic KX-P1124i	(240cps, 7 Fonts, 12K Buffer)	£299.00
Star LC24-10	(18 <b>0</b> cps, 8 Fonts, 7K Buffer)	£297.83
Star LC24-200	(200cps, 10 Fonts, 7K Buffer)	£297.83
Star LC24-200 Colour	(200cps, 10 Fonts, 30K Buffer)	£340.38
NEC P30	(As P20 but 136 columns,	£357.40
	wide carriage)	
Panasonic KX-P1624	(192cps, 7 Fonts, 12K Buffer, wide carriage)	£399.96
Star LC24-15	(200cps, 8 Fonts, 11.5K Buffer, wide carriage)	£502.09
NEC P60	(300cps, 10 Fonts 80K Buffer)	£599.00
NEC P70	(as P60 but 136 columns	£699.00
	wide carriage)	
Laser Printers		
Panasonic KX-P4420	(8 P P M, <b>5</b> 12 K Memory)	£799.00

Panasonic KX-P4420	(8 P P M, 512 K Memory)
Star Laser Printer 8 11	(8 P P M, 1 Mbyte Memory)
Panasonic KX-P4450i	(11 P P M, 512 K Memory)

(Price includes printer cable-please specify machine type required)





£1497.83 £1599.96

### Hardware Upgrades & Extras

Ex.VAT
£19.00 £29.00 £49.00 £70.00
£29.00 £39.00 £49.00 £69.00 £115.00 £125.00 £250.00 £250.00 £250.00
£4.00 £11.95 £49.00 £86.96 £220.00







Micropower Ltd, Dept A 71, Northwood House, North Street, Leeds, LS7 2AA. Tel: 0532 458800 Fax: 0532 423289



hen perusing the software stands at last January's BETT show one could not help admiring some of the beautiful colour screendumps adorning the walls.

These days most software includes a colour printer driver or, in the case of the Archimedes and A3000, makes use of the Risc OS printer drivers. Colour printing in school is a tempting option and prices for colour dot-matrix printers have been dropping as the number of facilities they offer has increased.

colour contamination which all colour ribbons are prone to do. However, they do cost more. Be wary too of exaggerated claims concerning cartridge life - in practice it depends on how you use the printer. If you always print in 'high quality' mode then cartridge life will be less. Low noise is another attribute of inkjet printers, very welcome when used in the classroom.

Hewlett-Packard has established a reputation for high quality printers. It is not by accident that its Laserjet series of laser printers has

CHRIS DRAGE finds it doesn't cost the earth to furnish the classroom with colour



From the educational view, when children can obtain a colour print of their work the satisfaction is immense, and with the National Curriculum's emphasis on presentation skills, it becomes increasingly easier to justify the purchase of a colour printer.

What follows then is some help to get you started, including an appraisal of some colour printers and additional software which will facilitate the production of colour pictures guaranteed to astound the teacher next door.

#### **HARDWARE**

What printer do I need? This is not an easy question, as the whole area of computer printing is a rapidly developing one with some companies bringing out new and improved models at an alarming rate. What is becoming increasingly clear is that colour for dot-matrix printers will soon be included as standard.

Starting at the top of the colour printing spectrum there are colour laser printers whose reproduction is quite astonishing but the cost of such printers is so prohibitive, it makes this option inaccessible to schools.

Next in terms of both quality and performance come colour inkjet printers represented by Hewlett-Packard and Integrex.

Firstly, some points about inkjet printers generally - the quality of the resulting image has a lot to do with the quality of paper used. Too coarse a paper tends to produce jagged edges while glossy art paper absorbs the ink and you end up with a runny mess. Manufacturers always recommend their own paper, however, in my experience you can match or even exceed the quality and price by shopping around. Crown Graphic for example, supplies its own inkjet quality paper to schools at a price hard to match.

The inkjet principle enjoys one or two major advantages over the dot-matrix printer - ink cartridges don't gradually dry out as ribbons do, but maintain their quality to the point of exhaustion. Similarly, they never suffer from cross-

virtually been adopted as an 'industry standard'. Although these are expensive, the HP Paintjet is within the price range schools could afford. It is physically similar to its monochrome Deskjet cousin, sharing its quality in construction and having all its facilities easily to hand. What I particularly like is its ability to accept various stationery – fanfold, cut sheets and transparency film (HP's brand only) and the ease at which cartridges and paper can be loaded.

Don't expect much BBC B software to have a Paintjet driver built in, at best you will have to write your own. Arc owners fare better with a Paintjet driver available from Ace Computingwhich can print colour images in low, medium, or high resolutions.

In my experience there is only one colour printer that consistently offers truly bright colour output - the Integrex 132 Colourjet. Based on the Canon PJ-1080A machine but with Integrex's own firmware on board, the Colourjet outperforms all dot-matrix printers and rivals the Paintjet using Ace Computing's Integrex driver. Like the Paintjet, the Colourjet 132 is virtually silent in operation and ink cartridges do not dry up, generally having a long life. Being compatible with a wide range of computers in use in education, the popularity of the Colourjet 132 has prompted many software publishers to include Integrex printing routines in their BBC B software so that increasingly, children are able to obtain a colourful copy of their work.

Lacking only the Paintjet's ability to print on fanfold paper, the Colourjet can also print overhead projector transparencies and even print on to textiles. By choosing good quality, coated paper the results can be rewarding, especially for children with special needs for whom a colour printer is a valuable resource.

For many schools however, funding will only stretch as far as cheaper dot-matrix printers and here you are spoilt for choice. First though, I want to explode a myth about dot-matrix printers before comparing various types and models. Frequently, you will see advertisements claiming that so-and-so's printer can print with a resolution of  $360 \times 360$  dots per inch (dpi is the standard means of comparing printer resolutions). You may shudder as you realise that the best your printer can output is 180 × 180dpi. However, this printing resolution is about optimum for dot-matrix printers whose quality is governed as much as anything by the size of the pins in the print head. When you begin to increase the printing resolution two things you are looking for a sturdy, reliable colour printer the LC24-200 is good value for money.

As far as schools are concerned, Citizen is probably most well known for its popular 120D nine-pin dot-matrix printer. With aggressive marketing and a determination to pack as much printer-per-buck as possible, its range of 24-pin models will render the ubiquitous nine-pin printer obsolete within a year or two. In addition, Citizen provides its own Archimedes printer dump as an option. All Citizen printers











#### PRODUCT DETAILS

The Citizen Swift 24 and Swift 24x are available from Citizen Europe Ltd, Wellington House, 4/ 10 Cowley Road, Uxbridge, Middlesex UB8 2XW. Price: £365 and £489 respectively. Colour upgrades cost from £38 - £41 depending on the length of carriage you require.

The Star LC-200 and LC24-200 are available from Star Micronics UK 1td, Craven House, 40 Uxbridge Road, Ealing, London W5 2BS. Price: £259 and £319 respectively.

The Integrex Colourjet is available from Integrex Ltd, Church Gresley, Burton-on-Trent, Staffs DE11 9PT. Price: £636.

The HP Paintiet is available from Crown Computer Products, Crown House, Plantation Road, Burscough Industrial Estate, Burscough, Lancs L40 8JT. Price: £625 including 12 months on-site maintenance.

For Integrex/HP Colour inkiet supplies for schools and colleges: Crown Graphic, PO Box 774, Clyde Vale, Forest Hill, London SE23 3JW.

Risc OS printer drivers are available from Ace Computing, 27 Victoria Road, Cambridge CB4 3BW. Prices: Integrex upgrade £5. Hewlett Packard Paintjet £15. Epson JX compatible £15. (Star LC-200, LC-24/200, Citizen Swift-24 colour) Canon PJ 1080-A £15. Integrex Colourcel £25.

happen - the colour saturation improves but detail and tonal subtleties get lost. Also there is more chance for discolouration at resolutions above 180 × 180dpi. No colour dot-matrix printer can match the Integrex Colourjet combined with the Ace Computing driver when dumping a mode 15 sprite on an Arc, for example. Some may obtain equal degree of colour saturation but significantly lose detail. Once reduced to about 180 × 180dpi they accurately resolve the image detail but lose colour saturation and look 'faded'. Dot-matrix printers also suffer from fading ribbons, noise and ribbonbanding across the printed image although obviously some models are better than others. Where they score over the inkjets is that a wider range of fonts are available when using a BBC B/Master 128.

If your funding can only stretch to a nine-pin printer then my vote goes to the Star LC-200 which is comparable in every way with similar, Epson-compatible printers from Citizen, Panasonic, etc. Being a direct descendent of the very popular LC-10 colour printer the LC-200 replaces that particular model. Like its predecessor the LC-200 offers Epson JX compatibility which means that your existing JX-80 printer driver/dump will work. The results can be just as good as those from 24-pin printers but takes twice the time to print.

For an extra £50-£100 you can buy a 24-pin printer. Models which are destined to see service in many schools are the Star LC24-200 and the Citizen Swift 24 and 24x. The LC24-200 is designed as the colour equivalent of the LC24-10.

Styled very much like the LC-200, the 24-pin model possesses all those features which make the LC 24-pin series so successful - a range of resident fonts and styles, an excellent control panel and easy paper handling. The LC24-200 performs its dumps well but the review model rather suffered from ribbon-banding on the print - more so than the nine-pin model. However, if

can be upgraded with an additional colour kit which is very straightforward to install - simply plug in the colour decoder and swap the ribbons over and you have a colour printer. This system adds to the cost but you get the choice of purchasing the printer now and adding colour later.

The standard machine is the versatile Swift 24. Unlike other printers in its class it provides an LCD control panel which displays menus from which the printer can be set up. For school however, there are two further features which will probably sway your decision - a simple-touse control panel and excellent paper handling.

The wide-bodied (132 column) version, the Swift 24x, is identical in all respects to the 80column model and performed the best dumps of any of the dot-matrix printers with hardly any ribbon banding. It also produced the best 180 × 180dpi dump but does cost an extra £100.

#### CONCLUSION

Each of the above printers can be recommended as they all performed well, appear rugged enough and seem reliable. Choice based on the facilities offered (mode of operation and print quality, etc) is a subjective one, as the running is very close. For versatility the Citizen Swift 24 is hard to beat but the Star LC24-200 costs less.

To date the nine-pin printer still offers the most cost effective means of obtaining a coloured copy of textual or graphical information from the computer and here the Star LC-200 is a clear winner.

Using inkjet technology overcomes the problems of banding, ribbon wear, drying out and discolouration - common dot-matrix problems. Despite its relatively high cost, the Integrex Colourjet is still the logical choice for colour printing in schools. In all cases it pays to shop around to pick up the best discount you can.

Next month I will look at software and hardware which will help you to get the best out of your colour printer.

# **Archimedes Software**

E & OE

#### Desktop Publishing

Acorn Desktop Publisher	£108.00
Fonts	
Newhall	£39.00
Starter	£39.00
Symbol	£39.00
Impression 2 (Ver 2.10)	£132.00
Impression Junior	£72.00
Ovation	£72.00
Poster	£78.00
ShowPage	£130.00
Tempest	£99.00

#### **Word Processors**

First Word Plus (Rel 2)	£68.00
Impression 2 (Ver 2.10)	£132.00
Impression Junior	£72.00
Pipedream 3	£110.00
Protext (Ver 5)	£114.00

#### Business

Alphabase	£36.00
Desktop Office	£96.00
Equasor	£49.00
Financial Accountant	£203.00
Genesis II	£99.00
HotLink Presenter	£43.00
Knowledge Organiser	£46.00
Presenter 2	£35.00
Schema	£95.00
Squirrel	£108.00
Timewatch	£23.00

#### Languages & Tools

Acorn ANSI 'C' Release 3	£125.00
ArcDFS	£23.00
<b>Archimedes Basic Compiler</b>	£73.00
Arcterm 7	£61.00
Cambridge Pascal	£61.00
Fortran 77	£84.00
Investigator 2	£21.00
ISO Pascal Rel 2	£87.00
MultiFS	£30.64
PC Emulator	£87.00
Risc Basic	£112.00
Toolkit Plus	£37.00
Twin	£25.00

#### Sound & Music

ARTiculate (Speech Synth)	£19.00
Armadeus	£59.00
Rhapsody	£37.00
Superior Speech	£15.00
Tracker	£38.00

#### MultiFS

MultiFS provides the Archimedes with multiple filing system support. It allows the user to read and write to PC, Atari ST and BBC DFS discs from within the desktop environment.



#### **MultiFS Features**

- \* True RISC OS Filer
- \* Provides Access to DOS partitions
- \* Filetypes maintained on DOS discs
- Filetypes mapped to DOS extensions
- \* Formats and creates system discs
- \* Supports disc names for DOS

#### Art & Graphics

ArcLight	£38.00
Artisan 2	£44.00
Atelier	£72.00
Euclid 2	£46.00
Font FX	00.8 <del>2</del>
H.P. Jet Printer Driver	£12.00
Mogol	£15.00
Pro Artisan	£73.00
Render Bender	£58.00
Revelation	£66.00
Snippet	£29.00
Tracer	£46.00

#### Games/Adventures

ArcPinball	£19.00
Ballarena	£14.00
Blaston	£15.00
BlowPipe	£15.00
Boogie Buggy	£19.00
Chess 3D	£19.00
Chocks Away(Mk2)	£19.00
<b>Chocks Away Missions Disk</b>	£15.00
Drop Ship	£15.00
Fine Racer	£15.00
Hostages	£15.00
Interdictor II	£27.00
IronLord	£15.00
Mig-29 Fulcrum	£28.00
Master Break	£15.00
Manchester United F.C.	£19.00
Nevryon	£15.00
PowerBand	£19.00
Professor Mariati	£15.00
Real McCoy 2	£23.00
Tactic	£14.00
Twin World	£15.00
Wimp Game	£15.00
World Championship Boxing	£19.00
WorldScape	£15.00
Joystick Interface	£20.00
Alice In Wonderland	£25.00
Fish	£14.00
Guild Of Thieves	£17.00
The Pawn	£17.00

#### Education

136

Craftshop 1	£27.00
Craftshop 2	£27.00
Jiglet	£27.00
Jigsaw	£27.00
Junior Database	£51.00
Magpie	£50.00
Numerator	£68.00
Touch Type	£41.00

#### Best Sellers

Genesis II	£99
Impression 2	£132
Pipedream 3	£110
Revelation	£66
Schema	£95
Squirrel	£108
Tracker	£38

# For all your

STEMS

For all your Archimedes needs...

# **7** 081 534 1198 **7**

#### Credit Cards Welcome

Please make all cheques payable to "Arxe Systems Ltd"

Arxe Systems Ltd, Dept A1, PO Box 898, London, E7 9RG

#### **Programmers Wanted**

Experienced freelance programmers required to undertake a number of projects for the Archimedes. Projects range from business and cad applications to games. Please write to the above address. Give details of relevant skills and experience as well programming areas of specific interest. If possible please send examples of work.

Need someone to market your software/hardware?

Contact us now....

#### Special Offer

Receive Tactic free when purchasing any of the following titles at the full RRP.

Mig 29 Fulcrum	£39.95 (inc VAT)
Wonderland	£34.95 (inc VAT)
Real McCoy 2	£29.95 (inc VAT)

#### New Games

Blaston Chess 3D Fine Racer Mig 29 Fulcrum Real McCoy 2 Wonderland

#### Hardware

The Graphics Enhancer card from the Serial Port gives you the choice of 16.7 million colours.

Please write for further details.

All prices exclude VAT (@17.5%). Mainland UK postage free for cash sales only. Overseas postage please enquira. If you cannot see what you raquire please writa or phone for availability and a copy of our comprehensive software catalogue.

All orders are processed immediately. However, delays can sometimes occur when suppliers are slow to deliver. We apologisa for any inconvenience this may cause to our customers. <u>Please Include contact telephone number for written orders.</u> Official orders welcome, payment dua in 30 days. Invoices subject to late payment surcharges and carriage.



A3000..see below A410/1 £989.10 £1187.10 £1367.10 A420/1 €1169.10 A440/1 £1529.10 £1727.10 £2695.50 £2893.50 A540

SUMMER SUPER SPECIALS A3000 Basic Model SUPER Price £499.99#

A3000 Stereo Colour Model SUPER Price £695.00#

WE ARE OPEN ALL DAY SATURDAY WHY NOT VISIT OUR SHOWROOM ! Test fly Interdictor 2 TEST DRIVE THE NEW A540 ARM3 \*\*\*\*\*

WE WILL TRY TO BETTER ANY OTHER DEALER PRICE ... PLEASE TELEPHONE



#### OUR PRICES DO NOT INCLUDE V.A.T

Master 128	£
Cambridge Z88 Lap Top	£359.10
Panasonic KX P1081	£146.95
Citizen Swift 9	£157.00
Citizen Swift 24	£260.B3
Citizen Swift colour upgrade	£34.20
Star LC10	£155.40
\$tar LC10 Colour	£294.35
Phillps 8833 Colour	£195.00#
Philips 7522 Amber Screen	£69.52
Philips 8832 Colour	£199.67
Ahkter 40/80 400K Sgle no PS	U £99.00
Ahkter 40/80 800K Dual no PS	U £199.00
Ahkter 40/80 400K Sgie & PSU	£114.53
Ahkter 40/80 800K Dual & PSI	J £221.70

#### **OAK COMPUTERS**

20 Mb Ext HDisc (B & Master)	£517.75
SCSI 20Mb Add HDisc A3/410	£413.25
SC\$I 20Mb Ext HDIsc A3000	£508.25
SCSI 45Mb Add HDIsc A3/410	£527.25
SCSI 45Mb Ext HDIsc A3000	£622.25
\$C\$i Card for A3000	£189.05
\$C\$I Card for A3/410	£189.05

WE ARE LICENSED CREDIT BROKERS AND CAN OFFER FINANCE ON COMPUTERS AND SOFTWARE. WE OPERTAIN THE ACOUNTEACHER AND ACADEMIC SCHEMES FOR PLEASE TELEPHONE





Please telephone or send a SAE for our FULL price lists

#### COMPUTECKL

Dinting Lane Industrial Estate

We specialise in "Trading in" and buying Used Hardware & Software

Glossop Derbyshire SK13 9NU Post and Packing Charges VIsa-Master-Lombard Cards

#### **ACORNSOFT**

Desk Top Publisher (A)	£119.20
LISP (BMC)	£16.10
Logistix (A)	£89.10
Micros in Business (BMC)	£34.75
Twln (A)	£26.10
VIew 3.0 (B)	£41.60
View Index (BMC)	£10.40
View Piot (BMC)	£20.83
View Professional (BMC)	£55.51
View Sheet (BMC)	£41.60

#### COMPUTER CONCEPTS

inter-Base (BMC)	£48.00
inter-Chart (BMC)	£25.60
Inter-Sheet (BMC)	£39.20
Inter-Word (BMC)	£39.20
Inter-Sheet (A)	£23.20
Inter-Word (A)	£23.20
Laser Direct Laser Printer	£949.05
Speli Master (BMC)	£41.03
impression II (A)	£152.09
Impression Junior (A)	£80.95

#### **CLARES MICRO SUPPLIES**

Alpha Base (A)	£39.09
Artisan 2 (A)	£46.91
Toolkit (A)	£39.09
Interdictor 2 (A)	£27.35
Knowledge Organiser (A)	£46.91
Fontwise package (BMC)	£23.47

#### IMPACT SOFTWARE

The Real McCoy (A) Discs	£23.44
Man at Arms (A)	£15.62
Holed Out (A)	£15.62
Apocalypse (A)	£23.44
Nevyron (A)	£15.62
The Olympics (A)	£15,62

#### PRES

PRES Archi products all discou	nted II
Adv. File Manager (BMC)	£22.51
Adv. Disc Tooiklt (BMC)	£27.90
Adv. Disc investigator (BMC)	£23.52
Adv. Control Panel (BMC)	£27.90

#### MINERVA SYSTEMS

System Deita+Card Index (BM)	£50.83
System Deita Plus (A)	£62.56
Atelier (A)	£78.22

#### **DABS PRESS**

Master Guide Book	£11.66
Viewstore/Sheet Book	£11.66
Archimedes DFS Disc	£23.44
"C" A Dabhand Gulde	£13.45
Z88 A Dabhand Guide	£13.45
Archimedes Beginers Guide	£8.95

#### Summer Clearance

Goupii Golf Laptop/Desk PC 1meg 286 40meg H/disc VGA ..... Retail £3500.00 SAVE £2000.00...... SALE Price £1500.00

Amstrad PC2086HD 12" VGA colour 30meg H/dkc ...... Retall £899.00 SAVE £100.00 ...... SALE Price £799.00

Amstrad PC2086\$D Mono monitor Retail £499.00 3.5" Floppy Drive ....... SALE Price £449.00 SAVE £50.00 ......

Western Dialtal 30meg H/Card £249.00 \$AVE £50.00 ..... SALE Price £199.00

This advert contains just

a few of the items we have

#### PRICES MARKED # ARE CHEQUE or CASH ONLY NO CREDIT CARDS

#### £1.00 for small, £2.45 for medium items. Expensive products £10.00 for courier

#### USED STOCK SELECTION from COMPUTECK Ltd.

170.00

152.17 70.00 90.00 150.00 80.00 346.96

30.00 40.00 Misc

160.00 60.00 30.00 23.00

30.00 20.00

30.00

7.00

4.00

4.00

3.00

3.00 3.00 4.00 2.00 3.00 Misc. Misc. Misc. Misc. Misc.

Misc

Misc. Misc. Misc. Misc. Misc. Misc. Misc.

MIsc. 160.00 120.87

Misc. Misc. Misc. Misc. Oak

Poce PRES B.00

PRES Superlar Wotlord Wotlord

Wotlord Wottord

Wottord:

Acornsott CDS CDS

CDS & BR CDS & BR Domork Domork

Impoct Impact Melboine Micro Pow Minerva

Misc.

Misc.
Superlor
Superlor
Superlor
Superlor
Superlor
Superlor

Tynesoft

#### COMPUTERS & HARDWARE

Nidd Voll Vigten Vigten Vigten Wottord Wottord	Anomouse (BM) Cortilage System for BBC B Dual Diffee 40/801 No PSU PC Kit for BBC B 16K Disc RAM Board (B) Alles B20 RAM Board (B)
Vigten Vigten Vigten	Cortriage System for BBC B Dual Ditve 40/80T No PSU PC Kit for BBC B
Vigten Vigten	Cortilage System for BBC B Dual Drive 40/80T No PSU
Vigten	Cortriage System for BBC B
Allelel More	
Misc.	UV Stot Epiomei
Misc.	Ilmeworp RIC Technomofic (B)
Misc.	limer Kit
Mac.	Terrel printer Shorer Box
Misc.	RAM/ROM Ext Box GGC Comb
MIsc.	Prism Modern 2000 in Softwore
MIsc.	Printer Shorer 6 Comps to 1 Pr
MIsc.	Ground Control Eprom Eroser
Misc.	Grotpad
MIsc.	BK SRAM Module
Acoin	Prestel Adoptor (8M)
Acoin	Mosler Econet Module
Acom	Dato Recarder ALF03
Acoin	ADFS ROM and Disc
AMS	AMX Mouse
Wottord	Dual Drive 801 no PSU
Misc.	Duol Drive 801 no PSU
Ponosonic	KX-P1124 80col 160cps
MIsc.	Brother HR40 Dalsy Wide Corr.
Misc.	Brother HR10 Dalsy Wheel
Philips	Colour Med Res B833 Mk I
Misc.	Z80 Second Processor
Acom	Moster Turba Board
Acom	Moster 512 Boord
Acom	Mosfer 12B
Acorn	BBC B+12B Computer
Acom	BBC B 8271 DF\$ Series 7
Acom	BBC B 8271 DFS Series 4
Acom	BBC B 8271 DFS Series 3
Acoin	
Acorn	
Acom	A420/1 40meg H/Dlsc
Acom	BBC B 1770 DFS Series 3 BBC B 1770 DFS Series 4 BBC B 1770 DFS Series 7

	DUUMD
Acom	Advanced User Guide BBC
Dabs Pres	Mosler OS Dabhand Gula e
Misc.	30 Bosic Spectrum
Misc.	Adv'd Sidewoys RAM / B Smith
Misc.	Assembly Long Prog I Blinbaum
Misc.	Century Programming Course
Misc.	Doto Processing/Hordwr & Progm
Misc.	Expert Guide to BBC M Jomes
Misc.	Grophics & Sound by \$ Money
Misc.	Inside Information/J Megariy
Misc.	Inside Your Computer/ Sincials
Misc.	Intro The BBC Micro/I Sinclair
Misc.	Little Boak of Bosic Style
MIsc.	Science On-line
Misc.	Structured Bosic / R Freemon
MIsc.	The Book of Listings/BBC Publi
Misc.	The Computer Book/BBC Publics

A M S A M S A M S A M S

Acorn User

Acomsoli Acomsoli Acomsoli Acomsoli Acomsof Acomsot Acomsoft Acomsot

Acomsoft Acomsoft Acomsoft Acomsoft BBC Pubs BBC Pubs BBC Pubs

Beebug Beebug Beebug Beebug Beebug

Beebuu

Beebug Beebug Beebug Beebug

Beebug

Beebua

Clares Clares Clares Clares Clares Clares

Clores
Comp Con
Micro
Minervo
Minervo
Minervo
Minervo

Minervo Minervo

Mbc

#### SERIOUS SOFTWARK

SELUCIS SUFTWARE	
AMX Super Art ROM (B)	25.00
Extrol Extrol (BM) Disc	12.00
Mox (B) ROM	10.00
Stop Press (B) ROM	25.00
Stop Press Discs (M)	25.00
PC Emulator (A) Discs	60.00
Gollery Disc (B) 2xDisc	6.00
User Rom	12.00
1st Word Plus Rei 1 (A) Disc	30.00
BCPL ROM (B)	31.31
Fortion 77 (A) Disc	60.00
GXR Rom (B) ROM/Tope	16.00
HI - View (B) Disc	22.00
Linkword French (BM) Tope	10.00
View Spett (BM) ROM & Disc	21.74
View Store (BMC) ROM	30.00
Viewsheet (BMC) ROM	30.00
Workshop (B) Disc	6.00
Drowing (B) Tope	3.39
Early Learning (B) Tope	4.00
VU-1ype (B) Tope	6.00
Design (B) Disc	10.00
Exmon II (B) ROM	15.00
Mosterfile It (B) Disc	12.00
Mosterfile If (C) Disc	12.00
Pointbox (B) Disc	B.00
Sleuth (B) ROM	1B.00
Spiltes Utils (B) Disc	6.00
Teletext (B) Tope	3.50
Teletext Pock (B) Disc	7.00
100lklf (B) ROM	12.00
Vocob Tesler (B) Tope	B.00
Wordease (B) ROMs	12.00
Artroom (C) Disc	15.00
Artroom (M) Disc	15.00
Artroom (M) Disc	12.00
Artroom Pock (C) Discs	20.00 6.00
Beto Bose Utilin (B) Disc	B.70
Fontwise + (C) Disc Corelaker (B) ROM	12.00
	30.00
Communicator (B) ROM	15.00
Disc Doctor (B) ROM	15.00
Grophics (BM) ROM Gremin (B) ROM	15.00
Impression (A) Disc	80.00
Inter-Word (BMC) ROM	30.00
Basic Extension (B) ROM	15.00
Gamma Plot (A) Disc	40.00
Inter/View Link (C) Disc	10.00
Mol Shat Application (C) Disc	10.00
Sales Ledger (BM) Disc	26.04
Stock Monogement (C) Disc	26.04
3D Logo (C) Disc	12.00
AIDS II by Soft Smith	B.65
BBC Assembly Long Course	15.00
Busicaic (BM) Disc/Supersoft	B.65
Control Logo (C) Disc	12.00
Creation Discs (A) EMR 6xDiscs	26.04
Deebug and Disk Copy (B) Disc	B.26
Dlagrom (B) Dlsc Pineapple	21.70
	-

Fontola (B) ROM & Disc CJE	15.00
Gemini Combo Pock (B) Disc	12.00
Grophics Pock (B) Tope Solamon	3.00
Icon Art Moster (BM) Disc	12.00
Insont Recall D/base (B) tope	6.00
Invoicing (B) Disc	10.00
Logo Extension (C) Disc	7.78
Merlin Dotobose/Scribe (B) ROM	17.34
Moise lutor (8) Disc	B.65
Music Logo (C) Disc	12.00
Pixel Perfect DTP (BM) Discs	26.04
Pixel Perfect Moths Pack (B)	10.00
Printed Circuit Designer (8)	26.04
Pro Punter (BM) Discs	30.00
Record Keeper (B) Tape	4.00
Science & Technology (B) Disc	12.00
Shore Anal -Synetay (B) Disc:	26.04
Slove + ROM (8)	20.00
Spanish level A (BM) Disc	10.00
Sponish level B (BM) Disc	10.00
Spy (B) ROM	12.00
Stor Stick (B) ROM	10.00
Super Groom (B) Disc Glentop	10.00
Superiboot (BM) Disc	6.00
Utilizam (B) Disc by Jubelink	10.00
VIsitiox-Viewdoto (B) ROM	20.00
Vu-Cold (Psion) (B) Tope	B.00
VU-file (B) Tope	10.00
Xmas Corols (A) EMIT Disc	4.30
ZOOM Moch. Code Monitor (B)	10.00
Porametric Design Tool (A)	169.57
Micronet Terminal (B) ROM	B.00
Adv'd Disc Toolkit (BM) Rom	20.00
Advnc'd 1770 DFS (B) ROM	20.00
Speech! (BM) Disc	6.00
Beebmon (B) ROM	20.00
Colour Art (B) Disc	6.00
NLQ Designer (BM) ROM	12.00
Office Mote (B) Disc	6.00
View Printer Driver ROM	25.00
CAMPO	

Office Mote (B) Disc	6.00
View Printer Driver ROM	25.00
GAMES	
Me & My Micro (E) Tope B Gomes	1.50
Revs (C) Disc	6.00
Rocket Rold (B) Tope	2.00
Colossus Chess (BM) Disc	6.00
Steve Dovies Snooker (B) Disc	6.00
Birdle Barroge Golf (C) Disc	6.00
Blue Ribbon Gomes 2 (C) Disc	6.00
Emplie Strikes Bock (B) Disc	4.00
Not o Penny More (B) Disc/Book	6.00
Holed Out Designer (A) Disc	B.65
U.I.M. (A) Disc	13.00
Way of the Expl Flst (B) Disc	6.00
Dr Who & Mines (MB+) Disc	6.00
Minotour (A) Disc	7.B3
Missile Control (A) Disc	7.B3
Avon & Murdoc (A) DIsc	B.26
Computer Crosswords (M) Disc	6.00
Doley Thompson \$/Test (B) Disc	6.00
Fish (A) Disc	15.00
Forfress (B) Disc	6.00
Question of Spart (BM) Disc	6.00
Yes Prime Minister (B) Disc	6.00
Barbarian II (BM) Disc	6.00
Lite of Repton (C) Disc	4.00
Repton 3 (C) Disc	4.00
Som (BM) Usc	6.00
Strykers Run (C) Dlsc	4.00
Zorch (A) Disc	B.00
Spy vs Spy (C) Disc	6.00

#### **USED**

BBC B. B+. MASTER & ARCHIMEDES HARDWARE PLUS SOFTWARE IS NOW REQUIRED PLEASE WRITE IN FOR A QUOTE TO TURN YOUR OLD OR UNWANTED **GOODS INTO CASH ONCE AGAIN** 

(B) BBC B (M) Master 128 (C) Compact (A) Archimedes



#### **PAUL JAMES**

weathers the odds to bring you even more intriguing programs for the eight-bit micro

# :ASO

s I sat down to write this months' Pieces of Eight I took a look out of my window and stared for a moment at the pouring rain. Seeing as I had planned to do a spot of sunbathing, I thought 'wouldn't it be nice if we could change the weather?' Strangley enough (Ahem) while looking through my set of back issues searching for a couple of classics to bring you this month I found this little wonder from Peter Barry. Peter's program was published in December 1983 and it draws random landscapes. With the press of a key you can change the colour palette to represent the colours associated with the season - no mean feat on the eight colour Beeb.

The thing that impresses me most of all about Peter's program is that no complex 3D formula or fractal graphics are used. The picture is daubed on the screen with a few swipes of a sine curve, a dash of dithers and a smidgen of circles.

Landscape pictures are usually well structured in their make-up and Peter's program follows the same set of rules. The picture is started with the background hills, which are painted in a dull colour to represent distance (as all good artists should know), then a lake is drawn. Another set of hills are drawn over this with the same PROChills procedure, with colours adjusted to suit and finally the grassy field in which you are standing is added.

To add further to the feeling of perspective, a winding road is drawn, getting wider as it comes closer. Around this, fast growing trees are planted in varying shades and sizes, and they get smaller as they fade into the distance.

People who have the GXR Rom fitted can speed things up here by replacing the circledrawing routine (in PROCtrees) with the much faster circle routine in the Rom.

The final section of the program deals with

altering the palette according to the data statements at the end. The program then cycles through the four seasons – from winter to spring, spring to summer, etc...

Me? I set the season to summer, put on my shades, shut the curtains and laid back to relax... Hold on a minute, where did that cloud come from? I don't remember a PROCrainstorm procedure!

Incidentally, watch \*INFO next month for a 'simulating nature' special.

The second progam to be unearthed this month is the popular 3D Polyominos game from October 1988. Don Scales suggested the routine, Dave Lawrence wrote it and I'm sure you'll agree that it's a great puzzler.

Pentominoes are made up from five squares, of which 12 different shapes can be made, ignoring mirror reflections and rotations. It is possible to construct four different rectangles from them.

Don's program takes this to another dimension, and challenges you to arrange the now 3D 'polyominoes' so that they fit inside a cuboid. The program (listing 2 on the yellow pages) will run quite happily on a Master and Archimedes but BBC and Electron owners with disc interfaces will need to set PAGE to &1100 before running. Arc owners will also have to make a slight key adjustment, namely change the \_ to a / in line 320 and in line 330, the \ to a '

When the program runs it will first ask you for the dimensions of the cuboid you wish to build, there are three possible variations, all equally difficult.

The screen display is divided into three sections. The box at the right of the screen is your 'playing board' and is the outline of the cuboid you are trying to fill. Inside this box is a red dotted cube. This is the cursor and is where the







# FTWARE



# Mercury Games

### **Software Checklist**



MLE	<b>SRP</b>	SALE	TITLE SHI
			Fun School 2 (0-8yrs)
lien Invesion		11.95	Fun School 2 (6-8yrs)
fin Boxing	14 95	11 95	Fun School 2 (8+ vrs)
mezing Offie (Educ)	16.39	14 95	Fun School 3 for Arch postponed; please
ncestry	61.69	69 95	Cell for further details. General 2
ncestry rm C (Release 3)	175 08	149 95	General 2 152.7
rc Bign	94.00	79.95	
roade 3 Completion	16 50	12 20	Graph Box V2 816 H P Paint Jet Driver 14 9 Hearney 70 Herewith The Clues 25 5 Hoteld Out 19 Hotel Court Courses 10
roade Soccer	19 95	19.95	H P Paint Jet Driver 14.9
rcade Soccer	29 95	26 95	Hearsey 70.5
rch Operating System	21 95		Horswith The Class 25.5
rch Assembly Lang	21.95	18 95	Holed Out. 19.9
roh Besic Compiler	99 95	89.95	Holad Out Designer 19 9
rch First Steps		7.95	Holad Out Extra Courses 1 & 2 (each) 16 9
rch Joyntick Interface		25.95	Home Accounts 61.0
rokaht		39.95	Hostores 19.0
rcPinbal		20 50	Hottinia Propentor 58.7
roterm 7		69.95	Horse Accounts
manda a	82.00	71.00	Bux The Vising 20.3
madeus Sound Samp Board	184 05	141.95	talk the vieng
rtraen 2	4104	49.95	Impression Junior 198 5
abo		20 50	Investigator Rei 2 27 9
		79.96	anveilighter Hei 2
utosketch V2	92 62		inertia 19 9
allerene		16.36	Instigator49 9
ert Boot			Inter chart (Drac)22.3
lowpipe	19 96	16.35	inter-sheet II (Dec)
ug Hunter	18.34	16.35	inter-word (Disc)34 0
ug Hunter in Space	18.34	16.35	Interdictor 2
umper Disc 1 (Educ)	23 96	19 95	Iron Lord
tumper Disc 2 (Educ)	23 96	19 95	Jet Fighter
harts & Graphs	20.39	17.35	Kaptain Konflikt
hocks Away	24.95	24.95	Kiddicad
IS Ublibes 2 (2 Discs)		14 95	Knowledge Organiser 65 0
Coffee (Educ)	32 84	29 95	Last Day's of Doom/Hezann
Conqueror	24 95	19.95	Let's Spell At Home
omuption		14.95	Let's Spell At the Shops
THE S.		18.35	Let's Spell Out & About
Delta Cet (Joyetick)	34.95	31.95	Mad Professor Marierti 20.3
Seektop Folio		99.95	Maddingly Hall
Desirtop Office		112 95	Mak Jood Pahence 20.3
esktop Publisher		139 96	Man et Arms 19 9
Commete		16.35	Manchester Utd
Prop Ship		19.95	Master Break 19 9
Oust Cover Archimedes		9.95	Maths Pack 1 (5-7yrs)12 9
Oust Cover A 3000 K'bd		3.95	Montal Maths 20 3
		19.95	
-Туре	1995		MicroDrive
Type Extra 100 Miles	18 95	16 95	
-Type Designer		16.95	Mogul
as/word	40 82	34 95	Mouse/Joystick Splitter19 9
quazor	57.57	49 95	Multistore V2308 4
uchd (RISC-OS)	70.00	59.95	Nevryon19 9
uchd (RISC-OS)	20.39	20 39	Office Tools
light Path (Educ)	32 84	29 95	Offie Octopus Sketchped
im Maker		64 96	Ovetion 116 3
ish	29 95	14.95	Overload
lensfile	153 21	129.95	PC Access
ortran 77 (Release 2)	116.33	97 95	PC Emulator 116.3
ont FX	11.75	11.75	Pendown V2 63 4
reddy's Folly		11.95	Pipedream 3 172 7
reddy Teddy	23.44	20 50	Pipemenia 25.5

Col.	TITLE	SIRP	SALE
Reside Soles Modes   100 07   184	PON	18 34	15 9
Reside Soles Modes   100 07   184	Powerband	24 95	
Reside Soles Modes   100 07   184	Presenter 2 (RISC-OS)	. 45 94	
Reside Soles Modes   100 07   184	Pro Artman	. 105 00	
Reside Soles Modes   100 07   184	Protext v6	. 152.75	
Shoppings	Resitme Solids Modler	195 00	
Shoppings	Rekell	15 27	
Shoppings	Render Bender	85 00	69 96
Shoppings	Animated Discs	14 96	11 95
Shoppings	Hepton 3	19 95	
Shoppings	Heturn to Doorn Tritogy	20 30	18.30
Shoppings	Hevelaton	63 45	63 4
Shoppings	Property of Blue	. 49 96	
Shoppings	DISC OR Date Bull Manual	149 90	70.00
Shoppings	Restrict	20.20	
Shoppings	Robot OGO	20.36	
Shoppings	Count whit los \$2000	222 00	
Shoppings	Sceni whi Senor	480 83	
Shoppings	Scheme	136.00	
Shoppings	South & Bostus (Edun)	32 84	
Shoppings	Shareholder	195.00	
Superior Golf	Showmana	125.07	
Superior Golf	Slengt	20.39	
Superior Golf	Solid CAO	149.95	
Superior Golf	SolidTOOLS	375 00	
Superior Golf	Spellbook (4 9yrs)	25 50	20 50
Superior Golf	Spollmaster (Drsc)	34 07	
Superior Golf	Sphoe	30 00	24 95
Superior Golf	Star LC10 Printer Driver	14 95	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	Super - Dump	29 95	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	Superior Golf	19 95	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	Supersound Creations 1 8 2	.18 34	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	System Delta Plus	61,69	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	Tactic	20 39	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	Tempost	. 136 00	
The Paiwn The Real McCoy 29 96 14 96 The Real McCoy 29 96 29 97 The Wintp Game 19 96 19 96 Things with Numbers 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Things lo do with Words 25 50 20 57 Triy Logo Tiny Draw 35 19 31 22 Triy Logo Tiny Draw 35 19 32 Triy Logo Tiny Draw 35 19 22 Triy Logo Tiny Draw 35 19 22 Turds Words 20 24 16 Turds World Tour 20 42 16 Turds World Tour 20 24 16 Turds World Tour 20 24 16 Tween 300 24 96 Twen World 19 96 19 96 World McCharp Boong Manager 20 39 18 22 World Charp Boong Manager 20 39 18 22 World Charp Boong Manager 35 19 20 World Staff 35 19 20 40 World Staff 31 99 99 Words staff 34 07 20 20 51 59	The Art Machine PK 1 or 2 (each)	36 19	
The Real McCoy 20 96 5 29 19 19 19 19 19 19 19 19 19 19 19 19 19	The Olympics	19.90	
Throps to do with Words 25 50 25 50 25 7 Thrufdermont 52 8 1 2 51 Thrufdermont 52 8	The Pawn.	56 80	
Throps to do with Words 25 50 25 50 25 7 Thrufdermont 52 8 1 2 51 Thrufdermont 52 8	The Heat McCoy	20 90	
Throps to do with Words 25 50 25 50 25 7 Thrufdermont 52 8 1 2 51 Thrufdermont 52 8	The Wimp Game	19 90	
Thuristermonk	Things, with numbers	20 50	
Try LopoTiny Drew	Thursdaymonk	15 26	
Trivise   Turnut   30 642 42 16 21	Toy I coo/Toy Draw	36 10	
Trivise   Turnut   30 642 42 16 21	Tracker	40 05	
Turtles World Tour 20 42 16 22	Trived Pursuit	30 64	
Tern World 19 2 (each) 19 96 5 29 White Box 2 (each) 19 26 29 White Box 2 (each) 19 26 29 White Box 2 20 20 White Box 2 20 20 20 20 20 20 20 20 20 20 20 20 2	Tuelles World Tour	20 42	
Tern World 19 2 (each) 19 96 5 29 White Box 2 (each) 19 26 29 White Box 2 (each) 19 26 29 White Box 2 20 20 White Box 2 20 20 20 20 20 20 20 20 20 20 20 20 2	Tween	30 00	
White Mage: Vol 1 8 2 (seach) 19 95 19 95 Winter Box 20 39 16 25 World Charry. Boxing Manager 25 53 02 16 25 World Charry. Boxing Manager 25 53 02 16 25 World Charry. 17 57 14 9 17 57 14 9 18 18 18 18 18 18 18 18 18 18 18 18 18	Twen World	19 95	15 96
White Mage: Vol 1 8 2 (seach) 19 95 19 95 Winter Box 20 39 16 25 World Charry. Boxing Manager 25 53 02 16 25 World Charry. Boxing Manager 25 53 02 16 25 World Charry. 17 57 14 9 17 57 14 9 18 18 18 18 18 18 18 18 18 18 18 18 18	U I.M	29 95	29.96
Worna Bartte         17.57         14.90           Worna Plotter         35.19         29.99           Worna Plotter         35.19         29.99           Word Cad         116.33         99.99           Wordwise A.Plus         34.07         29.99           Zarch         19.95         15.96	White Mearc Vol 1 6 2 (each)	19 96	19 96
Worna Bartte         17.57         14.90           Worna Plotter         35.19         29.99           Worna Plotter         35.19         29.99           Word Cad         116.33         99.99           Wordwise A.Plus         34.07         29.99           Zarch         19.95         15.96	Winter Box	20 39	16 25
Worna Bartte         17.57         14.90           Worna Plotter         35.19         29.99           Worna Plotter         35.19         29.99           Word Cad         116.33         99.99           Wordwise A.Plus         34.07         29.99           Zarch         19.95         15.96	World Champ. Boxing Manager	25 53	
Worrs Battle 17.57 14.00 Worrs Plotter 35.19 29.9 Words Cad 116.33 99.9 Words tae A Plus 34.07 29.2 Zarch 1996 15.99 ANO MUCH MORE! ASK FOR OUR CATALOGUE!	Worldscape	19 95	
Worra Plotter 35 19 29.9 Worra Cad 116.33 99.9 Wordmas A Plus 34 07 29.9 Zarch 19.95 15.96 ANO MUCH MORE! ASK FOR OUR CATALOGUE!	Worra Battle	17.57	
Word Cad . 116.33 99.9 Wordwae A-Plus . 34 07 29.9 Tarch . 19.96 15.94 ANO MUCH MORE! ASK FOR OUR CATALOGUE!	Worra Plotter	35.19	
Wordwise A-Plus	Worra Cad	116.33	99.9
ANO MUCH MORE! ASK FOR OUR CATALOGUE!	Wordwise A-Plus	34 07	29 95
ANO MUCH MORE! ASK FOR OUR CATALOGUE!	Zarch	19 95	15 96
AGR. FOR GOTT GATALOGGE	AND MUCH MORELASK FOR OU	R CATALO	GUE
	THE STATE OF THE S		

#### Phone or write for our Archimedes catalogue it's FREE!

Great discount structure for Educational Establishments - ask for our info sheet

Impression 2 Our Sale price £163.47 (Inc)

<b>NEW RELE</b>	<u> AS</u>	<u>ES</u>
TITLE	SRP	SALE
Blaston	19.95	15.95
Boogie Buggy	24.95	21.95
Bouncer	20.39	17.35
Chess 30	19.95	19.95
Chocks Away Compendium	39.95	36.95
Chocks Away Extra Missions	19.95	19.95
Clip Art Collection Vol 1	23.44	19.95
Clip Art Set 1		29.95
Concept Designer Pack	28.20	28.20
Creator	45.77	41.95
Fine Racer		15.95
Freddy Teddy's Adventure	19.95	18.95
Giant Killer Support Disc		16.95
Gumshoes	24.95	24.95
Level 4 Fileserver	233.83	215.95
Logotron Logo	77.55	77.55
Маэріе	63.45	63.45
MIG-29 Fulcrum	40.85	34.95
No Excuses	25.53	21.95
Numerator	77.55	77.55
Office Tools	375.00	339.95
Pendown Ext. Outline Fonts	21.15	21.15
Reveiation	63.45	63.45
Speech	19.95	15.95
Tracer	61.25	54.95
Wonderland	34.99	29.95



UNDER 5's Includes:- COUNTING - Help teddy reach the jar of honey by counting up to nine

- COUNTING - Heep tedoy reach the jar or honey by counting large letters - LETTERS - Join In all the fun at the alphabet fair by pairing large letters - MATCHING - Pair up the shapes to fill teddy's piggy bank with money - ACTIONS - Make teddy jump, hop, sleep, juggle, skip, eat & more - PAINTING - Colouring fun down on the farm with all the pigs & cows - GALLERY - Learning to read is really easy In the Fun School Gallery.

#### 7 YRS Includes:-

TIME TO Spend your pocket money wisely in the shop

TIME - Tell the time & watch the cuckoo clock come alive

FUNTEXT - Explore the Ceefax-style database & take the challenge

COLLECT - Guide the frog from tog to log to create & solve the sums

ELECTRICITY - Fix the incorrect circuits to set the bell ringing JOURNEY - Travel round the village & learn about directions

OVER 7 YRS Includes:-

TREASURE SEARCH - Follow compass directions to find the jewels WORD SEARCH - Pick out the words cleverly hidden in the large grid ROBOT DRAW - Create beautiful patterns & learn how to program

PLANETARY MATHS - Solve the sums before they hit the forcefield - SENTENCES - Correct spelling, punctuation & grammar mistakes - DATABASE - Store Information, sort it, search it, then test yourself.



All age ranges for the BBC - OUT NOW! (Prices per age-range) SRP BBC Cass £12.99 Sale £9.95 SRP BBC 5.25" Disc £16.99 Sale £13.95

Fun School 3 for the Archimedes/A3000 - release delayed - please call for details.



BBC/ELE CASSETTE SRP £10.99 Offer Price £8.95 BBC 5.25" DISC SRP £13.99 Offer Price £11.25 (All prices per age-range - 0-6 yrs, 6-8 yrs or 8+ years)

#### RECENT RELEASES

TITLE	BBC or	BBC	CPCT
	Bectron Cass	disc	disc
A Question of Sport	8.95	10.50	14.95
Arcade Soccer	6.50	8.50	9.95
Arc Pinbell	-	9.95	10.95
E-Type	6.50	9.75	11.25
Eite	9.95	11.95	15.95
Exile	9.95	11.95	15.95
Hostages	7.95	9.95	11.95
Haled Out	8.50	9.75	9.75
Klax (BBC only)	8.25	-	-
Last Ninja 2	7.95	9.95	11.95
Master Break	7.95	9.95	11.95
Perpiexity	7.95	9.95	11.95
Pipernania	8.25	12.25	12.25
Repton Infinity	9.95	11.95	15.95
Sim City	9.95	11.95	15.95
Sporting Triangles	8.25	10.25	_
Tank Attack	10.25	12.25	_
Play It Again Sam Co.	mpilations 1 to	10 (each):	
, ,	6.95	8.95	10.50
Play It Again Sam Co.	mpilations 11 to	14 (each):	
	7.95	9.95	11.95
Superior Col 1 (BBC o	mly) 6.95	8.95	10 50
Superior Col 2 (BBC o	nlý) 8.95	8.95	10.50
Superior Cal 3 (Ele or		-	_
Turbes World Tour	-	7.95	-

Amazing summer offers! - ask for our catalogue.

#### Play It Again **Sam 15**

Includes

Last Ninja 2 Ricochet Cyborg Warriors Network

SRP BBC/Ele Case £12.95. Offer Price £9.95 SRP BBC 5.25° Disc £14.95, Offer Price £1t 95 SRP Coct Diec £19 95, Offer Price £15 95

#### **JOYSTICKS**

Joysticks for BBC, B+/Master 128 & Electron Plus 1

> Delta 3B **Twins** £21.95

2 analogue, light spring action, joysticks wirad to one plug

> Delta 3B Single £14.95

Analogue, light spring ection joystick. Cen be used as eithe left or right-handed.



#### Printers ... Printers Printers ... Printers ..

£159.95 SP-200 £179.95 £269.95 KX-P1081 Panasonic 9 pin 80 col dot matrix £159.95 KX-P1180 Penasonic 9 pin 80 col dot matrix £169.95 KX-P1124 NEWI Penasonic 24 pin 80 col dot matrix £299.95 KX-P1081 KX-P1180 Seikosha 9 pin dot matrix Seikosha 24 pin dot matrix Seikosha 9 pin dot matrix MP-1350 (Prices include VAT, printer cabla & courier despatch - (UK mainland only). Plaasa state for which computer you require tha printer)

softwara, Official Order No. required - minimum order value £30.00 Pricas correct at time of going to press, E& OE



Dept. AU71, C/o Northwood House, North Street, Leeds LS7 2AA Telephone 0532 436300

Please make chaques payable to SOFT NARE BARGAINS

'keystone' of your chosen block will be placed. You can move this around inside the cuboid with the arrow keys, left, right, forward and backward. Moving the cursor up or down a level is achieved with the / and " keys. The bottom box is the selection of polyominoes you have left to fit into the cuboid - the currently selected one is highlighted by a red square. The ones you still have left are coloured yellow while the ones that have been placed inside the cuboid are red. You can select the shape you wish to use next with the < and > keys and you can confirm your choice with the SPACE bar.

When you have selected your polyomino it will appear in the top left-hand window. You can rotate it with the X, Y and Z keys and when you are happy with its orientation and position you place it in the box with RETURN. Of course if it doesn't fit in the space then you will be told and you'll have to try elsewhere. If you are not happy with the fit then press DELETE - you can remove any polyomino by selecting it in the bottom window and pressing DELETE.

The cursor in the cuboid shows where the next shape is to be placed. On each polyomino is a keystone, indicated by looking slightly larger than the other four.

This is the part of the shape that falls into the space occupied by the cursor. Take a look at figure 1 for the 12 possible variations, the darker block is where the keystone is.

You can quit the game at any time by pressing Q, but first you will be given the option to restart (useful if you get stuck), or quit completely and return to Basic.

Don offers a few useful hints that may help you in solving the puzzle.


Once you've put in a few polyominoes you'll begin to find it more difficult, and if you get it wrong you won't be able to insert the last couple. One thing you should do is begin building at the back of the cuboid, otherwise you may obscure holes behind other polyominoes. And don't think too dimensionally, you can't solve it by building a layer at a time.

Finally this month comes something a little more simple than weather controlling programs and 3D polyominoes. This neat little routine was published in Eight Bits of October 1989.

Murray Mackenzie's program shows redefining characters within a string to provide a revolutionary scrolling routine. It doesn't go sideways, but drops characters in from the top.

The first program drops one string in, and continues to do so. The second program replaces the old string with a new one giving a rolling effect, as if the characters were glued to a drum.

The first routine works by taking each charac-




TWELVE AVAILABLE POLYOMINOES - THE DARKER BLOCK IS THE 'KEYSTONE'

KEYS	FOR POLYOMINOES
Cursor Left	
Cursor Right Cursor Up	Move place cursor
Cursor Down	rajkiji.
ř,	
£	Move place cursor up
	Move place cursor down
Archimedes owne	rs should change these
keys (lines 320 an	d 330) to 'and /
	Committee Committee Committee
	Move selection cursor left Move selection cursor right
<b>3</b>	wiove selection cursor right
SPACE	Choose polyomino from cubiod
X	Rotate chosen polyomino about axis
	Rotate chosen polyomino about axis
<b>4</b>	Rotate chosen polyomino about axis
RETURN	Place polyomino in cuboid
Q	OUIT

ter of the string and redefining it eight times, each time moving a row of bits down one byte, then printing it over the old character. The second routine does the same, except that rows yet to be scrolled to aren't cleared, leaving the old character underneath. On an Archimedes the effect is lost because the routine is too fast. You could insert a delay inside the main loop with dummy=INKEY(3), this waits for three tenths of a second. Of course, if you have written a better routine for getting your message across then please send it in.





# Announcing colour graphics conversion between the Acorn Archimedes and the Apple Macintosh




# BBC Micro, Master 128, or Master Compact Convert to or from a BBC Screen Dump in any appropriate mode, including Teletext. You can dynamically adjust the colours assigned to each logical colour in the original dump, to take account of different palette settings.



#### **Acorn Archimedes**

Convert to or from an Archimedes Sprite in any appropriate mode. If the file contains several sprites you can select the one you want from a list of their names.



#### Macintosh

Convert to or from PICT, Colour PICT, or MacPaint format. Images can be manipulated in drawing and painting programs, or placed in other Macintosh applications, such as PageMaker, for subsequent colour printing.



#### Microsoft Windows 3.0 on the IBM PC

Also ... convert to or from Windows 3.0 .BMP files with up to 256 colours – the standard format for saving Windows screens, or for creating pictures in Paintbrush on the PC.

	corn Archimedes and Apple Macintos	
Name		
Position		
Address		
		-
Postcode	Tel	

Overseas Subs Magazine only:			Back Orders	
Europe		£35.00 🗆	Please fill in date (Back to N	March 1990)
Rest of World		£45.00 🗆	Month	Year - 90 🗅 91 🗅
With Disc:			D.Marasina (105 D	
_	5.25in	3.5in	☐ Magazine £1.95 ☐ ☐ Disc £4.95 (5.25in) ☐	CE OF (2 F: <sub>m</sub> ) D
Europe Rest of World	£44.00 □	£49.00 □ £69.00 □	U DISC 14.33 (5.25III) U	£5.95 (3.5in) 🗆
. (	cover mailing		66, Wetherby LS	
. (	cover mailing	edwood Publishing Ltd	NameAddress	
☐ I enclose a C	heque/PO to Re	edwood Publishing Ltd	Name	
☐ I enclose a C☐ I wish to pay	heque/PO to Re	edwood Publishing Ltd	Name	

# BENCHMARK / BRAND

ALL 3.1/2" DISKS COME WITH LABELS ALL 5.1/4" DISKS COME WITH LABELS, WRITE PROTECTS AND SLEEVES

Disk Type	Qty	25	50	100	200	500	1000
31/2" DS/DD 1MB	£	17.00	29.00	41.00	75.00	163.00	309.00
31/2" DS/HD 2MB	£	33.60	61.00	67.00	132.00	320.00	630.00
<b>5</b> 1/4" DS/DD 96/48 TPI	£	11.00	18.00	28.00	51.00	122.00	225.00
51/4" DS/HD 1.6MB	£	18.00	31.50	52.50	99.00	228.00	394.00

**ALL OUR DISKS ARE 100% CERTIFIED GUARANTEED ERROR FREE** 

ALL BENCHMARK 31/2" DS/DD DISCS ARE NOW MANUFACTURED BY THE WORLD'S LEADING MAKER

DISK	STOR	RAGE	<b>BOXES</b>	LOCKA	ABLE

3 1/2" 50 Capacity£3	3.70
3 1/2" 100 Capacity£4	1.70
5 1/4" 100 Capacity£4	1.70
3 1/2" 240 Capacity (stackable)£18	3.50

THESE PRICES ONLY IF BOUGHT WITH DISKS



ALL PRICES INCLUDE VAT & P&P. UK ORDERS ONLY

Cheques and Postal Orders to:







#### **Manor Court Supplies Ltd**

Telephone: 0597 87 792 Fax No: 0597 87 416 Dept AU7, Glen Celyn House, Penybont, Llandrindod Wells, Powys, LD1 5SY

**EDUCATION AND GOVERNMENT ORDERS WELCOME** 

**UNBRANDED DISKS AT SAME PRICES** 



Produced by

The Graphics Factory

# Five Megabytes


of High Quality Clipart. Over 350



Mono Images compressed onto 4 disks with Topics ranging from Animals to Signs to Trees!







Only £19.95

The Graphics Factory Units 18e & 18f **Boxer Place** Moss Side Employment Centre Leyland, Preston, PR5 3QL Telephone (0772) 623000 Fax (0772) 622917

Educational & Government Orders Welcome

No Carriage Charges in UK







Program	Page	BBC B B+128	B+/ 128	Master Compact	Master	Electron	6502SP/ Turbo	ADFS	Econet	Shadow Ram	Archimedes/ A3000	Monthly disc
★Info	49											
Info 1a												
Info 1b												
Info 2a												
Info 2b												
Info 2c											An and a second	
Info 2d												
Info 3a					-							
Info 3b												
Game Core	55											
GameCore 1												
GameCore 2				<del></del>			<del></del>					
GameCore 3							<u>-</u>					
View Previewer	59											
Vprev1												
Pieces of 8	77											
Po81												
Po82												
Po83												
Po84										-		
Comms	62											
												★In

Listing 1 590 SUB 600 .loop 610 ADR 1220 MOV 1230 SWI RØ, Vars
620 LDMIA RØ, (RØ,Rl,R3,R4)
630 \ look up sines and cosines and ap
ply formula
640 MUL ai,R0,temp
650 AND ai,ai,R10
660 MLA bi,R1.tem 1840 !sin%=sin!(va%\*4) 1850 !cos%=cos!(va%\*4) 1860 ENDFROC "OS\_Byte" R1, bank 10 REM >3DLiss (Infola)
20 REM 3D Maths in motion!
30 REM by Michael Attenborough
40 REM for Archimedes only
50 REM (c) BAU July 1991 1240 LDR 1250 MOV RØ.#113 1250 MOV 1260 SWI 1270 CMP 1280 LDREQ 1290 LDRNE "OS\_Byte" R1,#2 RØ,scrpos1 Listing 2 10 REM >3DLiss8 (Infolb) 20 REM Original by Michael Attenborou RØ, scrpos2 70 ON ERROR MODE 0:PRINT REPORT\$" at 70 ON ERROR MODE 0:PRINT REPORTS" at 11ne ";ERL:END 80 MODE 128 90 PROCLIAIT 100 REPERT 110 D%=(D%+rotvel%) AND 63FF 120 PRINT;A%;"",P% 130 PRINT;A%;"",P% 130 PRINT;A%;"",P% 150 CASE TRUE 07 PRINTTAB(79,0)"F" 150 CASE TRUE 07 160 WHEN INKEY(-122):IF rotvel%<30 rot vel%+1 1300 STR RØ.scrpos 1310 SWI bi,bi,Rl0
sa,[sb,ai,ASL #2]
x,[cb,bi,ASL #2]
x,sa,x
x,x,ASR #11
y,[sb,bi,ASL #2] 30 REM 8-bit version by Dave Acton 40 REM for B/B+/R/M/C 50 REM (c) BAU July 1991 680 LDR 690 LDR 700 MUL 710 MOV 1320 LDMFD 1330 : 1340 .vars 1350 EQUD 0 70 MODE 4 80 FROCinit 90 \*FX 4,1 100 \*FX 229,1 110 \*FX 12,10 120 VDU 23;8202;0;0;0; 720 LDR 1360 BQUD 0 y, [8D, D1, ASL #2] y, sa, y y, y, ASR #11 z, ai, R4 z, [8b, z, ASL #2] z, z, ASR #1 1360 EQUD 0 1370 EQUD 0 1380 .sinpos 1390 .cospos 1400 .perpos 1410 .sin% 1420 .cos% 1430 .bank 730 MUL EQUD sin EQUD cos EQUD per EQUD Ø 740 MOV 750 ADD 760 LDR 770 MOV vel%+=1 170 WHEN INKEY(-26):IF rotvel%>-30 rot 780 \ rotate around y axis 790 LDR ai,cos% BOUD Ø 140 REFEAT BOUD 1 1440 .scrpos EQUD 1
1440 .scrpos EQUD 0
1450 .scrpos1 EQUD 0
1460 .scrpos2 EQUD 0
1470 ]
1480 NEXT pass%
1490 ENDFROC 150 FRINTTAB(0,0); ?aa; ":"; ?bb; " "
160 FRINTTAB(37,0); INT(?ze\*360/256); " 180 WHEN INKEY(-101); E%=(E%-4) AND &3F 800 LDR 810 MUL 820 MUL 830 SUB 840 MOV R5, x, ai R6, z, bi R5, R5, R6 R5, R5, ASR #10 190 WHEN INKEY(-86):E%=(E%+4) AND &3FF
200 WHEN INKEY(-58):
210 va%=(va%+4) AND &3FF
220 !sin%=sin!(va%\*4) "
170 CALL start
180 UNTIL INKEY-113
190 \*FX 4
200 \*FX 229
210 \*FX 12
220 END
230 :
240 DEF FROCinit
250 points=256 220 !sin%=sin!(va%\*4)
230 !cos%=cos!(va%\*4)
240 WHEN !NFEY(-42):
250 va%=(va%\*4) AND &3FF
260 !sin%=sin!(va%\*4)
270 !cos%=cos!(va%\*4)
280 OTHERWISE:
290 CASE !NEY(0) AND &DF OF
300 WHEN ASC"2":A%=-1
310 WHEN ASC"2":A%==1
320 WHEN ASC"2":B%==1
330 WHEN ASC"2":B%==1
330 WHEN ASC"5":C%=NOT C%
355 WHEN 16 :E%=0 850 MUL 860 MLA z,ai,z z,x,bi,z 1500 : 1500 : 1510 DEF FROCINIT 1520 DIM sin 2048\*4 1530 COS=sin+256\*4 1540 FRINT"Filling sine array..."; 1550 FOR i%=0 TO 1023 1560 sin!(i%\*4)=6400\*SIN(i%\*FI/512) 870 MOV 880 \ apply 890 CMP 900 LDRNE 910 RSBNE psrspective R2,#0 R5,perpos R6,x,#&400 250 points=256 260 mask=(points-1) DIV 256 R6, [R5, R6, ASL #2] 920 LDRNE 260 mask=(points-1) DTV 25: 270 DIM code &800+3\*points 280 pt=£70 290 a=£71 300 b=£72 310 d=£73 930 MOVRO R6. ##300 1570 NEXT 1570 NEXT
1580 FOR 1%=0 TO 1023
1590 Sin!((1%+1024)\*4)=sin!(1%\*4)
1600 NEXT
1610 DIM per &801\*4
1620 PRINT'"Filling perspective array.. 940 \ plot 950 MUL 960 MOV 970 ADD 980 MUL R6,#£300 point y,R6,y y,y,ASR #11 y,y,#320 z,R6,z 350 WHEN 16 360 WHEN 25 : E%=0 : E%=&100 320 temp=&74 330 temp2=&76 ";
1630 FOR 1%=0 TO 8800
1640 peri(i%\*4)=&600/(1+1%/&400)
1650 NEXT
1660 PRINT'"Assembling code..."; z,z,ASR #22 z,z,#128 990 MOV 340 y=&78 350 z=&7A 360 bittab=&80 370 nottab=&88 370 ENDCASE 1000 RSBS 380 ENDCASE 390 ENDIF 400 CALL start 410 UNTIL FALSE 1000 RSB3 1010 BMI 1020 CMP 1030 BGE 1040 LDR z,z,#128 skip z,#256 skip RØ,scrpos 380 osbyte-EPFF4
390 PRINT"Assembling cods..."
400 POR pass%=0 TO 2 STEF 2
410 P%=code
420 [OFT pass%
430 .start
444 IDB #19 1670 PROCassem 1680 \*FX 112 1 420 END 1050 MOV R6,#8Ø 1050 MOV 1060 MLA 1070 MOV 1080 ADD 1090 AND 1100 MOV 1110 LDR 1680 FMX 112 1 1690 CLS 1700 FMX 112 2 1710 CLS 1720 FMX 113 1 1730 SCC#=1 1740 DIM iblock% 16 1750 !iblock%=148:iblock%:14=149:iblock% RØ,R6,z,RØ 430 ::
440 DEF FROCassem
450 DIM code 350
460 x=0:y=1:z=3
470 ai=12:bi=11:sa=9:cb=8:sb=7
480 sp=13:link=14:pc=15 RØ,R6,Z,RØ R5,Y,ASR #5 RØ,RØ,R5,ASL #2 Y,Y,#31 R6,#1 R5,[RØ] R5,R5,R6,ASL Y 430 .start
440 LDA #19
450 JSR osbyte
460 JSR plot
470 LDA bt
480 CLC
490 ADC rv
500 STA bt
510 LDX #256-122
520 JSR inkey 112Ø ORR 1120 ORR 1130 STR 1140 .skip 1150 SUBS 1160 BFL 1170 \ swap 1180 LDR R5, [RØ] 1760 SYS "OS\_ReadVduVariables", iblock%, temp, temp, #1 loop screens scrpos1 1770 !scrpos=!scrpos1 1780 A%=3 ai, vars
(ai)!, (RØ,R1,R3,R4)
ai, (sb,cb)
temp, #&400 1790 B%=4 1800 C%=TRUE 550 ADR 560 STMIA R1, bank 530 BNE nofaster 540 LDA rv 550 BMI faster RØ,#112 "OS\_Byte" R1,bank 119Ø MOV LDMIA



		0000 000 -1 -1 -1	2000 1000
560 CMP #30 570 BEQ nofaster	1700 CLC 1710 ADC hb	2780 ADC sinhi,X 2790 STA z+1	3920 NEXT 3930 POR 1%=0 TO points-1
580 .faster	1720 STA bt	2800 :	3940 addr10?i%=&5800 MOD 256
590 INC TV	1730 :	2810 LDA d	3950 addrbi?i%=&5800 DIV 256
600 JMP start 610 .nofaster	1740 LDA ze 1750 CLC	2820 SBC 2830 SBC ct	3960 bitpos?i%=0 3970 NEXT
620 LDX #256-26	1760 ADC a	284Ø TAX	3980 PRINT"Building tables"
630 JSR inkey	1770 STA d	2850 LDA z	3990 FOR 1%=0 TO (points*2)-1:REM wby 2
640 BNE noslower	1780 :	286Ø CLC	?
650 LDA rv	1790 \ x=sin(a+b+c)+sin(a+b-c)+sin(a-b+ c)+sin(a-b-c) \ \cos(d-c)-\cos(d+c)	2870 ADC sin1o,X 2880 STA z	4000 v%=&280*SIN(i%*2*PI/points) 4010 sin10?i%=v% AND &PP
660 BPL slower 670 CMP #256-30	1800 \	2890 LDA z+1	4020 sinhi?i%=(v% AND &PP00) DIV &100
680 BEQ noslower		2900 ADC sinhi,X	4030 NEXT
690 .slower	1810 \ 4	2910 STA z+1	4040 ENDPROC
700 DEC rv	1820 \	292Ø : 293Ø LDA y+1	Listing 3
710 JMP start 720 .noslower	1830 \ (but not needed hars!)	2940 LSR A	21011119
73Ø LDX #256-58	1840 \	2950 ROR y	10 REM >SortDemo (Info2a)
740 JSR inkey	1850 \ y=cos(a-b)-cos(a+b)	2960 LSR A	20 REM Different types of sorting
750 BNE noince	1870	2970 ROR Y 2980 LSR A	30 REM By David Lawrence 40 REM For BBC B/B+/M/C/B/A
760 INC ct 770 INC ct	197Ø \ 2 188Ø :	2990 ROR Y	50 REM (c) BAU July 1991
780 JMP start	189Ø LDA a	3000 LSR A	60 :
790 .noincc	1900 SBC	3010 ROR y	70 MODB 4
800 LDX #256-42	1910 SBC b	3020 LDA #128	80 VDU 23;8202;0;0;0;
810 JSR inkey 820 BNE nodecc	1920 TAX 1930 LDA coslo,X	3030 CLC 3040 ADC y	90 PROCinit 100 REPEAT
830 DEC ct	1940 STA Y	3050 STA y	110 PROCinfo
840 DBC ct	1950 LDA cosbi, X	3Ø6Ø :	120 REPEAT
850 JMP start	1960 STA y+1	3070 LDA z+1	13Ø gat\$=GBT\$
86Ø .nodecc	1970 LDA a	3080 LSR A 3090 ROR z	140 n=VALget\$
870 LDX #0 880 LDY #0	1980 CLC 1990 ADC b	3100 LSR A	150 sort=ASCget\$-64 160 IF n>0 AND n<=sizes size = n : PRO
890 LDA #129	2000 TAX	311Ø ROR z	Cinfo
900 JSR osbyte	2010 LDA y	3120 LSR A	170 UNTIL sort > 0 AND sort <= sorts
910 CPY #0	2020 SEC	313Ø ROR z	180 PROCEsterray
920 BNE nokey 930 TXA	2030 SBC coslo, X 2040 STA y	3140 LSR A 3150 ROR z	190 dummy = EVAL("FN"+sorts\$(sort)+"(1 ,"+STR\$slems+")")
940 AND #&DP	2050 LDA y+1	316Ø LDA #128	200 PROCnewdata(sort, size)
950 CMP #ASC"Z"	2060 SBC cosbi, X	3170 SBC	210 PROCensure
960 BNE nodsca	2070 STA y+1	318Ø SBC z	220 UNTIL FALSE
970 DEC aa	2080 :	3190 STA z	23Ø BND
980 RTS 990 .nodeca	2090 \ z=cos(a+b-c)-cos(a+b+c)+cos(a-b- c)-cos(a-b+c) sin(d+c)+sin(d-c)	3200 : 3210 LDX pt	240 : 250 DEP PROCinit
1000 CMP #ASC"X"	2100 \	3220 LDA addrlo, X	260 READ sorts, sizes
1010 BNE noinca	+	3230 STA temp2	270 DIM sorts\$(sorts)
1020 INC aa	2110 \ 4	3240 LDA addrhi,X	280 DIM times(sorts, sizes), comps(sorts
1030 RTS	2	325Ø STA temp2+1	, sizes), moves(sorts, sizes)
1040 .noinca 1050 CMP #ASC"C"	2120 : 2130 LDA s	3260 LDA bitpos,X 3270 TAX	290 DIM array(256), tempa(256), blob(siz es)
1060 BNE nodecb	2140 CLC	3280 LDA nottab, X	300 FOR sort = 0 TO sorts
1070 DEC bb	2150 ADC h	3290 LDY #Ø	310 READ sorts\$(sort)
1080 RTS	2160 PHA	3300 AND (temp2), Y	320 POR size = 1 TO 4
1090 .nodech	2170 SEC 2180 SEC ct	3310 STA (temp2),Y 3320 :	330 times(sort, size) = -1
1100 CMP #ASC"V" 1110 BNE noincb	2190 SBC CC 2190 TAX	3330 LDA z	340 comps(sort, size) = -1 350 moves(sort, size) = -1
1120 INC bb	2200 LDA coslo,X	3340 LSR A	360 NEXT
1130 RTS	2210 STA z	3350 LSR A	370 NEXT
1140 .noincb	2220 LDA coshi,X	3360 LSR A	380 POR size = 1 TO 4
1150 CMP #ASC"B" 1160 BNE nodecze	223Ø STA z+1 224Ø	3370 TAX 3380 LDA z	390 READ blob(size) 400 NEXT
1170 DEC ze	2250 PLA	3390 AND #7	410 siza = 3
1180 RTS	2260 CLC	3400 STA temp	420 ENDPROC
1190 .nodecze	2270 ADC ct	3410 LDA Y	430 :
1200 CMP #ASC"N"	228Ø TAX 229Ø LDA z	3420 AND #255-7 3430 ORA temp	440 DATA 6,4 450 DATA none
1210 BNE noincze 1220 INC ze	2300 SBC	3440 CLC	460 DATA bubble, sift, exchange, quick, ms
1230 RTS	2310 SBC coslo, X	3450 ADC scrlo,X	rge, heap
1240 .noincze	2320 STA z	3460 STA temp	470 DATA &80,&C0,&P0,&PP
1250 CMP #16	2330 LDA z+1	3470 LDA scrhi,X	480 :
1260 BNE not0 1270 LDA #0	2340 SBC cosbi,X 2350 STA z+1	3480 ADC #0 \ not y+1! 3490 STA temp+1	490 DBP PROCinfo 500 elems = 2^(9 - size)
128Ø STA ze	2360 :	3500 LDA y	510 scale = 2^(size - 1)
1290 RTS	2370 LDA a	351Ø AND #7	520 VDU 30
1300 .not0	238Ø SBC	3520 TAX	530 PRINT"Sort type"; TAB(14); "Comps"; T
1310 CMP #25 1320 BNE not9	2390 SBC b 2400 PHA	353Ø LDA bittab, X 354Ø ORA (temp), Y	AB(23);"Moves";TAB(31);"(Tims)" 540 PRINT"";TAB(14);"";T
1330 LDA #64	2410 SBC	3550 STA (temp),Y	AB(23);"—-"; TAB(31);"—-"'
1340 STA 28	2420 SBC ct	3560 LDY pt	550 POR sort = 1 TO sorts
1350 RTS	2430 TAX	3570 LDA temp 3580 STA addr1o,Y	560 PRINT; CHR\$ (64+sort); ") "; FNnams (so
1360 .not9 1370 .nokey	2440 LDA z 2450 CLC	3580 STA addrlo, Y 3590 LDA temp+1	rt); TAB(12); FNnum(comps(sort, size)); TAB( 21); FNnum(moves(sort, size)); TAB(30); FNnu
1380 LDX #256-113	2460 ADC coslo,X	3600 STA addrhi,Y	m(times(sort, size))
1390 JSR inkey	2470 STA z	361Ø TXA	570 NEXT
1400 BEQ 88C	2480 LDA z+1	3620 STA bitpos,Y	580 PRINT'"Size: ";size;" Blements: " ;elems;" "''"Select sort (or 1-";sizes;
1410 JMP start 1420 .esc	2490 ADC cosbi, X 2500 STA z+1	3630 .skip 3640 RTS	;elems;" """Select sort (or 1-";sizes; ") :"
1430 RTS	2510 :	3650 :	59Ø BNDPROC
1440 :	252Ø PLA	3660 .at EQUB 0	600 :
1450 .inkey	2530 CLC	3670 .ht BQUB 0 3680 .ct EOUB 240	610 DEP FNname(n) 620 = CHR\$(ASCsorts\$(n)-32) + MID\$(sort
1460 LDY #&PP 1470 LDA #129	2540 ADC ct 2550 TAX	3690 .ct EQUB 240 3690 .ze BQUB 192	620 = CHR\$ (ASCSOrts\$ (n) - 32) + MID\$ (sort s\$ (n),2)
1480 JSR osbyte	2560 LDA z	3700 .rv BQUB 1	630 :
1490 CPX #&PP	2570 SBC	3710 .aa BQUB 3	640 DBP FNnum(v)
1500 RTS	2580 SBC coslo,X	3720 .bb BQUB 4	650 IP v<0 THEN =" n/a "
1510 : 1520 .plot	2590 STA z 2600 LDA z+1	3730 ) 3740 scrlo=P%:P%=P%+32	660 =RIGHT\$(STRING\$(7," ") + STR\$v,7) 670:
1530 LDA #0	2610 SBC cosbi,X	375Ø scrhi=P%:P%=P%+32	680 DEP PROCnewdata(n,s)
1540 STA pt	2620 STA z+1	376Ø addr1o=P%: P%=P%+256	690 times(n,s) = TIME - Time
1550 .plotloop	2630 :	377Ø addrbi=P%:P%=P%+256	700 comps(n,s) = Comps
1560 JSR point	2640 LDA z+1 \ ASR z	3780 bitpos=P%:P%=P%+256 3790 sinlo=P%:P%=P%+2*points	710 moves(n,s) = Moves 720 ENDPROC
1570 INC pt 1580 BNE plotloop	2650 ASL A 2660 ROR z+1	3790 sinlo=P%:P%=P%+2*points 3800 cos1o=sinlo+points/4	720 ENDPROC 730 :
1580 BNS picticop 1590 RTS	2670 ROR z	3810 sinhi=P%:P%=P%+2*points	740 DBP PROCensure
1600 :	2680 :	3820 cosbi=sinhi+points/4	750 PRINTTAB(32,29); SPC8; TAB(32,30); SP
1610 .point	2690 LDA d	3830 NEXT pass%	C8; TAB(18, 28);
1620 LDA at 1630 STA a	2700 CLC 2710 ADC ct	384Ø POR 1%=0 TO 7 385Ø i%?bittab=2^(7-i%)	760 POR loop = 1 TO elems 770 IP array(loop) <> loop PRINT"Sort
1630 STA a 1640 CLC	2710 ADC GC 2720 TAX	3860 i%?nottab=255-i%?bittab	failed!":BND
1650 ADC aa	2730 LDA z	3870 NEXT	780 NEXT
1660 STA at	274Ø CLC	388Ø POR 1%=Ø TO 31	790 PRINT"Data correctly sorted"
1670 :	2750 ADC sinlo,X	3890 a%=&5800+320*1%+32	800 ENDPROC
1680 LDA bt 1690 STA b	2760 STA z 2770 LDA z+1	3900 scrlo?i%=a% MOD 256 3910 scrbi?i%=a% DIV 256	810 : 820 DEP PROCsetarray

830 VDU 23,255	1900 :	2980 DEF PROCcheckchild	850 ENDPROC 860:
840 FOR i = 8 TO 1 STEP -1 850 IF i <= scale VDU hloh(size) ELSE	1910 DEF PNquick(from,to) 1920 quick1 = from - 1	2990 IF child < count PROCchscksibling 3000 IP value < array(child) PROCmovech	87Ø DEF FNnewnode(v)
VDU Ø	1930 quick2 = to + 1	ild 3010 Moves = Moves + 1	880 mem_ptr!Value = v 890 mem_ptr!Lsft = NULL
860 NEXT 870 CLS	1940 pivot = array((from + to) / 2) 1950 Moves = Moves + 1	3020 Comps = Comps + 1	900 mem_ptr!Right = NDLL
88Ø PRINTTAB(33,30); "Making"	1960 REPEAT	3030 ENDPROC 3040 :	910 mem_ptr = mem_ptr + node_size 920 = mem_ptr - node_size
890 FOR loop = 1 TO elems 900 array(loop) = loop	1970 REPEAT 1980 Comps = Comps + 1	3050 DEP PROCchecksibling	930 :
91Ø PROCdota(loop,1)	1990 quick1 = quick1 + 1	3060 IP array(child) < array(child + 1) child = child + 1	940 DEF PROCdrawtree(tree) 950 VDU 5
920 NEXT 930 PRINTTAB(33,30); "Mixing"	2000 UNTIL array(quick1) >= pivot 2010 REPEAT	3070 Moves = Moves + 2	960 PROCdrawnode(tree,640,320,1023-hox
940 POR loop = 1 TO elems	2020 Comps = Comps + 1	3080 Comps = Comps + 1	size)
950 PROCswap(loop,RND(elems)) 960 NEXT	2030 quick2 = quick2 - 1 2040 UNTIL array(quick2) <= pivot	3090 ENDPROC 3100 :	970 VDU 4 980 ENDPROC
970 PRINTTAB(32,29);PNname(sort)	2050 IF quick1 <= quick2 PROCswap(quick	3110 DEP PROCmovechild	990 :
980 PRINTTAB(32,30); "Sorting"; 990 Comps = 0	1,quick2) 2060 UNTIL quick1 > quick2	3120 PROCdota(child,0) 3130 array(parent) = array(child)	1000 DEF PROCdrawnode(node,x,w,y) 1010 GCOL 0,1
1000 Moves = 0	2070 IP quick1 < to x=PNquick(quick1,to	3140 PROCdota(parent,1)	1020 IF node <> NULL MOVE x-w,y-128 : D
1010 Time = TIME 1020 ENDPROC	) 2080 IP quick2 > from x=FNquick(from,qu	3150 Movss = Moves + 2 3160 parent = child	RAW x,y : DRAW x+w,y-128 1030 PROCbox(x-hoxsize,y-hoxsize,x+boxs
1030 :	ick2)	3170 done = PALSE	ize, y+boxsize, 0,2)
1040 DEP PROCEWap (ons, two)	2090 =0 2100 :	318Ø ENDPROC	1040 GCOL 0,3 1050 IP node = NULL MOVE x-hoxsize,y-ho
1050 PROCdota(one,0) 1060 PROCdota(two,0)	2110 DEP PNmerge(from, to)	Listing 4	xsize:DRAW x+boxsize,y+hoxsize:MOVE x-bo
1070 temp = array(one)	212Ø LOCAL mid		xsize,y+hoxsize:DRAW x+hoxsize,y-boxsize :ENDPROC
1080 array(one) = array(two) 1090 array(two) = temp	2130 IP from >= to THEN =0 2140 mid = (from + to) DIV 2	10 REM >Heaping (Info2h) 20 REM By David Lawrence	1060 n\$=STR\$(node!Value)
1100 Moves = Movss + 4	2150 x=FNmerge(from,mid)	30 REM Por EEC E/E+/M/C/E/A	1070 MOVE x-(LENn\$*32/2),y+boxsize/2-4:
1110 PROCdota(one,1) 1120 PROCdota(two,1)	2160 x=FNmerge(mid+1,to) 2170 PROCmrg(from,mid,mid+1,to)	40 REM (c) EAU July 1991 50 :	PRINTn\$ 1080 PROCdrawnode(node!Left,x-w,w/2,y-1
1130 ENDPROC	2180 =0	60 MODE 1	28)
1140 : 1150 DEP PROCdota(d,c)	2190 : 2200 DEF PROCmrg(from1,to1,from2,to2)	70 VDU 23;8202;0;0;0;0; 80 PROCinit	1090 PROCdrawnode(node!Right,x+w,w/2,y- 128)
1160 PROCdot(c,d*4,array(d)*4)	2210 POR i = froml TO tol	9Ø PROCgettree	1100 ENDPROC
117Ø ENDPROC	2220 tempa(i) = array(i) 2230 Moves = Moves + 2	100 PROCmakeheap(root) 110 CLS	1110 : 1120 DEP PROChox(x1,y1,x2,y2,h,f)
1180 : 1190 DEP PROCdott(d,c)	2240 NEXT	120 PROCinform(20, "Converted to heap")	1130 IF h>=0 VDU 24,x1;y1;x2;y2;18,0,h,
1200 PROCdot(c, d*4, tempa(d) *4)	2250 place = from1	130 PROCdrawtrse(root)	16,26 1140 GCOL 0,f
1210 ENDPROC 1220 :	2260 REPEAT 2270 Moves = Moves + 2	140 PROCspacs 150 PROCsortheap(root)	1150 MOVE x1,y1;DRAW x1,y2;DRAW x2,y2;D
1230 DEF PROCdot(c,x,y)	2280 Comps = Comps + 1	160 CLS	RAW x2,y1:DRAW x1,y1 1160 ENDPROC
1240 GCOL 0,c 1250 IP size = 1 PLOT 69,x-4,y-4:ENDPRO	229Ø IP tempa(from1) < array(from2) PRO Cusetempa ELSE PROCusearray	170 PROCdrawtree(NULL) 180 PROCshowout	1170 :
C	2300 PROCdota(place, 1)	190 PROCinform(20, "Data sortsd")	1180 DEP FNaddnode(tree,val)
1260 MOVE (x-4)*scale,(y-4)*scale+31:VD U 5,255,4	2310 Comps = Comps + 1 2320 Moves = Moves + 1	200 COLOUR 3 210 VDU 30	1190 new = FNnewnode(val) 1200 IP tres = NULL THEN =new
127Ø ENDPROC	2330 place = place + 1	22Ø END	1210 REPEAT
128Ø: 129Ø:	2340 UNTIL from1 > to1 OR from2 > to2 2350 IP from1 > to1 ENDPROC	230 : 240 DEP PROCinit	1220 tree = PNchecktrse(tree) 1230 UNTIL tree = NULL
1300 REM Sort routines from here	2360 FOR i = froml TO tol	250 max_nodes = 15	1240 =NULL
1310 :	2370 PROCdott(i,0) 2380 array(place) = tempa(i)	260 nodes = 0 270 Value = 0	1250 : 1260 DEP FNchecktree(tree)
1320 DEP FMhubhle(from,to) 1330 REPEAT	2390 PROCdota(place,1)	280 Left = 4	1270 1d = PNfindleaf(tree!Left,0)
1340 sorted = TRUB	2400 place = place + 1	290 Right = 8 300 node_size = 12	1280 rd = PNfindleaf(tree!Right,0) 1290 IP 1d = 0 tree!Left = new : =NULL
1350 FOR hubble = from TO to - 1 1360 Moves = Moves + 2	2410 Moves = Moves + 2 2420 NEXT	310 DIM tree max_nodes * node_size	1300 IP rd = 0 tree!Right = new : =NULL
1370 Comps = Comps + 1	2430 ENDPROC	320 NULL = 0	1310 IP ld <= rd THEN =tree!Left 1320 =tree!Right
1380 IF array(hubhle+1) < array(hubhle) PROCswap(hubhle,hubhle+1) : sorted = PA	2440 : 2450 DEP PROCusetempa	330 mem_ptr = tree 340 root = NULL	1330 :
LSE		350 boxsize = 36 360 out\$ = ""	1340 DEP PNfindleaf(node,leve1) 1350 IP node = NULL THEN =leve1
1390 NEXT 1400 UNTIL sorted	2470 array(place) = tempa(from1) 2480 Moves = Moves + 2	370 ENDPROC	1360 IP node!Left = NULL OR node!Right
1410 =0	2490 from1 = from1 + 1	380 :	= NULL THEN =levsl+1
1420 : 1430 DEP FNsift(from,to)	2500 ENDPROC 2510 :	390 DEP PROCgettree 400 REPRAT	1370 LOCAL 1eft_level,right_level 1380 1eft_lsvsl = PNfind1eaf(node!Left
1440 REPEAT	2520 DEP PROCusearray	410 PROCdrawtree(root)	,lsvel+1)
1450 sorted = TRUE 1460 POR sift = to TO from + 1 STEP -1	2530 PROCdota(from2,0) 2540 array(place) = array(from2)	420 PRINTTAB(7,30);" " 430 INPUTTAB(0,30);"Data: "v\$	<pre>139@ right_level = PNfindleaf(node!Righ t,level+1)</pre>
1470 Moves = Moves + 1	2550 Moves = Moves + 2	440 IP v\$ <> "" PROCnewnode(VALv\$)	1400 IP left_level <= right_level THEN
1480 Comps = Comps + 1 1490 IF array(sift) < array(sift-1) PRO	2560 from2 = from2 + 1 2570 ENDPROC	45Ø UNTIL v\$ = "" OR nodes = 15 46Ø IP nodes > Ø ENDPROC	=left_lsvel 1410 =right_level
Csiftin(sift) : sorted = PALSE	2580 :	470 PRINTTAB(0,30);" "	1420 :
1500 NEXT	2590 DEP PNheap(x,count) 2600 node = (count DIV 2) + 1	480 FOR i = 1 TO 7+RND(8) 490 PROCnewnode(RND(99))	1430 DEP PROCmakeheap(tree) 1440 IP tree = NDLL ENDPROC
1510 UNTIL sorted 1520 =0	2610 REPEAT	500 NEXT	1450 max = FNhighest(tree)
1530 :	2620 IP node = 1 PROCmoveroot ELSE PROC	510 PROCdrawtree(root) 520 PROCinform(20, "Created random tree	1460 temp = tree!Value 1470 tree!Value = max!Valus
1540 DEP PROCsiftin(top) 1550 value = array(top)	makeheap 2630 IP count <> 1 PROCinssrt(node, valu	")	1480 max!Value = temp
1560 Moves = Moves + 1	e) 2640 UNTIL count = 1	530 PROCapace 540 ENDPROC	1490 PROCmakeheap(tres!Left) 1500 PROCmakeheap(tree!Right)
1570 PROCdota(top,0) 1580 pos = top	2650 array(1) = value	550 :	151Ø ENDPROC
1590 REPEAT	2660 Moves = Moves + 1 2670 =0	560 DEP PROCnewnode(v) 570 new = FNaddnode(root,v)	1520 : 1530 DEP FNhighest(node)
1600 found = TRUE 1610 pos = pos - 1	2670 =0 2680 :	580 IP root = NDLL root = new	1540 LOCAL high
1620 IP array(pos) > value PROCshuffls	2690 DEP PROCmoveroot	590 nodes = nodes + 1	1550 high = node 1560 PROCcheck(Left)
1630 Moves = Moves + 1 1640 Comps = Comps + 1	2700 PROCdota(count,0) 2710 value = array(count)	600 ENDPROC 610 :	1570 PROCcheck(Right)
1650 UNTIL found OR pos = 0	2720 PROCdota(1,0)	620 DEP PROCinform(line,a\$)	1580 =high 1590 :
1660 array(pos+1) = value 1670 Moves = Moves + 1	2730 array(count) = array(1) 2740 PROCdota(count,1)	630 COLOUR 2 640 PRINTTAB(0,1ine);SPC40;TAB((40-LEN	1600 DEP PROCcheck(dir)
1680 PROCdota(pos+1,1)	2750 Moves = Moves + 2	(a\$))/2,line);a\$	1610 IP node!dir = NDLL ENDPROC 1620 this = PNhighest(node!dir)
1690 ENDPROC 1700 :	2760 count = count - 1 2770 ENDPROC	650 ENDPROC 660 :	1630 IP this!Value > high!Value high =
1710 DEP PROCShuffle	278Ø :	670 DEP PROCspace	this
1720 PROCdota(pos,0) 1730 array(pos+1) = array(pos)	2790 DEF PROCmakeheap 2800 nods = nods - 1	680 COLOUR 3 690 PRINTTAB(8,31); "Press SPACE to con	1640 ENDPROC 1650 :
1740 PROCdota (pos+1,1)	2810 PROCdota(node,0)	tinue";	1660 DEP PROCSortheap(heap)
1750 Moves = Moves + 2 1760 found = FALSE	2820 value = array(node) 2830 Moves = Moves + 1	700 IPGET 710 PRINTTAB(8,31);STRING\$(23,"");	1670 IP heap = NULL ENDPROC 1680 REPEAT
1770 ENDPROC	284Ø ENDPROC	720 ENDPROC	1690 v\$ = STR\$(heap!Value)
1780 :	2850 : 2860 DEP PROCinsert(parent, value)	730 : 740 DEP PROCShowout	1700 out\$ = v\$ + " " + out\$ 1710 PROCinform(20, "Removing root ("+
1790 DEP PNexchange(from,to) 1800 FOR slow1 = from TO to	2870 REPEAT	750 COLOUR 3	v\$+")")
1810 lowest = slowl	2880 done = TRUE	760 PRINTTAB(0,27); "Out: ";	1720 PROCshowout 1730 UNTIL FNheapdone
1820 POR slow2 = slow1 TO to 1830 Comps = Comps + 1	2890 child = parent * 2 2900 IF child <= count PROCcheckchild	770 COLOUR 1 780 cur = 1	1740 ENDPROC
1840 Moves = Moves + 2	2910 UNTIL done	790 REPEAT 800 spc = INSTR(out\$," ",cur)	1750 : 1760 DEP FNheapdons
1850 IF array(slow2) < array(lowest) lo west = slow2	2920 array(parent) = value 2930 PROCdota(parent,1)	800 spc = INSTR(Outs," ",cur) 810 PRINTRIGHT\$(" "+MID\$(out\$,cur	1770 IP heap!Lsft = NULL AND heap!Right
1860 NEXT	2940 Moves = Moves + 1	,spc-cur),4);	= NULL THEN PROCSpace:=TRUE 178Ø rightaddr = FNrightmost(heap)
1870 PROCswap(slow1,lowest) 1880 NEXT	2950 Comps = Comps + 1 2960 ENDPROC	820 IF POS > 36 PRINT'TAB(5); 830 cur = spc + 1	1790 rightptr = !rightaddr
189Ø =Ø	2970 :	840 UNTIL cur > LEN(out\$)	1800 rightval = rightptr!Value
			BBC ACORN USER IULY 1991

# PAGES

◄ 1810 !rigbtaddr = NULL	740 EEQ nocheck	80 number = 10000	420 MODE 1
1820 beap!Value = rightval	750 ECS storecur	90 DIM memory number*8, pointers number*4	430 PROCreset
1830 PROCinform(22,"Replacing with righ	760 LDX cbild		440 COLOUR 0,0,100,100
tmost ("+STR\$rigbtva1+")")	770 LDA 1optr%-1,X	100 PROCassemble	450 COLOUR 1,200,200,200
184Ø PROCspace	780 STA addr1	110 PROCdemo	460 COLOUR 2,0,0,100
185Ø CLS	790 LDA hiptr%-1,X	120 END	470 COLOUR 3,200,0,0
1860 PROCshowout	800 STA addr1+1	130 :	480 player%=2:winner%=0
1870 PROCdrawtree(beap)	810 LDA loptr%,X	140 DEP PROCassemble	490 x%=2:y%=1:pd%=4
1880 PROCinform(20, "Converting back to	820 STA addr2	150 n_hit% = 1<<31	500 DIM board%(9,9),ix%(4),iy%(4),entr
beap") 1890 PROCspace	830 LDA biptr%,X	160 v_bit% = 1<<28	ance(3,4)
	840 STA addr2+1	170 link = 14	510 POR dir=1 TO 4
1900 PROCmakebeap (beap)	850 JSR compare	180 pc = 15	520 READ ix%(dir),iy%(dir)
1910 PROCdrawtree (beap)	860 ECS nocheck	190 DIM code 100	530 NEXT dir
1920 =PALSE	870 INC child	200 POR pass = 0 TO 2 STEP 2	540 POR piece=1 TO 3
1930 :	880 .nocheck	210 P% = code	550 POR entrance=1 TO 4
1940 DEP FNrightmost(tree)	890 LDA curlo	220 [OPT pass	560 READ entrance(piece,entrance)
1950 IF tree = NULL THEN =NULL	900 STA addr1	23Ø .compare	570 NEXT entrance
1960 ld = FNdeptb(tree Left)	910 LDA curbi	24Ø LDR R2,[RØ,#4]	580 NEXT piece
1970 rd = PNdepth(tree!Right)	920 STA addr1+1	250 LDR R3, [R1, #4]	590 board%(1,1)=2:board%(8,8)=2
1980 IP 1d = 1 AND rd = 0 THEN =tree +	93Ø LDX cbild	260 CMP R2,R3	600 FOR x=1 TO 8
Left	94Ø LDA loptr%-1,X	270 EEQ checkbottom	610 POR y=1 TO 8
1990 IP ld = 1 AND rd = 1 THEN =tree + Right	950 STA addr2 960 LDA biptr%-1, X	280 CMP R2,R3 290 BICCSS pc,link,#(n_bit% OR v_bit%	620 PROCdraw(FNord(x), FNord(y), board%(
2000 IP 1d = rd THEN =FNrightmost(tree!	970 STA addr2+1	)	x,y)) 630 NEXT y
Rigbt) 2010 =FNrigbtmost(tree!Left)	980 JSR compare	300 EIC link,link, #v_bit%	640 NEXT x
	990 ECS storecur	310 ORRS pc,link, #n_bit%	650 RECTANGLE 96,96,804,804
2020 :	1000 LDY parent	320 .checkbottom	66Ø GCOL Ø,2
2030 DEP PNdeptb(node)	1010 LDA loptr%-1,X	330 LDR R2,[R0]	67Ø RECTANGLE 92,92,812,812
2040 IP node = NULL THEN =0	1020 STA loptr%-1,Y	340 LDR R3, [R1]	680 POR piece=1 TO 3
2050 LOCAL left_depth,right_depth	1030 LDA biptr%-1,X	350 CMP R2,R3	690 px%=FNord(.5+piece*2)
2060 left_depth = PNdepth(node/Left) +	1040 STA biptr%-1,Y	360 BICCSS pc,link,#(n_bit% OR v_bit%	700 py%=-12
1	1050 JMP sortloop2	)	710 PROCdraw(px%,py%,piece)
2070 right_depth = FNdepth(node Right)	1060 .storecur	370 EIC link, link, #v_bit%	
+ 1	1070 LDX parent	38Ø ORRS pc, link, #n_bit%	720 GCOL 0,3 730 MOVE px%+42,py%-32
2080 IP left_depth > right_depth THEN = left_depth	1080 LDA curlo	390 INEXT	740 VDU 5,48+piece
	1090 STA loptr%-1,X	400 ENDPROC	750 GCOL 0,1
2090 =right_depth	1100 LDA curhi 1110 STA hiptr%-1,X	41Ø: 42Ø DEP PROCdemo	760 MOVE BY -36,4
Listing 5	1120 JMP sortloop	430 FOR i = 0 TO number - 1	770 VDU 5,48+piece 780 NEXT piece
10 REM >Heap8 (Info2c)	1130 :	440 memory!(i*8+4) = RND	790 ENDPROC
	1140 .compare	450 memory!(i*8) = RND	800 :
20 REM eight-hit heap sort	1150 LDY #0	460 NEXT	810 DEP PROCreset
30 REM by Davs Acton	1160 .compareloop	470 PRINT"Before sorting (Selection of 10)"'	820 VDU 26
40 REM for E/E+/E/M/C	1170 LDA (addr1),Y		830 ORIGIN 124,100
50 REM (c) EAU July 1991	1180 CMP (addr2),Y	480 POR i = 0 TO 9	840 ENDPROC
60 :	1190 ECC compared	490 PRINTPNnum(i*number/10)	850 :
70 MODE 0	1200 ENE compared	500 NEXT	860 DEF FNord(a) = (a*100) ANDNOT3
80 objects%=100	1210 INY	510 time%=TIME	870 :
90 max1en%=10	1220 CPY #max1en%	520 SYS "OS_HeapSort",number,pointers	880 DEP PROCdraw(rx,ry,piece)
100 DIM wk% objects%*maxlen%	1230 ENE compareloop	OR (%11 << 30),compare,,memory,8 530 time%=TIME-time%	890 VDU 24,rx;ry;rx+96;ry+96;
110 DIM loptr% objects%, hiptr% objects	1240 .compared		900 GCOL 0,1
%	1250 RTS	540 PRINT' "After sorting (Selection	910 RECTANGLE PILL TX, TY, 96, 96
120 DIM code% &100	1260 ]	of 10)"'	920 GCOL 0,2
130 :	1270 NEXT pass%	550 FOR i = 0 TO 9	930 RECTANGLE rx,ry,96,96
140 addr1 =&70	1280 PRINT"Eytes used=";P%-code%	560 PRINTFNnum(i*number/10)	940 GCOL 0,3
150 addr2 =&72	1290 PRINT'"Euilding random words:"'	570 NEXT	950 POR ix=0 TO 4 STEP 4
160 curlo =&74	1300 POR i%=0 TO objects%-1	580 PRINT'"Time taken: ";time%/100	960 POR iy=0 TO 4 STEP 4
170 curhi =&75	1310 a%=wk%+i%*max1en%	590 ENDPROC	970 CASE piece OP
180 node =&76	1320 \$a%=FNrandword	600 :	980 WHEN 1:
190 count =£77	1330 PROCdispword(\$a%,i%=objects%-1)	610 DEP FNnum(n) 620 PRINT" ";FNhex(memory!(n*8+4));P	990 CIRCLE rx+ix,ry+iy,50
200 cbild =£78	1340 loptr%?i%=a% MOD 256		1000 CIRCLE rx+ix+96,ry+iy+96,50
210 parent=&79	1350 hiptr%?i%=a% DIV 256	Nhex(memory!(n*8));	1010 WHEN 2:
220 :	1360 NEXT	63Ø =""	1020 LINE rx+ix,ry+iy+50,rx+ix+100,ry+i
230 POR pass%=0 TO 2 STEP 2	1370 A%=objects%	64Ø :	y+50
240 P%=code%	1380 TIME=0	650 DEP FNhex(dec)	1030 LINE rx+ix+50,ry+iy,rx+ix+50,ry+iy
250 [OPT pass%	1390 CALL sort	660 =RIGHT\$("00000000"+STR\$ dec,8)	+100
260 .sort	1400 t%=TIME	Listing 7	1040 WHEN 3:
270 STA count	1410 PRINT''"Sorted in ";t%;" centiseco		1050 CIRCLE rx+ix+96,ry+iy,50
280 LSR A	nds:"'		1060 CIRCLE rx+ix,ry+iy+96,51
290 STA node	1420 POR i%=0 TO objects%-1	10 REM >Squiggle (Info3a)	1070 ENDCASE
300 INC node	1430 a%=1optr%?i%+256*hiptr%?i%	20 REM Pips Game	1080 NEXT iy
310 .sortloop	1440 PROCdispword(\$a%,i%=objects%-1)	30 REM by Earry Wickett	1090 NEXT ix
320 LDY node	1450 NEXT	40 REM for Archimedes only	1100 PROCreset
330 CPY #1	1460 END	50 REM (c) EAU July 1991	1110 ENDPROC
340 ENE nodenot1	1470 :	60:	1120 :
350 LDX count	1480 DEP PROCdispword(w\$, last%)	70 PROCsetup	1130 DATA 0,-1,-1,0,0,1,1,0
360 LDA loptr%-1,X 370 STA curlo	1490 PRINT w\$; 1500 IP NOT last% PRINT",";	8Ø REPEAT	1140 DATA 4,3,2,1
380 LDA biptr%-1,X	1510 IP POS>78-maxlen% PRINT	90 player%=3-player% 100 PROCplay	1150 DATA 1,2,3,4 1160 DATA 2,1,4,3
390 STA curbi	1520 ENDPROC	110 UNTIL winner%>0	T:-4: C
400 LDA loptr%	1530 :	120 VDU 4	
410 STA 10ptr%-1,X 420 LDA biptr%	1540 DEP PNrandword 1550 r\$=""	130 COLOUR 1 140 PRINTTAB(12,30);" Player ";winner%	Listing 8
430 STA biptr%-1,X	1560 cons%=TRUE	;" won! "	10 REM >Squig8 (Info3b)
440 DEX	1570 count%=0	150 END	20 REM Original by Earry Wickett
450 STX count	1580 REPEAT	160 :	30 REM 8-bit version by Dave Acton
460 CPX #1	1590 IF cons% PROCconsonant ELSE PROCvo	170 DEP PROCplay	40 REM for B/B+/E/M/C/A
470 ENE SOIT2		180 rx%=FNord(x%)	50 REM (c) EAU July 1991
480 LDA curlo	1600 UNTIL LEN(r\$)=maxlen%-1 OR (LEN(r\$	190 ry%=PNord(y%)	60 :
490 STA loptr%	)>3 AND RND(5)=5)	200 GCOL 3,3	70 ON ERROR MODE 0:REPORT:PRINT" at 1 ine ";ERL:END
500 LDA curbi	1610 =r\$	210 RECTANGLE FILL rx%, ry%, 96,96	
510 STA biptr%	1620 :	220 MOVE BY -60,-32	80 MODE 1
520 JMP sort2	1630 DEP PROCconsonant	230 VDU 48+player%	90 PROCsetup
530 .nodenot1	1640 r\$=r\$+MID\$("ECDPGHJKLMNPQRSTVWXYZ"	240 REPEAT	100 REPEAT
540 DEY	,RND(21),1)	250 key%=GET-48	110 player%=3-player%
550 STY nods	1650 count%=count%+1	260 UNTIL key%>=1 AND key%<=3	120 PROCplay
560 LDA loptr%-1,Y 570 STA curlo	1660 IF count%=2 OR RND(3)<3 cons%=NOT cons%:count%=0	270 PROCdraw(FNord(x%), FNord(y%), key%) 280 hoard%(x%, y%) = key%	130 UNTIL winner%>0
580 LDA biptr%-1,Y	1670 ENDPROC	290 REPEAT	150 COLOUR 3
590 STA curbi 600 .sort2	1680 : 1690 DEP PROCvowe1	<pre>300 pd%=entrance(board%(x%,y%),pd%) 310 x%+=ix%(pd%)</pre>	160 PRINTTAB(12,30);" Player ";winner%;" won! "
61Ø LDA count 62Ø CMP #1	1700 r\$=r\$+MID\$("AEIOU",RND(5),1) 1710 cons%=NOT cons%	320 y%+=iy%(pd%) 330 UNTIL board%(x%,y%)=0 OR x%<1 OR y	17Ø END 18Ø :
630 ENE notdonesort	1720 ENDPROC	%<1 OR x%>8 OR y%>8	190 DEP PROCplay
640 RTS 650 .notdonesort	Listing 6	340 IP (x%=8 AND y%=9) OR (x%=9 AND y%=9) THEN	200 rx%=FNord(x%) 210 ry%=PNord(y%)
660 STY child	10 REM >OSHeapDemo (Info2d)	350 winner%=p1ayer%	220 GCOL 0,2
670 .sortloop2		360 ELSE	230 PROCrectfill(rx%,ry%,96,96)
680 LDA child	20 REM 32 Eit beap sort	37Ø IP x%<1 OR y%<1 OR x%>8 OR y%>8 TH	240 GCOL 0,3
690 STA parent	30 REM By David Lawrencs	EN winner%=3-player%	250 MOVE rx%+36,ry%+64
700 ASL A	40 REM Por Archimedes only	38Ø ENDIP	260 VDU 48+player%
710 STA cbild	50 REM (c) EAU July 1991	39Ø ENDPROC	27ø REPEAT
720 BCS storecur	60 :	40Ø :	28ø key%=GET-48
730 CMP count	70 MODE 0	410 DEF PROCSetup	290 UNTIL key%>=1 AND key%<=3

```
1500 DATA 0.0.0.0.1,3,3
1510 DATA 0.0.7,63,127,248,224,192
1520 DATA 0.0.7,63,127,248,224,192
1530 DATA 0.0.0.0.0.192,224,224
1540 DATA 7,15,14,14,28,28,28,28
1550 DATA 128,0.0.0.0.0.0
1570 DATA 0.0.0.0.0.0.0
1570 DATA 240,120,56,56,28,28,28,28
1590 DATA 28,28,28,14,14,15,7,3
1590 DATA 28,28,28,14,14,15,7,3
1590 DATA 28,28,28,14,14,15,7,3
1590 DATA 28,28,28,14,16,15,7,3
1590 DATA 28,28,28,56,56,120,240,224
1620 DATA 3,10,0.0.0.0.0
1630 DATA 224,248,127,63,7,0.0.0
1640 DATA 3,15,255,254,240,0.0.0
1650 DATA 3,15,255,254,240,0.0.0
       300 PROCdraw(FNord(x%),FNord(y%),key%)
                                                                                                                                 x,y))
680 NEXT y
690 NEXT x
                                                                                                                                                                                                                                                                   1090 MOVE x-64+32*j%, y+63-32*i%
        310 board%(x%,y%)=key%
320 REPEAT
                                                                                                                                                                                                                                                                    1100 VDU 128+j%+4*i%
                                                                                                                                                                                                                                                                   1110 VDU 128
1110 NEXT
1120 NEXT
1130 ENDPROC
320 REPEAT
330 pd%-entrance(board%(x%,y%),pd%)
340 x%=x%+ix%(pd%)
350 y%=y%+iy%(pd%)
350 UNTIL board%(x%,y%)=0 OR x%<1 OR y
%<1 OR x%>8 OR y%>8
370 IF (x%=8 AND y%=9) OR (x%=9 AND y%=9) THEM winner%=19) THEM winner%=10 xy%>8 OR y%>8 TH
EN winner%=3-player%
390 ENDPROC
400 :
410 DEF PROCeetup
                                                                                                                                       700 PROCrect (96,95,804,804)
710 GCOL 0,2
720 PROCrect (92,92,812,812)
                                                                                                                                                                                                                                                                    1140 :
                                                                                                                                                                                                                                                                    1150 DEF PROCtype1
                                                                                                                                       730 FOR piece=1 TO 3
740 px%=FNord(.5+piece*2)
                                                                                                                                                                                                                                                                   1160 PROCCircls(rx,ry)
1170 PROCCircls(rx+96,ry+96)
1180 ENDPROC
                                                                                                                                       740 px%=rhold(100)
750 py%=-12
760 PROCdraw(px%,py%,piece)
                                                                                                                                      760 PROCdraw(px%,py%,pi
770 GCOL 0,2
780 MOVE px%+40,py%-32
790 VDU 48+piece
800 GCOL 0,3
810 MOVE px%+36,py%-28
                                                                                                                                                                                                                                                                   1190 :
1200 DEF PROCTYPE2
1210 PROCrectfill(rx,ry+50-4,100,8)
1220 PROCrectfill(rx+50-4,ry,8,100)
        400 :
410 DEF PROCSETUD
                                                                                                                                                                                                                                                                   1230 ENDPROC
       410 DEF PROCSETUP

420 VDU 19,0,4,0,0,0

430 VDU 19,2,0,0,0,0

440 VDU 5

450 PROCreset

460 player%=2:winner%=0
                                                                                                                                       820 VDU 48+piecs
830 NEXT piece
840 ENDPROC
850:
                                                                                                                                                                                                                                                                   1240 :
1250 DEF PROCtype3
1260 PROCcircle(rx+96,ry)
1270 PROCcircle(rx,ry+96)
                                                                                                                                                                                                                                                                                                                                                                                                Listing 9
                                                                                                                                       850 :
860 DEP PROCreset
                                                                                                                                                                                                                                                                                                                                                                                                        10 REM >GrabSpr (Info4)
20 REM hy Dave Acton
30 REM for Archimedes only
40 REM (c) BAU July 1991
                                                                                                                                                                                                                                                                    128Ø ENDPROC
                                                                                                                                       870 VDU 26,29,124;100;
880 ENDPROC
       470 x%=2:y%=1:pd%=4
480 DIM board%(9,9),ix%(4),iy%(4),entr
                                                                                                                                                                                                                                                                    1300 DEF PROCESCE (x%, y%, w%, h%)
                                                                                                                                                                                                                                                                   1300 DEF PROCrect (x%,)
1310 MOVE x%,y%
1320 DRAW x%+w%,y%
1330 DRAW x%+w%,y%+h%
1340 DRAW x%,y%+h%
1350 DRAW x%,y%
     nce(3,4)
490 POR dir=1 TO 4
500 READ ix%(dir),iy%(dir)
510 NEXT dir
520 FOR piece=1 TO 3
530 FOR entrance=1 TO 4
540 READ entrance(piece,entrance)
550 NEXT entrance
550 NEXT piece
570 FOR c%=128 TO 143
580 VDU 23,c%
590 FOR d%=0 TO 7
600 READ b%
                                                                                                                                       900 DEP FNord(a)=(a*100) AND (NOT 3)
910 :
                                                                                                                                                                                                                                                                                                                                                                                                        60 SYS "Wimp_BaseOfSprites" TO hasel%
                                                                                                                                      910 :
920 DEF PROCGTAW(rx,ry,piece)
930 VDU 24,rx;ry;rx+96;ry+96;
940 GCOL 0,129
950 CLG
                                                                                                                                                                                                                                                                                                                                                                                                hase2%
                                                                                                                                                                                                                                                                                                                                                                                                       ase2%
70 PROCsavs("ROM",hase1%)
80 PROCsave("RAM",hase2%)
                                                                                                                                                                                                                                                                   1360 ENDPROC
                                                                                                                                                                                                                                                                   1360 ENDPROC
1370:
1380 DEF PROCrectfill(x%,y%,w%,h%)
1390 NOVE x%,y%
1400 MOVE x%+x%,y%
1410 PLOT 85,x%,y%+h%
1420 PLOT 85,x%+w%,y%+h%
                                                                                                                                                                                                                                                                                                                                                                                                     90 END
100 :
110 DEF PROCsave(which$, hase%)
                                                                                                                                   950 CLG

960 GCOL 0,2

970 PROCrect(rx,ry,96,96)

980 GCOL 0,3

990 IF piece=1 PROCtype1

1000 IF piece=2 PROCtype2

1010 IP piece=3 PROCtype3
                                                                                                                                                                                                                                                                                                                                                                                                     120 REPEAT
130 PRINT"Savs "which's spritss as: "
                                                                                                                                                                                                                                                                                                                                                                                               ;
140 INPUT""file$
150 SYS "XOS_SpriteOp",256+12,base%,f
11e$ TO ;Ok%
160 UNTLL (Ok% AND 1)=0
170 ENDFROC
        600 READ h%
                                                                                                                                                                                                                                                                   1430 ENDPROC
        610 VDII h%
                                                                                                                                    1020 PROCreset
                                                                                                                                                                                                                                                                   1440 :
1450 DATA 0,-1,-1,0,0,1,1,0
1460 DATA 4,3,2,1
1470 DATA 1,2,3,4
1480 DATA 2,1,4,3
        620 NEXT
                                                                                                                                    1030 ENDPROC
                                                                                                                                    1030 ENDEROC
1040 :
1050 DEF PROCCIPCIS(x,y)
       630 NEXT
640 board%(1,1)=2:board%(8,8)=2
650 FOR x=1 TO 8
660 FOR y=1 TO 8
                                                                                                                                   1060 LOCAL i%, j%
1070 POR i%=0 TO 3
1080 FOR j%=0 TO 3
                                                                                                                                                                                                                                                                                                                                                                                                                                            GameCore
       670 PROCdraw(PNord(x),FMord(y),board%(
                                                                                                                                                                                                                                                                                                                                                                                                  1720 laflg =1<<5
1730 inlaflg=1<<6
1740 nullflg=1<<7
  Listing 1
                                                                                                                               610 REPEAT
620 CASE status%(gameno%) OF
630 WHEM stat_prethink%;
640 tt%=TIME
650 info%(gameno%) f60=player%(gameno%)
660 SYS "GameCore_Stale", player%(gameno%), inst1% TO 2*
670 IP 2% THEM
680 stale%(gameno%)+=1
690 status%(gameno%)==at_postmove%
700 EISS
710 stale%(gameno%)=0
720 CASE control(gameno%, player%(gamen
                                                                                                                                                                                                                                                                   1130 UNTIL winner%(gameno%)<>-2
                                                                                                                                                                                                                                                                   1130 bNTL Winner*(gameno*) >>-2
1140 IF winner*(gameno*) =-1 THEM
1150 games (gameno*, 0) += .5
1160 games (gameno*, 1) += 0.5
1170 ELSE
          10 REM >!RunImage (GameCorel)
        10 REM >Runimage (GameCore 20 REM GameCore Demo 30 REM hy Adam Broges 40 REM for Archimedes only 50 REM (c) BAU July 1991 60:
                                                                                                                                                                                                                                                                                                                                                                                                   1750 :
1760 who=0
                                                                                                                                                                                                                                                                                                                                                                                                   1770 level=1
1780 bestptr=2
1790 val=3
1800 delta=4
                                                                                                                                                                                                                                                                   1180 games(gameno%,winner%(gameno%))+=1
                                                                                                                                                                                                                                                                   1190 ENDIF
          60 :
70 MODE 12
                                                                                                                                                                                                                                                                   1210 starts%(gameno%)=1-starts%(gameno%
                                                                                                                                                                                                                                                                                                                                                                                                   1810 hase2=5
          80 OFF
90 FOR c%=0 TO 3
                                                                                                                                                                                                                                                                                                                                                                                                   1820 temp=6
                                                                                                                                                                                                                                                                  1220 game%+=1
1230 PROCC(" Game Over ",6)
1240 FOR p%=0 TO 1
1250 PROCC("Player "+STR$(p%+1)+", Game
="+STR$(games(gameno%,p%)),24+p%)
1260 NEXT
       90 FOR C%=0 TO 3
100 COLOUR C%,0
110 NEXT
120 COLOUR 8,1
130 *FORNTER
140 *RMLOAD <GameCore$Dir>.GameCore$
                                                                                                                                                                                                                                                                                                                                                                                                   1830 temp2=7
                                                                                                                                                                                                                                                                                                                                                                                                  1830 temp2=7

1840 heta=8:nval=8

1850 maxsofar=9:minsofar=9:temp3=9

1860 bass=10

1870 alpha=11:temp4=11

1880 wkpt=12:hrd=12
                                                                                                                                       720 CASE control(gameno%,player%(gamen
                                                                                                                                      730 WHEN 0:PROCinitcomputermove(gameno
                                                                                                                                730 WHEN 0:FROCINITCOMPUTERMOVE(gameno*, player*(gameno*))
740 WHEN 1:FROCINITPLAYSTMOVE(gameno*, player*(gameno*))
750 ENDCASE
760 Status*(gameno*)=stat_think*
                                                                                                                                                                                                                                                                  1260 NEXT
1270 PROCC("Click mouse to continus..."
                                                                                                                                                                                                                                                                                                                                                                                                  1880 wkpt=12:hrd

1890 sp=13

1900 link=14

1910 pc=15

1920 :

1930 vhit=1<<28
        160 PROCmaininit
        180 f$(gameno%=0
180 f$(gameno%)="td"
190 LIBRARY("<GameCore$Dir>."+f$(gamen
                                                                                                                                                                                                                                                                   1290 REPEAT:MOUSE x,y,h:UNTIL h=0
1290 REPEAT:MOUSE x,y,h:UNTIL h<>0
                                                                                                                                       770 z%=FNfunc(gameno%, "listmoves")
                                                                                                                                  770 z*=FNfunc(gameno%, "listmoves")
780 ENDIF
790 IP control(gameno%, player%(gameno%))-0 PROCc("Thinking...",6) BLSE PROCc(
"Your move...",6)
800 WHEN stat_think%:
810 CASE control(gameno%, player%(gamen
                                                                                                                                                                                                                                                                  1290 REPEAR:MOUSE x,y,h;UNTIL hc:
1300 UNTIL FALSE
1310 END
1320 :
1330 DEF FROCC(t$,y$)
1340 PRINTTAB(60-LEN(t$)/2,y$)t$
1350 ENDFROC
       200 info%(gameno%)≃FNgetahlock(128)
                                                                                                                                                                                                                                                                                                                                                                                                   1940 chit=1<<29
200 info%(gameno%)=FNgetahlock(128)
210 z%=FNftunc(gameno%, "init")
220 hsst%(gameno%)=FNgetahlock(info%(gameno%)?55)
230 info%(gameno%)!56=hest%(gameno%)
240 ss%=£100*info%(gameno%)!32*info%(gameno%)!35*info%(gameno%)!32*info%(gameno%)!35*info%(gameno%)!35*info%(gameno%)!35*info%(gameno%)!35*info%(gameno%)!4=0
250 s%(gameno%)!4=0
280 s%(gameno%)!2=16
290 s%(gameno%)!2=16
390 SYS "OS_SpriteOp",15+256,6%(gameno%)!7baad",0,info%(gameno%)!32/2,info%(gameno%)!35/4,12
310 SYS "GameCore Init",info%(gameno%)
                                                                                                                                                                                                                                                                                                                                                                                                   1950 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                   1970 DEF PROCinitcomputermove(gameno%,w
                                                                                                                                                                                                                                                                                                                                                                                                 1980 gotvalidmove%=FALSE
                                                                                                                                 08)) tr
820 WHEN 0:
830 dome%=FNgetcomputermove(gameno%,pl
ayer%(gameno%))
840 z%=FMpassonclicks(gameno%,who%,"id
                                                                                                                                                                                                                                                                   1370 DEF PROCMaininit
                                                                                                                                                                                                                                                                 1370 DEF PROCmaininit
1380 NOUSE xk,yk,washut%
1390 think)="" "
1400 maxyames%=8
1410 DIM pres% &300
1420 DIM scale% 16
1430 scale%!8=256*0.5
1440 scale%!8=256*0.5
1440 scale%!4=256
1450 scale%!12=256
1470 DIM games(maxyames%,1),examinsd(maxyames%,1) tetp (maxyames%,1)
                                                                                                                                                                                                                                                                                                                                                                                                  1990 flgs%=0
2000 IF turn%(gameno%)<5 flgs%=flgs% OR
                                                                                                                                                                                                                                                                                                                                                                                               2000 IF turn*(gameno%) S figs%=figs% OR rndfig
2010 level%=info%(gameno%) 752
2020 levsl2%=info%(gameno%) 753
2030 finished%=0
2040 prethink*(gameno%)=TRUE
2050 cutofftime%=TIME+timepermove(gamen
0%,who%)*1.1
                                                                                                                                     850 WHEN 1:
                                                                                                                                 869 done%=FNpassonclicks(gameno%, playe
r%(gameno%), "getmove")
870 ENDCASE
880 IF done% THEN
ameno%)!36/4,12
310 STS "GameCore_Init",info%(gameno%)
TO inst1%
320 spare%(gameno%)=!info%(gameno%)+in
fo%(gameno%)!40
330 control(gameno%,0)=1
340 control(gameno%,1)=0
350 timepermove(gameno%,0)=200
360 timepermove(gameno%,1)=200
370 step(gameno%,0)=2
380 step(gameno%,0)=2
380 step(gameno%,0)=2
400 starts%(gameno%)=0
410 game%=1
                                                                                                                                                                                                                                                                                                                                                                                                  2060 couldmove%(gameno%)=TRUE
2070 ENDPROC
                                                                                                                                       890 CASE control(gameno%,player%(gamen
                                                                                                                                                                                                                                                                xgames%,1),step(maxgames%,1)
1480 DIM last(maxgames%,1),timeforlast(
                                                                                                                                      900 WHEM 0:PROCdonecomputermove(gameno
                                                                                                                                                                                                                                                                                                                                                                                                   2090 DEF PROCInitplayermovs(gameno%, who
                                                                                                                               %, player*(gameno%)
910 WHEM 1:RNOCdoneplsyermove(gameno%,
player*(gameno%))
920 ENDCASE
                                                                                                                                                                                                                                                                 1400 DIM Last(maxyames%,1),timeforfast(maxyames%,1)
1490 DIM timepsrmove(maxyames%,1),control(maxyames%,1)
1500 DIM info%(maxyames%),s%(maxyamss%)
                                                                                                                                                                                                                                                                                                                                                                                                  2100 z%=FNfunc(gameno%, "initgetmove")
                                                                                                                                                                                                                                                                                                                                                                                                  2110 ENDPROC
                                                                                                                                                                                                                                                                 f$(maxgames%)
                                                                                                                                                                                                                                                                                                                                                                                                  2130 DEF PROCdonecomputermove(gamsno%,w
                                                                                                                                                                                                                                                                   1510 DIM playsr%(maxgamss%), starts%(max
                                                                                                                                     940 moves%(gameno%, player%(gameno%))+=
                                                                                                                                                                                                                                                                                                                                                                                                 no%)
2140 IF finished%<2 THEN
                                                                                                                                    950 PROCrestoreboard(gameno%)
960 status%(gameno%)=stat_premove%
970 ENDIF
980 WHEM stat_premove%:
                                                                                                                                                                                                                                                                   1520 DIM moves%(maxgames%, 1)
                                                                                                                                                                                                                                                                                                                                                                                                 2150 last(gameno%,0)=info%(gamsno%)?52
2160 last(gameno%,1)=info%(gameno%)?52
                                                                                                                                                                                                                                                                  1530 DIM prethink%(maxgames%)
1540 DIM gameover%(maxgames%), winner%(m
       410 game%=1
                                                                                                                                                                                                                                                                                                                                                                                                  2170 ENDIF
2180 ENDPROC
     420 :
420 :
430 REPEAT
440 CLS
450 PROCC("GameCore - Demo Version",2)
460 PROCC("3-D Noughts & Crosses",4)
470 turn%(gameno%)=0
480 last(gameno%,0)=info%(gameno%)?52
490 last(gameno%,1)=info%(gameno%)?52
500 timeforlast()=10
510 %%=FMfunc(gameno%,"newgame")
520 PROCpreservebosrd(gameno%)
530 z%=FMfunc(gameno%,"showboard")
540 status%(gameno%)=starts%(gameno%)
550 moves%(gameno%)=starts%(gameno%)
550 moves%(gameno%)=FALSE
580 gamsover%(gameno%)=FALSE
590 stale%(gamsno%)=0
600 :
                                                                                                                                 980 MHEM stat_premove%:
990 %=RYDunc(gameno%, "unlistmoves")
1000 %=RYDunc(gameno%, "initdomove")
1010 status%(gameno%, "stat_move%;
1020 WHEM stat_move%;
1030 %=RYDunc(gameno%, "domove")
1040 PROCpreservehoard(gameno%)
1050 IP z% THEM status%(gameno%)=stat_p
stmove%
       430 REPEAT
                                                                                                                                                                                                                                                                 1550 DIM couldmove%(maxgames%)
1560 DIM hsst%(maxgamss%),turn%(msxgame
                                                                                                                                                                                                                                                                                                                                                                                                  2190 :
2200 DEF PROCdoneplayermove(gamsno%,who
                                                                                                                                                                                                                                                                 18)
1570 DIM status%(maxgames%)
1580 DIM statle%(maxgames%)
1590 DIM spars%(maxgames%)
1600 stat_prethink%=0
1610 stat_premove%=2
1630 stat_premove%=2
1630 stat_move%=3
1640 stat_postmove%=4
1650 sice%=5
                                                                                                                                                                                                                                                                                                                                                                                                %)
2210 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                  2230 DEF FNgstcomputsrmovs(gameno%, who%
                                                                                                                                                                                                                                                                                                                                                                                                 2240 LOCAL gotmove%
2250 gotmove%=FALSE
2260 IF gotvalidmove% AND TIME>cutoffti
                                                                                                                                  1060 WHEN stat_postmove%
1070 player%(gamsno%)=1-player%(gamsno%
                                                                                                                                                                                                                                                                                                                                                                                              me% THEN
                                                                                                                                                                                                                                                                                                                                                                                                me% THEN
2270 gotmovs%=TRUE
2280 ELSE
2290 IF prethink%(gameno%) THEN
2300 prethink%(gameno%)=FALSE
2310 timsstarted=TIME
                                                                                                                                   1080 IF playsr%(gameno%)=starts%(gamsno
                                                                                                                                                                                                                                                                 1650 sitce%=5

1660 :

1670 llflg =1<<0

1680 freflg =1<<1

1690 hltflg =1<<2

1700 winflg =1<<3

1710 rndflg =1<<4
                                                                                                                                 %) turn%(gameno%)+=1
1090 status%(gameno%)=stat_prethink%
```

1100 ENDCASE

1110 info%(gameno%)?61=sta1s%(gameno%)
1120 winner%(gameno%)=FNfunc(gameno%,"g

# PAGES YELLOW

```
3260 VDU 24,x0;y0;x1;y1;
3270 SYS "OS_SpriteOp",34+256,s%(gameno
%),"board",0,0,0
3280 VDU 26,28,40,31,120,0
3290 ENDIF
3300 ENDIF
232Ø SYS "GameCore_Think", who%, 1, inst1%
                                                                                                                                                                                                                                                                                    980 CMP R2,#0
990 SWINE "XOS Module"
                                                                                                                                                                                                                                                                                                                                                                                                                      2110 .cbeckstaleloop
   , level%, level2%, flgs% TO ex%, status%, num
poss%, result%
                                                                                                                                                                                                                                                                                                                                                                                                                    2110 c.beckstaleloop
2120 STMP(sp)!,(bestptr,level)
2130 EIC level,level,#hltflg+frcflg
2140 MOV link,pc
2150 LDR pc,listonemoveaddr
2150 LDMPD (sp)!,(hestptr,level)
                                                                                                                                                                                                                                                                                990 SWINE "XOS_Module"
1000 ADD R9,R9,#1
1010 CMP R9,#maxinst%
1020 ELT quitloop
1030 MOV R0,#tickerv
1040 ADR R1,tickroutine
   poss%, result%
2330 ELSE
2340 SYS "GameCore_Continue",, slice%, in
stl% TO ex%, status%, numposs%, result%
                                                                                                                                                                                                                                                                                                                                                                                                                    2160 LDMFD (sp)!, {hestptr,leve:
2170 MOV link,pc
2180 BVC notstale
2190 ECC checkstaleloop
2200 MVN R0,#0
2210 LDMFD (sp)!, {R1-R12,link}
2220 EICS pc,link,#vhit
      2350 ENDIF
2360 examined(gameno%,who%)+=ex%
                                                                                                                                             331Ø =z%
                                                                                                                                             3320
                                                                                                                                                                                                                                                                                 1050 MOV R2,#0
1060 SWI "XOS Release"
      2360 examined (gameno%, who%) +:
2370 IF status%=0 THEN
2380 finisbed%+=1
2390 pretbink%(gameno%)=TRUB
2400 IF numposs%>0 THEN
2410 IF numposs%=1 THEN
                                                                                                                                           3330 DEF FNgetablock(p1sase%)
3340 DIM lights% please%
3350 =lights%
                                                                                                                                                                                                                                                                                 1070 LDMFD (sp)!, (RØ-R12,pc)
                                                                                                                                                                                                                                                                                1070 LDMFD (sp)!, (R0-R12, p
1080 :
1090 .tickroutine
1100 STMFD (sp)!, (R0, link)
1110 LDR R0, ticker
1120 ADD R0, R0, #1
                                                                                                                                                                                                                                                                                                                                                                                                                      2230 :
2240 .notstale
                                                                                                                                         Listing 2
       2420 1%=0
                                                                                                                                                                                                                                                                                                                                                                                                                    2240 .notstale

2259 MOV RØ,#Ø

2260 LDMFD (sp)!,{R1-R12,link}

2270 EICS pc,link,#whit

2280 :

2290 .movelengtb
       2430 ELSE
      2430 ELSE
2440 REPEAT
2450 i%=RND(numposs%)-1
2460 UNTIL !(!(result%+4*i%))=!!result%
2470 ENDIT
2480 PROCcopy(hest%(gameno%),!(result%+
                                                                                                                                                 10 REM >GCS1 (GameCore2)
20 REM GameCore module sourcs
30 REM hy Adam Eroges
40 REM for Archimedes only
50 REM (c) EAU July 1991
                                                                                                                                                                                                                                                                                1120 ADD RØ,RØ,#1
1130 STR RØ,ticker
1140 LDMFD (sp)1,{RØ,pc}^
1150:
1160 .ticker
1170 EQUD Ø
   4*i%),info%(gameno%)?55)
2490 IF !hest%(gameno%)>&FE00 gotmove%=
                                                                                                                                                 60
                                                                                                                                                                                                                                                                                 1180 :
                                                                                                                                                                                                                                                                                                                                                                                                                      2310 :
                                                                                                                                                                                                                                                                                 1180 :
1190 :swihandler
1200 CMP R11,#6
1210 ADDCC pc,pc,R11,LSL #2
1220 E returntosender
                                                                                                                                                                                                                                                                                                                                                                                                                     2310 gcinit
2320 gcinit
2330 STMFD (sp)!, (R1-R12,1ink)
2340 MOV R11, R0
2350 ADR R9, instptr
                                                                                                                                                  70 DIM code% £1000
   2500 ELSE
2510 Couldmove%(gameno%)=FALSE
2520 gotmove%=TRUB
                                                                                                                                              % PROCass

90 PRINT"Eytes used: ";0%-code%

100 SYS "OS_File",10,"GameCore",&FFA,,
                                                                                                                                                                                                                                                                                                                                                                                                                      236Ø MOV R8.#Ø
                                                                                                                                         code%,0%
110 END
                                                                                                                                                                                                                                                                                 1230 .jumptable
   2528 GOLTMOVE%=TRUB
2536 ENIP 2540 IF NOT gotvalidmove% THEN
2550 level%=last(gameno%, who%)
2550 IF timeforlast(gameno%, who%)>0.9*(
cutofftime%=TIME) AND level%>2 level%-=s
tep[gameno%, who%)
2570 ELSE
2550 Lett(gameno%, who%)=level%
                                                                                                                                                                                                                                                                                1230 .jumptahle
1240 E gcinit
1250 E think
1260 E validate
1270 E kill
1280 E continue
1290 E stale
                                                                                                                                                                                                                                                                                                                                                                                                                      2370 :
                                                                                                                                                                                                                                                                                                                                                                                                                    2370 :
2380 findinst
2390 LDR R10,[R9,R8,ASL #2]
2400 CMP R10,#0
2410 EEQ foundinst
2420 ADD R8,R8,#1
                                                                                                                                              120
                                                                                                                                                130 DEF PROCASS
                                                                                                                                              130 DEF PROCass
140 maxinst%=8
150 instreq%=64
160 ptroff%=instreq%
170 ptrsize%=32*1024-ptroff%
180 required%=ptroff%+ptrsize%
                                                                                                                                                                                                                                                                                                                                                                                                                     2430 CMP R8, #maxinst%
2440 BLT findinst
                                                                                                                                                                                                                                                                                 1300 :
       258Ø last(gameno%, who%)=level%
                                                                                                                                                                                                                                                                                 1310 .returntosendsr
                                                                                                                                                                                                                                                                                1.130 ADR RØ,errmsg
1330 ORRS pc,R14,#vhit
1340 errmsg
1350 EQUD 4801A00+1
1350 EQUS "Unrecognised GameCore SWI"
                                                                                                                                                                                                                                                                                                                                                                                                                    2448 BLT findinst
2450:
2460 .cantinit
2470 ADR R0,toomany
2480 LDMPD (sp)! (R1-R12,1ink)
2490 ORRS pc,link,#vhit
      259Ø timeforlast(gameno%,wbo%)=TIME-tim
                                                                                                                                             190 :
200 tickerv=£1C
210 :
210 :
220 liftg =l<<0
230 frofig =l<<1
240 bltfig =l<<2
250 winflg =l<<2
250 winflg =l<<4
270 lafig =l<<6
270 lafig =l<<6
370 milftg=l<<6
390 milftg=l<<6
390 milftg=l<<6
390 inflg =l<<10
310 :
                                                                                                                                              190
   estarted
2600 level%+=step(gameno%,who%)
2610 IF timeforlast(gameno%,who%)>(cuto
fftime%-TIME)/2 gotmove%=TRUB
      2620 ENDIF
2630 level2%=leve1%+info%(gameno%)?54
                                                                                                                                                                                                                                                                                 137Ø EOUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                      2500 :
2510 .foundinst
                                                                                                                                                                                                                                                                                 138Ø ALIGN
                                                                                                                                                                                                                                                                                                                                                                                                                    2510 .foundinst

2520 MOV R0,#6

2530 MOV R3,#required%

2540 SMI "XOS_Module"

2550 EVS cantinit

2560 STR R2, [R9, R8, ASL #2]

2570 LDMIA (11)!, [R4-R7]

2590 STMIA (2)!, [R4-R7]

2600 STMIA (2)!, [R4-R7]

2610 LDMIA (11)!, [R4-R7]

2620 STMIA (2)!, [R4-R7]
                                                                                                                                                                                                                                                                                1390 aLIGN

1390 :

1400 .switable

1410 EQUS "GameCore"

1420 EQUB 0

1430 EQUS "Init"

1440 EQUB 0
      2640 gotvalidmove%=TRUB
2650 IF level2%>=info%(gameno%)?24 THEN
gotmove%=TRUB
2650 ENDIF
       267Ø ENDIF
       268Ø =gotmove%
                                                                                                                                              310 :
                                                                                                                                                                                                                                                                                1440 EQUB 0
1450 EQUS "Think"
1460 EQUB 0
1470 EQUS "Validate"
1480 EQUB 0
1490 EQUS "Kill"
                                                                                                                                              320 gpti=3
       2690
                                                                                                                                              320 qpt1=3
330 qpt1=4
340 qsa=5
350 qsn=6
      2700 DEF FNpassonclicks(gameno%, wbo%, f$
       2710 LOCAL gotmove%
     2710 bUCAL GOUNDVE

2720 gotDnovemPALSE

2730 MOUSE x*,y*,but*

2740 IF hut*<br/>
2750 IF but*<br/>
2750 IF but*<br/>
2750 IF x*>=0 AND x*<info*(gameno*)132
                                                                                                                                                                                                                                                                                                                                                                                                                    2610 LDMIA (11):, {R4-R7}

2620 STMIA (2):, {R4-R7}

2630 LDMIA (11)!, {R4-R7}

2640 STMIA (2):, {R4-R7}

2650 MOY M9, R8

2650 LDMFD (sp)!, {R1-R12, link}

2670 EICS pc, link, #vhit
                                                                                                                                              360 qsi=7
                                                                                                                                             350 qs1=7

370 qsj=8

380 qsp=9

390 qstemp=10

400 qstemp2=11

410:

420 who=0
                                                                                                                                                                                                                                                                                 1500 EQUB 0
1510 EQUS "Continue"
                                                                                                                                                                                                                                                                                 1510 EQUS "CONTINU
1520 EQUB Ø
1530 EQUS "Stale"
1540 EQUB Ø
1550 ALIGN
    THEN 2770 IF y%>=0 AND y%<info%(gameno%)!36
                                                                                                                                                                                                                                                                                                                                                                                                                     268Ø :
269Ø .kill
                                                                                                                                              43Ø level=1
                                                                                                                                                                                                                                                                                 156Ø:
                                                                                                                                                                                                                                                                                                                                                                                                                    2690 .kill

2700 STMPD (sp)!,{RØ-Rl2,link}

2710 CMP RØ,#Ø

2720 ELT cantkill

2730 CMP RØ,#maxinst%

2740 EGE cantkill
                                                                                                                                             440 hestptr=2
450 val=3
460 ptr=4
470 base2=5
480 temp=6
      278Ø info%(gameno%)!64=x%
                                                                                                                                                                                                                                                                                 1570 .validate
                                                                                                                                                                                                                                                                                1570 .validate
1580 STMFD (sp)!, {R1-R12,1ink}
1590 STM R3,movelengtb
1600 EL getinst
1610 MoV ptr.R1
1620 MOV level,#0
      2790 info%(gameno%)|50=x%
2790 info%(gameno%)|58=y%
2800 info%(gameno%)|72=but%
2810 gotmove%=FNfunc(gameno%,f$)
2820 ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                                    2790 BUS CARLKII
2750 ADR RI, instytr
2750 LDR R2, [R1, R0, ASL #2]
2770 MOV R3, #0
2780 STR R3, [R1, R0, ASL #2]
2790 CMP R2, #0
2800 EEG cartkill
2810 MOV R0, #7
                                                                                                                                              49Ø temp2=7
       283Ø ENDIF
                                                                                                                                                                                                                                                                                1620 MOV level,#0
1630 ADD bestptr,wkpt,#ptroff%
1640 LDR wkpt,[wkpt]
1650 MOV link,pc
1660 LDR pc,initlistmovesaddr
1670 :
1680 .validateloop
      284Ø ENDIF
                                                                                                                                              500 heta=8:nval=8
      2840 ENDIF
2850 Washut%=hut%
2850 ENDIF
2870 =gotmove%
2880 :
2890 DEF PROCCopy(to%, from%, n%)
                                                                                                                                              510 maxsofar=9:minsofar=9:temp3=9
                                                                                                                                             510 maxsofar=9:minsofa
520 hase=10
530 alpha=11:temp4=11
540 wkpt=12:hrd=12
550 sp=13
560 link=14
                                                                                                                                                                                                                                                                              1680 .validateloop
1690 STMTP (gp)!, (hestptr,level)
1700 ECC level,level,#hltflg+frofig
1710 MOV link,pc
1720 LDR pc,listonemoveaddr
1730 LDMTP (sp)!, (hestptr,level)
1740 MOV link,pc
1750 BVS nomovetocheck
1760 STMTP (sp)!, (R3,R5,R6,R7,hestptr)
1770 ADD hestptr,hestptr,#12
1780 LDR R7,movelength
1790 MOV R3,#0
1800 :
1810 .checkmove
1820 LDRB R5, (hestptr,R3]
     2990 LOCAL i%
2910 IP n%>0 THEN
2910 IP n%>0 THEN
2920 IV to%>from% THEN
2930 FOR i%=n%-1 TO Ø STEP -1:i%?to%=i%
ffrom%:NEXT
2940 ELSE
2950 FOR i%=0 TO n%-1:i%?to%=i%?from%:N
                                                                                                                                                                                                                                                                                                                                                                                                                     2820 SWI "XOS Module"
                                                                                                                                                                                                                                                                                                                                                                                                                    2820 SNI "XOS_Module"
2830 LDMVCPD (sp):, (RO-R12,link)
2840 EICVCS pc,link, #vhit
2850 :
2860 .cantkill
2870 LDMPD (sp):, (RO-R12,link)
2880 ADR RG, nosuch
2890 ORRS pc,link, #vhit
2990 ORRS pc,link, #vhit
                                                                                                                                              570 pc=15
                                                                                                                                              580 :
590 vhit=1<<28
600 chit=1<<29
                                                                                                                                              610 :
620 FOR pass%=4 TO 6 STEP 2
                                                                                                                                              63Ø P%=Ø:0%=code%
      2960 ENDIF
                                                                                                                                                                                                                                                                                                                                                                                                                    2990 :
2910 .toomany
2920 EQUD 0
2930 FNequz("Too many GameCore instanti
                                                                                                                                              640 [OPT pass%
      2970 ENDIF
2980 ENDPROC
2990 :
3000 DEF PROCpreservehoard(gameno%)
                                                                                                                                             640 [OPT pass%
650 modstart
660 EQUD 0
670 EQUD init
680 EQUD quit
690 EQUD 0
700 EQUD title
                                                                                                                                                                                                                                                                                                                                                                                                                   ations")
   3010 PROCcopy(spare%(gameno%),!info%(gameno%),info%(gameno%)!40)
                                                                                                                                                                                                                                                                                1810 LDRB R5, [hestptr,R3]
1830 LDRB R6,[ptr,R3]
1840 CMP R5,R6
1850 LDRNEFD (sp)1,(R3,R5,R6,R7,hestptr
                                                                                                                                                                                                                                                                                                                                                                                                                    2940 :
                                                                                                                                                                                                                                                                                                                                                                                                                    2950 .nosuch
                                                                                                                                             700 EQUD title
710 EQUD help
720 EQUD 0
730 EQUD &CD7C0
740 EQUD swihandler
750 EQUD switable
760 EQUD 0
                                                                                                                                                                                                                                                                                                                                                                                                                    2960 EQUD 0
2970 FNequz("Unknown GameCore instantia
      3020 ENDPROC
   3040 DEF PROCrestorehoard(gameno%)
3050 PROCcopy(!info%(gameno%),spare%(gameno%),info%(gameno%)!40)
3060 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                     298Ø
                                                                                                                                                                                                                                                                                1870 ADD R3,R3,#1
1880 CMP R3,R7
1890 BLT checkmove
                                                                                                                                                                                                                                                                                                                                                                                                                     2990 .workaddr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           : ROUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                                    2990 .workaddr
3000 .moveaddr
3010 .unmoveaddr
3020 .initlistmovesaddr
3030 .listonemoveaddr
3040 .lookaheaddepthl
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EOUD Ø
                                                                                                                                        766 EQUD 0
770:
780 .title
780 FNequz("GameCore")
800 .help
810 FNequz("GameCors"+CHR$(9)+"0.20 ("
+MID$(TIME$,5,11)+")")
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EQUD Ø
:EQUD Ø
:EQUD Ø
       3070 :
    3080 DEF FNfunc(gameno%,fn$)
3090 LOCAL r0%,r1%,r2%,r3%,z%,w%,x0%,y0
%,x1%,y1%
3100 IF 6%(gameno%)>0 THEN
                                                                                                                                                                                                                                                                                 1990 LDMFD (sp)!, (R3,R5,R6,R7,hestptr)
1910 MVN R0,#0
1920 LDMFD (sp)!, (R1-R12,1ink)
1930 EICS pc,link,#whit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EQUB Ø
  1310% IF 6%(gamenc%)>0 THEN
3110 !pres%=0
3120 SYS "OS_SpriteOp", 60+255,8%(gameno
%), "hoard", pres% TO r0%, r1%, r2%, r3%
3130 VDU 5
3140 SYS "OS_ChangedBox", 2
3150 SYS "OS_ChangedBox", 1
3160 ENDIF
3170 z%=EVAL("FN"+f$(gameno%)+"_"+fn$+"
("+STR$(info^{$(gameno%)})*")")
3180 IF 6%(gameno%)>0 THEN
3190 SYS "OS_ChangedBox", -1 TO , v%
3200 x9=2*%34
3210 y0=4*w%18
3220 x1=2*w%14
                                                                                                                                                                                                                                                                                                                                                                                                                      3050 .lookaheaddepth2
3060 .lookahsadmask
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           : BOUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EOUB Ø
                                                                                                                                                                                                                                                                               1940:
1950 .nomovetocheck
1950 TST link,#chit
1970 ESC validateloop
1980 MOV RØ,#0
1990 LDMFD (8p)1,{R1-R12,link}
2000 EICS pc,link,#vhit
                                                                                                                                             820 :
830 .init
                                                                                                                                                                                                                                                                                                                                                                                                                     3070
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           ROUB Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EQUB Ø
:EQUB Ø
:EQUW Ø
                                                                                                                                                                                                                                                                                                                                                                                                                     3080 .absmax
                                                                                                                                             830 .init
840 STMFD (sp)!,(link)
850 MOV RØ,#tickerv
860 ADR R1,tickroutine
870 MOV R2,#0
880 SWI "XOS_Claim"
                                                                                                                                                                                                                                                                                                                                                                                                                    3090 .staletype
3100
3110 .staleaddr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EQUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                                     3120
                                                                                                                                                                                                                                                                                                                                                                                                                     3130 .curinst
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EOUD Ø
                                                                                                                                                                                                                                                                                2010 :
                                                                                                                                                                                                                                                                              2010 :
2020 :stale
2030 STMFD (sp)!, {R1-R12,1ink}
2040 BL getinst
2050 MOV level,#0
2060 ADD bestptr,wkpt,#ptroff%
2070 LDR wkpt, [wkpt]
2080 MOV link,pc
2090 LDR pc,initlistmovsaddr
2100 :
                                                                                                                                                                                                                                                                                                                                                                                                                  3140 .timeout
3150 .rsg
6,CHR$0)
3160 .total
3170 .levelstore
                                                                                                                                              890 LDMFD (sp) !, {pc}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           EOUD a
                                                                                                                                             890 LDMFD (sp)!, {pc}
900 :
910 .quit
920 STMFD (sp)!, {R0-R12,1ink}
930 ADR R8,instptr
940 MOV R9,##0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           :EQUS STRING$ (1
       322Ø x1=2*w%!12
                                                                                                                                                                                                                                                                                                                                                                                                                     3180 :
      3220 yl=4*%%116
3230 yl=4*%%116
3240 SYS "OS_SpriteOp",r0%,r1%,r2%,r3%
3250 IF x0<x1 AND y0<y1 THEN
                                                                                                                                                                                                                                                                                                                                                                                                                     3190 .mainthink
                                                                                                                                              95Ø MOV RØ, #7
                                                                                                                                             960 .quitloop
970 LDR R2,[R8,R9,ASL #2]
                                                                                                                                                                                                                                                                                                                                                                                                                    3200 STR R13,reg+8
3210 STR R14,reg+12
```

```
5480 CMP temp2, maxsofar
5490 MDVOT maxsofer, temp2
5500 TSTEQ level, #rndflg
5510 SUBEQ temp2, temp1
5510 SUBEQ temp2, temp1
5520 MOVOT alpha, maxsofer
5540 MOVOT alpha, maxsofer
5540 STR temp2, [base2]
5550 ELT maxenoves
5560 ELT maxenoves
5580 TST tevel, #rndflg
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       6600 BGB noswap
6610 STR qpti,[qsa,qsi,ASL #2)
6620 STR qpti,[qsa,qsi,ASL #2)
6630 ADD qsi,qsi,#1
6640 SUB qsi,qsi,#1
6650 CMP qsi,qsi
6660 BLB partloop2e
6670 :
                                                                                                                                                                                                                                                                                                     4350 :

4360 .nolookahead

4370 ADR bese,liststart%

4380 STR ptr,[base,level,LSR #14]

4390 STMFD (sp)!, (R3,R5-R11)

4400 MOV link.pc

4410 LDR pc,initlistmovesaddr

4420 STR level,levelstore
      322Ø TST R3,#%1
   3220 TST R3, #%1
3230 ADDME R3,R3,#1
3240 STR R3,maxdeptb
3250 STR R4,maxdeptb2
3250 MOV 1evel,R5,ASL #16
3270 MOV 1evel,1eys,ASL #16
3270 MOV 1evel,1eys,1SR #16
3280 MOV temp,H00
3320 MOV vel,#0
3330 MOV vel,#0
3330 MOV beta,#810000
3320 MOV beta,#810000
3320 MOV beta,#810000
3320 LDR wkpt,#ptroff%
3340 LDR wkpt,[wkpt]
3350 BL LTY
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        6670 :
6680 .parted2
6690 STMFD (sp)!, (qsa,qsi,qsn)
                                                                                                                                                                                                                                                                                                        4430 :
4440 .100p
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        6790 MOV qen,qei
6710 BL qeort2
6720 LDMFD (sp., (qee,qei,qen)
6730 ADD qea,qee,qei,ASL #2
6740 SUB qen,qen,qei
6750 BL qeort2
                                                                                                                                                                                                                                                                                                   4450 STR bestptr,[ptr]
4460 BIC level,level,#hltflg+frcflg+nul
1flg
4470:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          5580 TST level, #rndflq
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          5590 BNE makemoves
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                5600 B mademoves
5610:
5620: oddievel
5630 CMP temp2,mimsofer
5630 CMP temp2,mimsofer,temp2
5650 CMP mimsofer,temp2,f550 ADDBQ temp2,temp2,#1
5650 CMP mimsofer,bete
5670 MOVLY Deta,mimsofer
5680 STR temp2, [bese2]
5690 CMP mimsofer,elpbe
5700 BGT mademoves
5710 BNR mademoves
5710 BNR mademoves
5710 ENR mademoves
5710 ENR mademoves
5710 TST lsvel,#rmdfig
5730 ENR makemoves
5740:
5750 .mademoves
5740:
5750 ADREQ bese,listend%
5780 STREQ temp,[base,level,LSR #14]
5790 MOV vel,maxeofer
5800 MOV temp2,bestptr
5810 LDMFD [sp]; [bestptr,ptr,maxsofer, slphe,beta,lsvel,pc]
5820 importance of the service of t
      3360 BL try
3370 BL sort
3380 LDR R13, reg+8
3390 LDR R14, reg+12
3400 MOV pc, link
                                                                                                                                                                                                                                                                                                        4480 .blonemove
                                                                                                                                                                                                                                                                                                     4480 .blonemove
4490 BQUD 0
4490 BQUD 0
4590 LDR level,levelstore
4510 ADDVC ptr,ptr,#4
4520 BCC loop
4530 LDMFD (sp)!,{R3,R5-R11}
4540 ADR bese,liststart%
4550 LDR temp,[bese,level,LSR #14]
4550 CMP temp,ptr
4570 BME notnone
4590 BBQ notnone
4600 STMFD (sp)!,{val}
4610 .blstels
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          6760 LDMFD (sp)!, {qse,qsi,qsn,pc}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     6770 :
      3410 :
3420 .maxdeptb :EQUD 0
3430 .maxdeptb2 :EQUD 0
        maxdepth :EQUD 8
3440:
3450 .instptr
3460 EQUS STRING$(4*maxinst%,CHR$0)
          348Ø .try
3480 .try
490 STMFD (sp)!, {maxsofar, bestptr,ptr,elpbe,beta,level,link}
3500:
3510 .cerryon
3510 TST level,#1<.16
3530 MVNC maxsofer,#610000
3540 MOVNC minsofar,#610000
                                                                                                                                                                                                                                                                                                           4610 .blstels
                                                                                                                                                                                                                                                                                                           4620 MOV vel.#0
                                                                                                                                                                                                                                                                                                        4620 MOV vel.#0
4630 EQUD 0
4640 LDRB bese,staletype
4650 TST base,#%1
4660 BBQ smallowed
4670 :
4680 .smforbidden
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       6890 / dummyinst
6900 MDYNY RØ,RØ
6910 :
6910 :
6920 .continue
6930 STMPD (sp)!, (R1-R12,R14)
6940 STR R2, curinst
6950 STR R13,reg
6950 STMPD (sp)!, (R0,R2)
6970 SNI "DS.ReadMonotonicTime"
6980 ADD R1,R1,R0
6990 STR R1,timeout
7000 LDMPD (sp)!, (R0,R2)
7010 MOV temp, #0
7020 STR temp,totel
7030 ADR temp,timeoutsteck
7040 LDR sp, (temp,R2,ASL #2)
7050 LDMPD (sp)!, (R0-R12,R14)
7050 B carryon
7070 :
7080 .think
7090 STMPD (sp)!, (R1-R12,R14)
7100 STR R2, curinst
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            6900 MDVNV RØ.RØ
     3340 MOVNE minsofar, #810000
3550 LDR temp2, maxdeptb
3550 LDR temp2, maxdeptb
3550 CDR temp2, maxdeptb
3570 ORRUB level, level, #81f6
3570 ORRUB level, level, #81f19
3590 LDR temp2, ticker
3600 CMP temp2, #82
3600 CMP temp2, #80
3610 ELT skiptimeout
3620 MOV temp2, #80
3630 STR temp2, ticker
3640 STMYP (sp)1, (R0, R1)
3650 SMI "XOS_ReadEscapeState"
3650 ECS dotimeout
3670 SMI "XOS_ReadEscapeState"
3690 LDR R1, timeout
3790 BLT notimeout
3710 :
3710 cotimeout
3710 dotimeout
3720 dotimeout
3730 LDMTP (sp)1, (R0, R1)
                                                                                                                                                                                                                                                                                                        4080 .smforbidden
4690 LDMFD (sp)!, (temp2)
4700 TST level, #1<<16
4710 ADDEQ maxsofer,temp2,val
4720 SUBNE maxsofer,temp2,vel
4730 B mademoves
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          5820 :
5830 .timeoutsteck
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          5840 BQUS STRING$ (4*maxinst%, CHR$0)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      5840 BOUS STRING$(4*maxinst%,CRR$6550; S850; S850; Getinst 5870 STMFD (sp)!, (R1,R3-R11,1ink) 5880 ADR R1,instptr 5890 ADR R9, workedr 5900 ADR R9, workedr 5910 LDMIA (wkpt), (R1-R8) 5920 STHIA (9), (R1-R8) 5930 LDR temp, moveedr 5940 ADR temp2, bimove 5950 BL assbi
                                                                                                                                                                                                                                                                                                           4750 .smallowed
                                                                                                                                                                                                                                                                                                        4750 smallowed
4760 STR bestptr,[ptr],#4
4770 MDV temp2,#0
4780 DRR base,level,#nullfig
4790 STR val,[bestptr],#4
4800 STR val,[bestptr],#4
4810 STR base,[bestptr],#4
4820 STR temp2,[bestptr],#4
4820 STR temp2,[bestptr],#4
4830 LDMTD (sp)!,{vel}
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          5940 ADR temp2, bimove
5950 EL assbil
1960 LDR temp, unmoveeddr
5970 ADR temp2, blunmove
5980 EL essbil
5990 LDR temp, listonemoveaddr
6000 ADR temp2, blonemove
6010 EL essbil
6024 LDR temp, staleaddr
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       7000 STMPD (sp)!, (R1-R12,R14)
7100 STR R2, CUrinst
7110 STR R13,reg
7110 STR R13,reg
7120 STMPD (sp)!, (R0)
7130 STW P0S, ReedMonotonicTime*
7140 ADD R1,R1,R0
7150 STR R1,timeout
7160 LDMYD (sp)!, (R0)
7170 BL getinst
7180 BL maintbink
7190 MDV R0,ptr
7200 LDR R13,reg
7210 LDMYD (sp)!, (R1-R12,R14)
7220 MDV R3,R0
7230 LDR R0,total
7240 MDV R1,R0
7250 LDR R2,liststart%
7260 LDR R2,R4,R2
7270 SUB R2,R4,R2
7280 MDV R2,R4,R2
7280 MDV R2,R4,R2
                                                                                                                                                                                                                                                                                                          4840 :
4850 .nothone
4860 ADR bese,listend%
4870 STR ptr,[base,level,LSR #14]
        3720 .dotimeout
3730 .DMPG (mp)!, (RØ,R1)
3740 STMFD (mp)!, (RØ-R12,R14)
3750 .DAR R1, timeoutsteck
3760 .DAR R2, curinst
3760 .DAR R3, curinst
3760 .DAR R3, curinst
3780 .DAR R13, reg
3780 .DAR R13, reg
3780 .DAR R13, reg
                                                                                                                                                                                                                                                                                                           4880 BL sort
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          6010 BL essbl
6020 LDR temp, staleaddr
6030 ADR temp2, blstele
6040 BL assbl
6050 LDR bestptr, [wkpt, #48]
6060 LDMFD (sp)!, [R1,R3-R11,pc]
                                                                                                                                                                                                                                                                                                          4890 :
4900 .donele
4910 .makemoves
4920 CMP temp,ptr
                                                                                                                                                                                                                                                                                                        4920 CMP temp,ptr
4930 BBQ mademoves
4940 STMYD (sp)!, (vel,temp,level)
4950 LDR temp,[temp]
4950 LDR temp,[temp,#4)
4970 LDR level,[temp,#8]
4970 LDR level,[temp,#8]
4970 MOVNE val,#0
5000 TST level,#1.40
5000 TST level,#2.416
5100 ADDROVAL val,#0
        3800 LDR RØ,totel
3810 MOV R1,#1
3820 MOV R2,#0
3830 MOV pc,link
3840 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 5070: 
          3850 .notimeout
3860 LDMFD (sp)!, [RØ,R1]
      3860 LDMFD (sp)!, (R0,R1)
3870 :
3870 :
3870 :
3880 .skiptimeout
3890 TST level, #11fig
3990 BNE nolookaheed
3910 LDRB temp2,lookaheedmask
3920 TST level, #inlefig
3940 BNE nolookaheed
3930 TSTSQ level, #inlefig
3940 BNE nolookaheed
3970 MOV temp2,level,LSR #16
3960 EDQ nolookaheed
3970 MOV temp2,level,LSR #16
3980 LDRB base,lookaheeddeptbl
3990 ADD temp2,temp2,base
4000 LDR base,maxdeptb
4010 CMP temp2,bese
4020 BCE nolookaheed
4031 LDR temp,maxdeptb
4040 LDR temp2,maxdeptb
4040 LDR temp2,maxdeptb
4040 STM temp7,maxdeptb
4050 STMFD (sp)!, (temp,temp2,vel)
4060 MOV temp2,level,LSR #16
4070 LDRB base,lookaheaddepthl
4080 ADD temp2,temp2,bese
4090 STM temp2,maxdeptb
4100 LDRB base,lookaheaddeptb2
4110 ADD temp2,temp2,bese
4120 STM temp2,maxdeptb
4130 ORR level,#inlefig
4140 BL TTY
          3870 :
                                                                                                                                                                                                                                                                                                        5000 TST level,#1<<16
5010 ADBG val,vel,temp2
5020 SUBNE vel,val,temp2
5030 TST level,#bltfig
5040 BNE belthere
5050 TST level,#frcflg
5060 BNE forced
5070 TST level,#11flg
5080 BRG further
5080 ERG further
5080 FRG further
5080 ERG further
5080 ERG further
5080 ERG further
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        1 6140 SUB qsn,qstemp2,qse 6150 MDV qsn,qsn,LSR #2 6160 BL qsort2 6170 LDMFD (sp)!, (R1-R11,pc) 6180: qsort2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             7280 MOV R2,R2,LSR #2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             7290 MDV pc, link
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            7290 MDV pc,1ink
7300 ]
7310 liststart%=F%
7320 0%+=255:F%+=256
7330 listend%=liststert%+4
7340 NEXT pess%
7350 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          6190 .qsort2
6200 CM qsn,#1
6210 MDVLB pc,link
6220 STMFD (sp)!,{link}
6230 LDR qstemp,[qsa]
6240 LDR qstemp,[qstemp]
6250 MOV qsi,#1
                                                                                                                                                                                                                                                                                                          5080 BBQ further
5090 :
5100 .helthere
5110 LDR temp2,total
5120 ADD temp2,temp2,#1
5130 STR temp2,tote1
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               7360 :
7370 DBF FNequz(z$)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             7370 DBF FREQUE
7380 [OFT pess%
7390 BQUS z$
7400 BQUB 0
                                                                                                                                                                                                                                                                                                           5140 B nofurther
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6260 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        0300 :
0270 .findpivot2
0280 LDR qpti, (qsa,qsi,ASL #2)
0290 LDR qstemp2,[qpti]
0390 CMP qstemp2,[qpti]
0390 CMP qstemp2, qstemp2
0310 BDE gotpiv2
0320 ADD qsi,qsi,#1
0330 CMP qsi,qsn
0340 BDE findpivot2
0350 LDMFD (sp)!,{pc}
0360 :
0370 .gotpiv2
0380 MDVLT qsp,qstemp
0390 MOVGT qsp,qstemp
0490 MOV qsi,#0
0410 SUB qsj,qsn,#1
0420 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             6270 .findpivot2
                                                                                                                                                                                                                                                                                                           5150
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               7410 ALIGN
                                                                                                                                                                                                                                                                                                           5150 :
5160 :forced
5170 LDR temp2, maxdeptb2
5180 CMP temp2, level, LSR #16
5190 BLB beltbere
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             7420 ]
7430 =0
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     Listing 3
                                                                                                                                                                                                                                                                                                           5210 .furtber
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        10 REM >TD (GameCore3)
20 REM 3D N & C librery
30 REM by Adam Broges
40 REM for Archimedes only
50 REM (c) BAU July 1991
                                                                                                                                                                                                                                                                                                           5220 STMFD (sp)!, (temp,level)
5230 TST level, #nullflg
5240 BNE skipblmove
                                                                                                                                                                                                                                                                                                           5250 :
5260 .blmove
           4140 BL try
4150 MOV bestptr,temp2
4160 BIC level,level,#inlaf1g
4170 LDMFD (sp)!,{temp,temp2,vel}
                                                                                                                                                                                                                                                                                                           527Ø EOUD Ø
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         70 DBF FNtd_desc="3D Noughts & Crosse
                                                                                                                                                                                                                                                                                                          5280 skipbimove
5300 ADD level,level,#1<<16
5310 RSB wbo,wbo,#1
5320 BL try
5330 RSB wbo,wbo,#1
5330 RSB wbo,wbo,#1
5330 RSB wbo,wbo,#1
5340 LDMBO (sp)!,{cemp,level}
5350 RST level,#nullflg
5360 RNE skipblummove
5370 :
5380 Lblummove
5390 BODD 0
                                                                                                                                                                                                                                                                                                           5280
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          6410 SUB qsj,qsn,#1
6420:
6430:.noswep
6440 CMP qsl,qsj
6450 BGT perted2
6460:partloop2e
6460:partloop2e
6470 LDR qpti,[qse,qsi,ASL #2)
6480 LDR qstemp,[qpti]
6490 CMP qstemp,qsp
6590 ADDGT qsi,qsi,#1
6510 BGT partloop2a
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         RØ
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  90 DBF FNtd_idle(info%)
100 IF info%!72=0 OR info%!68>32 THEN
           4180 STR temp, maxdeptb
4190 STR temp2, maxdeptb2
          4190 BL sort
4200 BL sort
4210 ADR base,listend%
4220 bDR ptr,[base,level,LSR #14]
4230 ADR bese,liststart%
4240 LDR temp,[base,level,LSR #14]
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       =0 110 LOCAL x%, y%, b%, z%
120 x%=info%164
130 y%=info%168
140 b%=info%172
150 CASP TRUB OF
160 WHEN x%<=16:PROCtd_rotete(info%, -16)
          4240 LDR temp, [base,level
4250 : 4250 : restorevels
4270 LDR base,[temp],#4
4280 LDR temp2, [bese,#4]
4290 STR temp2, [bese,#4]
4290 STR temp2, [bese]
4300 CMP temp,ptr
4310 BLT restorevels
4320 ADR base,liststert%
                                                                                                                                                                                                                                                                                                             539Ø BQUD Ø
                                                                                                                                                                                                                                                                                                             5400 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             652Ø :
                                                                                                                                                                                                                                                                                                           5400 :
5410 .skipblunmove
5420 .nofurther
5430 MOV temp2.val
5430 LDR (gp)!, {val,temp,level}
5450 LDR bese2, [temp], #4
5460 TST level, #lk<16
5470 BNE oddlevel
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            6520 :
6530 .pertloop2b
6540 LDR qptj,[qsa,qsj,ASL #2)
6550 LDR qstemp2,[qptj]
6550 CMP qstemp2,qsp
6570 SUBLB qsj,qsj,#1
6580 BLB partloop2b
6590 CMP qsi,qsj
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    170 WHEN x%>=512-15:FROCtd_rotete(info
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    180 WHEN x%>=256-40 AND x%<=256+40:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    180 when x*>=256-40 AND x*<=2:
190 info%?92=(info%?92) BOR 1
200 FROCtd_buildtab(info%)
210 z%=FNtd_sbowboard(info%)
220 ENDCASB
           4330 LDR temp, [bese,level,LSR #14]
4340 B donele
```

# PAGES YELLOW

```
2170 ORREQ level, level, #winflg
2180 ADDEQ val, val, #&20000
2190 SUBEQ val, val, level, LSR #12
2200 ADDLT val, val, temp3
2210 ADR temp2, weight%
2220 LDRB temp2, [temp2, base2]
2230 ADD val, val, temp2
2240 ORR temp2, base2, temp, ASL #8
2250 TST level, #td_fflg
2260 BIGNE level, level, #td_fflg
2270 ORRNE level, level, #treflg
2280 CMR temp, #3
2290 ORREQ level, level, #tfflg
3210 ORREQ level, level, #tfflg
3310 ORREG level, level, #td_fflg
3310 STR val, [bestptr], #4
2330 STR val, [bestptr], #4
2350 STR temp2, [bestptr], #4
2360 LDMFD (spl;,[link)
2370 BIG link,link, #vbit
2380 SUBS base2, base2, #1
                                                                                                                                            1240 IF b%?i%=&FF GCOL i%/16 ELSE GCOL
                                                                                                                                                                                                                                                                                                                                                                                                                           3310 NEXT 1+%
                                                                                                                                                                                                                                                                                                                                                                                                                          3310 NEXT it%
3320 [OFT pass%
3330 CMP nval,#0
3340 CMPNE R1,#0
3350 MOVNE pc,link
3360 CMP nval,#0
       240
                                                                                                                                         7+b%?1%
       240 :
250 DEF FROCtd_rotate(info%,angle%)
260 info%?93+=angle%
270 |(info%+94)=SIN(info%?93*FI/128)
280 |(info%+99)=COS(info%?93*FI/128)
280 |FROCtd_buildtab(info%)
380 Z%=FRId_sbowboard(info%)
                                                                                                                                           1250 ELSE
1260 GCOL co1%
1270 ENDIF
1280 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                          3360 CMP nval,#0
3370 MULNE temp3,nval,temp3
3380 CMP nval,temp
3390 MOVGT temp,nval
3400 CMP R1,temp2
3410 MOVGT temp2,R1
3420 MOV pc,link
                                                                                                                                            1290 :
                                                                                                                                            1300 DEF FROCtd showsquare(board%, i%, co
        310 ENDFROC
                                                                                                                                        13/0 LOCAL level%,row%,column%
1320 LOCAL x0%,x1%,x2%,x3%,y0%,y1%,y2%,
y3%,a%
1330 level%=1%>>4
  330 EF PNtd_getmove(info%)
340 LOCAL best%,b%,x%,y%,1%,gotmove%,z
%,board%,usep%
350 gotmove%=PALSE
                                                                                                                                                                                                                                                                                                                                                                                                                           3430 :
                                                                                                                                            1340 row%=(i%>>2) AND 3
1350 column%=i% AND 3
                                                                                                                                                                                                                                                                                                                                                                                                                          3440 .stale
3450 MOV pc,link
       360 best%=info%!56
                                                                                                                                                                                                                                                                                                                                                                                                                         3450 MOV pc,lluk
3460 :
3470 .move
3480 LDRB temp2,[temp,#12]
3490 STRB who,[brd,temp2]
3500 MOV pc,link
                                                                                                                                           1350 FROCgcol(col%, board%, i%)
1370 IF usep% THEN
1380 FROCtd_getxy(levs1%, row%, column%, x
        370 x%=info%164
       370 x=inf0%!68
390 b%=inf0%!72
400 IF y%<=32 THEN z%=FNtd_idle(inf0%)
 400 IF y%<-32 THEN z%=FNtd
:=FALSE
110 IF FOINT(x%,y%)<4 THEN
420 i%=16*FOINT(x%,y%)-1
430 board%=iinfo%
440 usep%=info%792=1
450 SYS "Hourglass_On"
460 WHILE NOT gotmove%
470 i%=1
                                                                                                                                         0%, y0%)
1390 FROCtd_getxy(level%, row%+1, column%
                                                                                                                                                                                                                                                                                                                                                                                                                          3500 MOV pc,link
3510 :
3520 .unmove
3530 LDRB temp2,[temp,#12]
3540 MOV base2,#&FF
3550 STRB bass2,[brd,temp2]
                                                                                                                                                                                                                                                                                  2370 BIC link, link, #whit
2380 SUBS base2, base2, #1
2390 BICFLS pc,link, #cbit
2400 ORRS pc,link, #cbit
2410 .notpossible
2420 SUBS base2, base2, #1
                                                                                                                                           1400 PROCtd_getxy(level%,row%+1,column%
                                                                                                                                          1400 FROCtd_getxy(level%,row%,column%+1,x2%,y2%)
1410 FROCtd_getxy(level%,row%,column%+1,x3%,y3%)
1420 FROCgcol(col%,board%,i%)
                                                                                                                                                                                                                                                                                                                                                                                                                       3556 MOV pc,link
3570 ]
3560 MOV pc,link
3570 ]
3580 td, board%=P%:F%+=64
3580 weight%=P%:F%+=64
3580 map%=P%:F%+=64
3600 map%=P%:F%+=64
3610 NEXT pass%
3620 TOR i%=0 TO 63
3630 map% i(4*%)=0
3640 NEXT
3650 PROCtd_makemap
3660 linfo%=td_board%
3670 info%!d=move
3680 info%!l2=initlistnoves
3680 info%!l2=initlistnoves
3700 info%!l6=listonemove
3710 info%P20=1:REM Look abead 1
3720 info%P21=4:REM Look abead 2
3730 info%P21=4:REM Look abead 2
3730 info%P21=4:REM Look abead 2
3730 info%P21=4:REM Look abead 3
3740 info%P21=3:REM lookabead mask
3750 info%P21=4:REM Look abead 3
                                                                                                                                      1420 FROCgcol(col%, board%, i%)
1430 MOVE x2%, y0%
1440 MOVE x1%, y1%
1450 FLOT 85, x3%, y3%
1470 GCOL 6
1480 MOVE x2%, y0%
1490 DRAW x1%, y1%
1500 DRAW x1%, y1%
1500 DRAW x2%, y2%
1510 DRAW x3%, y3%
1520 DRAW x3%, y0%
1530 ELSE
1540 RECTANGLE FILL td_lm%+td_sq%*colum n%, 128+td_sq%*(row%+4*level%)+16*level%, td_sq%*(sq.g)
                                                                                                                                                                                                                                                                                                                                                                                                                           3560 MOV pc, link
                                                                                                                                                                                                                                                                                   2430 BFL listonemoveloop
       480 IF board%?i%=&FF THEN
                                                                                                                                                                                                                                                                                  2440 LDMFD (sp)!, (link)
2450 ORRS pc, link, #cbit
       490 PROCtd_indic(board%,1%,5,1%/16,use
       500 IF FOINT(x%,y%)=5 gotmove%=TRUE
510 FROCtd_indic(board%,i%,i%/16,5,use
                                                                                                                                                                                                                                                                                  2460 :
2470 .cbecksquare
2480 STMFD (sp)!,(link)
2490 ADR brd,td_board%
2500 MOV base2,R0
                                                                                                                                                                                                                                                                                  2510 LDRB wbo, [brd,base2]
2520 EL findmax
2530 MOV RØ,temp
2540 LDMFD (sp)!, {pc}
       530 ENDWHILE
       540 SYS "Hourglass_Off"
550 best%:12=i%
560 ENDIF
570 =gotmove%
                                                                                                                                                                                                                                                                                   255Ø
                                                                                                                                                                                                                                                                                   2560 .findmax
                                                                                                                                         td_sq%,td_sq%
1550 GCOL 6
       590 DEF FNtd_initdomove(info%)
                                                                                                                                                                                                                                                                                  2570 STMFD (sp)!, (delta,Rl,R2,link)
2580 MOV temp,#0
2590 MOV temp2,#0
2600 MOV temp3,#1
                                                                                                                                        1560 RECTANGLE td_lm%+td_sq%*column%,12
8+td_sq%*(row%+4*level%)+16*level%,td_sq
%,td_sq%
1570 ENDIF
       600 info%!80=TIME
610 info%!84=0:REM counter
       620 info%188=?(info%156+12)
630 =0
640 :
                                                                                                                                                                                                                                                                                                                                                                                                                          3750 info%?24=td_maxdeptb%
                                                                                                                                                                                                                                                                                  2620 BIC base, base2, #%000011
2630 MOV delta, #1
                                                                                                                                            1580 ENDFROC
                                                                                                                                                                                                                                                                                                                                                                                                                          3760 info%?25=1:REM stalemate not allow
                                                                                                                                                                                                                                                                                                                                                                                                                       3700 info%;25=1:REM
ed 3770 info%;28=stale
3780 info%;32=512
3790 info%;36=1024
3800 info%;40=64
       650 DEF FNtd domovs(info%)
      550 DEF FNCG_GOMOVS(INIO%)
660 LOCAL doneanim%=FALSE
670 doneanim%=FALSE
680 IT TIME-info%180>10 THEN
670 info%180=TIME
700 info%184+=1
710 IF info%184-7 THEN
                                                                                                                                                                                                                                                                                 2630 MOV delta,#1
2640 BL countline
2650 BIC base,base2,#%001100
2660 MOV delta,#4
2670 BL countline
2690 BIC base,base2,#%110000
2690 MOV delta,#16
                                                                                                                                            1600 DEF FROCtd_getxy(1%,r%,c%,RETURN x
                                                                                                                                        1600 DEF FROCEd_getxy(1%,r%,c%,RETU,
%,RETURN,w%)
1610 1%=info%:104+(25*1%+5*r%+c%)*8
1620 x%=11%
1630 y%=13/4
1640 ENDFROC
                                                                                                                                                                                                                                                                                                                                                                                                                          3810 info%!44=td_stack%+td_stacksize%
                                                                                                                                                                                                                                                                                                                                                                                                                       3810 info%\44±td_stack*+td_stacksize%
3820 info%\48±td_movelist%
3820 info%\52=2
3840 info%\52=2
3850 info%\52=4
3860 info%\52=1.REM move size
3870 info%\592=1.REM gerspective
3880 info%\593=0:REM angle of rotation
3880 info%\593=0:REM sole of rotation
3890 [(info%\94)=SIN(0)
3900 [(info%\94)=SIN(0)
3900 [(info%\94)=COS(0)
3910 info%\104=RMS_sablock(8*125)
3920 FROCtd_buildtab(info%)
3930 =TRUE
3940 :
                                                                                                                                                                                                                                                                                 2590 MOV delta, #16
2700 BL countline
2710 ADR base,map%
2720 LDR RZ, (base, base2, ASL #2]
2730 TST RZ, #1<0
2740 BICNE base,base2,#%001111
       720 doneanim%=TRUE
730 ?(!info%+info%!88)=info%?60
740 FROCtd_sbowsquare(!info%,info%!88,
                                                                                                                                            1660 DEF FROCtd getpersp(lsv,x,y,RETURN
                                                                                                                                           xx, RETURN yy)
1670 xx=(x-2)*|(info%+99)+(y-2)*|(info%
 740 FROCtd_sbowsquare(!info%,info%!88,
-1,info%?92=1)
-750 ELSE
-760 FROCtd_sbowsquare(!info%,info%!88,
6*(info%!84 MOD 2),info%?92=1)
                                                                                                                                           1680 yy=(x-2)*|(info%+94)-(y-2)*|(info%
                                                                                                                                                                                                                                                                                  2750 MOVNE delta,#5
                                                                                                                                                                                                                                                                                 2750 MOVNE delta,#5
2760 BLME countline
2770 TST R2,#1<<1
2780 BICNE base,base2,#%001111
2790 ADDNE base,base,#3
2800 MOVNE delta,#3
                                                                                                                                          #99)
1690 x=-xx*64
1700 y=yy*64+1400
1710 xx=256+x*1400/y
1720 yy=1200+(1ev*1.6-7.5)*120*1400/y
1730 IF lev=0 yy-=32
1740 ENDFROC
       770 ENDIF
      780 ENDIF
790 =doneanim%
       800 :
810 DEF FNtd_newgams(info%)
                                                                                                                                                                                                                                                                                  2810 BLNE countline
2820 TST R2, #1<<2
                                                                                                                                                                                                                                                                                                                                                                                                                          3940 :
                                                                                                                                                                                                                                                                                                                                                                                                                       3940 :
3950 DEP FROCTd_buildtab(info%)
3950 DEP FROCTd_buildtab(info%)
3950 IC info%992=0 ENDFROC
3970 LOCAL i%,level%,row%,column%,x0,y0
x1,y1,a%,a%
3980 a%=info%1104
3990 SYS "Hourglass_On"
4000 FOR IOFel%=0 TO 4
4010 FOR IOF%=0 TO 4
      820 LOCAL i%
830 FOR i%=0 TO 63 STEF 4
840 !(!info%+i%)=-1
                                                                                                                                                                                                                                                                                 2220 TST R2, #1<22
2830 BICKN base, base2, #%111100
2840 MOVNE delta, #20
2850 BLNE countline
2860 TST R2, #1<3
2870 BICKE bass, base2, #%110011
2880 MOVNE delta, #17
                                                                                                                                           1750 DF FNtd_init(info%)
1770 td_sq%=48
1780 td_im%=(512-4*td_sq%)/2
1790 td_maxdeptb%=32:REM absoluts maxim
     840 ! (!info%+1%)=-1

850 NEXT

860 =0

870 :

880 DEF FNtd_showboard(info%)

890 LOCAL i%,b%,p%

900 b%=!info%+info%!40
                                                                                                                                        um deptb
                                                                                                                                                                                                                                                                                 2890 BLME countline
2900 TST R2,#1<<4
2910 BICNE base,base2,#%111100
2920 ORNE base,base, #%001100
2930 NOVNE delta,#12
                                                                                                                                          1800 td movesize%=16:REM move size roun
                                                                                                                                       1800 td_movesize*=16:RRM move size roun ded up to word boundary
1810 td_maxmoves%=64:RRM absolute maxim um number of moves possible in a level
1820 td_movelist%=FNgetablock(td_movesize%*td_maxdeptb%*td_maxmoves%)
1830 td_stacksize%=61000+64*td_maxdeptb
                                                                                                                                                                                                                                                                                                                                                                                                                          4020 PROCtd_getpersp(level%,row%,0,x0,y
      910 p%=info%?92=1
920 GCOL 132
930 CLG
940 FOR i%=0 TO 63
                                                                                                                                                                                                                                                                                                                                                                                                                      0)
4030 PROCtd_getpersp(level%,row%,4,xl,y
                                                                                                                                                                                                                                                                                  2940 BLNE countline
                                                                                                                                                                                                                                                                                                                                                                                                                        4040 x1=(x1-x0)/4
       950 PROCtd_sbowsquare(b%,i%,-1,p%)
                                                                                                                                                                                                                                                                                                                                                                                                                        4050 Y1=(Y1-y0)/4
4050 Y1=(Y1-y0)/4
4060 FOR column%=0 TO 4
4070 aa%=a%+8*(column%+5*row%+25*level%
                                                                                                                                                                                                                                                                                  2950 TST R2.#1<<5
                                                                                                                                                                                                                                                                                 2950 TST R2,#1<<5
2960 BICNE base, base2,#%110011
2970 ORRNE base, base, #%000011
2980 MOVNE delta,#15
2990 BLNE countline
3000 TST R2,#1<<6
       960 NEXT
   960 NEXT

970 GCOL 7

980 MOVE 0,32

990 VDU 136

1000 MOVE 512-16,32

1010 VDU 137

1020 MOVE 256-40,32
                                                                                                                                           1840 td stack%=FNgetablock(td stacksize
                                                                                                                                           )
1850 :
1860 td_code%=FNgetablock(&500)
1870 :
                                                                                                                                                                                                                                                                                                                                                                                                                         4080 aa%!0=x0+column%*x1
                                                                                                                                                                                                                                                                                                                                                                                                                         4090 aa%!4=v0+column%*v1
                                                                                                                                                                                                                                                                                  3010 MOVNE base, #0
3020 MOVNE delta, #21
                                                                                                                                                                                                                                                                                                                                                                                                                         4100 NEXT
                                                                                                                                           1880 td ff1g=1<<10
                                                                                                                                                                                                                                                                                                                                                                                                                         4110 NEXT
                                                                                                                                                                                                                                                                                 3020 MOVNE delta,#21
3030 BLNE countline
3040 TST R2,#1<<7
3050 MOVNE base,#3
3060 MOVNE delta,#19
3070 BLNE countline
3080 TST R2,#1<<8
                                                                                                                                                                                                                                                                                                                                                                                                                        4110 NEXT
4120 NEXT
4130 SYS "Hourglass_Off"
4140 ENDPROC
    1030 FRINT"2D-3D"
                                                                                                                                           1890
                                                                                                                                           1990 FOR pass%=0 TO 2 STEF 2
1910 FOR pass%=0 TO 2 STEF 2
1910 F%=td_code%
1920 [OPT pass%
1930 .initlistmoves
    1040 =0
    1060 DEF PROCtd_indic(board%,i%,col1%,c
                                                                                                                                                                                                                                                                                                                                                                                                                         4150
                                                                                                                                                                                                                                                                                                                                                                                                                       4150 DF FROCTd_makemap
4170 LOCAL i%, j%, v%
4180 POR i%=0 TO 3
4190 FROCTd_map(i%*16,5,0)
4200 FROCTd_map(i%*16,5,0)
4210 FROCTd_map(i%*16,3,3,1)
4210 FROCTd_map(i%*16,3,3,1)
4210 FROCTd_map(i%*4,17,3)
4230 FROCTd_map(i%*4,17,3)
4230 FROCTd_map(i%*4,17,3)
4240 FROCTd_map(i%*4,17,5)
4250 NEXT
4260 FROCTd_map(0,21,6)
4270 FROCTd_map(3,18,7)
4280 FROCTd_map(3,18,7)
4290 FROCTd_map(12,13,9)
4300 FOR i%=0 TO 63
4310 v%=0
4320 FOR j%=0 TO 9
4330 If ((map%!(4*i%)) AND (1<<j%))>0 w
4*=1
4340 FROCTd_map(12,13,1)
                                                                                                                                                                                                                                                                                                                                                                                                                         4160 DEF FROCtd makeman
ol2%, usep%)
1070 LOCAL level%, row%, column%, x0%, x1%,
                                                                                                                                           1940 MOV base2, #63
                                                                                                                                                                                                                                                                                  3090 MOVNE base, #15
3100 MOVNE delta, #11
3110 ELNE countline
3120 TST R2, #1<<9
vØ%, v1%
                                                                                                                                           1950 MOV pc, link
   1080 level%=i%>>4
                                                                                                                                           1960
   1090 row%=(i%>>2) AND 3
1100 column%=i% AND 3
1110 GCOL 128+col2%
1120 GCOL col1%
                                                                                                                                          1970 .listonemove
1980 ORR link,link,#vbit
1990 STMFD (sp)!,(link)
2000 .listonemoveloop
                                                                                                                                         2000 listonemoveloop
2010 MOV val,**
2020 LDRB temp2, [brd,base2]
2030 CMP temp2, #4FP
2040 BNE notpossible
2050 BL findmax
2060 CMP temp2, #2
2070 ADDEQ val, val, #42
2080 ADDET val,val, #44
2090 TBT level, #td fflg
2100 BEQ notfre
2110 CMP temp2, #3
2130 BNE notpossible
                                                                                                                                                                                                                                                                                  3140 MOVNE delta, #13
    1130 IF usep% THEN
                                                                                                                                                                                                                                                                                  3150 BLNE countline
   1140 FROCtd_getxy(lsvel%,row%,column%,x
                                                                                                                                                                                                                                                                                  3160 LDMFD (sp)!, (delta, R1, R2, pc)
                                                                                                                                                                                                                                                                                 3160 LDMFD (sp); (delta
3170 :
3180 .countline
3190 ADD base,base,brd
3200 MOV nval,#0
3210 MOV R1,#0
0%. v0%)
   1150 PROCtd_getxy(level%,row%+1,column%
1130 FROCEG_getxy(level%,row%+1,c)
+1,x1%,y1%)
1160 FILL (x0%+x1%)/2,(y0%+y1%)/2
1170 ELSE
1170 ELSE

1180 FILL td_lm%+td_sq%*(column%+0.5),1

28+td_sq%*(row%+4*level%+0.5)+16*level%+
                                                                                                                                                                                                                                                                                  3220 1
                                                                                                                                                                                                                                                                                  3230 FOR it%=1 TO 4
                                                                                                                                                                                                                                                                                 3230 FOR it%=1 TO 4
3240 [OFT pass%
3250 LDRB temp4,[base],delta
3260 CMF temp4,wbo
3270 ADDEQ nval,nval,#1
3280 CMFNE temp4,#kFF
   1190 ENDIE
   1190 ENDIF
1200 ENDPROC
1210 :
1220 DEF FROCGCOl(col%, b%, i%)
                                                                                                                                                                                                                                                                                                                                                                                                                        4340 NEXT
                                                                                                                                          2130 BNE notpossible
                                                                                                                                                                                                                                                                                                                                                                                                                        4350 weight%?i%=1<<w% 4360 NEXT
                                                                                                                                           2140 .notfrc
                                                                                                                                                                                                                                                                                                                                                                                                                        4370 ENDFROC
4380 :
   1230 IF co1%<0 THEN
                                                                                                                                          2150 ADD temp, temp, #1
2160 CMP temp, #4
                                                                                                                                                                                                                                                                                 3290 ADDNE R1,R1,#1
```

```
4390 DEF FROCtd_map(a%, s%, h%)
4400 LOCAL 1%
4410 FOR 1%=0 TO 3
4420 map%!(4*a%) OR (1<<h
4440 NEXT
4450 BNDFROC
```

```
4460 :
4470 DEF FNtd_gameover(info%)
4480 LOCAL winner%, A%
4490 winner%=-2
4500 IF info%?61=2 THBN
4510 winner%=-1
4520 ELSE
```

```
4530 FOR A%=0 TO 63
4540 IF ?(!info%+A%)<>&FF THEN
4550 IF USR(checksqusre)=4 winner%=?(!i
```

```
4590 =winner%
4600 :
4610 DBF FNtd_initgetmove(info%)=0
4620 :
4630 DEF FNtd_listmoves(info%)=0
4650 DEF FNtd_unlistmoves(info%)=0
```

#### View Previewer

```
Listing 1
         10 REM >FVBrce (VPreview1)
20 REM By David Lawrence
30 REM For BBC B/B+/M/C/E/!65Tube
40 REM (c) BAU July 1991
          60 FROCinit
     60 FROCinit
70 FROCODE
80 FROCChecksum
90 OSCLI"Ssve %.PreVIEW "+STR$"code+"
'+STR$"0%+" 400 400"
100 FRINT"Bytes free ";&500-F%
      110 END
120:
130 DBF PROCinit
140 DIM code 300
150 osword = &FFF1
160 oswrch = &FFEE
170 osasci = &FFES
       170 OBASC1 = 27783
180 style = 278
190 extended = 279
200 vdus = 290
210 char = vdus
      220:
230 under_hit = &80
240 hold_hit = &40
250 super_hit = &04
260 sub_hit = &02
270 italic_hit = &01
280 EMDFROC
       300 DBF FROCcode
      300 DBF FROCCOde
310 FOR pass = 4 TO 6 STEF 2
320 F% = &400:0% = code
330 [OFT pass
340 JMF writec
350 JMP init
        360 RTS:BRK:BRK
       370 RTS
380 .nostyle
390 STX style
400 RTS
       410 .init
420 LDX #0
       430 STX extended
440 BBQ nostyle
```

```
540 BNE nochange
    550 :
560 .toggleunder
570 LDA #under_hit
580 BNE toggle
590 .togglehold
600 LDA #hold_hit
610 BNE toggle
       610 BNE toggle
620 .toggleitalic
630 LDA #italic_hit
      630 LDA #italic_1
640 .toggle
650 BOR style
660 STA style
670 LDA char
680 BMI exit
690 BFL nochange
    690 BFL nocham
700 :
710 .writec
720 STA char
730 FHA
740 TXA : FHA
750 TYA : FRA
740 TXA: FHA
750 TXA: FRA
750 LDA char
770 CMP #282
780 BBQ extend
790 CMP #880
806 BCC Plain
810 BNS togglehold
820 LDX extended
830 BBQ toggleunder
840 .extend
850 LSR A
860 LSR A
870 LDA extended
880 ROL A
880 ROL A
880 ROL A
880 ROL A
890 STA extended
910 BNE exit
920:
930 .plain
940 LDX extended
950 BBQ nochange
950 BDQ nochange
950 LDA #0
970 STA extended
980 TXA
990 AND #27F
1000 CMP #tabend-htable
1010 BCS illegal
1220 TAY
  1020 TAX
1020 TAX
1030 LDA style
1040 AND #(super_hit OR sub_hit) EOR &F
  1050 LDX htahle, Y
  1060 STX hranch+1
  1070 .hranch
1080 BNE &400
1090 .illegs1
1100 BRK : BRK : BQUS "?" : \ BQUB 0
```

```
1110 .htable
   1120 BQUB 0
1130 BQUB 0
1140 EQUB setsuh
                                                                  -(hranch+2)
    1150 EQUB setsuper
    1160 EQUB nochange
                                                                  -(hranch+2)
  1160 EQUB nochange
1170 EQUB toggleitalic
1180 EQUB setfull
1190 EQUB togglehold
1200 EQUB reset
1210 .tabend
                                                                 -(hranch+2)
                                                                  -(hranch+2)
    1230 .reset
    1240 JSR init
1240 JSR init
1250 .nochange
1260 CMF #13
1270 BNE realchar
1280 LDA style
1290 AND #(under_hit OR super_hit OR su
h_hit) EOR EFF
   1300 STA style
1310 .print
1320 LDA char
1330 JSR osasci
    1340 .exit
  1340 .exit

1350 FLA : TAY

1360 FLA : TAX

1370 FLA

1380 RTS

1390 :
    1400 :
    1410 .realchar
  1410 .realchar
1420 LDX #char MOD 256
1430 LDY #char DIV 256
1440 LDA #10
1450 JSR osword
1460 LDY #0
    1470 :
   1470 :
1480 LDA style
1490 AND #(super_bit OR suh_hit)
1500 BBQ nosquesh
1510 LDX #8
1520 .squash
1530 LDA char, X
1540 ORA char-1, X
   1540 ORA char-1,X
1550 PHA
1560 STY char,X
1570 STY char-1,X
1580 DEX
1590 DEX
   1590 DEX
1600 BNE squash
1610 LDA style
1620 AND #super_hit
1630 EOR #5
1640 TAX
1650 LDY #4
    1660 .puthack
```

```
1670 FLA
1680 STA char, X
1690 INX
1700 DBY
1710 BNE puthack
1720 .nosquash
1730
1740 LDA style
1740 LDA style
1750 LSR A
1760 BCC notitalic
1770 LDX #3
1780 .doitalic
1790 LSR char,X
 1800 ASL char+5.X
 1810 DEX
1820 BNE doitalic
1860 BVC nothold
 1870 LDX #8
1870 LDX #8
1880 .dobold
1890 LDA char,X
1900 LSR A
1910 ORA char,X
1920 STA char,X
 1930 DEX
 1940 BNE dobo1d
1940 BNE dobold
1950 .nothold
1960:
1970 BIT style
1980 BFL notunder
1990 LDA #&FF
2000 STA char+8
2010 .notunder
2020 :
2030 LDA #128
2040 STA char
2050 LDA #23
2050 LDA #23
2060 STA vdus
2070 .defchar
2080 LDA vdus,Y
2090 JSR OBWICH
2100 INY
2110 CFY #10
2120 BNE defchar
2120 BNS GETCHAT
2130 BEQ print
2140 | NEXT
2150 ENDFROC
2160 :
2170 DEF FROCChecksum
2190 bor FNC-Checksum
2190 FOR hyte = code TO 0%-1
2200 total = total + ?hyte
2210 NEXT
2220 IF total = 32479 ENDFROC
2230 FRINT"Checksum error"
```

#### Pieces of 8

#### Listing 1

470 ORA #suh\_hit 480 BNE setfull

500 ORA #super\_hit 510 .setfull 520 STA style 530 LDA char

490 .setsuper

```
10 REM Random Landscapes (Fo81)
20 REM Flot random landscapes
    30 REM By Peter Batty
40 REM for all mschines
50 REM (c) BAO July 91
    60 :
70 MODEL
80 :
    80 :
90 DIM yh%(64),op%(4),cf%(1)
   100 :
  110 op%(1)=143
  120 op%(1)=143
120 op%(2)=0
130 op%(3)=179
140 op%(4)=0
  160 VDU 19,0,6;0;19,1,4;0;
170 VDU 19,2,2;0;19,3,7;0;
   220 REM This Segment Flots the Distant
 Hills, Lake,
230 REM Middle and Foreground, then the
230 RPM Middle and Follows

Road

240:

250 k%=2-RND(3)

260 n%=50

270 ye%=635+k%*RND(n%)

280 PROChills(ys%,1,1,0,0)
   300 ys%=ys%-(20+RND(n%))
310 FROChills(ys%,1,2,0,1)
320:
```

```
330 ys%=ys%-(20+RND(n%))
       340 k%=2-RND(3)
350 ck%=2-RND(2)
      350 ck%=Z-RND(2)
360 FROChills(ys%,2,3,k%,ck%)
370:
380 ys%=ys%-RND(n%/4)
390 k%=Z-RND(3)
400 ck%=Z-RND(2)
410 FROChills(ys%,2,4,k%,ck%)
      420 :
430 FROCroad(3,0)
440 :
450 REM This Segment Flots Various Siz
      460 REM Shades of Tree from Back to Fo
400 KEM Shades of Tree reground 470: 480 n%=100 490 inc%=0 500 M=RND(150) 510 kz%=INT(RND(1)+0.5)
      520:

530 FOR 11%=1 TO M

540 inc%=inc%+RND(1000/M)

550 VDU 29,0;0;

560 x1=RND(1279)

570 iz%=x1/20
       580 v1=vh%(iz%)-inc%+1
 590 yt=(((yh%(iz%)-yl)/yh%(iz%))*n%+RN
D(20))*3
D(20))*3
600 yh=yt/(2.0+RND(1))
610 xh=yh/(1.0+RND(1))
620 IF xh.4 THEN GOTO 560
630 IF FOINT(x1-xh,y1)=3 THEN GOTO 560
640 IF FOINT(x1,y1)=3 THEN GOTO 560
650 IF FOINT(x1+xh,y1)=3 THEN GOTO 560
660 IF xh/yh<=1 THEN xh=yh*0.05 BLSE x
h=xh*0.05
```

67Ø	:
68Ø	yt=yt/40
690	yh=-yh*1.4
700	zc%=RND(3)
710	
720	IF POINT(x1-xb,y1+yh)=3 THEN GOTO
56Ø	
	IF FOINT(x1+xh+yt,y1+yh-yt)=3 THEN
GOTO	
	IF x1-xh<5 OR x1+xh>1275 THBN zc%=
1	
	IF y1-yh<5 THEN zc%=1
	FROCtree(xh,yh,Ø,3)
	x1=x1+yt
	y1=y1-yt
	t%=kz%*zc%
	IF t%<=2 THEN PROCtree(xh,yh,Ø,1)
	IF t%>2 THEN FROCtshade(xh,yh)
	NEXT ii%
830	
	REM This Segment Switches the Colo
urs,	
	REM thus Simulating the Four Seaso
ns ·	
86Ø	
	REFEAT
	RESTORE
	FOR i%=1 TO 20
	FROCdelay(500)
	READ co10%, co11%, co12%, co13%
	VDU 19,0,co10%;0;19,1,co11%;0;
	VDO 19,2,co12%;0;19,3,co13%;0;
	NEXT 1%
95ø	UNTIL FALSB

```
980 REM FROChills Flots a Wave or Line
 of Colour
990 REM Constructing the Back to Foreg
  1000 :
  1010 DBF PROChills(ys%,co1%,j%,k%,ck%)
 1010 DBF PROCENTIA(98
1020 GCOL op%(j%), co1%
1030 dt=RAD(10)
1040 th=RAD(RND(360))
1050 S=SIN(dt)
1060 C=COS(dt)
  1070 ss=SIN(th)
  1270 88=$1N(th)
1890 cs=CoS(th)
1890 si=RND(100)
1100 yn%=ys%*ck%+(1-ck%)*(ys%+si*ss)
1110 MOVE 0,0
1120 MOVE 0,yn%
1130 yh%(0)=yn%
  1140
  1150 FOR 1%=20 TO 1280 STBF 20
1156 FOR i%=20 TO 1280 STBF 20
1160 Sn=ss*C+cc*S
1170 cc=cc*C-ss*S
1180 ss=sn
1190 yn%=(yn%-k%*RND(5))*ck%+(1-ck%)*(y
s%+si*ss)
 %%+Si*Ss)
1200 yb%(i% DIV 20)=yn%
1210 FLOT 85,i%,0
1220 FLOT 85,i%,yn%
1230 NEXT i%
1240 ENDPROC
  1260 REM FROCTOAD Flots a Winding Road
  1270 REM on a Sine Wave
1280 :
  1280 :
1290 DEF FROCroad(co1%,j%)
1300 GCOL j%,co1%
```

```
1310 ii=26+RND(10)
1320 inc=RND(2)
1330 yr%=yb%(ii)
1340 iz=ii*20
1350 si=60+RND(60)
1360 dt=RAD(20)
1370 th=RAD(0)
1380 S=SIM(dt)
1390 C=COS(dt)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2060 FROCdrop(1,16,11,6)
2070 PROCdrop(15,23,38,6)
2080 PROCdrop(1,23,11,19)
2090 PROCdrop(1,30,38,26)
2100 ENDPROC
                                                                                                                                                                                                                                                                                                                                                         950 PROCsbowall
                                                                                                                                                                            2360 :
2370 DATA 3,4,2,7,6,4,3,7,6,1,3,7,4,1,3
                                                                                                                                                                                                                                                                                                                                                         960 C%(new,0)=0:used=used-1
                                                                                                                                                                          ,7,6,4,1,5
2380 DATA 6,4,7,5,6,4,7,0,4,4,7,0,5,4,7
                                                                                                                                                                                                                                                                                                                                                          97Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                    970 ENDPROC 980 : 1990 DEF PROCshowall 1800 VDD 28,15,23,38,6,12,26 1810 PROCShowall 1800 VDD 28,15,23,38,6,12,26 1810 PROCShose (xm, ym, zm) 1800 FOR zq=0 TO zm-1 1800 FOR yq=0 TO ym-1 1800 FOR yq=0 TO xm-1 1850 IF G%(xm, ym, zm) PROCCube(xm, ym, zm) 1870 FOR XT 1880 FOR XT 1880 FOR XT 1870 FOR XT 1880 FOR XT 1870 FOR XT 1880 FOR XT 1880 FOR XT 1880 FOR XT 1870 FOR XT 1880 FOR XT 1870 FOR XT 1870 FOR XT 1880 FOR XT 1870 F
                                                                                                                                                                         ,0,4,4,7,0
2390 DATA 5,4,7,0,6,4,7,0,6,5,7,0,6,5,2
,0,6,4,2,3
2400 DATA 6,4,2,7,6,4,2,3,6,4,2,7,3,4,2
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               2110 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2110 :
2120 DEF FROCINIT
2130 DIM C%(11,5),A%(5)
2140 Xs=48:ys=24:zs=48:used=0:num=0
2159 Xp=9:yp=0:zp=0:ne=0:old=1
2150 rot$="XYZXyz":error=PALSE
2170 GCOL 0,2:*PX 4,1
2180 *PX 229,1
                                                                                                                                                                         .7.6.4.2.7
   1390 C=COS(dt)
1400 ss=SIN(th)
1410 cs=COS(tb)
1420 di=iz-si*ss
1430 MOVE ii-iz-si*ss
1430 MOVE ii-yrk
1440 MOVE ii-yrk
1450 :
1460 POR ij*syrk-20 TO -20 STEP -20
                                                                                                                                                                        Listing 2
                                                                                                                                                                                    10 REM 3D Fentominoes (Po82)
20 REM by David Lawrsnce
30 REM from an idea by Don Scales
40 REM for all macbines
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2180 FOR 1%=0 TO 11
2200 FOR J%=1 TO 5
2100 RRAD V%
2220 C%(1%, J%)=V%*10+2
2230 FROCdot(1%*6+V%MOD 10,(V%/10)MOD 1
                                                                                                                                                                                                                                                                                                                                                      1080 NEXT
                                                                                                                                                                                                                                                                                                                                                      1090 PROCoutline(xm.vm.zm.3)
                                                                                                                                                                                                                                                                                                                                                     1100 PROCCURS(xp, yp, zp)
1110 ENDPROC
    1470 inc=inc+RND(2)
  1470 inc=inc+RND(2)

1480 sn=ss*C+cc*S

1490 cc=cc*C-ss*S

1500 ss=sn

1510 ii=iz+si*ss

1520 PLOT 85,ii,ij*

1530 ii=ii+inc
                                                                                                                                                                                    50 REM (c) BAU July '91
                                                                                                                                                                                   50 REM (C) BAI
60:
70 MODE 1
80 PROCscreen
90 PROCinit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         0)
2240 NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2240 NEXT
2250 NEXT
2250 YOU 28,15,23,38,6
2270 PRINT'" Select grid size:"
2280 PRINT'" Select grid size:"
2280 PRINT'" Select grid size:"
2290 PRINT'" - Which ? ";
2390 REPEAT
2310 k5=GET$
2320 UNTIL k$-"0" AND k$<"4"
2331 IF k$="1" xm=5:ym=4:zm=3
2340 IF k$="2" xm=6:ym=5:zm=2
2350 IR k$="2" xm=10:ym=3:zm=2
2350 IR k$(xm,ym,zm)
                                                                                                                                                                                                                                                                                                                                                     1140 PROCcurs(xp,yp,zp)
1150 xp=(xp+xa)MOD xm
                                                                                                                                                                                                                                                                                                                                                     1160 yp=(yp+ya)MOD ym
1170 zp=(zp+za)MOD zm
1180 PROCcurs(xp,yp,zp)
1190 ENDPROC
                                                                                                                                                                               90 FROCINIT
100 FROCPLAY
110 IF more THEM RUN
120 MODE 7
130 *FX 229,0
140 END
  1530 ii=ii+inc
1540 PLOT 85,ii,ij%
1550 NEXT ij%
1560 ENDPROC
1570 :
1580 REM PROCtree Plots a Solid Ellipso
                                                                                                                                                                                                                                                                                                                                                   1136 and 1200:
1210 DEP FROCCUIS(xc,yc,zc)
1210 DEP FROCCUIS(xc,yc,zc)
1220 PROC3d(4,xc+1,yc+1,zc)
1230 GCOL 3,1:PRINT out$;
1240 ENDPROC
                                                                                                                                                                                 150 :
160 DEF PROCP1ay
id Tres
  1590 :
                                                                                                                                                                                 170 REPEAT
                                                                                                                                                                                                                                                                                                                                                 1246 ENDPNUC

1250: DEP PROCDOX(pos,col)

1270 GCOL 0,col

1280 MOVE 63+pos*6*16,63

1290 PLOT 1,84,0:PLOT 1,0,84

1300 FLOT 1,-84,0:PLOT 1,0,-84

1310 ENDPROC
  1690 DEF PROCtree(xx,yy,j%,co1%)
1610 GCOL j%,co1%
1620 VDU29,x1;y1;
1630 IP co1%=1 AND RND(10)<=2 THEN GCOL
                                                                                                                                                                                180 COLOUR 3
190 PRINT TAB(1,20); "Pos:(";xp;",";yp;
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2350 DIM 65(xm,ym,zm)
2370 VDU 12,26
2380 CUM6$(xm,ym,zm)
2370 VDU 12,26
2380 cube$=FNstring
2390 cust=FNstring
2400 PROCEsse(xm,ym,zm)
2400 PROCESSE(xm,ym,zm,3)
2420 PROCETAW(0,-5,5,1)
                                                                                                                                                                               ";zp;")"
200 IP old<>new FROCbox(old,0):PROCbox
  j%,0
1640 dt=2*FI/15
                                                                                                                                                                        (new, 3)
                                                                                                                                                                    (new,s)
210 *PX 15
220 KS=CET5:old=new
230 IF error PRINT TAB(1,22);SPC11:err
Or=FALSE
240 IF KS="," nsw=(new+1)MOD 12
250 IF KS="." new=(new+1)MOD 12
250 IF KS="." new=(new+1)MOD 12
260 IF KS="." new=(new+1)MOD 12
260 IF KS="." new=(new+1)MOD 12
270 IF INSTR(rots, Ks) PROCrot(Ks)
280 IF KS=(KS,136 FROCmove(K,-1,0))
390 IF KS=(KS,136 FROCmove(0, ym-1,0))
310 IF KS=(CHR$,138 FROCmove(0, ym-1,0))
310 IF KS=(TR$,138 FROCmove(0,0,1))
320 IF KS="." PROCmove(0,0,1)
330 IF KS="." PROCmove(0,0,1)
340 IF KS=(CHR$,137 PROCDalete
350 IF KS=(CHR$,127 PROCDalete
350 UFTL used=12 GCOL 0,1:VDU 5:MOVE 48,
335:PRINT "Well done!":VDU4
336 PRINT TAB(1,23) "Another go?"
                                                                                                                                                                               210 *FX 15
 1640 dt=2*f/1:

1650 A=xx/yy

1660 C=COS(dt)

1670 S=SIN(dt)

1680 8x=S/A

1690 8y=S*A

1700 xa=xx
                                                                                                                                                                                                                                                                                                                                               1310 ENDPROC
1320:
1330 DEP PROCredraw
1340 IF C%(new,0)-1 FROCer("Shape Used"
):ENDPROC
1350 VDD 28,1,15,11,5,12,26
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2430 PROCCUTS(0,0,0)
2440 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2440 ENDPROC
2450 :
2460 DEP FNstring
2470 st$=""
2480 REPEAT
                                                                                                                                                                                                                                                                                                                                                   1360 num=new
1370 PROCdraw(num, -5,6,1)
1380 ENDPROC
   1710 ya=0
1720 MOVE 0,0
1720 MOVE 0,0
1730 MOVE xa,0
1740:
1750 FOR i%-1 TO 15
1760 T=xa*C-ya*sy
1770 ya=ya*C-ya*sy
1780 Xa=T
1790 PLOT 85, xa, ya
1800 MOVE 0,0
1810 NEXT 1%
1820:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            2490 REPRAT
2490 READ v4, v1%, v2%
2500 IF v%=18 THEN FROCGCO1
2510 IF v%=0 OR v%=1 OR v%=81 PROCCIOT
2520 UNTIL v%=-1
2530 =st%
                                                                                                                                                                                                                                                                                                                                                     139Ø :
                                                                                                                                                                                                                                                                                                                                                    1400 DEF FROCrot (dirs)
                                                                                                                                                                                                                                                                                                                                                   1410 IF num =- 1 PROCer("No Shape") : ENDFR
                                                                                                                                                                                                                                                                                                                                                   MC 1420 VDU 28,1,16,11,6,12,26
1430 dir$=CMR$(ASC(dir$)AND&DF)
1440 IF INKEY-1 dir$=dir$+"8"
1450 POR b%=1 TO 5
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             2540 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2940:

2550 DEF PROCGCO1

2560 St$=st$+CHR$18+CHR$v1%+CHR$v2%

2570 ENDPROC

2580:

2590 DEF PROCDLOT

2600 st$=st$+CHR$25+CHR$v%+PMC(v1%)+PMC
                                                                                                                                                                                                                                                                                                                                                    1460 PROCextract(C%(num.b%))
  1820 :
1830 POR i%=-xb TO xb STEP 4
                                                                                                                                                                              380 PRINT TAB(1,23); "Another go?"
390 *FX 15
400 more=((GET AND &DF)=ASC"Y")
410 ENDPROC
                                                                                                                                                                                                                                                                                                                                                   1470 C%(num,b%)=EVAL("FNrot"+dir$)
1480 MEXT
1490 PROCdraw(num,-5,6,1)
1500 ENDPROC
 1830 POR 1%=-xb
1840 MOVE 1%,0
1850 DRAW 1%,yb
1860 NEXT 1%
1870 ENDPROC
1880 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          (v2%)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            261Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                     1510 :
                                                                                                                                                                                                                                                                                                                                                  1510 :

1520 DEF FNrotX=(2+y)*100+(2-z)*10+2+x

1530 DEF FNrotY=(2-x)*100+(2+y)*10+2+z

1540 DEF FNrotZ=(2+z)*100+(2+x)*10+2+x

1550 DEF FNrotXa=(2-y)*100+(2+x)*10+2+x

1550 DEP FNrotYa=(2+x)*100+(2+y)*10+2+x

1570 DEP FNrotZa=(2+z)*100+(2-x)*10+2+y
                                                                                                                                                                             430 DEF PROCplace
440 IF num=-1 PROCer("No shape"):ENDFR
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2620 :
2620 :
2630 DEP FNC(Q%)
2640 Q%=Q%+65536
2650 =CHR$(Q% MOD 256)+CHR$(Q% DIV 256)
  1890 REM FROCtsbade and PROCline Shades
  the Tree
                                                                                                                                                                       oc
                                                                                                                                                                              450 err=FNfit
460 IF err=1 1
470 IP err=2 1
  1900
 1910 DEF PROCtahade(xx,yy)
1920 co11%=INT(RND(1)+0.5)
1930 IP co11%=0 THEN co12%=1 ELSE co12%
                                                                                                                                                                              450 IF err=1 PROCer("Outside box")
470 IP err=2 PROCer("Overlaps")
480 IP err=Ø PROCputit
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            2660:
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            2670 DEF PROCSbape(n,c)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2670 DEF PROCESSAPE(n,c)
2680 GCGL 0,c
2690 RESTORE
2700 IP n<>0 FOR i=1 TO n*5:READ q:NEXT
2710 FOR i=1 TO 5
2710 READ V%
                                                                                                                                                                                                                                                                                                                                                   158Ø :
=0
1940 cf%(0)=co11%
1950 cf%(1)=co12%
1960 VDU 29,x1;y1;
1970 PROCline(0,yy,0,1)
1980 :
1990 FOR I=4 TO xx STEP 4
2000 J=yy*SIN(ACS(I/xx))
2010 %=0
                                                                                                                                                                               490 ENDPROC
                                                                                                                                                                                                                                                                                                                                                   1590 DEF PROChase(xo,yo,zo)
                                                                                                                                                                                                                                                                                                                                                  1590 DEF PROCDASE(xc,yc)
1600 GCOL 0,3
1610 PROC3d(4,xc,0,0)
1620 PROC3d(21,0,0,0)
1630 PROC3d(21,0,yc,0)
1640 PROC3d(4,0,0,0)
1650 PROC3d(21,0,0,co)
                                                                                                                                                                               500
                                                                                                                                                                              510 DEF FREIT
                                                                                                                                                                             510 DEF PNfit
520 F%=TRI TO 5
530 F0x DEW = 1 TO 5
540 FROCextract(C%(num,b%))
550 IP xp+x<0 OR xp+x>=xm F%=PALSE
550 IP yp+y<0 OR yp+y>=ym F%=PALSE
570 IP zp+z<0 OR zp+z>=zm F%=PALSE
580 NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            2730 PROCdot (n*6+V%MOD10, (V%/10) MOD10)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            2740 NEXT
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2750 ENDPROC
                                                                                                                                                                                                                                                                                                                                                   1660 ENDPROC
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2760 :

2770 DEF PROCdot(xd,yd)

2780 MOVE 64+xd*16,64+yd*16:PLOT 1,15,0

2790 PLOT 81,-15,15:PLOT 81,15,0

2800 ENDPROC
 2010 k%=0
 2020 kk%=1
                                                                                                                                                                                                                                                                                                                                                  1670 :
1680 DEF PROCoutlins (xo, yo, zo, col)
1690 GCOL 0, col
1700 RESTORE 3200
                                                                                                                                                                            580 NEXT
590 IP MOT P% THEN =1
600 F%=TRUE
610 FOR D%=1 TO 5
620 PROCENTRAC! (C%(num, b%))
630 IF G%(xp+x, yp+y, zp+z) F%=PALSE
640 NEVM
 2030 IF POINT(I-1,-J)=cf%(0) THEN k%=1:
 2040 PROCline(I,J,k%,kk%)
2050 PROCline(-I,J,k%,kk%)
                                                                                                                                                                                                                                                                                                                                                  1700 RESIDEN 2000
1710 FOR 2%=1 TO 11
1720 READ p%, xa, ya, za
1730 PROC3d(p%, xo*xa, yo*ya, zo*za)
1740 REXT
1750 ENDPROC
1760 :
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            2810
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          2810 :

2820 DEP PROCextract(zyx)

2830 x=zyx MOD 10-2

2840 y=(zyx/10) MOD 10-2

2850 z=(zyx/100) MOD 10-2

2860 ENDPROC
 2060 NEXT I
 2070 :
 2080 GCOL0,1
                                                                                                                                                                              650 IF MOT F% THEN =2
                                                                                                                                                                           650 IP MOT F% THEN =2
660 =0
670:
680 DEP PROCPULIT
680 DEP PROCPULIT
680 DEP ROCSHape(num,1)
710 FOR D%-1 TO 5
720 PROCSHAPE(num,b%))
730 G%(xp+x,yp+y,zp+z)=num+1
740 NEXT
750 PROCSHOW11
750 C%(num,0)=1
2090 POR 1%=-xb TO xb STEP 4
2100 MOVE 1%,-yy
2110 DRAW 1%,yb
2120 NEXT 1%
                                                                                                                                                                                                                                                                                                                                                   1760 :
1770 DEF FROCdraw(n,xx,yy,zz)
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        2866 ENDPROC
2870:
2880 DEP PROCdrop(1,d,r,u)
2890 l=1*32;d=91-d*32:r=(r+1)*32
2900 u=1023-u*32
2910 YDU18,0,131,24,1;d-12;r+12;u;16
2930 YDU18,0,131,24,1;d-12;r+12;u;16
2930 YDU18,0,132,24,1-8;d-4;r+4;u-8;16
2930 YDU18,0,132,24,1-4;d-2;r+4;16,26
2950 ENDPROC
2950 :
2970 DATA 02,12,22,32,42
2980 DATA 11,12,22,32,42
2990 DATA 21,12,22,32,42
2910 DATA 21,12,22,32,42
3000 DATA 11,21,22,13,24
3010 DATA 21,12,22,33,33
3040 DATA 21,31,22,23,33
3050 DATA 11,21,22,23,33
3050 DATA 11,21,22,23,33
3050 DATA 11,21,22,23,33
3050 DATA 11,21,22,33,33
3060 DATA 20,21,22,12,33
3060 DATA 21,31,22,23,33
3060 DATA 21,31,22,32,33
3060 DATA 21,31,22,32,33
3060 DATA 11,21,22,32,33
3060 DATA 11,21,22,32,33
3060 DATA 11,21,22,32,33
3090 DATA 11,21,22,32,33
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           2870 :
                                                                                                                                                                                                                                                                                                                                                  1780 FOR I%=1 TO 5
1790 A%(I%)=C%(n,I%)
1800 NEXT
213Ø ENDPROC
                                                                                                                                                                                                                                                                                                                                                  1810 FOR I%=1 TO 5:L%=I%
1820 FOR J%=I% TO 5
1830 IF A%(J%)<A%(L%) L%=J%
2140
215Ø DEF PROCline(X,Y,k%,kk%)
2150 DEF PROC1ine(X, 2160 GCOL0,cf%(k%) 2170 MOVE X, -Y 2180 FLOT 21, X, Y 2190 GCOL0,cf%(kk%) 2200 MOVE X, -Y+4 2210 PLOT 21, X, Y 2220 ENDFROC 22324.
                                                                                                                                                                                                                                                                                                                                                  1840 NEXT
                                                                                                                                                                                                                                                                                                                                                 1850 B%=A%(L%):A%(L%)=A%(I%):A%(I%)=B%
                                                                                                                                                                            760 C%(num,0)=1
770 num=-1:used=used+1
780 ENDPROC
790:
                                                                                                                                                                                                                                                                                                                                                 1860 FROCcube (x+xx,y+yy,z+zz)
1880 NEXT
1890 ENDFROC
                                                                                                                                                                            790 :
800 DEF PROCEr(t$)
810 COLOUR 1:PRINT TAB(1,22);t$
820 SOUND 1,-10,201,1:error=TRUE
 2230 :
2240 DEF FROCdelay(time%)
                                                                                                                                                                                                                                                                                                                                                1890 : 1940 BBF PROCCube(xc,yc,zc)
1910 DBF PROC3d(4,xc,yc,zc)
1930 FRINT cube;
1940 GCOL 0,0
1950 IF ABSX+ABSY+ABSZ<>0 PRINT out;
1950 ENDPROC
1970 -
2250 LOCAL out%, now%
2260 out%=FALSE
                                                                                                                                                                             830 ENDPROC
227@ now%=TIME
                                                                                                                                                                             840
                                                                                                                                                                            850 DEF FROCdelets
860 IF C%(new,0)=0 PROCer("Not used"):
2280 REPEAT
2200 IF INKEY$(0)<>"" TMEN OUT%=TRUE
2300 IF TIME-now%>time% THEN OUT%=TRUE
2310 UNTIL OUT%=TRUE
2320 ENDPROC
                                                                                                                                                                     ENDPROC
870 FOR xx=0 TO xm-1
                                                                                                                                                                                                                                                                                                                                                  1970 :
                                                                                                                                                                                                                                                                                                                                                1980 DEF PROC3d(o%, x, y, z)
1990 PLOT o%, 736+(x-y)*xs, 640-(x+y)*ys+
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       3080 DATA 11,21,22,32,33
3090 : 3100 DATA 18,0,1, 0,-xs,-ys, 0,xs,-ys
3110 DATA 18,0,1, 0,-xs,-ys, 0,xs,-ys
3110 DATA 18,0,3, 81,0,ys*2, 81,xs,-ys
3120 DATA 18,0,2, 0,-xs,-ys, 81,xs,-ys
3130 DATA 18,0,2, 0,-xs,-ys, 81,xs,-ys
3140 DATA 81,-xs,-ys,-1,0,2*ys, 1,-xs,ys
3150 DATA 1,xs,ys,1,0,2*ys,1,-xs,ys
3160 DATA 1,-xs,-ys, 1,0,-2*ys
                                                                                                                                                                            880 FOR yy=0 TO ym-1
890 FOR zz=0 TO zm-1
                                                                                                                                                                                                                                                                                                                                             1990 PICH 09,730TA 17, 22, 22, 28, 2000 ENDPROC 2010: 2020 DEF PROCScreen 2030 VDU 23;8202;0;0;0; 2040 PROCGrop(12,3,27,1) 2050 PRINT TAB(13,2);"3D Pentominoes"
2340 REM This Data Molds Sets of Colour
                                                                                                                                                                            900 IF G%(xx,yy,zz)=new+1 G%(xx,yy,zz)
                                                                                                                                                                     910 NEXT
2350 REM Defining Autumn, Winter, Spring
                                                                                                                                                                            920 NEXT
                                                                                                                                                                            930 NEXT
```

940 PROCsbape(new, 2)

```
3170 DATA 1,xs,-ys, 1,0,2*ys, 1,xs,ys
3180 DATA 0,-xs,-ys, 1,-xs,ys, -1,0,0
                                                                                                                                                                                                                                                        240 FOR cbar=1 TO len
250 FOR line=0 TO 8
260 X%=oldblock% MOD 256
270 Y%=oldblock% DIV 256
                                                                                      130 :
140 DEF PROCSCTO11(S$,x,y)
150 VDU31,x,y
160 A%=10:X%=&70:Y%=0
                                                                                                                                                                  ber
30 REM By Murray MacKenzie
          :
DATA 4,1,1,0, 5,1,0,0
                                                                                                                                                                         40 REM For all machines
50 REM (c) BAU Jul 91
                                                                                     170 FOR cbar=1 TO LEN(S$)
180 X%?@=ASC(MID$(S$,cbar,1)):CALL&FFF
                                                                                                                                                                                                                                                         280 oldblock%?0=ASC(MID$(old$,cbar,1))
                                                                                                                                                                                                                                                         290 CALL AFFI

300 X%-newblock% MOD 256

310 Y%-newblock% DIV 256

320 newblock%?0=ASC(MID$(new$,cbar,1))
                                                                                                                                                                       60 :
70 MODE 6
80 VDU 23,1,0,0,0,0;
90 PRINT TAB(10,10)"Demonetration"
100 PRINT TAB(12,20);"Hit Space"
                                                                                    190 FOR line=1 TO 8
200 VDU 23,224
210 FOR 1sv=9-line TO 8
220 VDU X%?lev
                                                                                                                                                                                                                                                         330 CALL &FFF1
                                                                                                                                                                       110 REPEAT UNTIL GET=32
                                                                                                                                                                                                                                                         340 VDI 23.224
Listing 3
                                                                                     230 NEXT lev
                                                                                                                                                                       120 PRINT TAB(12.20):"
                                                                                                                                                                                                                                                         350 IF line=0 THEN 400
                                                                                                                                                                                                                                                         350 IF line=0 THEN 400
360 FOR newlev=9-line TO 8
370 VDU newblock%?newlev
380 MRXT newlev
390 IF line=8 THEN 450
400 VDU 0
                                                                                     240 FOR space=1 TO 8-line
250 VDU 0
                                                                                                                                                                       130 PROCcbange ("Demonstration", "Of Cha
    10 REM String Scroller (Po83)
20 REM Scroll down, not along
30 REM By Murrey MacKenzie
40 REM For sil machines
50 REM (c) BAU July 91
                                                                                                                                                                  130 PROCCOAnge("Demonstration", "Or Changing", 10,10)
140 PROCchange("Of Changing", "Strings.
",10,10)
150 PRINT
                                                                                                                                                                                                                                                         410 TF line=7 THEN 450
                                                                                     290 NEXT line
                                                                                                                                                                       160 RND
                                                                                                                                                                                                                                                         410 FOR oldisv=1 TO 7-line
430 VDU oldblock%?oldlev
440 NEXT oldlsv
                                                                                     300 NEXT char
                                                                                                                                                                       170 DEF PROCchange(old$, new$, x, y)
190 A%=10:oldloc%=&70:newloc%=&900
200 oldblock%=&60
     8Ø VDU 23;82@2;@;@;Ø;
                                                                                                                                                                                                                                                         450 VDU 31,x+char-1,y,224
   100 REPRAT
110 PROCscroll("Demonstration...",10,1
                                                                                                                                                                       210 newblock%=&70
                                                                                 Listing 4
                                                                                                                                                                       22@ old=LEN(old$):new=LEN(new$)
                                                                                                                                                                                                                                                         470 NEXT char
                                                                                                                                                                      230 IF oldsnew THRN lensold RISE lenso
                                                                                                                                                                                                                                                         480 ENDPROC
   120 UNTIL FALSE
                                                                                       10 REM Scrolling Message (Po84)
```

#### Comms

```
Listing 1
```

```
10 REM >Term2 (Comme1)
20 REM Simple Computer to Computer li
     30 REM by Paul Vigay
40 REM for all machines with serial p
orts
50 REM (c) BAU July 91
60:
70 ON ERROR GOTO 530
   80 *FX4,2
90 *FX2,2
100 *FX5,2
```

```
120 *FX7,7
130 *FX8,7
140 *FX15,0
150 MODE1
160 COLOUR2:PRINT"Outgoing messages"
170 COLOUR1:PRINTTAB(0,15);STRING$(40,
180 COLOUR2: PRINT"Incoming messsgss"
200 :
210 RX%=0:RY%=0:TX%=0:TY%=0
240 VDU28.0.31.39.18.31.RX%.RY%
250 PROCrecsive
260 RX%=POS:RY%=VPOS
270 VDU28,0,14,39,2,31,TX%,TY%
```

```
280 PROCtransmit
280 PROCETABREE
290 TX%=POS:TY%=VPOS
300 UNTIL FALSE
310 :
320 DEF PROCreceive
33Ø *FX2.1
340 G%=INKEY(0)
350 PROCoutchar(G%)
360 *FX2,2
370 ENDPROC
380 :
390 DEF PROCtransmit
```

```
440 *FX3,0
450 PROCoutcbsr(G%)
460 ENDPROC
 480 DEF PROCoutchar(G%)
480 DEF PROCOUTCDAT(G%)
490 IF G%-31 AND G%<128 VDU G%
500 IF G%-13 PRINT
510 ENDPROC
520 :
530 REM An error has occured [
540 ON ERROR OFF
550 MODE 7
560 *FX3,0
570 *FX2,0
580 *FX4,0
590 REPORT:PRINT" at line ";ERL
```

## Fill this space.

BBC Acorn User is always looking for good quality programs for publication.

If you've written a program that you think other readers would be interested, why not send it in?

We will accept programs for any of the Acom machines, on any subject, from counting the number of flowers on your wallpaper to designing spare parts for the Space Shuttle. Size is not important, it can be anything from one line to a full blown application.

Programs must be submitted on disc together with some explanatory text. We won't need a whole article at this stage but an outline would be a good idea. Neither do we need a bulky printout of the program.

Ensure your program works. It may sound obvious but we do receive a few that don't, and it's not very encouraging to boot up a disc only to recieve a 'Syntax Error message'.

Even if you haven't written a program but have an idea for a program that you think would be popular then jot the idea down on a piece of paper and send it in. Our regular contributors are always looking for ideas to put programs to.

Send your programs to: Submissions, BBC Acom User, 20 - 26 Brunswick Place, London, N1 6DI.



# Dabhand Computing Ltd



TERMS: UK residents add 17.5% VAT to all prices, except books. Delivery FREE on all postal items in the UK. Foreign orders, no VAT, carriage al cost. (quotations available). Access/Visa cards accepted. Dabhand Computing Ltd. is a Qualified Acom dealer. Official orders accepted from public sector/education/ PLCs, otherwise cash with order. Tender invitations welcome. Callers welcome. We are 800 yds north of J17, M62. Fax: 061-766 8425. Prices subject to change wilhoul notification. Goods offered subject to being unsold.

Dabhand Computing Ltd, 5 Victoria Lane, Whitefield, Manchester M25 6AL. This advert was produced using Impression from Computer Concepts.

1	)	ì	ı
	4	7)	































A 3	000	2Mb F	₹an	n	£5	99.00
A 3	000	LC 2N	lb l	Ram *	£6	99.00
A 4	10/1				£10	99.00
A 4	20/1	LC **.			£12	99.00
A 4	40/1				£16	99.00
A 5	40				£29	95.00
We	can	match	or	improve	on	prices

advertised or quoted in or from this magazine please phone for the best deals.

We operate the Acorn Schools, Academics & Finance schemes.

Pack includes PC Emulator, 1st Word Plus, Genesis. \*\* + Acorn DTP.

#### Oak SCSI Devices

Worra Winnie	
20 Mb Internal Hard Disc	£299
45 Mb Internal Hard Disc	£399
80 Mb Internal Hard Disc	£599
100 Mb Internal Hard Disc	£795
200 Mb Internal Hard Disc	£1195
20 Mb External Hard Disc	£349
45 Mb External Hard Disc	£449
80 Mb External Hard Disc	£649
100 Mb External Hard Disc	£845
200 Mb External Hard Disc	£1245
High Speed Range	
40 Mb Internal Hard Disc	
80 Mb Internal Hard Disc	£675
100 Mb Internal Hard Disc	£995
200 Mb Internal Hard Disc	£1545
45 Mb External Hard Disc	£685
80 Mb External Hard Disc	
100 Mb External Hard Disc	
200 Mb External Hard Disc	£1735
60 Mb Tape Streamer	£795

#### Archimedes A400

5.25" Ext. floppy disc interface
Additional 3.5" Floppy Disc
ARM 3 Upgrade (30 MHZ) £449 ArVis S-VHS Video Cont. Board £295
ArVis S-VHS Video Cont. Board £295
ArVic S VIIS Encoder Board \$145
AIVIS 3-VIIS ELICOURI DOUIU £145
ArVis Video Graphics Board£877
Atomwide 8 Mb Memory Upgrade £850
Chroma 345 Overlay Board£389
Dongle Dangle (Impression/Oak) £6
Econet Module£46
Ethernet Expansion Card£249
Floating Point Expansion Card£449
Hawk V9 Video Digitiser£339
I/O Expansion Card £79
Keyboard Extender£8
Midi Upgrade to I/O Exp. Card£27
Midi Expansion Card£65
Midi Upgrade Rom£14
Mouse (New Style) £40
Scanlight Junior Scanner A6 (CC) £179
Scanlight Senior Scanner A4 (CC) £389
Sheet Feeder for above A4 (CC) £95
SCSI Expansion Card (Acorn) £229
TCP/IP Ethernet£199
VIDC Enhancer£29

#### Dabhand 410/1 to 420/1

Acorn A410/1 upgraded to specification using only the highest quality Samsung Ram and a 20 Mb Seagate ST-125-1 28ms drive or Acorn drive formatted and tested guaranteed trouble free use.

A410/2 20 Mb	£1099
Colour System	£1289
Eizo 9060 SZ System	£1499

#### Dabhand 410/1 to 440/1

Acorn A410/1 upgraded to A440/1 specification using a Branded 40 Mb 28ms drive formatted and tested as above.

A440/1 specification	£1299
Colour System	£1488
Eizo 9060 SZ System	£1699

#### **Dabhand** ST506 Hard Disc Drives

Archimedes A410 Internal Hard Disc Drives for use with 'on-board' ST506 winchester controller. Comes complete with mounting chassis, screws, connecting cables and easy to follow fitting instructions.

20 Mb	28ms	 £129
40 Mb	28ms	 £245

#### A3000 SCSI Devices

Please refer to Oak External SCSI prices in the opposite column as prices for A3000 external units are the same.

#### A3000 Ram Upgrade

Atomwide Ram Upgrades	
1 Mb Ram Upgrade	£79
4Mb upgrade to above board	
4 Mb Ram Upgrade	£175

#### A3000 Upgrades

5.25" External floppy disc cable	£15
5.25" External f/disc buffer (Pres)	£46
5.25" External f/disc buffer (Beebug) .	£39
Dust cover (Keyboard + Monitor)	£12
User & Analogue Podule	£46
Monitor Stand (Acorn)	£29
Monitor Stand (Pres)	£24
Mouse Extender (No more fiddling)	£8
Serial Upgrade	£19
Serial Link Kit (BBC-Arc)	£14
User & Midi Podule	£46
VIDC Enhancer	£29

#### A400 Series Ram Upgrades

Fast Samsung Ram complete with step by step fitting instructions.

1 Mb Ram	£50
	£95
3 Mb Ram	£140

#### **Standard Monitors**

Acorn Colour	£199
Microvitec Cub 3000	£199
Philips CM8833 II	£199
Philips Mono (Green)	
All manitors come with free lead	State

All monitors come with free lead. State type of computer when ordering.

#### **Multiscan Monitors**

N	
EIZO 9060SZ Flexiscan	2399
EIZO 9070SZ Flexiscan	£599
Taxan 770+ LR Multivision . :	£425
Taxan 795 Multivision ^ **	£495
Taxan Viking II Mode 23	£799

comes with free VIDC enhancer.

#### Master 128

Master 128 £36	9	)
----------------	---	---

#### Floppy Disc Drives

ı	5.25" Single 40/80 no psu £9	5
1	5.25" Single 40/80 with psu £109	9
	5.25" Dual 40/80 no psu £185	5
	5.25" Dual 40/80 with psu £199	9
	3.5" Single with psu £85	5
	3.5" + 5.25" 40/80 no psu £188	5
	3.5" + 5.25" 40/80 with psu £209	9

#### **Printers**

Citizen 120D+ (Serial add £20)	£129
Citizen Swift 9	£179
Star LC10	£139
STAR LC200 COLOUR (9 pin)	£199
CANON Bubblejet BJ-10e	£289
Canon Bubblejet BJ-130e	£449
Sheetfeeder for BJ-10e	£59
Citizen Swift 24	£249
Colour Kit for above (also Swift 9)	
STAR LC24 - 200	£239
STAR LC24 - 200 COLOUR	£289
Sheetfeeder for LC24 - 200	£69
Integrex Colourjet 132	£519
HP Paintjet	
LASER DIRECT (Qume)	
LASER DIRECT (LPB8 Hi Res.)	











































<sup>\*\*</sup> monitor has 0.26 dot pitch and Sony Trinitron tube.

# 4 4 4 4 4 4 4 4 4 Midnight Graphics Products

#### **Midnight Tracer**

!Paint to !Draw conversion, turn your sprite files into fully editable object orientated draw files which can be scaled, rotated and manipulated without any loss of detail.

Ideal for users of all Desktop Publishing and Scanning packages. Accepts any sprite file and offers many image processing facilities. Translation can be colour or monochrome, includes a unique automatic tracing feature, variable trace options and curve fitting facilities.

The manual includes a user friendly tutorial with hints and tips on how to obtain the best results from your sprite files.

!Tracer is an ARM coded Risc OS multitasking application and will easily run on a 1Mb machine.

Midnight Tracer ..... £52.13

#### Clip Art - Draw Files

Give your DTP documents the right balance with Midnight Graphics Clip Art. Over 480 Draw file images, presented in a library of five discs.

images in !Draw to suit your style and purpose. Then place them into Impression or Acorn DTP. Clip Art . £29.95

Change the











#### **Books (No Vat)**

C: A Dabhand Guide	
Archimedes Assembly Language	£14.95
Archimedes Operating System	£14.95
The above books have accompanying di	scs add
£5 for 5.25", £7 for 3.5"	
A3000 Technical Guide	£29.95
A540 Technical Guide	£65.00
Acorn DTP Advanced U.G	£14.95
Archimedes First Steps	£9.95

BASIC V: A Dabhand Guide £9.95
BBC Basic Guide (Acorn) £19.95
DTP Seeds (4Mation) £8.45
128 Ref. Man.Pts 1&2 (ea.) £14.95
New Advanced User Guide £19.95
RISCOS PRM's £79.00
Additional Arc Software Manuals (Acornsoft)
First Word Plus, DTP, Assembler . (ea.) £10
ANSI C Version 3 £19

#### **Printer Drivers**

Midnight Graphics	
Citizen Swift 9 Sprite Dump	£26.04
Citizen Swift 24 Sprite Dump	£26.04
Epson 24 Sprite Dump	£26.04
HP Paintjet Sprite Dump	£26.04
Integrex 132 Sprite Dump	£26.04
Integrex Colourcel Sprite Dump	
Juki 5520 Sprite Dump	£26.04
Star LC10 Sprite Dump	£26.04

Star XB24 Sprite Dump£26.04
Star LC200 Sprite Dump£26.04
Star LC24-200 Sprite Dump £26.04
Ace Computing
Printer JX£13.00
Printer PJ £13.00
Printer CA£13.00
Electronic Font Foundry
BubbleJet - BJ10e/130e £10.00

# **Full Range of Educational Software** Available

4Mation, Chalksoft, Longman Resource, Sherston, Widgit And many more...



#### Software

ANSI C V.3 Compiler + free C Guide £	
Apocolypse (3D Space Game)	£14.95
Arc DFS (DFS Filing System)	£24.95
Arcade Soccer	£14.95
ArcTerm (Serial Port)	£59.00
Armadeus & Sampler Board (Sound Sampler) £	199.00
Artisan 2 (16 Colours)	£49.95
Atelier (Minerva 256 Colours)	£79.95
CHESS 3D	£14.95
CHOCKS AWAY 2 (Flight Simulator)	£14.95
CHOCKS AWAY EXTRA MISSIONS	£14.95
CHOCKS AWAY 2 + EXTRA MISSIONS	£29.00
Desktop Office (Minerva Integrated Package)	
DROP SHIP (Superb Graphics)	212.95
Euclid 2 (3D Drawing) E-Type (Driving Simulation) / Designer each	257.95
Equazor (Equasion generating package)	
Family Favorites (Minerva Compilation)	
First Word Plus V2 (Acorn)	C0 65
Flexifile Relational Database (Minerva)£	100.05
GRAPHBOX with Hotlink to PDream 3	
Holed Out, Extra Courses, Designer each	209.95
HOSTAGES (Superior)	C14 0E
IMPRESSION 2 (Document Processor) £	130 00
IMPRESSION JUNIOR (Easy DTP)	25.00
Inertia (4th Dimension)	212 05
INTERDICTOR 2 (Flight Simulator)	F27 95
INTERDICTOR 2 (Flight Simulator)	F24 95
IBON LOBD	P14 95
MINI HYPERPACKS (3 games p p) No's 1 to 5	F19.95
Hyperpack (12 Games)	
Maddingly Hall (Minerya Adv.)	£12.95
Maddingly Hall (Minerva Adv.)	£17.35
Magnetic Scrolls (Adventures)	22.95
Manchester United	E22.95
Microstudio (Emr - Learn Music)	279.00
MIG 29 (Flight Simulator)	£29.00
MULTIFS (Arxe Systems - Atari, PC, DFS)	227.95
Multistore Database (Minerva)£  NEVRYON (Unbelievable Graphics & Gameplay) £	199.00
NEVRYON (Unbelievable Graphics & Gameplay) !	£14.95
NO EXCUSES (Arcade)	214.95
PC Emulator + free PCE Shareware 1&2	299.00
Pipedream 3 (WP)£	129.00
Pipe Mania (Addiction beyond belief)	217.35
POSTER (Superb effects)	E79.00
POWERBAND (3D Formula 1 Racing - 4th Dim.) !	217.95
ProArtisan (256 Colours)	279.95
REAL MCCOY 2 (4 Game Compendium)	24.95
REDSHIFT (Minerva scrolling arcade)	
Render Bender (Clares)	259.95
RHAPSODY (Clares Music package)	234.95
SCHEIVIA (Wultitasking Spread Sneet)	299.00
Superior Golf	
STUDIO 24 PLUS (EMR New Risc Os Version) £	
TEENAGE MUTANT TURTLES (Colouring Book) 13 The Wimp Game (Desktop Adventure 4th Dim.)	
Thundermonk (Arcade Adventure)	
Tracker (Make Great Music)	
Twin World	214 05
Worra Battle (Oak Tank Battle) FREE Headphones	14.05
WorraCad (Oak 2D Draughting Package)	
Worra Plot (Draw/HPGL Plotter Driver)	24.95
TOTAL TOTAL STREET OF THE STREET STREET	

#### How to find us



Hours of Opening Monday - Friday 9.00 a.m. - 5.00 p.m. Saturday 10.00 a.m. - 5.00 p.m.

#### NO Carriage Charges in Mainland UK

Acorn Qualified Dealer Specialists in Education

TEL: 061 766 8423
































































































#### 42M Archimedes Removable Drives – £499+VAT

If you are looking for a hard drive for your Archimedes or A3000, why not consider using a MicroNet MR45 removable SCSI hard drive?...

- Fast The average access time is 20 milliseconds, so these are FAST devices. When used with an Oak SCSI card, the file transfer rate is the same as a conventional fixed hard disc.
- **Reliable** The technology of these drives has been proven by use in huge quantities with Apple Macintosh computers.
- Robust The discs, when not in the drive, are extremely robust. We (deliberately!) threw one half-way across the office, it hit a desk and knocked a phone on the floor! We then verified the disc and found that it did not have a single error on it!
- Flexible The medium is removable, so you can use different discs for different uses.
- Secure The medium is removable, so you can take out the disc and lock it up in a safe place.
- Cheap The price of the drive, including a single 42M disc, is just £499 (£590 including VAT and carriage). Extra 42M discs are £75 each. SCSI podules are available from £170.


N.B. These are special prices for Archive Magazine subscribers only (ring for details) but it's worth paying £17 to join Archive just to buy one of these drives!

Norwich Computer Services
96a Vauxhall Street, Norwich NR2 2SD. (0603–766592 / Fax 764011)

# COLOUR INK JET PRINTER



EMULATES OTHER COLOUR PRINTERS EG. IBM 3852, Canon PJ1080A, Quadjet PRINTS OVERHEAD TRANSPARENCIES





INTEGREX LTD., CHURCH GRESLEY, SWADLINCOTE DERBYS DE11 9PT

Tel (0283) 551551 Fax (0283) 550325 T/x 341727 INTEGX

#### **MALCOLM BROWN** compares some low cost nine-pin printers currently available

o matter how attractive a laser printer, or even good quality 24-pin dot-matrix printer, if your budget only runs to £250, a nine-pin dotmatrix model is for you.

These printers remain ever popular because they provide workhorse printing. For a hard copy of program listings, file copies of accounts or draft copies of documents, a more expensive printer is not really what you need.

In such cases the quality of either the draft or near letter quality (NLQ) print is not so important. So long as the text is legible and comfortable to read, its finer aesthetic points are unimportant. It is speed that matters. All the models looked at here have been tested by printing a set piece of text and the equivalent speed in characters per second (cps) calculated.

Our cps performance figures are more realistic than those claimed by the manufacturers and can be compared with those quoted in previous BAU printer tests.

The commands to control effects, such as bold, enlarged, condensed, italic print, and so on, follow a number of different standards. The basic facilities are provided by the Epson FX and IBM Graphics Printer standards. Epson LQ and IBM Proprinter standards offer more versatility and are worth looking out for.

The seven printers reviewed here all cost less than £260. In addition, there is a comparison table which allows you to compare these printers with eight slightly more expensive models. From this table you will be able to decide which printer will be the best for you.

#### AMSTRAD DMP3160

This £175 printer is aimed particularly at users of Amstrad's CPC range of home computers. It is not strongly made nor elegantly styled, mainly because of the somewhat peculiar feeding paper mechanism.

Paper enters the printer from the front, not the back or base like most printers. For cut sheet paper this means it is loaded face up - unusual and tricky to get used to at first, but actually quite sensible. Since the paper meets the printhead almost as soon as it enters the printer, there's no need for automatic loading.

Fanfold paper also enters from the front and the DMP3160 has a pair of folddown feet to raise the printer a few inches off the desk so a (small) wad of fanfold paper can sit beneath it.

The print from this model is not of a very good quality. In draft mode text is faint and unattractive, although in NLQ mode it is better, but not up to the standard expected.

It is also exceptionally slow - in draft mode it barely manages a snail-like 67cps, which is around 45sec per page.

In NLQ mode the DMP3160 sinks to a derisory 18cps, which is the speed of a cheap daisywheel printer - although the quality of NLQ print from the DMP3160 is not as good.

The DMP3160 is, however, IBM Proprinter compatible and can also emulate the Epson LQ series. DMP3160 is certainly cheap. Few other printers come near this price, although those that do, more than justify the extra.

#### EPSON LX-400

At £199, the LX-400 is not only extremely cheap, but it beats the pants off machines costing twice as much.

The paper handling system features that bugbear, the removable tractor feed, which must be removed to use single sheet paper - time consuming and wearing on the fittings.

It is also a pull-feed unit, and so wasteful on fanfold paper as well. For cut sheet paper the automatic loading is fast and efficient, but there is no paper parking.

The print quality from this machine is excellent. NLO text is dark, crisp and well formed with dark areas of graphics and graphics characters dark and even. Draft print is naturally less appealing, but it is still easily readable.

The LX-400 is relatively fast – in draft mode it manages a healthy 101cps, and 23cps in NLO, which is just under 2min per page.

Unfortunately, there is no IBM standard at all, although the LX-400 is Epson-compatible with a standard roughly equivalent to the FX standard, but with the full IBM character set provided.

Overall, the LX-400 is a well made, flexible printer which performs well beyond its selling price.

#### MT81

At £187, the Mannesmann Tally MT81 is one of the cheapest printers available, but is also capable of high quality.

A push-feed tractor unit is built-in, but no paper parking is provided. Cut sheets are not loaded automatically and the only way to straighten a sheet after it is loaded is to briefly switch to tractor feed to release the hold on the paper.

However, this machine is not really intended for frequent use with cut sheet paper – it is strictly a fanfold printer.

The print from the MT81 is well above average. Draft print is dark and relatively dot-free - better than many models' attempts at NLQ. In NLQ mode the MT81 produces dark, even, crisp and rounded

characters. The only drawback is that only one NLQ font is provided and that print is a touch heavy.

The speed of the MT81 is decidedly average. Draft print is produced at about 77cps and NLQ characters are printed at a rate of 21cps – over 2min per page. However, the MT81 is both Epson FX and IBM Proprinter compatible and most functions can be controlled



from the front panel, albeit mostly with complicated and sometimes hard-to-remember button combinations.

There is not a great deal to set the MT81 apart except its price, and plenty of discounts bring superior models down to this level.

#### **OLIVETTI DM109**

This is a push feed type and it sits recessed into the top of the printer, A tear-off function advances the paper to tear off the sheet and then retracts it back again to print the next one.

Cut sheet paper is loaded automatically at the press of a button - the same button will also attempt to 'park' fanfold paper even when no fanfold paper is in the printer and it is set to friction feed. So, pressing the wrong button promptly ejects, backwards, the sheet of paper just loaded.

Draft print is relatively poor and, although readable, a long document can be quite a strain. NLQ print is better but not even up the standard of the Amstrad DMP3160.

There are two NLQ fonts available - a typewriter lookalike and a plain sans serif font. NLQ print is produced at the reasonable rate of 25cps, but draft print is tardy at just 80cps. To compensate, a high speed draft mode produces

characters at a good rate of 119cps, but the print quality suffers enormously.

High speed print cannot be selected from the front panel or with a software code - only in the complex initial set up, involving long chains of printed menus. Character pitch and draft/NLQ can be selected from the front panel and other functions are controlled with IBM Proprinter



Epson FX commands.

Olivetti's tradition of quality is seriously let down by the DM109 - a slow, poor quality machine which cannot justify even this low price.

#### PANASONIC KX-P1081

As something of a forerunner to the KX-P1180, the £257 KX-P1081 is a bit of a classic. This is an old design, owing much to the original Epson FX-80 'look' of around eight years ago. It is rather noisy in use, producing a loud buzzing sound as it prints.

Both tractor and friction feed units are provided but there are no luxuries, such as paper parking. The paper handling is let down by the automatic paper feed, which operates as soon as a sheet is placed into the printer.

But, as there are no proper guides, it almost invariably feeds crooked - no automatic loading at all would be a lot easier to use.

The print quality from this machine is crisp, dark and eminently readable. The KX-P1081 has just one NLQ font available - the usual typewriter lookalike,

In speed, the KX-P1081 will manage 77cps - about 30sec for a typical page of text and a bit slow for this price. In NLQ mode the speed is down to 20cps, again at the lower end of the scale.

Only the basic Epson FX and IBM Graphics Printer emulations are provided and print quality can be selected from a switch on the front panel, although switching to NLQ makes it impossible to switch back to draft print with a software command.

The KX-P1081 is a simple machine with little in the way



of extra frills but it is robust and capable of quite reasonable print.

However, the opposition provided by Panasonic (see table) is faster, easier to use and offers a choice of NLQ fonts. Few (least of all Panasonic) would deny that if the extra £50 can be found, the KX-P1180 provides a much better solution.

#### SEIKOSHA SP-2000

Unlike other Seikosha printers, the SP-2000 model looks more expensive than its £234 price tag. It is mostly a very clever styling job but this machine appears capable of far rougher treatment than it probably is (although as a whole, I would say it is fairly robust).

Paper feed is straightforward. Both fanfold and cut sheet paper enter and exit the printer on the top. Cut sheet paper is loaded automatically, triggered by the bail bar, and fanfold paper is handled with a push-only tractor.

The print from the SP-2000 is exceptionally dark, especially in NLQ mode. In draft mode, the characters are clear and easily legible, much like the Swift 9 in both style and quality.

In NLQ mode the text, although rather pixelated around the edges, is extremely

clear and crisp, with even large areas of black in graphics printed a deep, even black.

There are two NLQ fonts available – a serif typewriter lookalike and a sans serif style, which is a small but powerful combination that will satisfy most needs.

For its relatively low price, the SP-2000 is faster than average. In draft mode it manages a slightly disappointing



#### **SEIKOSHA SP-2000**

97cps. NLQ text, however, is produced at 25cps - a very reasonable speed for this price.

The SP-2000 can emulate both an IBM Proprinter and Epson FX printer, and some control is also possible from the front panel. The quality of print - NLO or draft - can be selected from here, as can the NLO font used.

The Seikosha SP-2000 is quite a bargain. Although it is not overtly fast, it is well made and produces good NLQ print in a choice of two fonts.

#### STAR LC-10 II

The Star LC-10 was (and still is) an excellent machine and the £257 LC-10 II continues the tradition. It is not the cheapest machine available. but it packs in many features.

Both friction and tractor feed are provided with the push-feed tractor feed hidden away under a back panel when not in use. The LC-10 II also features automatic paper loading and paper parking.

But most important is the print quality from this printer. Draft print is extremely readable, if a little faint. The NLQ quality is simply excellent far better than other machines of this price. The letters are well styled and crisp and dark.

The LC-10 II can print in four NLQ character styles. As

### Arcounts Manager

#### The Professional Solution

#### **FEATURES**

- Sales, Purchase, **Nominal Ledgers**
- **Budget Reports**
- Sales/Purchase Analysis
- Debt Chasing and other letters
- **Aged Debt Analysis**
- Statements (User Definable)
- Re-Occurring Transactions
- Receipt/Payment/Refund & Contra Processing
- Invoice Search Facility
- RISCOS multi tasking
- Text Editor
- Trial Balance Quick Ratio
- VAT Return
- Profit/Loss & Balance Sheet Self re-building data files
- Hold transaction or Account
- Miscellaneous Accounts
- Upgradeable
- Full Support included
- Mouse or Keyboard Driven

#### **KENDAL COMPUTER CENTRE**

68 Stramongate, Kendal, CUMBRIA LA9 4BD Tel: 0539 722559

Arcounts Manager is the Archimedes ultimate Accounting system on the market today. It is not written to run under an emulator and is not ported from another machine, it simply takes full advantage of the raw power of the Archimedes and A3000 computers @ensure that the computerisation of your accounts is assimple as possible)

Aregunts Manager is very simple to learn and use, data eptry is clear and logical, reports are concise and to the point.

Because Arcounts Manager outs you in control of your finances, it can greatly improve your cash flow, as well as perform the traditional functions such as VAT returns and Profit/Loss reports

Priced at only £299.00 +VAT, there is really only one choice if you are serious about computerising your accounts. Contact your dealer for a demonstration TODAY.

#### **!INSPIRATION**

#### The most comprehensive music sequencing package available for the Archimedes.

Come and visit our demonstration area, or phone for a demo disc. Fully Risc OS compatible. Purchase with Archimedes (special price), or simply add it to your existing system. All you need is a MIDI interface.

!Inspiration offers a control panel featuring: Replace and Overdub record modes ● Cue Start and End • System Status Display • Multiple Save capabilities, and many other features.

#### **CLARES**

**Armadeus Sound Sampler Rhapsody Score Editing** 

#### ARMADILLO 16 BIT SOUND SAMPLER £400.00 Ex Demo £350.00

Full stereo editing, 8 voice polyphony, looping, sustain, 127 samples per MIDI channel, fully multi-timbral, on screen MIDI keyboards and built in MIDI interfaces, etc ....

#### **Archimedes Computer Systems**

	I	Ram Upgrades	
A3000	550.00	A3000 upgrade to 2Mb	60.00
A3000LC	650.00	A3000 upgrade to 4Mb	170.00
410/1	1,050.00	A410/1 upgrade to 2Mb	59.00
420/1	1,250.00	A410/1 upgrade to 4Mb	112.00
440/1	1,600.00		
£40	2,000,00	SECOND HAND GOODS	

Above computer come with software and or printers depending on computer size. All come with Desk top Office from Minerva (WP, spreadsheet, Database chart, comms)

Citizen Overture 106 laser printer 500.00 Canon BJ132 (ex demo)

400.00 Taxan 770 monitor 280.00

For other products please ring for prices

AMPSOUND=

153a Victoria Street, St Albans, Herts AL1 3TA Telephone 0727 50075 Facsimile 0727 58977 Please add VAT to all above prices

# LOOK BEFORE YOU LEAP!

CHOOSE THE RISC-OS DESKTOP COMPATIBLE HAWK V9 TO DIGITISE YOUR IMAGE



- THE HAWK V9 CAPTURES SINGLE FRAMES IN FULL COLOUR FROM MOVING VIDEO IMAGES FROM CAMERA OR VCR
- THE SOFTWARE IS EASY TO USE AND IS PROVIDED WITH POWERFUL ROUTINES TO ENHANCE IMAGE PRESENTATION
- THE CAPTURED IMAGES MAY BE STORED AS SPRITES OR EXPORTED TO OTHER **PACKAGES**
- THE HAWK V9 IS AVAILABLE FOR BOTH THE ARCHIMEDES AND THE A3000 COMPUTERS



WILD VISION 15 WITNEY WAY BOLDON BUSINESS PARK BOLDON COLLIERY TYNE & WEAR NE35 9PE TEL: 091 519 1455 FAX: 091 519 1929



NINE-PIN PRINTER COMPARISON TABLE													
Make & Model	Price (exVAT)	Claimed Draft	l speed NLQ	Average s Draft	speed NLQ	Interfac Centr	ees RS232	Tractor Feed	Sheet Feeder	Paper Parking	Compatibility Epson	IBM	NLQ styles
Amstrad DMP3160	£149	160	40	67	18	•	•	Push	-	-	LQ	Pro	1
Brother M-1309	£239	180	45	111	28	•	-	Push/pull	-	•	FX	Pro	4
Citizen Swift9	£269	160	40	108	29	•	£30	Push/pull	£84	•	FX	Pro	3
Epson FX-850	£459	290	45	175	44	•	£36	Push	£165	•	FX	Pro	2
Epson LX-400	£169	150	25	101	23	•	£36	Push	£79	-	LQ	Pro	2
IBM ProprinterIII	£477	270	65	174	45	•	£48	Push	£155	•		Pro	2
Mannesman TallyMT81	n	£159	130	24	77	21	•	£40	Push	£82	-	FX	Pro l
Olivetti DM105S	£249	150	30	86	20	•	-	Pull	£99	-	FX	Pro	2
Olivetti DM109	£219	200	30	80	25	•	-	Push	-	•	FX	Pro	l
Olympia NP30	£248	130	26	84	21	•	£25	Push	£138	-	FX	Pro	1
Panasonic KX-P1081	£219	120	24	77	20	•	£41	Push	-	-	FX	Gra	1
Panasonic KX-P1180	£269	160	32	103	25	•	£69	Push/pull	£99	•	FX	Pro	4
Seikosha SP-2000	£199	160	40	97	25	•	•	Push	-	•	FX	Pro	2
Star LC-10II	£219	150	38	101	39	•	£55	Push	£65	•	FX	Pro	4
Star LC-200	£259	160	45	100	30	•	£55	Push/pull	£65	•	FX	Pro	4

well as the usual typewriter lookalike, this machine can produce san serif and (two) Orator fonts.

A big attraction of the LC-10 II is its speed. In draft mode it can manage 101cps, while in NLQ its speed is an impressive 29cps. The LC-10 II is both Epson FX and IBM Proprinter compatible so there are numerous printing effects to be used with most software.

The style and size of the print can be controlled from the front panel and other printing effects can also be switched on from here but only with complicated button combinations.

The old Star LC-10 was a successful design but Star has improved it still further. The speed has been increased to an impressive level and the print quality is of the same excellent standard.

#### CONCLUSION

Now let's sort out the sheep from the lambs. Although it is the cheapest, the Amstrad DMP3160 performs so badly, it is hardly worth considering with any seriousness.

Next up the scale is the Mannesmann Tally MT81. This was considered excellent when it was launched, but has now been somewhat overtaken by newer models from other manufacturers, not least the LX-400 from Epson.

The LX-400 is truly amazing value for money. It produces good quality print at a reasonable speed. At this price there is nothing to beat it.

Around the £220 mark the Panasonic KX-P1081 suffers from its old age. Things have moved on since this printer was conceived. Likewise the Olivetti DM105S is looking rather long in the tooth. However, the Seikosha SP-2000 shows what a newer model can do.

Walking off with the crown of the cheaper dot-matrix printers, however, must be the Star LC-10 II. With excellent quality NLQ print and good speed in both NLQ and draft, a choice of four fonts and many convenience features, this printer gives many costing far more a run for their money.

#### The Electronic Font Foundry

EFF are the only DTP specialists in the Archimedes field. As well as oar vast range of professional PostScript\* compatible typefaces we sell a range of hardware saitable for both professional or amateur DTP. Take a look at some of our prices to see what value you get from us.

We are expanding our range of fonts into other languages; we already have Greek (Modern and Classical), Cyrillic, Hebrew and Punjubi as well as all European languages, with keyboard modules available if you need them to simplify their use, We will soon have fouls for some more Indic languages available for sale: Bengali, Devangari, Farsi, Gujarati and Tamil.

' "		,	
HARDWARE		Acorn 14" colour	£199
A3000	£545	EIZO 9060S 14" monitor	£445
A3000 Learning Curve	£645	19" paper white monochrome	£699
A410/1	£995		
A420/1	£1195	SOFTWARE	
A440/1	£1495	Impression II	£145
A540/1	£2595	Impression II network version	!
BJ-10e Portable printer	£295	for up to 20 computers	£660
BJ-300 A4 Paper,		Impression Junior	£75
built in tractor feed	£450	FontFX	£10
Canon LBP4, 4 ppm	£895	Snippet	£29
Interface to drive above		Ovation	£95
printer at 600dpi	£325		£5
Laser Direct LBP8, 8 ppm,		Midnight Graphics Clip Art	£29.50
complete with 600dpi podule	£1395	Equasor	£45
Removable external drive	£460	Poster	£79
45Mb disc for above	£75	Acorn DTP	£119
SCSI Podule	£175	RISC OS Printer Driver For	
Complete package	£660	Jet printers BJ 130, 130e and	10e£10
		Multi FS	£35
All price	s exclude	e VAT and carriage	

For Font Catalogue and comprehensive price list write to: • The Electronic Font Foundry • 18, Brockenhurst Road Ascot • SL5 9DL • Tel 0344 872923 •

#### Are you looking for a good source for Archimedes public domain software?

Linas Software Services Ltd have an extensive selection to choose from including games, utilities, soundtrackers. graphics files, outline & system fonts.

Our standard discs only cost £1.25 each or if you prefer you can create your own by choosing up to 10 files per disc for £2.50 and avoid buying files you already own. Send £1.00 for our demo disc/catalogue or an SAE for our catalogue.

We can also supply: Our Archimedes Starter Kit Good quality mouse mat (not cheap foam), 10 x formatted discs, 10 x public domain discs and a lead to connect your Archimedes to your monitor for better & adjustable sound. £19.95. 10 x formatted (or blank) 3.5" discs in library case € 5.00 Good quality mouse mats as above £ 2.50 Any other hardware or software you may require for your Archimedes. P.O.A.



Lings House, 26 Caxton Rd, Wimbledon, London, SW19 8SJ 081-643 3833

#### ACORN ARCHIMEDES COMPUTERS **EXPANSION OPTIONS** FOR. **INDUSTRIAL & SCIENTIFIC APPLICATIONS**

HARDWARE - IEEE488 Interface, 16 Bit Parallel I/O, Dual RS423 Serial Interface, 12 Bit ADC, STE Bus Interface and complete range of STE Bus Boards, SCSI Devices - Hard Discs, Magneto-Optical Drives, Tape Streamers, Removable Hard Discs, Monitors, Printers, Plotters, Plus all Acorn Products etc......

SOFTWARE - GINO-F 3D, GINOGRAF, GINOSURF, HERSHEY +, VIEWGRAF, VIEWSURF, Termulator etc......



## ADVICE - SUPPLY - SUPPORT INTELLIGENT INTERFACES LTD

Established 1981

Atherstone Hill Farm, Atherstone-on-Stour, Stratford-upon-Avon. Warwickshire CV37 8NF TEL 0789 450925 FAX 0789 450926

he Archimedes has always been strong on graphics. The VIDC chip provides a wide range of resolutions and colour selections from a large palette. Nonetheless, the machine was designed over five years ago, and standards in all areas of computing continue advance apace.

Several graphics cards for machines like the Apple Macintosh and the IBM PC can now offer graphic modes which include a full 24-bit collection and delivery service.

Once the enhancer has been fitted, you have a number of new graphics modes directly available to you.

For a start, all the Computer Concepts and Atomwide graphics modes are pre-programmed into the Rom, as arc the extra modes from the Acorn 540 and 14 new modes defined by PCATS itself. Most of these are desktop compatible, so any well written program will run as normal, but at the

and 124 were difficult to read. On the Multisync, resolution could go as high as  $640 \times 512$ with a full 256 colours on screen at once. Mode 126 at  $640 \times 480$  is of particular interest, since it mimics the resolution and colours of one of the Super VGA modes on the IBM PC.

Support of the desktop in new graphics modes is only part of the story. The enhancer also provides two further outputs which are not desktop

file format, which can handle high-resolution images with or without an appended palette. A full description of the file forincluded in the documentation.

The documentation provided with the enhancer was in a prerelease form.

It gave ample description of the commands available and the modes provided, but it was a bit thin on the use of the software. This material will actually form the basis of an

# GOOD LOOKING

The graphics performance of the Archimedes is already exceptional. Even the best can be improved, though, as SIMON WILLIAMS has been finding out

palette, or 16,777,216 colours.

**PCATS** graphics The enhancer for the Archimedes/ A3000 machines offers the same state-of-the-art colour palette, and a number of new, resolution graphics high modes for under £200. The cnhancer brings a lot of extra graphics power to the Archimedes with minimum disturbance to its existing operation.

The hardware consists of a half-width podule which connects to the Arc's main board via the genlock connector, and to the standard analogue output of the machine via a short loop cable. Monitor output is then taken from an identical analogue socket on enhancer back panel. The board itself is well made and tightly packed with the Hitachi graphics processor chip, crystal oscillators and sockets for extra ones, and logic chips as well as miniature relays. The rear panel has two analogue video sockets mounted on it, for input of the Arc's standard video signal and output from the enhancer.

Although installation is not complex, it does involve soldering a new header to the genlock output, which in turn means removing the main board from the Archimedes' case. For this reason, the unit has to be fitted by The Serial Port, which offers a courier

ALL THE COLOURS CAN BE DISPLAYED ON SCREEN AT ONCE

higher resolution, or with the larger palette.

New modes can be brought up using the entry field on the desktop's Mode menu. Several of the new modes are available on medium-resolution monitors as well as multiscans.

The unit was tested using NEC Multisync and Philips CM8533 medium resolution monitors. The standard modes worked fine with the enhancer card, as you might expect. The connection through enhancer is effectively straight through. All the other new modes from PCATS, designed for group 0 monitors also worked correctly, although some of the high resolution screens, such as modes 123 compatible, but are available from Basic and other languages. These provide 12 and 16 bitplane, direct DAC modes, which in simple terms means 4096 and 65536 colours on screen at once, at resolutions up to  $554 \times 328$  and  $416 \times$ 328, respectively.

Software support within the enhancer Rom consists of a number of star commands and SWIs. These provide facilities, among other things, to load and save an extended palette, to automatically set a palette equivalent to the default desktop colours and to load and save Clear files.

A Clear file, for those of you who do not know, is a straightforward uncompressed optional programmer's reference manual. A separate user guide will be provided with the podule, and this will include a tutorial and some programming examples.

Other software suppliers are showing interest in the card and names such as Clares, Longman Logotron and Lindis are looking into programming versions of their graphics software to work directly with the

Overall the PCATS graphics enhancer provides a worthwhile upgrade to the graphics capabilities of the Archimedes, at a reasonable price.

The extra resolution and the addition of a much larger palette from which to select up to 256 colours is a major improvement over machine's existing graphics capabilities.

The firmware commands have been well thought out. and the addition of a generalpurpose graphics file format like Clear will allow a direct exchange of images between

#### PRODUCT DETAILS

The PCATS graphics enhancer for the Archimedes costs £179.95, and £189.95 for the A and is available from The Serial Port, Burcott Manor, Wells, Somerset BA5 1NH.

EasiWriter is the Arc's newest, and biggest, wordprocessor, GRAHAM **BELL** tried it out

he Arc has attracted a lot of software innovative Squirrel and Impression are two good examples. But it has not so far persuaded companies to port software from non-Acorn machines. Icon Technology's EasiWriter is an exception: it's based on the respected Apple Macintosh application MacAuthor.

. EasiWriter is a wysiwyg wordprocessor which makes full use of outline fonts and the other features of Risc OS. Unlike its major competitor First Word Plus, it uses proportionally spaced fonts and the Risc OS printer drivers, and can incorporate multiple columns of text and both Draw files and sprites into its documents. This places it firmly in DTP territory, but unlike Impression it's not able to hold more than one 'story' in a document. Colton Software's *Pipedream* is perhaps the only comparable applidirectly cation, though that has other strengths as a spreadsheet too.

!Fonts System SCSI::Graham.\$.Personal.RoornUser.EasyMriter.Revue \* Text Selection Paragraph Style [SVapps scOSapps 800k of memory at start up, more as EasiWriter Review soon as you edit text or run a spelling check, Even in a 2Mb machine, it's a by Graham Bell EasiMriter you want to run it alongside for Acorn User, July 1991 éizeable application like Paint Misc contacts Mike Glover @ Icon Technology eart including any sprites in Save on 0533 546225 Introduction document window contains a Edit Structure \$\psi t the top plus a blank A4 sheet The Archimedes has attracted a lot of inblant typing right away. Alnovative software - Squirrel and Impres-Format menu structure is daunting at sion are two good examples - but it hasn't so far attracted companies to port Text Search on it is fully wysiwyg, and it's Spelling. View Undo F8 4 RAM Graham MSDOS::0 EasiWriter allows multiple columns on one page

> Installing EasiWriter is as simple as copying the lot onto a blank floppy or a hard disc, and starting up the software is easy enough: it installs an icon reminiscent of Edit's fountain pen. The most important drawback of EasiWriter becomes immediately apparent here it's the first mainstream application that won't run in a 1Mb machine. It claims 800k of memory at start up, more as soon as you edit text or run a spelling check. Even a 2Mb

machine is a tight fit if you want to run it alongside any other sizeable application like Paint and you start including sprites in your documents.

The blank window contains a tool pane at the top plus a blank A4 sheet - you can start typing right away. Although the menu structure is daunting at first sight, EasiWriter is fully wysiwyg and it's simple enough to do a letter without a look at the manual. The tools allow you to select justified or ragged text, and insertion, deletion, search and replace work as you would expect.

#### **PLUS POINTS**

But there are some extremely neat touches at this simplest level. One is intelligent cut and paste: if you select a word and cut it out (using a double click of the mouse and CTRL-X as usual) the space around the word is adjusted intelligently, taking account of punctuation and so on. Pasting in a word elsewhere inserts spaces as necessary. Strangely the intelligence only works with CTRL-X - use DELETE and it can leave a double space behind.

Another plus point is that by editing a text file, items can be removed from EasiWriter's menu structure, so simplifying it down to bare essentials for young users is possible.

Icon is a software company that doesn't have wide experience of the Acorn world, and occasionally it shows. There's no 'change case' key, to alter from lower to upper case. Similarly, 'delete forwards' and pointer hiding as you type were very late additions to the software after comments made during this review (the use of the COPY key to delete forwards is an Acorn quirk). More seriously, the treatment of a non-breaking space (ALT-SPACE) is wrong - EasiWriter can put a hyphen after a space this way.

Aside from these omissions, EasiWriter adheres admirably to the Risc OS guidelines. The window document works exactly as advertised, though some cursor movements can be unpredictable (particularly UP from the end of a paragraph). Various standard CTRL key shortcuts work as you would expect: CTRL-C copies, CTRL-V pastes, F3 saves, F4 finds and so on. There are four layers of function key shortcuts, which you'll gradually learn because they are marked on the menus too.

There is an 'undo' function for that injudicious key press. But it can even undo gross changes to the formatting of the entire document. There's also a spelling checker with the easiest way of creating your own dictionary I've seen: a 'learn' button. The whileyou-type spelling beeps when you make a mistake, and you can let several mistakes pass before pressing F9 to correct them all. But don't go back to correct the last one - it forgets them all as soon as you move the caret with an arrow key. This needs to be fixed.

Sadly, you can't set up separate user dictionaries for, say, names and technical terms, nor can you add a thesaurus. Foreign dictionaries are available from Icon though, and you can highlight a word and define it as French. EasiWriter will then look it up in the French dictionary, or ignore it if no French dictionary is installed.

#### STRUCTURED TEXT

But this isn't EasiWriter's only forté. It has a strong line on structure: as you type, you can divide your document into chapters, sections, sub-sections, bullet lists and so on using the menu or function keys. Each level of the hierarchy has a heading and body, each set up with different text styles. So section headings are initially 14 point Trinity bold, whereas the main section text is 12 point Trinity medium.

You can override these styles easily: you use the mouse to select an area of text and a menu allows you to choose the typeface, size (in whole points only), colour and so on, in the usual way. These local changes are termed 'emphases', but the system is exactly the same as the styles and effects in Impression. You can also change the default styles this way: set up a single paragraph with emphasis changes you want, then use the menu option to save the changes as a style. Saving using the original name (like 'Paragraph Style' or 'Section Heading') changes all the document. Saving the

altered style using a new name allows you to set up two separate styles for section heads, for example. The first three new styles you create automatically get allocated a function key, so you can set up those styles quickly. You can also set up your own named emphasis styles.

There are two problems with this approach. In common with Impression, it's difficult to set italic or bold emphases. Because these are separate typefaces under Risc OS, if you set a whole paragraph in Homerton, EasiWriter won't automatically set any italics within that paragraph to Homerton oblique - they get left in Trinity italic. Second, and more avoidably, the style names are case sensitive, so you can have 'Paragraph Style' and 'Paragraph style'.

#### LOADING AND SAVING

EasiWriter uses its own file format, which isn't compatible with any other Arc software (nor with MacAuthor). But it can import and export plain text, from Edit for example (though you'll often have to get rid of the 'hard' new line characters) or to Impression. And it can import First Word Plus files directly, a smart move as this is likely to be a common upgrade path. It can't auto-import View files though: here you'll have to do a little work to set the file type to Text, and adjust the formatting as the line endings of the View file are kept intact.

EasiWriter's own files store things like the current position of the caret and the selected region as well as the text itself. so when you re-load a document, it opens exactly at the position you last saved it. They also include any drawings and sprites placed in the document - so unlike *Pipedream* there's no problem with separate illustration files.

You can also save 'stationery' files. These are exactly what you'd expect: blank templates which can contain preset styles, a logo, perhaps even some standard text. In an office, you'd typically develop stationery pads for letters, memos, forms and so on.

One of the special strengths of EasiWriter is the easy way of including graphics in your

document. Big pictures, either drawings or sprites, can be included in two ways, as 'pictures' or 'figures'. The difference is figures have captions, which can be placed left or right, above or below the picture itself. You can control the scale and crop of each picture through the menus. You can also include 'in-line' pictures, which flow just like a word in the text. One example use would be to include formulae in the text, which you could design using Draw. The drawing can be put in the text at the cursor position, and moved up or down easily to align with the text. Impression has a similar facility (embedded frames) but EasiWriter works better in this respect.

#### TABLE CREATION


The other job that EasiWriter excels at is table creation. You can insert a table just like inserting a new sub-section or list, and typing items separated by Tab automatically creates as many columns as you need. This is one of the most impressive features of the whole application. As you type, the column widths 'magically' adjust themselves to fit your text. You can add rules within and borders around a table. In fact borders can be added to any text structure, so a section can be boxed off, for example.

Another impressive aspect of EasiWriter is its multicolumn layout ability. You can set any document to have two or more columns, with or without vertical lines between them. A clever option allows the two columns on the last page to be balanced in length. However, options to change the position of headings to make them span both columns and to vertically justify the columns did not work in the pre-release copy reviewed: the bugs should be ironed out of the final version.

To make the layout more controllable, you can force text to the top of a page or to the top of a column, and insert flexible 'white spaces'. These are rather good - they can be set to any depth, and could allow you space to paste in a picture by hand on a printed copy, for example.

In all, EasiWriter is very capable. It offers almost everything most users want from a wordprocessor, and should prove popular in the home and in secondary education despite its expense and the need for a 2Mb Arc. It's a little slow at most things (not unduly so) but is a far better choice that First Word Plus and is more useable than Pipedream for simple wordprocessing. Choosing it over a package like Impression Junior is much more difficult: it's considerably less capable in page layout terms, but for those who don't like fiddling with frames and rulers it could be a good choice.

But there are some important omissions: mail-merging, a thesaurus, footnoting, special treatment for quote marks (" and ') and easy sub- and superscript for example. Mailmerging is the most vital of these. and EasiWriter's appeal to the business market will be limited until this is remedied. Icon says it's discussing mailmerge utilities with both Minerva (MultiStore and Flexi-File) and Digital Services (Squirrel), so the ability to link a database of names and addresses to a standard letter will emerge later. Icon also plans to release TechWriter, an upgraded version including built-in equation editing later in the year.



#### PRODUCT DETAILS

Illustrations flow with the text

EasiWriter costs £176 from Icon Technology, 9 Jarron 5treet, Leicester, LE2 7DH; Tel. 0533 546225. 5ite and educational licences are also available. Foreign dictionaries cost £35.

# FREE



with every computer we sell...



#### ...our expertise!

If you are buying a new Archimedes or Master Series computer, you don't expect to know all about it from day one. That's where we come in. We don't leave our customers high and dry with their problems — they know they can rely on us to get them out of trouble.

Whether it's hardware or software, we're the people who know.

### THE DATA STORE

6 Chatterton Road, Bromley, Kent Tel: 081-460 8991 Fax: 081-313 0400

#### FREE demo disc

#### **ARCHWAY 2**

**Available NOW** 

"ARCHWAY is one of the most impressive and best value for money products that I have yet seen for the Archimedes. Anyone who wishes to write RISC applications in BASIC would have to be quite insane NOT to enlist the aid of this remarkable package."

A & B Computing February 1990

"You get an excellent piece of software which will make the mountain of programming needed to operate the WIMP environment into a molehill...you can create a complex WIMP environment very quickly...I have had no end of use out of this easy-to-use package."

Archivo Julii 1989

"I am sure ARCHWAY will cut out a lot of the work of writing simple applications for many people...I think this could be a very good place to start."

BBC Acorn User, April 1991

"I'm extremely impressed with ARCHWAY 2. It's a very ambitious product and one that now provides the many budding Archimedes developers with a facility that will enable them to get their ideas off the drawing board before they evaporate."

RISC User, April 199

ARCHWAY 2 lets YOU unleash the huge program power of RISC OS and the ARM easily and quickly. Build powerful multi-tasking, multi-window applications with pop-up menus, icons, mouse control, etc. of professional quality. Programs are RISC OS compliant.

If you are a little familiar with BBC BASIC then you can create applications using ARCHWAY 2. We have optimised the facilities to let you achieve powerful results with a minimum of programming.

ARCHWAY 2 provides a total environment for creating RISC OS applications in BASIC. It includes tools shell programs with extensive run-time code, comprehensive examples and tutorials.

There are tools to make menus, windows, icons, mouse pointers, present a wide range of graphics and text in frames, create a simple database and much more. The tools are themselves ARCTWARE applications so they share the intuitive RISC OS user interface. They have been designed to work closely together and with Edit, Paint and the Basic Editor. All are fully multi-tasking.

ARCTIWAY shells are ready to run RISC OS applications in line with Acorn's guidelines. Shells include run-time code to handle automatically windows, menus, icons, file handling, graphics, etc. so that you don't need detailed knowledge of these complex areas. You create a complete application by extending and fine-tuning a shell. You add menus and windows using the tools, and write functions & procedures to carry out the tasks of your program.

The price is £86.91 exc VAT but with p/p (£102.12 inc VAT at 17.5%). VISA & ACCESS are welcome. Please add £5.00 for postage in £ urope or world-wide surface mail & £20.00 for world airmail. For schools a site licence is included in the price. Two FREE upgrade vouchers when purchasing direct from Simtron.

Detailed leaflet and demo disc FREE on request.

#### SIMTRON Programs to help you

4 Clarence Drive, East Grinstead, West Sussex RH19 4RZ Telephone (0342) 328188

## !!!EVERYTHING'S A BARGAIN!!! T.M.J. Computer Software

39 Farmstead Road, Carby, Northants, NN18 OLE. Telephane: 0536 69011
On Line BBS DARKHAYEN 0604 413716 (Back On Line)
\*\*\*\* All prices are inclusive of VAT and POSTAGE\*\*\*\*

	^^^ All prices are inclus
Product	Price
Power Band	£19.99
	£16.99
Apocalypse	£25.99
Nevryon	£16.99
The Otympics	£16.99
	£16.99
E-Type	£16.99
Chocs Away	£19.99
Chocs Away Extra	Missions£16.99
Ball Arena	£16.99
Crisis	£16.99
Twin World	£16.99
Mig 29 Fulcrum	£34.99
	£14.99
Interdictor 2	£29.95

0	VAI and I COINGE	
	Product	Price
	Arc Pinball	£21.99
	Boogie Buggie	£19.99
	Fun School 2 (Atl age groups)	£14.99
	tmpression 2	£160.00
	Tactic	£16.99
	Arc-term 7	£69.95
	Man. U. Football	£20.99
	The Real McCoy 2	
	Real McCoy + Reat McCoy 2	£49.00
	The Real McCoy	£25.99
_	Pres A3000 Monitor Stand	£31.99

MON - FRI 9am-noon, 1.30-6.30pm SATURDAY 9.30-12.30



EUROPEAN ORDERS WELCOME. Tel. Orders Welcome Please send S.A.E. for full price list. Visa or Access welcome





# A3000

Free Interdictor Program
Free 1 Mbyte Upgrade
Free TV Modulator
Free Delivery

£599.00 + VAT

while stocks last only

Part exchange of Masters still available

## Broomfield Computers

Broomfield Hall Church Green Broomfield Essex CM1 5BD \times tel 0245 442844 or 0860 229465 \times fax 0245 441312

### B & S COMPUTING (Nottm) Ltd.



258 Derby Road, Bramcote, Nottingham NG9 3JN Telephone: (0602 491202 Fax: (0602) 491322



\*\*\*ACORN APPROVED AND PREMIER LEAGUE DEALERS \*\*\* STAR REGISTERED BUSINESS DEALERS\*\*\*

#### **ARCHIMEDES COMPUTERS** (Carriage free)

MULTI-BASE COLOUR SYNC\*

A3000 £599 £799 £999 410/1 £1099 £1299 £1499 420/1 £1299 £1499 £1699 440/1 £1699 £1899 £2099

\* The multi Sync Monitor is the Taxan 775

#### ARCHIMEDES EXPANSION

(Carriage £1.50)

1Mb RAM Upgrade (A3000) £95 1Mb RAM Upgrade (400/1 series) £75 A3000 Serial Port Upgrade £19 A3000 User/Midi Port Upgrade £49 A3000 Monitor Plinth £29

#### ARCHIMEDES SOFTWARE

(Carriage £1.50)

1st Word Plus £69 System Delta Plus £59 SigmaSheet, Gamma Plot each £55 Render Bender £59 Artisan 11 £50 Atelier £85 Auto Sketch £69 ISO Pascal, Fortran 77 each £90 Logistix £90 Pro-Artisan £85 PC Emulator £85 (Carriage £2.50)

Acorn Desk Top Publisher £125 Ansi C (Release 3) £125 Lisp, Assembler, Prolog X each £150 Pipe Dream (Version 3) £130 Impression 2 £150 Impression Junior £80

#### ARCHIMEDES GAMES (carriage £1.50)

Orion, Missile Control each £12 Freddys Folly, Alerion each £12 Jet Fighter, Hover Bod each £12 Caverns, Thunder Monk each £12 Word Up -Word Down £15 Zarch, Repion 3 each £15 Ibix The Viking £15 Pacmania, Terramex each £15

each £17

each £17

each £26

#### HARD DISC UPGRADES

Arcade Soccer, Olympics

E-Type, Holed Out

U.i.M, Apocalypse

(Carriage £8.00) 20Mb Hard Disc £185 £295 40Mb Hard Disc 50Mb Hard Disc £495 Hard disc podule (for 310) £175

#### A3000 LEARNING CURVE

MACHINE ONLY £699

MACHINE AND COLOUR MONITOR £899

Acorns special offer pack of the A3000 with Acorns RISC-OS Applications (Paint, Draw, Edit, Magnifier, Calculator, Alarm Clock, Maestro and Configure), Acorns First Word Plus – a full feature Word Processor with a spelling checker and on screen graphics and Acorns PC Emulator which enables the machine to run industry standard software. Also included is Genesis, a suite of applications which includes: GEN DTP, Address book, Phone book, Scrap book, Green Issues, Recipes, Composers, Story Writer, Planets and a Personal Organiser. The Learning Curve pack also includes a tutorial video and a parents guide to the National Curriculum.

#### \*\*\* SPECIAL OFFER \*\*\*

When you purchase an Archimedes Micro from us, we will denote 10% of the Archimedes Hardware cost towards other goods. For example, for purchasing an A3000 Learning curve colour system, you could choose to have a 1Mb RAM upgrade fitted, giving you a powerful 2Mb machine. Please phone for further details.

£215

£250

£39

<b>PRINTERS</b>	(Carriage £8.00
Free printer lead and	paper with all
printers purchased (p	lease state
machine)	

Citizen 120D+ £120 £260 Swift 24

The Star 'Business Series' LC10 £135 LC20 Colour £180 LC10 - 1 £155 LC15 £275 LC24/200

The Star 'Professional Series' £320 FR10 FR15 £400 XB24-10 £400 XB24-15 £535

FR/XB Colour Upgrade The Star 'Laser Series'

LC24/200 Colour

Laser 8 II £1250 Laser 8 II DB £1695 Laser 8 II Star Script £1775 Laser 8 II Duplex £1975 The STAR Professional Series and the

STAR Laser Series come complete with

one years on site maintenance

MASTER 128 (Carriage £8.00) Master 128 £375 **DISC DRIVES** (Carriage £8.00) Single 40/80T switchable double side disc drive £85 As above with power supply £100 Dual 40/80T switchable double £175 sided disc drive As above with power supply £195

**MONITORS** (Carriage £8.00) Phillips BM7502 Mono Monitor £75 Phillips CM8833 Colour Monitor £225 £200 Acorn Colour Monitor Why not take advantage of our system prices which enable you to obtain a complete Master System at a reduced price. Please phone us for full details.

**BOOKS** No VAT (Carriage £2.50) Basis V User Guide £19.95 A3000 Technical Manual £29.00 Programmers Ref Manual £79.000 (Carriage £1.50) Master Ref Manual Pt 1&2 each £14.00 View 3, View Sheet each £14.00

#### UK CUSTOMERS: Please add 17.5% VAT to all prices (Including carriage)

Government department and educational establishments official orders welcomed

All Prices are correct at time of going to press and are subject to change without prior notification. all goods are subject to availability. Finance is subject to status, B&S Computing (Nottm) Ltd, are licenced credit brokers. Full written details are available on request.


This new program encourages users to create a world of imaginative screens. DAVE FUTCHER goes exploring

lthough it might sound like an ecological simulation, My World is, in fact, a framework which allows activities to be constructed for children of all abilities, right across the curriculum.

The software is a collaborative project undertaken by Regional East Midlands Information Technology (REMIT). a consortium of six local educational authorities. It was written initially to enable pupils with limited reading or writing skills to keep a diary of day-to-day events, using Rebus symbols. The aim was to fill in and print a diary to record the various activities, as well as produce a series of clock faces as a timescale.

My Diary, as it was called, developed into My World, and it now offers children far more than just a diary. An openended framework program has been created using the imagination of a group of seven advisory and support teachers and the creativity of a programmer and graphic designer. The resulting program is a powerful tool that can be used to tackle a wide range of classroom activities.

When the My World icon has been loaded onto the Arc or A3000 icon bar and clicked on, the title screen appears,



along with a picture of the mouse, with the middle button highlighted and the message 'press menu'. The main My World menu appears on the screen and the See Screens option opens a new directory viewer which shows all the special screens. Moving the pointer to a screen and doubleclicking loads that screen into the program.

These different screens offer environments which can be explored and interacted with tasks can be undertaken and the screen then saved and printed out. To focus the screen's use, there can be text messages giving information, or a prompt sheet can be written. One essential icon enables the child to enter text, while a second is a bin for the removal of graphics and text.

This allows children to move and copy graphic objects, and add appropriate text. By pointing at the graphic and clicking on Select, a copy of the object becomes attached to the pointer. It can then be dragged around the screen, leaving the original in place. When the copy of the object is where it is required, you press Select

again and the copy is dropped. Once a copy has been placed, it becomes a movable object and, by clicking and dragging, children can refine their work more easily. Objects copied by accident can be removed by dragging them into the bin.

Text is added by pointing at the paper and pencil icon and a large text caret appears. Words, ligures and punctuation can now be typed in initially, this will be in the style of the screen heading if it has one, but by accessing the Text menu you can control how the text appears.

You can choose the type style (font), its size and its colour, decide whether or not it should be in a box and what the background colour of that box should be. Press RETURN and the text can then be dragged to the desired position.

The set of screens available on the distribution disc shows the package's versatility and flexibility. 'Frog' is a much loved screen featuring Mr A M Phibian, a frog of many parts, all of which are movable. The task is to pick them up and rearrange them, placing the labels in the correct positions.

The potential for working on a foreign language is shown by a screen called 'Le visage', in which a face is shown along

with a series of French words - l'oeil, le cou, le nez, la bouche, les cheveuz, les dents, l'oreille - the task being to move the labels onto the arrows pointing to the corresponding features.

'Dress', developed at Manchester Semerc in the early days of the BBC micro and the Concept Keyboard, is still used by many teachers, and 'Teddy' offers similar facilities with greater control by the mouse, as well as having the better graphics of the Arc.


Pattern making is an important part of the algebra attainment targets, in the early stages of mathematics in the National Curriculum. The 'Beads' screen, with the question 'What comes next?' and its three strings of beads to be completed, certainly provides plenty of pattern making experience. 'Triangles' also has possibilities for pattern work as well as being useful for making hexagons, fulfilling both shape and space attainment targets.

An excellent screen for communicating via symbols is the 'Weather Map'. This was developed as part of a language activity for primary children where they were presented with a written weather forecast and asked to create a simple weather map.

There are also three screens that deal with sentences:

- Sentences 1' requires children to create a sequence for making a cup of tea from a set of provided phrases
- 'Sentences 2' provides reading activities about types of shops, where children have to select a sentence to complete the opening phrase
- 'Sentences 3' is a language exercise where a sensible sentence has to be constructed from a jumble of words

'HTU' features Deines units, rods and flats used in many primary classrooms for hundreds, tens and units work. While this could be done better with real apparatus, you



can combine pictorial representations of Deines apparatus with written numbers and language and print out the results, thereby taking a far more sophisticated approach to number work.

The BBC micro had a number of good packages that allowed shapes to be manipulated on screen to form simple pictures. 'Hexagon' provides a comprehensive kit of coloured, copiable shapes that allows children to explore pattern making. Within a totally different classroom context, 'Hexagon' could be a vehicle for some really challenging spatial work in mathematics.

In all, 21 screens are provided by My World and Northwest Semerc confirms that more will be available soon. However, as in all content-free programs, it is the ability to create your own screens that determines the quality of the program.

Screens are created within Draw, with a bit of help from Paint. Anyone familiar with the use of these two applications should have no problems. But to assist those who have not grasped these applications, the manual offers excellent tutorial help.

The section called Developing Screens will lead you through the creation of a screen, from adding objects to the backgrounds, to saving and testing the end product.

The distribution disc contains a screen called 'Basis' which can be used for all new screen development. It has a large area defined by a cream coloured rectangle, called the background. Another background area, called the print background, is displayed as a white rectangle, but this is only visible if the whole screen area is off.

Both the plain background and the print background can be group objects, so they contain a number of graphic elements which will be completely inactive. A screen may contain ready-made movable objects, but these must be separate and not grouped together, although individual objects can be grouped. The movable objects have to be in front of the print background. The icon group can contain just copiable objects, which can be any of the object types recognised by the software.

My World joins the elite group of truly content-free framework programs. It is a versatile program, providing a framework into which a teacher can put whatever content is needed. The program stores these contents on disc as screens ready to be recalled. It also allows age-appropriate topics to be covered at almost any ability level.

The provision of the wide range of example screens shows the potential uses of My World, but the scope of the package is only limited by the user's own imagination.

#### PRODUCT DETAILS

My World costs £15 and is distributed by Northwest Semerc, Fitton Hill, CDC, Rosary Road, Oldham OL8 2QE.

#### Weather

Weather Satellite Systems Now available for the Acorn Archimedes A310 and A3000. This Mefeosaf systems comes complete including everything from the Antenna to the software Animation is standard allowing the dynamic progress of weather fronts to be monitored and tracked. High resolution images of 800 pixels by 800 lines can be stored and manipulated in colour or grey scales on any standard colour monifor. Acorn Change FSI registered and compatible. Capable of receiving up to 400 images every day this remarkable system costs just £799 00Other Timestep products include a fully featured LANDSAT Image Processor with 20 field study images and three tull colour manuals. Acorn Change FSI registered and compatible at only

PC Globe and PC USA are full colour araphical databases of the world with an amazing amount of retrievable data. The special Timestep education price is only £59.95 Send for our full catalogue

#### Timestep Weather Systems

Wickhambrook Newmarket, CB8 8QA England. Tel: 0440 820040 Fax: 0440 820281

#### FREE support with all our systems

- \*Expert advice! on system purchase
- \*Expert help! on using your system
- \*Expert backup! software support and hardware servicing

Consult the experts!

#### **CSS Computer Centre**

Unit 3A Townfoot Ind. Est. BRAMPTON Cumbria CA8 1SW **1** 06977 3779



Acorn Qualified dealers and Unix centre

Authorised SJ Networks, installer \*Education specialists Government plc and education orders welcome



# ARCLASER

The best value direct drive page printers at iust

£969\*



- Compatible with all Archimedes applications, including FirstWord+
- High speed data interface an A4 page is transferred in 6 seconds
- Pnnts outline font text at any size and half-tone graphics at full 300dpi resolution
- Feature packed printer driver and Epson emulation
- Can be used as an Econet printer server, with BBCs, Masters or Archimedes
- Compact, quiet and reliable
- Ultra fast 5 to 15 times faster than conventional laser printers!

ARCLASER represents a breakthrough in price! performance - Printer (including drum and toner kit), cable, interface and software for £969 + carriage and VAT. \*Educational Users qualify far discounts.

Find out more about this amazingly versatile printer: write or phone for your ARCLASER information pack... Calligraph Limited 53 Panton Street CAMBRIDGE CB2 THI Tel (0223) 461143 Fax (0223) 316144

# PAN **YOUR A3000**



Now it's possible to connect your mfa Computer Module: Unilab Microcomputer Interface: Control Boxes and Analogue Sensing Interfaces to the Acorn A3000, with the I/O BOX 3000.

This new unit offers the user 100% BBC compatible input/output ports. Its rugged construction houses internal software which supports all ACORN protocols.

- User Ports: 3 individually addressable bi-directional user ports, one of which has the same configuration as the BBC Printer Port.
- Analogue Port: Offering considerable improvements in resolution, noise and drift over the BBC analogue port. The circuitry incorporates a precision voltage reference.
- 1 MHz Bus: Functions in exactly the same way as the BBC version.

For more information about the I/O BOX 3000 contact



**UNILAB LIMITED** The Science Park, Hutton Street, Blackburn, BB1 3BT Tel: (0254) 681222 Fax. (0254) 681777





# SOUND JUDGEMENT

old a chicken in the air, stick a deck chair up your nose, buy a jumbo jet, and then bury all your clothes... Well, don't really, but imagine these words, from the number one hit single The Chicken Song, being sung by your Archimedes or A3000. This isn't actually as painful as you might imagine, as I discovered when I used the song released by Spitting Image a few years ago - to give Superior Software's new Speech! program the once over.

Speech! is an entirely hardware-independent speech synthesizer. The synthesizer module can be loaded on its own, but is automatically installed when the main Speech! application is run. The computer can be coaxed into talking in a number of ways from the command line, from the desktop application or Basic. The most noticeable feature of the Speech! module is its ability to verbalise English words in a direct text-to-speech translation. You can drag any text file onto the Speech! icon and listen to it speak the contents.

Although the standard textto-speech feature is pretty good, Speech! tends to slip up on about one word in 10, causing the computer to make utterances that sound as though you've stepped on its foot. One way of curing this is to spell the word differently. For example, the word 'bury'

#### SAM GREENHILL speaks well of the Superior Arc version of Speech!

is pronounced 'buwry' by Speech!, but spelling it 'berry' solves the problem.

Another solution is to use phonemes to build up words. A phoneme is 'a unit of significant sound', to quote the dictionary, and there is a phoneme for every type of sound. The 'a' in 'after' is one phoneme, the 'a' in 'acorn' is another. A catalogue of all the available phonemes is provided with Speech!, and by tediously referring to this, any word in most languages can be constructed. There is even a phoneme for the French rolling 'r' sound.

There are several parameters affecting the way in which a word is pronounced. Adjusting the 'tongue' and 'mouth' variables changes the second and lower formant centre frequency of the word. The only effect that my ears can pick up is that altering these parameters produces speech that sounds as though you are squeezing the computer's nose - or should I say 'node'!

On a more serious note, the pitch can be changed to enable the computer to sing. Each phoneme can be pronouced at any pitch over a four octave range. Incidentally, for those of you who already have Speech!, this is done by placing a number from the supplied musical-pitches-conversion table after each phoneme, and not, as the instructions seem to imply, by using the PITCH command. I think Speech! would have benefitted from a separate instruction booklet. As it stands, the directions are supplied on the inlay card and do not adequately explain the software. The Help file on the disc is more use.

I used The Chicken Song to test Speech! simply because I once synthesised that song using the Computer Concepts' speech chip in the BBC micro many years ago. In comparison, the quality of Speech! is hetter, but only just. However, I seem to remember that it was easier to sing a long note using the CC chip because you merely specified the duration for which the note was to be sustained. With Speech! you have to keep repeating the phoneme until enough time has lapsed and this causes problems with some sounds, such as 'OW' used in 'snow' and 'clothes': the result is 'cl ow - ow - ow - ow - ths'!

Perhaps the best feature of Speech! is the separate dictionary application. With this you can build up a dictionary for words which the text-tospeech utility has difficulty

with. Referring back to the 'bury' example, you could create an entry which tells Speech! how to pronounce the word correctly. Using wildcards and similar gadgetry, advanced rules can be defined for the pronunciation of certain words. You can even change whole words. Apparently, a computer columnist in the Times Educational Supplement uses the dictionary to make Speech! say 'Poll Tax' when it is asked to say 'Community Charge', and teachers use it to censor swear words!

Apart from the appalling arrogance of Speech! to assume that all users are ADFS-based in an increasingly SCSI-format world, 1 would say that this is by far the best software I have seen this year, largely because you can actually understand what the machine is saying. To prove it: I placed two volunteers where they could hear the computer but could not see the screen and managed to successfully converse with them by typing my answers into Speech!. It has even attracted commerical interest from a company specialising in car navigation systems.

#### PRODUCT DETAILS

Speech! for the Archimedes costs £19.95 and is available from Superior Software, Dept M1, PO Box 6, Brigg, South Humberside DN20 9NH.

#### Hard Drive Options From The Serial Port

We produce a range of hard drive upgrade options for the Archimedes range of computers. The controller card can be based either on the SCSI or IDE interface standards and drives come in many capacities for internal (300/400 series) or external connection. The hard drives used are high quality Seagate devices which are all fully guaranteed for one year.

SCSI is becoming the Archimedes 'standard' choice due to the range and number of devices you can connect to the interface - such as tape streamers, scanners printers, CD-ROM drives etc as well as hard drives. Our SCSI package uses our fast 8-bit interface podule - also available as an internal A3000 card at no extra cost - and Acorn SCSI compatible software.

IDE is now the fastest selling drive standard in the world. It has two main advantages in that it is fast and is excellent value. We produce a **full 16-bit IDE interface** podule complete with all necessary software that allows it to be used in exactly the same way as all other filing systems such as SCSI, ADFS, RAMFS etc. For the A3000 we supply an external boxed version including the podule which has the advantage of leaving your internal slot free for other upgrades.

Example prices (including interface) - for other drive capacities (up to 1352Mb) please contact us:

SCSI	45Mb 28ms Internal	£299	80Mb 24ms Internal £399
	External	£369	External £469  89Mb 19ms Internal £379
IDE	40Mb 28ms Internal	£269	89Mb 19ms Internal £379
	External	£349	External £449

#### The Graphics Enhancer

Special Price: £179 - including installation

The Graphics Enhancer adds a new dimension to the graphics capabilities of the Archimedes. Now you can use any 256 colours from a full 24-bit colour palette (16.7 million colours) in the desktop at resolutions up to 768 x 288 on a standard monitor and 832 x 328 on a multi-sync, as well as other modes such 512 x 512 and 640 x 480 thus allowing, for instance, a true 256 grey scale to be obtained. Outside the desktop modes are available using up to 65536 colours. Multiple VIDC clock rates are software selectable and the interface can be controlled by a range of SWI calls and \* commands.

For a full specification sheet please contact us.

"Frankly, I think the addition of such a board should be a very high priority. An upgrade equal to adding an ARM 3 board, and cheaper...The Serial Port promises us that the board will be something very special and I am inclined to agree. I think that the Graphics Enhancer will appeal to a massive Archimedes market." Computer Shopper April 1991

"Considering what is provided, the price of the Graphics Enhancer is very reasonable."
"Professional graphics quality at a home-user price is very rare these day, and in my opinion this board provides good value for money." RISC User June 1991

The Serial Port, Burcott Manor, Wells, Somerset BA5 INH Tel: 0243 531194 Fax: 0243 531196

All prices above exclude VAT. SCSI and IDE systems can be installed by us for an extra £25 - otherwise delivery is £10.

# MAKING

ROB MILLER tracks down the most recent music application for the Archimedes

usic software for the Archimedes has been, and still is, thin on the ground. It Is a relief then, to see that a popular music package is being ported over from another machine.

> Tracker, now up to version 1.00+++, has been around for almost a year, but is only just becoming popular, due to the increasing number of public domain libraries and bulletin boards offering libraries of ready made Tracker tunes.

> Booting up Tracker in the usual desktop manner results in it being installed on the menu bar. At this point, files can be loaded by dragging them onto the Tracker icon. Clicking on this icon causes the desktop environment to disappear and the Tracker control screen to take its place.

> Because of the processor time required Tracker has been written as a single-tasking program, taking over the whole machine while it is being used. Any desktop applications are frozen at this point, yet it is possible to return to the desktop environment at any time by using the Ouit option, Any programs that were running before switching over remain unaffected on the desktop.

Tracker originally appeared on the Commodore Amiga as SoundTracker, a four-track music sequencing program. As it was used extensively to write tunes for games and demonstrations there is a large library of music available.

It has been written to look and work like its 16-bit relative. Therefore SoundTracker music and sample files can be loaded directly into Tracker, provided that they are in the correct disc format.

#### HOW DOES IT WORK?

Any music created in Tracker consists of a number of patterns. These patterns can be arranged in any order, and repeated anywhere within a piece of music. Accordingly a typical tune may consist of Pattern 1, followed by Pattern 2, then Pattern 3 repeated three times, then Pattern 2 again, followed by Pattern 4. The patterns are



best thought of in simple terms as choruses and verses.

A pattern can consist of up to 64 events, stored in a sequential block. Each event consists of three parts: a note eg. A#, an instrument number and a command. The notes cover three octaves, ranging from C to top C.

Up to 32 instruments, or samples, can be loaded into Tracker at any one time, and over 100 samples are supplied for your own compositions. If you have access to an audio sampler such as Armadeus or the Armadillo podule, samples can be captured and loaded directly into the software.

The final part of an event consists of a command, plus data if relevant. The default command is '0' which actually

has no effect, meaning 'just play the note'.

There are four commands that actually change a note. Arpeggio allows the pitch to be increased and decreased rapidly as it is playing. Portamento raises or lowers the pitch of a note, giving it a sort of slurred effect. Crescendo/ Decrescendo has a similar effect as Portemento, but changes the volume. The changes the volume. volume can also be set to a constant level.

One effect that is really impressive is Set Stereo Position, which can be used to change the stereo position of any note while it is playing. A siren, for example, can be made to rotate from left to right to give it a big sound.

The tempo of any tune can also be altered while it is playing. This is useful if you wish to produce a piece of music requiring a mixture of simple and complicated patterns. Simple patterns can be kept short, taking up the same amount of time as complicated patterns played at a faster tempo.

Two final commands act rather like GOTO statements, and allow you to move about in a pattern.

There are a number of ways of putting music into Tracker. For those with MIDI keyboards (and podules), tunes can be played directly in real time. Users without MIDI can play tunes into Tracker using the computer keyboard. The less dextrous can type the notes in one at a time.

Tracker effectively acts as an eight-track recorder, each track occupying one channel.

Resultingly you can have up to eight samples playing at once. However there is no option for playing more than one note at a time while inputting music. If you want a chord, you have to use three (or more) channels and play each note on top of the other.

Once a pattern has been set up notes can be edited and any effects added. Editing within a pattern is simplistic to say the least. The only option you have is to overwrite what is already there. There is no way of inserting a note between two others, or cutting a block of notes and moving or pasting them elsewhere in the pattern.

The overall tune editing also suffers from a lack of insert or cut and paste. There is no way of viewing the order of patterns in a tune other than stepping through a position counter in which only one pattern is shown at a time. Even a listing of a tune would have been sufficient.

Needless to say, editing can be the hardest part of constructing a tune. The way in which Tracker is structured and the way it is implemented lends itself to the creation of synthesiser music. The organised approach of some classical music also works well.

Tracker has a number of restrictions. These could quite easily be removed and the overall ease of use of the program enhanced with a bit of re-design. Due to the amount of computer time such a program would require, a desktop application is out of the question, though something a little more Arc rather than Amigalike would be preferable.

At the moment Tracker is the only program of its type for the music novice and comes with four discs and a good manual.

For those who need convincing aurally, several tunes are included on this month's 3.5in disc. To load them, double-click on the JukeBox application and then doubleclick on the required tune.

#### PRODUCT DETAILS

Tracker costs £49 and is available from The Serial Port at Burcott Manor, Wells, Somerset BBA5

## MORLEY E.L.E.C.T.R.O.N.I.C.S. L.T.D



A3000 £599 410/1 £1099 420/1 £1299 440/1 £1699 The Learning Curve £699 Arc. Learning Curve £1299 Jet Set Peck £649

#### SPECIAL OFFER

We will match or better eny edvertised offer.

#### **TELETEXT**

BBC/Master	£104
Compect	£120
RML Nimbus	£104
Archimedes	£125
Optional PSU	£9.50

#### MASTER ROM EXPANSION BOARD



Allows an additional 8x16k and 4x32k ROMS to be installed in the Master end still leaves the cartridge slots free.

£40

# A3000 ANALOGUE & USER PORT PODULE

Full specification BBC B enalogue end user port. The enelogue port is eccessible using ADVAL from BASIC5 with ell BBC OSbyte cells supported.

£69



Podule software written by Acorn for maximum compatibility with the BBC.

As well as manufacturing quality peripherals for over six years, Morley is an Acorn Dealer & Service Centre. This advertisement only covers a small range of the products we offer. If there is anything you want that you do not see advertised please phone for a competitive quote.

Prices exclude V.A.T. and carriage.

#### A3000 3.5" SECOND DRIVE



- Easy to install simply plug in and run.
- High quelity japanese drive.
- Includes full fitting kit end instructions

£125

#### A3000 5.25" SECOND DRIVE



Kit includes:

- -5.25" 40/80 treck drive
- Cese
- -Switch mode power supply
- -Interface end leads

£169

# MEMORY EXPANSION

A3000 1MB Expandable £89
A3000 1MB Non-Exp. £65
A3000 3MB Upgrade £179
A3000 1MB to 3MB £140
305 1/2 MB £69
400 Series 1MB £50

#### MASTER SMART CARTRIDGE

Built-in feetures include:

- -Freeze progrem at eny point. -Screen dump (eny mode).
- -Allows most protected software to be backed up including disc to tepe and tepe to disc.

£30

# MASTER CARTRIDGES

 Dual 2 x 16k
 £10

 Quad 4 x 16k
 £14

 Duel 2 x 32k
 £12

32K NON VOLATILE RAM

Cartridge (ideal for

Spelimester Dictionary) £33

#### ARCHIMEDES & A3000 HARD DISK DRIVES

#### SCSI HARD DISK DRIVES

**INTERFACES** 

A3000 SCSI Podule £149 400 SCSI Podule £149

SCSI DISK DRIVES

Including SCSI podule, drive, cable & leads. A3000 drives also include drive case and switch mode power supply.

A3000 20MB	£399
A3000 40MB	£459
A3000 60MB	£559
400 20MB	£349
400 40MB	£409
400 60MB	£509
Larger Drives	POA



Morley's SCSI and ST506 drives are among the fastest available. The podules are 16 bit and we only use fast, quality disk mechanisms. Phone for full details.

#### ST506 HARD DISK DRIVES

INTERFACES

A3000 ST506 Pod. Kit **£169** 305/310 ST506 Podule **£149** 

ST506 DISK DRIVES

Including ST506 podule, drive, cable & leads. A3000 drives also include drive case end switch mode power supply.

A3000 20MB	£379
A3000 40MB	£459
A3000 55MB	£559
305/310 20MB	£299
305/310 40MB	£389
305/310 <b>55M</b> B	£474

# BBC / MASTER SCSI DRIVES



Completely competible with BBC Bs, B+s and Mesters fitted with ADFS. Free utility disc including Format, Venfy, Archive and Park.

Interfece only	£99
20MB incl. interface	£399
30MB incl. interfece	£449
40MB incl. interfece	£499

#### KATE FARMER

tells why upgrading your A3000 is so important if you want to fully utilise the power of the machine

# STANDARDS


or those of you following the A3000 First Steps series you must have noticed Ram upgrades mentioned at one point or another.

When you consider the A3000 has one megabyte of Ram, then you probably think you've more than enough compared to eight-bit machines. However, it is becoming increasingly important to Many software upgrade. houses are now writing more complicated packages, and although most applications will run on a 1Mb machine, the more complex a package is, the more features you will want to use. For instance, Impression needs only 416K to run, but add to that your text, a few sprites and drawings, a printer driver, font cache, and you begin to see what I mean.

It's amazing the difference simply doubling your memory can make. Paint, Edit and Draw will run simultaneously and memory hungry appli-cations such as ADP, Poster and Schema will become much more useful. Adding a further 3Mb means that your memory is a virtually bottomless pool, and you will be hard taxed to get a memory full error.

An 8Mb A3000 is still a pipedream, although its big brother can accommodate this huge amount. It also goes to say that memory at the moment is very cheap. Two years ago you would have expected to pay £180 for an extra megabyte - now you can buy it for around £70!

Eight-bit BBC machines have a memory map. All the memory is stacked up, 32K of Ram and 32K of Rom. This means you know what you would expect to find at certain



addresses. Adding an eight-bit memory to machine means either obtaining shadow Ram, which moves the memory taken up by the screen mode elsewhere, or adding another processor to control another chunk of memory. The A3000 is very different. Memory is shared out by the Memc chip. It may seem easy to you, sliding the Ram disc up and down on the task display, but the A3000 has to do some very complex memory management.

The concept of the A3000 memory system is that memory is a central resource. Imagine three children playing with building bricks. When a child wants to build a house he takes out the right amount of bricks from the box. Another child wants to build a bigger house, and he takes a few

more bricks from the box and builds it. Now if a third child wants to build a house and finds that there aren't enough bricks to do so, it's your job, as the babysitter to make the first child take down his house and put the bricks back into the box. If you find this happens too often then the obvious solution is to buy more bricks. That is exactly what you do when you expand the memory of your A3000. But that's enough of analogies, what's the hardware like.

The A3000 was designed with a 1Mb upgrade in mind, and on the main PCB is a row of pins. A memory upgrade (which is about  $15 \times 2$ cm) simply slots onto these pins, and then when you turn your machine on you have more memory to play with. However, improved production

methods have allowed more memory to be squeezed onto a single chip so 4Mb upgrades are now possible.

Some boards cannot be upgraded by the user - the Ram chips are soldered on. Others can be and upgrading from an extra 1Mb board to an extra 3Mb board is as easy as buying new Ram devices from an electronics shop, removing the old chips and plugging the new ones in. This operation doesn't mean removing the board. Upgradeable boards are about £20 more expensive but that will be absorbed when you buy the extra 4Mb. Atomwide even sells bare boards so you can find your own supply of Ram. Prices are changing all the time and the best thing to do when you consider upgrading is look through the advertising pages of BAU.

# **Chocks Away Extra Missions**











#### CHOCKS AWAY

This new updated Mark II Chocks Away with supersmooth animation really is flight simulation the way you've always wanted it. It has everything for the beginner and the expert:

- ●Beautiful 256 colour graphics and 'nerve shattering' digitised sound effects
- Easy to fly, yet highly manoeuvrable bi-plane ideal for all ages/skill levels Revolutionary 2 Player Option using split screen display. This allows 2 players
- to each fly their own planes simultaneously in practice, dogfights, or missions
- Full joystick, dual joysticks, mouse and keyboard control options
   Amazing "Black Box Flight Recorder" included so that you can record your own flights and then save & replay them. 90 minutes of totally absorbing pre-
- recorded training flights are included with the game ●Internal/External views of your plane can be selected from front/rear/left/right
- ●Powerful 30mm canon capable of very rapid fire and long range destruction Easy to read instrument panel and simple controls
- ■3 very varied immense mans to explore approximately 18000km<sup>2</sup> in total
- 20 fascinating and varied missions of increasing complexity are included with a promotion system from Cadet right through to Marshal of the RAF

  Superb range of targets/enemies including bombers, triplanes, fighters,
- tanks, control towers, anti-aircraft guns, head quarters and patrol boats

Chocks Away Mark I Version was awarded GAME OF THE YEAR 1990 by Acorn User, A&B Computing (now Archimedes World), RISC User & Micronel 'Graphics in the game are superb, smooth and with plenty of ground detail... this is a really enthralling flight simulator with plenty of variation and features to ensure longevity." RISC User, Dec '90

to ensure longevity." RISC User, Dec '90
"Chocks Away is a delightful game." Archive, Jan '91
"Chocks Away is a brilliant game." BBC Acorn User Dec '90
"... It's a really great game, Playability 10. Value 10." The Micro User, Jan '91
"(Chocks Away Mark II Version)... The increased speed obviously makes the game more responsive and fun to play, well and truly overtaking Interdicter II as the best Archimedes plane game." New Computer Express, Feb '91

#### AWAY EXTRA MISSIONS

This consists of a new manual and a disc containing an additional 26 missions (6 of which are reconnaissance missions). It is loosely based on the original Chocks Away and features an extensive range of extra features and improvements. To run it, you will require the MkIl version of the original Chocks Away. Extra features include:

- ■16 new & detailed maps based over land and
- sea.

   20 enemy planes and 20 enemy targets are included in each mission. Over 1000 extra targets and planes have been carefully defined.
- © Considerably improved action on all missions with plenty of targets to shoot at and plenty shooting at you.
- ●You can view the action from any of the enemy planes or targets and your own control tower at any time even while still controlling your own plane or watching a saved flight. There is a selection of or watching a saved light. There is a selection of tracking cameras (with adjustable zoom lenses!) around the playing arena. In addition a phantom plane can also be selected to follow the action on any or your black box flight recordings.
- elimproved enemy pilots capable of performing loops, rolls, stall turns etc. All enemy planes are carefully modelled using the same equations controlling your own plane. This ensures both an accurate and fair simulation.

- More enemy planes and targets to shoot including: Three Engine Fighters, Enormous Cargo Planes, Airships, Barrage Balloons, Gun Boats, Oil Tankers, Trains etc.
- Six reconnaissance missions where you are required to take photos of various installations with
- your new on board camera.

  ●Improved graphics over the 16 maps including Complex Cities, Houses, Railways, Roads, Rivers, Bridges, Lampposts, Railway Stations, Oil rigs, Piers, Beaches, etc. to mention but a few. In total
- Piers, Beaches, etc. to mention but a few. In total over 100 different graphics have been defined.

  Serial Port Link Up option so that you can link up 2 BBC A3000 or Archimedes computers and 2 pilots can fly simultaneously in full screen mode.

  Extensive enemy flak guns and improved enemy plane guns help make the new missions both more interesting and challenging to say the
- both more interesting and challenging to say the
- Improved digitised sound effects plus, of course, all the extensive options which are available with the original Chocks Away.

#### WIN a superb..... "Radio-Controlled Biplane"

Successful completion of all 6 Reconnaissance missions will allow you to enter this competition

TALLY HO GINGER!









#### **ARCHIMEDES** & BBC A3000

All versions are compatible with the BBC A3000 and 310 & 400 Series

CHOCKS AWAY (Mark II Version with 1 or {split screen} 2 player options)

CHOCKS AWAY EXTRA MISSIONS (With 2 player Serial link option) £19.95

CHOCKS AWAY COMPENDIUM (Chocks Away & the Extra Missions) £39.95

CHOCKS AWAY NETWORK (Econet and Eclipse Midi Podule - Ring for availability & Price)

#### **DEALERS**

#### SUPERFAST 1st Class FREE Delivery

Most of our games are available from most good dealers. If they don't stock them, then please give them a copy of this advert & tell them they can easily buy them directly from us.



#### LETTER

Simply send us a quick letter telling us the game(s) you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details.

The Fourth Dimension, 1 Percy Street, Sheffield, S3 8AU, England.

All orders are despatched immediately by 1st class post. Carriage is paid by us in the U.K.

(Overseas orders add £3 per product)

FULL DETAILS OF ALL OUR GAMES ARE AVAILABLE ON REQUEST & ARE SENT WITH ALL ORDERS



TELEPHONE ORDERS WELCOME (0742) 700661 / 769950 ACCESS & VISA Accepted

24 Hour Service 7 Days a Week

THE **FOURTH** DIMENSION

1 Percy Street Sheffield **S3 8AU England** 

Tel: (0742) 700661 or 769950 here have been many attempts to provide the eight-bit BBC micro with more than the 32K of Ram it was originally designed with.

First came the idea of shadow Ram developed by Aries which provided 20K of additional memory which was an attempt to provide additional screen memory to support graphics. Some people also exploited this memory for data storage with the \*FXIII that Acorn allocated for switching between the two Ram areas.

Another solution was the addition of a 6502 second processor which pushed the BBC's available memory to 44K for Basic programs and 61K for machine code. Then Solidisk came along with sideways Ram, which was originally used for running Ram images of sideways Roms, but eventually became used for storing programs and data too.

Many people who bought the 80186 co-processor for access to the world of IBM PC compatible computing often wondered if they could access the half a megabyte of Ram sitting unused on their co-processor board to rescue them while they struggled with their limited BBC Ram memory.

Access to this 512K is now possible, thanks to an innovative product called the Co-Filing Processor System (CPFS) from Essential Software. This is a new filing system which allows the memory of a Master 512 coprocessor to be used as a Ram disc by the BBC micro when operating in the native mode. The filing system also needs one page of private workspace to operate, which means that in a model B it will raise the value of PAGE by & 100.

CPFS is contained in a 16K Eprom which must be plugged into a vacant Rom socket in the BBC micro. It cannot be run in sideways Ram.

With CPFS installed you harness the 512K for all sorts of work with your eight-bit BBC. Complete commercial applications can be loaded into the Ram and their files can be loaded and saved. Datahandling using CPFS is tremendous, with virtually everything – searches, sorts, extracts and merges being accomplished at



# FILING A SUIT

**DAVE FUTCHER** discovers a package that helps you make use of the hidden memory in your eight-bit computer

great speed. It's ideal too for desktop publishing tasks using packages like Watford Electronics' Wapping Editor as screen scrolling operates as fast as in normal wordprocessing. Amazingly too, this is achieved in complete silence with no more noisy disc access as parts of the page are loaded. Wordprocessing also benefits; the multi-file mode in Interword improves considerably using CPFS.

All the filing system commands recognised by the Mos (ie, the common commands) are available in CPFS. You can therefore use \*LOAD, \*CAT. \*SPOOL etc, just as you have always done and you can \*RENAME files and use \*ACCESS to lock and unlock files.

Users of CPFS do have to remember that all the data stored in the Ram disc is lost as soon as either machine is turned off. Also, when the second processor is used for its original purpose, the same memory as CPFS uses for files is used, so any data stored in the Ram will be corrupted if

the Tube is turned on.

The \*TRANSFER command is available for transferring files from one filing system to another. This is similar to the Master's \*MOVE command, but is faster and considerably more flexible. It can be used to copy a file or a number of files from a directory in one filing system to a given directory on another. It can also be used to copy all the files in the CPFS memory disc onto a physical ADFS or DFS disc. \*TRANSFER requires five parameters, but because it would be easy to make mistakes if you entered them all in a single command line, you are prompted for each parameter as it's needed.

The Ram disc can hold up to 127 files. Filenames can be up to 10 characters long and can be grouped into directories, but as in DFS, directory names are single characters which appear as part of the filename.

It is worth noting that a CPFS directory can contain more files than in other filing systems. A DFS disc (onesided) normally contains only 31 files. An ADFS directory has a maximum size of 47 files. There are applications like *Interword*, for example which sometimes display the contents of a directory. These programs can't handle more than 47 files at once. If you are using an application like this with CPFS then it is up to you to make sure that there are no more than 47 files in any single CPFS directory.

CPFS is an essential product for anyone who has a 80186 co-processor sitting inside their Master 128 or alongside their BBC model B. Just type \*CPFS and the 512K laying dormant is unleashed, ready for you to exploit. It is easy to use, unlike some memory enhancing hardware products. The 25-page documentation is supplied as a text file and covers everything you need to know.

#### PRODUCT DETAILS

CPFS for the BBC model B, B Plus and Master 128 costs £25 from Essential Software, P.O.Box S, Groby, Leicester LE6.

#### **Gnome Computers Limited**

25A Huntingdon Street, St. Neots, Cambs, PE19 1BG Tel./Fax: 0480 406164 E-Mail: support@gnome.uucp

#### NEW! X Window System R11.4

This new software package, developed in association with Acorn Computers, converts a RISC OS based Archimedes into an X Terminal. The software will allow communication with X clients over Ethernet or Econet.

#### Principle features

TCP/IP support over Ethernet and Econet

Graphic support up to

800 x 600 with 16 colours 640 x 480 with 256 colours 1152 x 900 monochrome

Support for up to eight independent X screens

Execution from desktop or command line

Hot-key between X terminal and desktop applications

FTP font support

Remote host login via xdm query and broadcast

Domain name server support

DES encrypted authentication for network security

Single floppy configuration available

Runs on all RISC OS based Archimedes computers

Requires a minimum of 2 megabytes of memory

Compatible with Acorns TCP/IP protocol suite

#### PRICE £199 + VAT

#### X TERMINALS

A3000, 2MBytes Memory, 14" Multisync	£1450.00
A3000, 4MBytes Memory, 14" Multisync	£1550.00
A400, 2MBytes Memory, 14" Multisync	£1650.00
A400, 4MBytes Memory, 14" Multisync	£1750.00
A400, 8MBytes Memory, 14" Multisync	£2400.00
A400, 2MBytes Memory, 19" Mono	£1650.00
A400, 4MBytes Memory, 19" Mono	£1750.00
A400, 8MBytes Memory, 19" Mono	£2400.00

#### TRANSPUTER SYSTEMS

Gnome Computers offers a complete range of transputer boards to fit into either RISC OS or RISC iX based Archimedes machines. Prices start at £1385 for a single 10 MIP, 2 MFLOP transputer system including a parallel FORTRAN-77, C, Pascal, Modula-2 or Occam compiler. Please call us for a full technical discussion on your system requirements.

#### **UNIX Specialists**



#### The Arcaynia Demo 5 Disc & Catalogue Booklet

The disc contains some of the latest PD software available for the Archimedes from each section of the PD range, and is absolutely 100% full. Our extensive catalogue, features over 280 discs of high quality software for all users. Send a £1 coin now to recieve our PD catalogue booklet and accompanying disc.

#### Discount on Public Domain Software The Arcaynia Collectors Selection

You can order from this advert only, any 3 of the discs listed below for only £5, or 7 for £10, bundled with the Arcaynia 5 pack as detailed above. This works out at only £1.25 each instead of our usual high value piice of £1.50 per disc. All orders are normally processed the same day, but please allow 5 days for delivery. Of course if you wish to order further discs please add £1.50 for each extra disc ordered.

The Simpsons Photo Album A52 C16 Demo/Games - Games with power sound and a scrolltext D16 Clipart - Military font, Maps, Musical font and loads more E28

Translator 6.32, Display, Speaker, PCRamDisc, ArcFS & more


F62 ARMageddon Super Power Demos 2 F63

MTV Advanced Ray traced animation (requires 2 Mb) F64 Dancing Coca Cola Can, and Leapin Fish Demo F68

Robot Boogie from Dr Who, and Creature Comforts G42 Stereo Tracks - Never Ending Story, Beast II, Mahoney, Nice Wet and Mean, Pestilence, Tengu

Outline Fonts - ParkAvenue, Bodoni, Cinema, Chancery, Symbol, Cambridge H04 Outline Fonts - Brushscript, Revue, Algerian, Barcode, Switzerland, Buckingham H05

PO Box 1927 : Sutton Coldfield : B74 3QZ



for your Archimedes and Concept Keyboard

Make the overlay by pulling areas to size with the mouse Type in the message or function key task (e.g. PRINT) Drop a picture over the message or set type size and style Print your overlay in colour or black & white (A4 or A3) Use overlay with any program working in the desktop Conform is fully RiscOs compliant and multi-tasking

£17.25 (inc. VAT) from NORTHWEST SEMERC, Fitton Hill CDC, Rosary Road, Oldham OL8-2QE

# **THOROUGH** INVESTIGATION

rom the depths of Somerset comes the latest version of this powerful disc editing and backup utility. There have been several improvements on the first release of Investigator, and the package is now more versatile and efficient.

The main utility installs on the icon bar, but does not run in Risc OS, instead it fades elegantly into its own work screen when clicked upon. It contains several facilities, the most useful of which is to be able to make reliable copies of 99 percent of your discs either byte for byte, or through the use of DiscDump files, which is a useful and ingenious way to keep backups of all your important software and data.

It reads in all the data from your source disc, and also the information concerning how it was originally stored, and compresses it all considerably. This effectively means that you can safeguard yourself from losing your software without incurring the loss of storage space normally associated with keeping comprehensive backups.

The straight copier doesn't manipulate the data at all, it simply duplicates it by brute force! Both it and the Disc-Dump methods can cope with a wide variety of disc formats: Archimedes, PC (MS-Dos), in fact anything that can be read by the actual hardware in your Arc's disc drive. The reason for this is that the program deals with the physical format of the disc, not the logical format. The physical format is the way information is stored on the actual surfaces of the disc as magnetic codes, while the logical format is the layout of files and directories, something which is different for all makes of computer.

This therefore enables people who own more than one computer system (including an

Archimedes) to use their Arc, by running Investigator, to make compact backups and store them as DiscDumps on a hard disc, giving a complete, self-contained repository of data. Also included in the package are various utilities to decompact text or datafiles from your DiscDump files. This opens up a whole new sphere of information from other systems, which can be transferred using the program, and appreciated by the ever growing army of Arc users.

When the data has been read in from the floppy disc it can be held in memory, and edited by hand. Future versions would do well to include a facility to search for strings on the disc, especially as this would greatly enhance the usefulness of the editing routine. Another useful feature is the ability to examine (but not alter) the format and ID information concerning the layout of data on your discs. This has the power to detect (and sidestep) corrupted or fishy areas. A clear, lucid visual display keeps you up to date with the progress made through reading or writing the disc, and a useful help facility enables you to simply point at any of the utility icons on screen to be presented with a description (or diagram) of what it does.

In the course of examining this package I once again had to personally confront the legal and moral issues connected with the copying of software.

The very real moral dilemma of software duplication has by no means been resolved yet. Additionally no adequate legislation exists to clarify this area, and nor would it be rigidly enforceable even

Along with access to personal data stored on computers and computer viruses, comes intriguing and thorny There is a new package that allows you to copy software. But, asks MAT TIZARD, is that such a good idea?



debate of precisely when a user has the right to make a copy of a piece of software. Obviously, unless the software is public domain (itself another much maligned umbrella term) or is otherwise exempt from the norm, it must be the property of the person making the copy. That much is common sense, and is legally defined. Things are less clear however when one contemplates what right the purchase of information gives a buyer to make a backup copy for his own personal use.

In an age where the exchange of information as a commodity is becoming increasingly valuable and relevant to every one of us, I think these questions must be more thoroughly addressed if we are to avoid unwittingly breaking the law in the future or even being tempted to do so through insufficient restrictions.

Meanwhile, anyone with a conscience should not need telling that the act of software piracy, which is not as glamorous at its name suggests, merely deprives software publishers of the funds to provide a better service to us all, and ultimately pushes up prices to compensate for individuals' irresponsibility.

Having said that, I am confident that the vast majority of people would not consider abusing the privilege of being able to safeguard themselves from losing their software. If software piracy does become a serious problem, no doubt steps will be taken to withdraw that privilege, and nobody wants the atmosphere of mistrust that will result. Investigator is an excellent utility, and serves its purpose well.

#### PRODUCT DETAILS

Investigator costs £27.95 and is available from The Serial Port, **Burcott Manor, Wells, Somerset BA5 1NH.** 



# GAIVIE SHOW



MOMENTS





I've got to be quite brief this month. There's so much to say, and I get so little space to say it in...

I've managed to obtain an early copy of the Chocks Away Extra Missions disc from The Fourth Dimension.

It's got some pretty remarkable new features, including convincing snow, thunderstorms and, best of all, a network of 'cameras' scattered around the map from which you can view your own plane. You can even fly in 'The Phantom Plane' when replaying a saved flight, which is essentially like buzzing around inside a flying video camera to keep up with the action!

Also (and at my suggestion) 4D has implemented a fastforward feature in the normal flying mode so that time simply 'flies' over long distances! Watch out for a full review when the new game is fully finished

I've also completed a few laps with Saloon Cars, the latest driving simulator from 4D. Though not finished, it's very good to date.

It certainly puts Powerband to shame, especially with regard to some of those little 'extra' touches, such as the whole screen bouncing as the car goes over a bump.

The Silverstone and Brand's Hatch tracks have been meticulously recreated in the simulation, except for a slight hiccup regarding Silverstone. Anyone who knows anything about racing will know that this world famous track spent its Christmas holidays covered in bulldozers. The track is now more than slightly different and 4D is back at the drawing board, having quickly decided that the original Silverstone course in Saloon Cars will have to become the 'nostalgic practice track'!

4D is also working on a game called Enter the Realm which has been loosely compared to Shadow of the Beast. It is reputed to have a plot involving knights in a strange land or something like that -Idon't think 4D itself really knows what it is yet!

One of the next releases from 4D will be the snooker and pool game Break 147 and Superpool. Author Gorden Key (E-Type, Apocalypse, Powerband) is recognised as generally a very good games programmer in the Acorn games circle, but is also renowned for his rather 'odd' taste in colours - just look at Apocalypse to see what I mean. Critics are therefore intrigued to see how the balls turn out in Break 147 and Superpool, due out this month.

But enough of 4D. Isn't anyone else doing anything? Well, as a matter of fact....

I guarantee that if you like to keep in tune with the Acorn games world then Krisalis Software is a name that will soon be firmly etched in your mind. Nothing's definite (is it ever?) but feast your eyes on the following list of possible Archimedes games for the coming year:

Manchester United Football Club 2: The sequel to this popular game will include a

rather less complicated management aspect for those of you (and me!) who were somewhat daunted by the original. The computer footballers will also show a marked improvement vis-a-vis tactics, and the goalie will be user-controllable (oh dear, I was quite happy to let the computer handle that bit!). This will all be complemented by smoother animation.

Mad Professor Moriarti 2: In this sequel, the professor must break out of a place he recalls well from the original—the loony bin! The plot takes place in the hospital and the first puzzle is solved by sticking a hypodermic syringe in the professor's cell guard....

Jahangir Khan's World Championship Squash (why can't Krisalis think of names less than 10 syllables?).

This will be squash's answer to *Manchester United FC*, combining ball bashing (brawn) with managerial skills (brain), but with only two players and confined to a small room resembling half a tennis court. The Amiga version of this game has been acclaimed in recent reviews. Archie owners might see it before the year is out.

French company Eterna is making serious inroads into the Archimedes games world, releasing *Blaston*, *Fine Racer*, *Bubble Fair* and *Rockfall* any minute now.

Bubble Fair looks interesting, the object seeming to be to burst bubbles and... er.. that's it! Good fun so far though. Watch out for further news and reviews on these in coming months.

Well that's it for this month, but just remember: Christmas 1991 is going to be the Christmas that wipes the smile off the Amiga buff's face.

Sam Greenhill

### ARCADE GAMES CREATOR

Alpine Software. Tel: (0762) 342510.

Archimedes £38.95.

New from Alpine Software comes the *Arcade Games Creator*. This allows those with little or no 'programming knowledge to create games which can then be run independently of the creator itself. The system is flexible and, with a little patience, it is possible to design a respectable arcade adventure, shoot-em-up or whatever takes your fancy entirely from scratch.

The program is supplied on two discs and runs from the desktop, giving an impressive ease of use. Even so, quite detailed planning of your game is necessary before you start to design it on the computer. Objects (such as invaders, or breakout bricks) can be placed on any one of a total of eight levels of parallax which, in conjunction with the built-in starfield feature, allows for convincing motion in a large depth of field. The sprites for these objects may each contain up to 12 frames of animation, and can be made to follow any path through the level on which you are working.

The key to the whole system is the event-handler, which is where some degree of forethought is advisable as the details of exactly what happens to each object when it collides with any other, or when a key is pressed have to be entered in.

By building up the components, and adding different levels with background sprites, sound effects and music, you can create something very worthwhile.

A lot of thought has gone into making the system as versatile as possible. Features such as gravity, automatic screen-syncing and stereo positioning of sound effects have all been included. To find out more about the package, a demonstration disc is available. Simply send an A5, 27p SAE to Alpine to receive this.

Mat Tizard

## **SQUARE ROUTE**

Computer Eyes. Tel: (0622) 751096.

Archimedes £19.95.

Just when you thought the *Tetris* theme had been squeezed dry, along comes another block-fitting game, with the simplicity and addictiveness of its predecessor.

Square Route is based on a grid, onto which you must place a certain number of different shaped pieces, within a certain amount of time. Some squares on the grid affect things like the time limit. Other squares allow shapes to be placed upon them, but increase rather than reduce the number of shapes left.

Level one is quite simple as there is a lot of space to fill and not that many pieces to use up. On later levels, grids become smaller, making them harder to complete.

Further into the game,

'bugs' make life harder by eating the shapes you've already placed. Occasionally they regurgitate shapes onto the grid (this is not as nasty as it sounds) thus helping you. Bombs destroy areas of the grid, but these can be diffused if you are quick.



The game makes use of mode 13, 256 colour graphics, for a colourful display. A nice touch is that shapes are translucent, rather like green glass, so the background shows.

Although 256 colours are

used, the rest of the graphics have a distinctly, dare I say it, Atari ST feel. On the other hand, there is a limit to what you can do to the graphics in this kind of game while keeping things clear and simple.

Sound is a mixture of the now 'compulsory' Sound-Tracker tune and, a collection of whizz, pop and bang sound effects. The music is a bit disappointing as it only plays during the high score display. Perhaps something a little more lively to get the adrenalin going would have been more appropriate.

Square Route falls into the 'simple to play but difficult to master' category. Addiction is virtually guaranteed, with a massive 250 levels to complete and that essential 'one more go' element keeps you coming back for more.

Rob Miller



# FLYING HIGH

#### **DAVE FUTCHER** looks at the latest version of Magpie and discovers a number of first class improvements

ince its initial release a few months ago, Magpie from Longman Logotron (see review in BAU March 1991) has provided BBC A3000 and Archimedes users an easy to use and sophisticated means of storing and presenting material. This has been achieved through the concept of pages stored in binders, rather like the way the Apple Macintosh hypertext program, Hypercard, uses stacks.

The author has continued to improve Magpie, and a new version has just been released. There have been three major changes. Magpie now offers carousel facilities that are ideal for presentations. Then there are skeleton pages, which allow the user to allocate resources to a number of pages, therefore easing the building of Magpie binders. Finally there is greater control over the type of windows created within binders.

An essential for any application that stores text and graphics is the ability to display pages in a rolling sequence. The original Magpie did not, but a carousel feature has now been added so you can repeatedly present a series of pages. One page, a sequence of pages or a whole binder can be made to auto-



#### STYLISH PRESENTATIONS

matically turn to the next after a specified delay. It works rather like an automatic slide show – ideal for a presentation at a school Open Day.

Normally when a page is turned to, its entire contents are redrawn, after first drawing a blank piece of paper in the required colour. An option is also available to overlay pages. This means that the new page is a transparency laid on top of the previous page. This is excellent for building up a diagram piece hy piece.

#### SKELETON PAGES

Master pages are already a common element within desktop publishing, where a defined page layout is used as the basis for all subsequent pages in the chapter. Now Magpie offers a similar concept – skeleton pages. Just like master pages, skeleton pages are used when you need several pages in a binder to have a similar appearance. You can also use them where you have large items like a picture or a sound used in several pages.

Using this concept certainly makes the construction of Magpie binders even easier, as you can replicate page layouts or use a pre-defined layout across several pages.

Magpie's skeleton pages are more powerful than DTP master pages because it is possible to create a sequence of skeleton pages that actually look quite different. This is because all the items on a skeleton page can be moved, resized and their behaviour changed for the page they are used on, yet each page uses the items from the skeleton page and no copy of them is placed on the actual page. Such moving or alteration affects the skeleton items on that page only.

Magpie runs very effectively within the Risc OS window environment and at times the scroll hars and other window furniture can be most useful if you want to hide parts of the page from the user and allow them to scroll down to them. At other times, the vertical and horizontal scroll bars are not needed, so there's a new option within the Page Preferences dialogue

allows you to specify the style of window to he used to display the page,

There's also the possibility for keyboard presses to he used to turn binder pages. Instead of using the mouse to click a page, the PAGE DOWN and PAGE UP keys can be used. Hide and reveal actions can also be keyboard linked and this has great significance for the interfacing of a Concept Keyboard to *Magpie* binders.

Magpie's original 75-page documentation is supplied with the new version, but to cover the improvements a second, 12-page manual is supplied. The program disc contains the new 1A.00 version of Magpie and MagpiRead. Introducing Magpie has been extended by adding new hinders.

The real power of the changes are shown in two binders. In a 39-page binder called The Word, the carousel feature is used to create the animated huild-up of a single word, while Bounce shows the power of the new Magpie for combining pictures, words, music and animation into a multi-media presentation.

MagpieZine is the first edition of a freely copiable magazine containing ideas and curriculum resources.

Magpie was already a winner! It is a powerful information organiser. It now has even more versatility, whether you are storing pictures and text in a binder, building up a project folder, creating a simple demonstration sequence or a full blown presentation.

The new version is free to existing users - will other software publishers follow suit?

#### PRODUCT DETAILS

Magpie 1A is available from Longman Logotron, Dales, Brewerv, Gwydir Street, Cambridge CB1 2LJ. It costs £54 (free to existing registered users).

f you haven't seen Longman Logotron's 1991 catalogue, chances are you aren't making the most of your school's software budget. Consider these brand new programs for the Acorn Archimedes:

- Pendown, a word processor designed specifically for education, with a range of new features offering control as well as freedom
- Revelation, a powerful image processing program which enhances classroom creativity across the curriculum.
- Magpie, a multi-media publishing program which enables children to draw on a wide range of sources to create flexible and exciting projects.

Individually or in combination, these programs are accessible to 6 year olds, yet will challenge 16 year olds and open an expanding universe of learning in support of the National Curriculum.



# SHARE OUR VISION

If you want to know more, fill in the coupon below, and we'll send you our new 1991 catalogue plus free vouchers for up to £50 worth of Longman Logotron software.



LongmaN LogotroN Longman Logotron
Dales Brewery
Gwydir Street
Cambridge CBI 2LJ
Tel: (0223) 323656
Fax: (0223) 460208

# SEE THE POSSIBILITIES

Please send me my free copy of the 1991 Longman Logotron catalogue, and vouchers worth up to £50.					
	My interest is in Primary Schools Secondary Schools Name				
	Address				
	Post CodeTel				

# The Fourth Dimension

### 1st Class U.K. FREE Delivery

#### **HOW TO ORDER**



(0742) 700661 / 769950 ACCESS & VISA Accepted 24 Hour Service 7 Days a Week



#### LETTER

Simply send us a quick letter telling us the game(s) you require, your name and address, and payment via cheque, postal order or ACCESS or VISA card details.

TO: The Fourth Dimension, 1 Percy Street, Sheffield, S3 8AU, England.

#### NO Quibble GUARANTEE

If any of our discs ever become faulty (for whatever reason) we will replace them free of charge immediately

Simply return them to us with your name and address

#### SAME DAY DESPATCH

All orders are despatched immediately by 1st Class post. Carriage is paid by us in the U.K. (Overseas orders add £3 per product).

FULL DETAILS OF ALL OUR GAMES ARE AVAILABLE ON REQUEST & ARE SENT WITH ALL ORDERS

#### SPECIAL OFFER

If you buy 3 or more products directly from us you may deduct £10 from the total cost











### **BBC A3000 & ARCHIMEDES**

ALL the following Archimedes games are compatible with the BBC A3000 and 310 & 400 Series

Saloon Cars (See COMING SOON)	24.95
Break 147 & Superpool (See COMING SOON)	
ARCticulate (A comprehensive speech package	) 24.95*
Boogie Buggy (Arcade Graphics & Gameplay)	24.95*
Gumshoes (Detective Graphic Adventure)	24.95*
The Real McCoy 2 (4 Game Compilation)	29.95
(Apocalypse, Holed Out, The Olympics & Inertia)	
Chocks Away (Biplane Sim. 1 or 2 players)	24.95
Chocks Away Extra Missions	19.95
(26 extra missions plus some superb enhancements	)
Chocks Away Compendium	39.95
(Chocks Away + Chocks Away Extra Missions)	
The Wimp Game (Unique Graphic Adventure	) 19.95
Powerband (Superfast Formula 1 Grand Prix)	24.95
The Real McCoy (4 Game Compilation)	29.95
(U.I.M., Arcade Soccer, White Magic & Quazer)	
E-Type (3D Classic Car Racing)	19.95
F-Type Designer	16.95
E-Type Extra 100 Miles	16.95
Holed Out (3D Golf for 1 to 6 players)	19.95
Holed Out Extra Courses Vol.1	16.95
Holed Out Extra Courses Vol.2	16.95
Holed Out Designer	19.95

Drop Ship (Superfast Arcade Action)	19.95
Nevryon (Unbelievable Graphics & Gameplay)	19.95
Inertia (Isometric Arcade Action)	19.95
Apocalypse (3D Mega Game - 9 Planets)	29.95
The Olympics (6 Varied Events)	19.95
Pysanki (Futuristic Arcade Adventure)	19.95
Man-At-Arms (Medieval Arcade Adventure)	19.95
U.I.M. (Massive 3D Action Adventure)	29.95
Arcade Soccer (World Cup 1-24 Players)	19.95
White Magic (Arcade Adventure)	19.95
White Magic 2 + Designer	19.95
Quazer (Furious Arcade Action)	11.95
,	

#### **COMING SOON**

\*Gumshoes, Arcticulate & Boogie Buggy
The above 3 titles should all now be released
Saloon Cars Hopefully June '91
The Ultimate Driving "Game-ulation"!


Break 147 & Superpool Hopefully June '91

'Real' snooker & pool simulator par excellence
Enter The Realm Hopefully September '91

An epic arcade adventure from the author of Nevryon







# THE FOURTH DIMENSION

1 Percy Street Sheffield S3 8AU Tel. (0742) 700661 or 769950

# SOFTWARE SHOWCASE

#### **EDUCATION**

#### SSERC GRAPHICS LIBRARIES

#### For Science & Technology Education

For Arc users of Draw, DTP, Magpie, Revelation etc. Latest:- now with Alpha boards, First Sense, new dataloggers, pneumatics (ISO 1219), bevelled gears and more ......

Dear Teacher/Currentum Developer/Exammer

Are you nevelved in a epacation of currentla material? Deeyon find a difficult to draw realistic apparatus or circuit diagram? The you find a difficult to draw realistic apparatus or circuit diagram? If a growth backer shad look like thickers! If you can all aga at var out a Diaw window you can alway and real variety with the help of the SSERC Graphia v. Libraries (1). S. IBB & CNE.

2 Dieses 427.50 Site licence 2 dieses 480 Upgrade 47.50

Authority licences available by negotiation

SSERC, 24 Bernard Terrace, Edinburgh EH8 9NX Tel. 031 668 4421 for more information or send stamped A4 self-addressed envelope.



Make the most of your Archimedes/A3000 with a brand new package for primary schools.

"Picture It!"

"Picture It!"
a unique software package specially designed as an aid to the
"Picture It!" allows children to build up scenes using sets of
simple pictures, linked to specific topics currently including
History, Geograpy, Maths, Science, R.E. and Design and
Technology,
It is exceptionally easy to use, making it an invaluable
classroom resource, ideal for younger pupils or those with
special needs.
For further information alease acated.

For further information please contact: Appian Way Software Ltd., Old Co-operative Buildings, Langley Park,

Durham, DH7 9XE. Tel: 091-373 1389

#### ABC. the spreadsheet for the RISC-OS Archimedes of one element or kind:

not complicated or showy

ideal for education



send an SAE for details, to: CIRCULAR TRYANGLÉS 13 Woodhall Terrace Edinburgh) 031/453 1925

**STATISTICS** 

EH145BB

### STATISTICS

The ESTABLISHED system

for the Acorn Archimedes is

FIRST

Write or telephone for details to

#### SERIOUS STATISTICAL SOFTWARE

Lynwood, Benty Heath Lane, Willaston

South Wirral L64 1SD

Tel: 051-327 4268

Now includes an On-Line Manual

#### **EDUCATION**



The LIST Project
Department of Design and Technology Loughborough University of Technology Leicestershire LE11 3TU Tel: 0509 222661 FAX: 0509 610813

The Technology Database

As reviewed in BBC Acorn User March 1991

A database package of the National Curriculum Orders for Technology\*, covering AT's 1-5, Levels 1-10. Designed for ease of use, by any teacher, as an aid in constructing schemes of work

BBC 'B'/Master £12.00+VAT. Archimedes £13.00+VAT

\*Crown copyright data are reproduced by permission of HMSO

DatoSheet is a spreadsheet specifically developed to meet the needs of the National Curriculum.

DotaSheet comes from the same author as **DataSweet**. It is much enhanced over the original DotoColc. New features include

- Greatly extended in both directions Drogable column
- Doto grouping for graphs Hollink to graphing programs •
   Host of block operations Prints sheet as ASCII text much foster.

DataSheet is available from: Hampshire Microtechnology Ce Connaught Lane, Portsmauth, PO6 4SJ Tel. (0705). 378266

#### SPECIAL NEEDS

### C.J. COMPUTING **SPECIAL NEEDS**

SALES . REPAIRS . SPECIAL NEEDS

Please contact us for all your Acorn computers (Hardware & Peripherals) We specialise in tailoring computer systems for special needs

> Tel: (0454) 615905 Stoke Lodge, Bristol

#### **!!VARIOUS!!**

### !Slideshow

Fully multitasking,runs in Risc-OS Desktop Create interesting and attractive presentations of sprites. Presentations can be shown without main program Accepts sprites from most major art packages

\*performs to a high standard and is delightfully simple to use\* (Risc User,Oct 1990) 'excellent user interface' (Archive, Sept 1990)

"The program is excellent and well worth the asking price" (The Micro User, Sept 1990)

Only \$14.95 Fully inclusive Please make cheques payable to 528 Software. For a working demonstration version, please send \$1 or a blank disc 528 Software, 24 Mulgrave Rd , Whitby , N.Yorks , YO21 3US Tel (0947)602756

#### **ROOM 7 SOFTWARE**

**POCKET** ENGINEER £35.25

MATRIX

INVESTMENT ANALYSER £19.98

CENTRAL HEATING CALCULATOR £23.50 ELECTRICAL CABLE SELECTOR £17.62

Our catalogue contains fulf details of these and other programs for Acora computers.

Prices include postage and V.A.T. at 17.5%.

Most of our programs are available in the Electron/88C. 8/8-Master, COMPACT and
ARCHIMEDES range on 5.25° and 3.5° discs.

t floor, H.S.L. Building, 437 Warrington Road, Rainhill, L35 4LL. Tel: 051-426 7400. Fax. 051-493 1425



#### **EDUCATION**

#### The convenient SINGLE SOURCE for Educational Software

- Wide range of formats. Not only BBC. Archimedes, Nimbus, but also flon of programs for Spectrum +27+3, Amstrod Nimbus, Cammodate 64/Amiga. Atoir St. IBM-PC and otherst
- Vast stocks 30 000 programs always available for immediate de
- Unconditional guarantee problems rectified by expert staff telephone helpine

describes and prices hundreds of program
Write or phone for a free copy
RICKITT EDUCATIONAL MEDIA
FREEPOST - Ilton - Ilminster - Samerset TA19 9
lerephone 0460 57152 - Fax 0460 53176

#### NORTHERN MICROMEDIA

Northern Micromedia is the publishing arm of NORICC, a regional IT Teachers Centre. We produce a wide range of stimulating educational software for children aged 5-16 and many titles are accompanied by useful support material

Please write or telephone for a free catalogue to:

NMM, Resource Centre, Coach Lane Campus, Coach Lane, Newcastle-upon-Tyne NE7 7XA

Tel: 091 270 0424

#### DISABLED?

#### **ENCODER**

Keyboard Emulator on disc



speeds up your typing

Le Computer 0245 362225

#### **ENGINEERING**



£150+vat

The most advanced structural analysis program available for the Acorn Archimedes.

CASA is a fast, efficient, powerful, but very easy to use program for the analysis of 2D structural frames.

Full on-screen graphics, RISC OS compliant, Universal Section library, Second Order analysis, Thermal Effects, Lack of fit, Internal hinges, Point-and-click' data entry option, etc.

VISION SIX Ltd. 13 Paddock Wood, Prudhoe Tel: (0661) 33017 Northumberland, NE42 5BJ

#### VISUAL IMAGES

### Nova Visual Services

You've just spent hours producing your lotest mosterpiece. So naturally you wont the end product to look as good as possible. For the best quality print-outs using the latest loser technology (600x600 d.p.l.) from *IDraw, IImpression*,


IPoster etc, contact me and I will print them for you. 60p per A4 side

5p per side for extro copies No minimum order!
Just send a 3.5" disc containing your


document, instructions and a cheque to: M.Wiggin, 50 Forton Road, Newport, Shropshire, TF10 7JR For further delails, Tel. 0952 814624

# SOFTWARE SHOWCAS

#### PUBLIC DOMAIN



#### **PUBLIC DOMAIN**



Over 200 cram-packed discs of the BEST Archimedes Public Domain Software.

Unlike other libraries you can pick 'n mix the programs you want. And we don't charge the Earth £1.10 per disc for our own compiled discs or £1.50 for the very popular pick 'n mix service. We also have very special offers which allow you to buy PD at less than Observation! than 90p per disc!

Sections include: Animation, CAD/Design, Comms, Databases, Demos, Disc Utils, Fonts/DTP, Games, Graphics, Itome Management, IBM/PC Utils, Languages, Music, Pictures, Printing, Programming, Sampling, Toys/Sillies, Word Processing.

Also available is a range of data files for many popular databases - ideal for education and home use.

For those without a laser printer - a printing service at a competitive price is also available. Details on request.

Send a blank formatted disc or 75p for our catalogue/demo disc to: Arch Angel PD, 9 Chancel Court, Pinhoe, Exeter, Devon, EX4 8QE. Cheques or PO's payable to S.Creech.

#### GAMES

#### CREATOR ARCADE GAMES DESIGNER £38.95

Produce your own arcade-style games with *Creator*. No BASIC or ARM code programming knowledge needed.

ALPS (ADVENTURE SYSTEM) £34.95

ALPS allows you to create commercial-quality text adventures with graphics. Full RISC OS application.

COPS £19.95

A humorous adventure with text and graphics - spend a day as a cop on Hall Street and find the kidnapped Chief.

PLAGUE PLANET £14.95

A tough sci-fi text adventure with over 250 locations. All programs for Archimedes/A3000, P+P, free on all orders

ALPINE SOFTWARE, Dept (BAU2) Tel: 0762 342510 PO BOX 25, Portadown, CRAIGAVON, BT63 5UT

> Guardians Of The Labyrinth

#### A new game from Soft Rock Software

21 Great George Street, Bristol, BS1 5QT

£3.49 including postage (Archimedes/A3000 only)

Also available: Escape from Exeria etc for the Arc/A3000 at f3.49 inc

#### DTP

### **ABC**ABCABC

It's as easy as ..... with Capsoft Disc 1

Send a cheque value £6 lo.-9 J Thompson 8 Old Gate Avenue Weston on Trent Derbyshire DE7 29Z

The disc contains drawn fonts, comers and borders. Borders have also been prepared for importing into impression II

### **ABC**A BCABC

#### BASIC ON DISC

#### Learn **BASIC** on disk!

The most comprehensive, compact step-by-step course sold worldwide! Disks have 16 full lessons packed with information including: Errors, Printer Control, Databases,

Word processing, etc...
A 34-program Library Disk supports Disk 1 1, Lessons 1-16, 1a Library 2
Lessons 17-32, 3, Lessons 33-48, 4 Lessons 49-64
Oisks 1 or 2 £20.95, 3 or 4 £22.95, Library £10.95, 8 Lessons £10.95. Starter Kit: 1 + 1a £28.95. Elementary Kit: 1, 1a + 2, £44.95. Inter Kit: 1, 1a, 2 + 3 £64.95. Full Kit: £84.95. Disks 1 + 2 £36.95

For BBC B/Master/Compact/Electron/ Arch + 6502 Emulator

Payment by cheque please to

UNIVERSAL COMPUTER SUPPORT

Dept. AU, 168 Hough Road, Walsall, West Midlands WS2 9BQ Tel: (0922) 3003B

#### **PROCESSING**

#### CORPLAN

#### FOR SERIOUS WORK WITH WORDWISE PLUS

- Descriptive indexing for your letters & documents.
- Your own library of layout forms, letterheads etc. Automatic import of addresses, references, dates etc.
- CORPLAN does the layout, you just type the text!
  Resident utilities for mailmerge, label printing etc.
  Many other features, including Inter-Word link.

- For B, B+ & Master. Needs discs & Wordwise Plus. Pack contains disc, tutorial manual, keystrip etc.
- Price £19.50, post free UK. 14 day refund.
- Free information sheet available.



CORPLAN Computer Systems Three Gables, 7A Talbots Drive, Maidenhead, Berks, SL6 4LZ Phone or Fax: (0628) 24591



Just £1 for the DOUBLE Skyfall demo disc.

The New Skyfall Summer Catalogue is now out, it contains full details of our large 340 range of discs. New this season are Super Compiled Application Discs, which only have the best applications on them, plus some New Outline fonts. Also we still have the largest DTP resource and Sound 'n' Graphics collections.

Regular customers can purchase our discs at £1.50 to £2 each, and members of our new 'PD Club' can enjoy a 50p discount off these prices, as well as unlimited user support, product discounts and free catalogue updates.

So if you want the 'Summer '91 Double Demo Disc' and 12 page detailed catalogue just send £1 coin with your name and address to:

> SKYFALL, PO Box 2220. Birmingham, B43 5RZ.

# SOFTWARE SERVICES

THE BEST IN ARCHIMEDES PUBLIC DOMAIN

AND I AIN'T LION!!!



#### THE BEST VALUE AT 90 PENCE A DISC

Telstar PDSL can now offer discs at only 90 pence a disc. Nearly 300 discs and expanding all for only 90 pence a disc. See the vast range now and get our Demo disc for £1 now. Cheques to Telstar PD.

#### **FREE COMPETITION**

By ordering our demo disc you will automatically be entered into our free draw to win 20 PD discs.

#### **ALPS AND CREATOR GAMES**

We are looking for games created with these two brilliant programmes from Alpine. If you have made any games with these why not send them in and let other people enjoy

TELSTAR PDSL 48 Alderbrook Close, Rolleston, Staffs DE13 9AX

# The Datafile (1)



Demos - animated films - fonts Clip Art - Desktop Fun - Games Graphics - Strackers - Utilities Sound Samples plus lots more

A free bonus disc for every 10 you buy.

For our highly detailed 80 page catalogue ou disc complete with some outstanding P.D. Send L1 to:

The Datafile PD 22 Duxford Drive Aldergrove, Co.Antrim N.Ireland BT29 4BG

#### FACT SYSTEMS (BARROW) LTD

UNIT 19, FOCUS 303 BUSINESS CENTRE, SOUTH WAY, WALWORTH IND. EST. ANDOVER, HANTS. SPI0 5NY

					GAMES	
LOV	WES	T	PRICE	S!	Alerion	613
			Base	Colour	Alien Invasion	£10
A3000 F	lase		£530	£725	All in Boxing	£10
A3000 T	pgraded to	2Mh	£585	£780	Apocalypse	£19
	earning Cu		£619	£814	Arcendium	£15
	earning Cu		/lb £675	£870	Ball Arena	£15
	ase		£899	£1094	Boogie Buggy	£20
420/1 B	ase		£1099	£1294	Break 147	£20
420/1 I	earning Cu	irve	£1135	£1330	Bug Hunter/Moon Dash	£12.72
	ase		£1449	£1644	Caverns	£12.72
A540 B	ase		£2599	£2794	Chorks Away MkII	£20
					Chocks Away Extra Missions	
MONITO	RS (inc lead)		UTILITIE	S	Claers Arcade 3	£10
Acora Colour Mo	onitor (AKF17	£195	Software Developers To	olbox £179	Drop Ship	£15
Microvitec Cub 3	000	£199	Twin	£28	• •	£15
Philips CM8833	Colour MkII	£225	PC-Emulator	£89	E-Type ,	
TAXAN 775 mult		£475	Clares Toolkit Plus	£38	Freddy's Folly	£12
			Artisan 2	£47	Gum Shoes	£20
	SSORIES		Render Bender	£61	Holed Out	£14
400/11Mb RAM	(,	£58	Hearsay	£52	Hostages	£15
400/1 20Mb Hard			PC-Access	£34	IBIX the Viking	£12.72
400/1 40 Mb Hard				_	Inertia	£13
A3000 1Mb Upgr		£60	BUSINES		Interdictor 2	£28
A3000 3Mb Upgr	ade	£199	1st Word Plus re1.2	£62	Iran Lord	£15
A3000 20 Mb Ha			Impression Junior	£79	Jet Fighter	£10
A3000 48Mb Har			Impression II	£149	Micro Drive, Golf	£15
A3000 Serial upg		£18	Schema	£105	Mad Professor Mariarti	£14
A3000 Monitor S		£28	Pipedream 3	£127	Nevryon	£15
ROM Expansion		£41	Acorn DTP	£129	Overload	£10
MIDI Expansion		£64	System Delta Plus v2	£52	Powerband Mk11	£20
A3000 User Port/	Midi	£45	Alpha Base	£38	Red Shift	£14.43
LANG	UAGES		EDUCATION	NAL	Talisman	£10
ISO Pascal, Forti		£85	Fun School 2	(ea) £16	The Olympics	£14
ANSI 'C' Rel.3	ran //	£129	Fun School 3	(ea) £20	The Real McCoy	£20
ANSI C Rei.5		£179	Puncman	£20	The Real McCoy 2	£24
ABC Basic Comp		£179			Twin World	£15
ABC Basic Comp	Her	1/9	Please add VAT a	ıt 17.5%	•	£12.72
воок	S (no vat)		Carriage:=		Worra Battle	£11.87
RISC OS Prog Ro	ef Manual	£75	Language, Busines		Worra Dattie	£11.07
BBC Basic Guide		19.95	Urils, books F		PRINTERS (free lea	d)
A3000 Technical	Ref Manual &	29.95	Games, Education		STAR LC-10	£162
Assembly Lanage	sage f	14.95	Other £ P.O.	.Α.	STAR I.C-200 Colour	£212
Arc Operating Sy		14.95	OPEN		STAR LC24-10	£212
Archimedes First	Steps	£9.95	MON-FRI, 10AA		STAR LC24-200	£276
			SAT 10AM-4	PM		
	AND	0	VER (0	264)	334811	VISA



#### BANK MANAGER

Complete and versatile personal accounts program. Consistently acclaimed! 'data entry is a delight...professional...excellent product' Micro User April 86 Standard version: Enter cheques and receipts. Automatic date sequencing. Reconcile statements. Search, amend and delete. Analyze expenditure. Forward cash flow forecast. Budgets. Up to 36 bank accounts online, inter account transfers, 9999 standing orders, 99 analysis headings, over 4,000 postings on an 80tk diskette. Reports to screen or printer. Mix foreign currencies, graphics, password, file recovery, field editing, programmable reports.

Master/Compact version adds ADFS/hard disk support, sideways RAM, 40/80 col screen reports, and other enhancements.

Archimedes/A3000 adds high speed native mode, RAM disks, wild card analysis enquiries, sort and more. 'Impressed...ideal...easy to use' Micro User March 88

Bank Manager (all versions; disk systems only) £25.00

#### BANK MANAGER BUSINESS UTILITY

For the club accounts or small business user. From the Bank Manager data files print "trial balance" or "P&L reports" via the programmable spreadsheet generator.

\*\*Business Utility Pack (needs the Bank Manager) £12.00

#### TYPING TUTOR

Quickly learn to touch type. Over 90 smoothly graded lessons graduate you from the basic home keys to complete keyboard mastery. Word scan or exact key checking, targets may be revised, rhythm metronome, key click, free format options. Recommended for adult education.

Typing Tutor £15.00

#### SPREADSHEET MK V

Low cost, versatile spreadsheet. 26 cols, 900 (Arch/A3000) or 99 (B/Master) rows, many functions and facilities inc programmable report writer and input scripts.

Spreadsheet MK V disk £15.00

All programs available in B, Master/Compact and Archimedes/A3000 versions. Archimedes/A3000 versions are RISC OS compatible

State type of computer (eg A3000,B,Master) and disk type (eg 31/2" or 51/4" 40 track or 51/4" 80 track). Please add £1 P&P (Overseas £3.50)

#### CONTEX COMPUTING (Ref AU), 15 Woodlands Close, Cople, Bedford MK44 3UE





Tel: 0234 838347

#### **ACORN USER ADVERTISEMENT PAGES – JULY 1991**


AU	UNIT	OSEN ADVEN	HOE	MENT PAUES	<b>-</b> JUI	ו פפו זו	
4th Dimension 1	16,124	Computeck	76	Kendal Computer		Selective Software	126
628 Software	125	Computer Concepts	60-61	Centre	100	Senlac Computing	48
Ace Computing	54	Computer Depot	48	Kudlian Software	125	Serious Statistical	
Aeme PDSL	126	Contex Computing	127			Software	125
Advisory Unit for		Corplan Computer		Le Computer	125	Simtron	106
Mierotechnology in		Systems	126	Lings Duplication	102,126	Softrock Software	126
Education	54	CSS	110	Longman Logotron	123	Software Bargains	78
Alpine Software	126			Loughborough		SSERC Graphics Libra	ary 125
Alsystems	48	Dabhand Computing	94-95	University	125	Star Devices	11
Ampsound	100	Datafile	126			Superior Software	OBC
Appian Way	125	David Pilling	70	Manor Court Supplies	s 81		
Apricote Studios	48	Digital Services Ltd	IFC	Micro-Aid	96	T.M.J. Computer	
Arc Angel	126	DVS Skyfall P.D.	126	MicroPower Ltd	72	Software	106
Arcaynia P.D.	118			Minerva Software	IBC	Technomatic	30-32
Arxe Systems Ltd	75	Electronic Font Found	rv 102	Morley Electronics	114	Telstar Public Domain	126
AS Computers	33					Terrell Electronics	33
Atomwide Ltd	26	Fact Systems Ltd	127	Northern Micromedia		The Data Store	106
Automatic Services	33	Fairhurst Computer	106	Northwest Semere	118	The Serial Port	112
AVP Computing	33	r annuist Computer	100	Norwich Computer		The Serial Port	67
		Gnome Computers	118	Services	96	Timestep Weather	
B & S Computing	107	Ground Control	33	Nova Visual Services	125	Systems	110
Beebug	6,8	Oround Control	33				
Broomfield Electronics	106	HOOR A	70	Oak Solutions 12,19,2		Unilab	110
	440	HCCS Associates	68	Orion Computers 2	28-29,82	Universal Computer	
Calligraph Ltd	110	Human Computer	00			Support	125
Chameleon Computers	54	Interface	80	Portobello Trading			
Circular Triangles	125			Company	96	Vision Stx	125
CJ Computers	125	Ian Copestake Softwar		PRES	16		
Clares Micro Supplies	58	IFEL	70	13.1 1 m. 1		We Serve	70
College Computers	4-5	Integrex	97	Rickett Educational	10.5	Wild Vision	100
Colton Software	2	Intelligent Interfaces	102	Media	125	WL Computer House	126

**Irossword set by Trajanus** 

#### **BBC Acorn User July 1991 Prize Jigword Competition**


The box below contains 96 three letter abbreviations, all of which have something to do with the BBC or Archimedes. This month's competition is to try and fit all of these words into the grid on the right. We have filled in some of the squares to give you a start. Note that eight words 'wrap round' off the right or bottom of the grid and their last letters appear on the left or top of the grid. When all the words have been fitted, the circled letters will form an anagram of something do to with computing. Simply write this on the back of a post card or sealed envelope and send it to 'July Competition' at the usual address. The winner will be the first correct solution out of our hat on 10th June. Good Luck!

ABS ASL BMI CHR CRT DEY ERL LCD MLA PHX RSC	ACC ASN BNE CLD CSD DIR ERR LDA MOS PIN RTI	ACS ATN BNV CLG CTS DIV FIQ LDR NFS PLA SBC	ADC BAU BPL CLI DAC DLI FOR LDX NOP PSU SID	ALU BBC BRA CMP DCB DPI IIC LED OCR RAD SQR	AND BCC CAD CPU DCD ECF INC LEN ORA RAM STA	ARM BCD CFS CPX DEC EOR INT LET ORR RFS SUB	ASC BCS CGA CPY DEF EQU INX MFM PCB ROL SYS
RSC TEQ	RTI TSX	SBC TTL	SID TXA	SQR TXS	STA TYA	SUB ULA	SYS URD



#### **FOUR-SCORE**

If each row and column adds up to the totals shown, what is the value of each symbol?



#### WORD CHAIN

Turn PAINT into TOOLS changing only one letter at a time. Each step must make a proper word.

PAINT TOOLS

#### ONE LINE GAME

Deep within an x-radiation reprocessing plant on the distant planet of Ekans, particles of sub-molecular radioactive material are produced as a by-product of the reprocessing. These particles need to be removed from the reprocessing chamber otherwise, well, let's say it would be very messy (and rather expensive). It goes without saying that humans could not withstand the immense pressure, radiation and overpowering odour of a persistently malfunctioning 'citrus grove' airfreshening plant.

To get round this problem, a cybernetic 'snake' has been constructed, and thist is capable of entering the chamber without harm. The snake must be guided by a human to collect the radioactive material as it is produced. The snake itself cannot do anything with the material, so instead it genetically replicates enough of its 'tail' to store the dangerous by-product. For this reason, it is essential that the snake does not collide with its tail - remember what we said about 'messy' and 'expensive'?

If you would like to try your hand at x-radiation reprocessing, type in the single line opposite (which has been split at colons to aid legibility) taking care not to add any extra characters. When RUN, use Z and X to steer the snake left and right, you'll be rewarded with a fanfare for each particle safely collected. Archimedes users will have to use 65Host. You can vary the 10 in A=INKEY10 to make the game easier (or harder!)

```
10MO.7:
 REP.V.-1:
  U.VP.=22:
  V.284;20,294;12:
  S=&7D7B:
  T=&70:
  !T=&275029:
  REP.REP.N=H.+RND(800):
  U.?N=32:
  P=P+5:
  TI.=0:
  REP.A=INKEY10:
  D=(D-(A=88)+(A=90))A.3:
  S?-999=D:
  ?E=32:
  ?S=-1:
  ?N=42:
  S=S+D?T-40:
  E=E-(TI.>60)*(T?E?-999-40):
  U.?S>32:
  V.7:
  U.S<>N:
  P.P
```

# DESKTOP OFFICE

THE INTEGRATED SUITE FOR ARCHIMEDES

5

0

m













At last - a fully integrated suite of database, word - processor, spreadsheet, charts and communications for the Archimedes. The database is simple to set up with a flexible card layout enabling you to design cards to suit your data. Video style controls make it easy to browse through the records. With instant search on fields, sort routines and reports available, DTOBase gives flexibility whilst remaining simple to use.

The word - processor,
OTOWord is ideal for all types
of correspondence, with the
ability to change text to bold or
condensed, indent, dentre,
justify etc. DTOWord makes
every document look
professional. Text can be any
colour and even displayed in
large characters on screen
making this package ideal for
young children or those with
poor sight.

DTOSheet is fast and powerful but designed for ease of use. Columns can be held for reference and cells locked to prevent accidental deletion. With colours available to highlight negatives or formulae DTOSheet gives all the features you would expect of a high class spreadsheet. Data can be exported directly into DTOChart allowing pie charts, 3D bar charts, etc to be produced in seconds. Sections of pie charts can be highlighted and the colours changed to your requirements.

The final package in the suite is the communications program DTOComms. Multi-tasking, even on line, OTOComms supports ANSI and TV1925 emulations and is configurable for all baud rates and protocols. Text files can easily be transmitted and received.

# EAS!WORD word-processor

Easiword is simplicity in itself and ideal for everyday word-processing needs. Easiword has all the facilities of DTOWORD together with the extra facility of multiple documents.

£39-95 Incl. VAT

**DATABASE** 

WORD - PROCESSOR

**SPREADSHEET** 

GRAPHS & CHARTS

COMMUNICATIONS

m

£129-95 Incl. VAT

U

DeskTop Office is a fully integrated, multitasking suite of programs for the Archimedes and A3000. Data can be transferred between the programs giving the ultimate in flexibility to produce graphs from your spreadsheet data or similar lapplications S

DeskTop Office is all you need for Education, Small Business or Home use.

t



n

S



MINER MA

Minerva House

Baring Crescent, Exeter, Devon, EX1 1TL -Tel.: 0392 437756 Fax: 0392 421762

# SUPERIOR SOFTWARE







#### SPEECH! Give Your Computer a Voice

SPEECH! works entirely in software, no extra hardware whatsoever is required, and has an unlimited vocabulary. The program has a built-in parser which translates English words into phonemes, so it can directly speak words you input or text files. The phonemes can be used directly if you wish, so stress and intonation can be added as required and even foreign languages can be spoken. SPEECH! includes a user-friendly spelling program, which can be easily changed to include your own words.

The new A3000/Archimedes version of SPEECH! is fully RISC OS compatible and allows multitasking in Desktop. You can vary the pitch, speed, volume, and voice, both directly and in your own text files and programs, and can even 'sing' words over a four octave range! The A3000/Archimedes version also includes a program so you can after the dictionary yourself.

BBC Micro/Master & A3000/Archimedes

#### MASTER BREAK

#### Snooker-Style Trivia Quiz Game for 1 to 4 Players

Six cotegories of questions: SCIENCE & NATURE, POP MUSIC, GEOGRAPHY, SPORTS & PASTIMES, ARTS and HISTORY. Over 1500 questions in the BBC Micro/Electron version. Over 2000 questions in the A3000/Archimedes version, including digitised picture and digitised sound questions.


In the 1 player game, try to get the highest breok - you might even monage the maximum break of 147. In the 2 to 4 player game, compete agoinst your friends ond fomily for the highest score and highest breok.

Stort your frome with on eosy red question, then choose your colour - have you the nerve to choose the black ball question? You've used all your PASSES ond the boll is OVER THE POCKET - if you miss, it's o FOUL SHOT! ALL THE FUN AND CHALLENGE OF A TRIVIA QUIZ AND SNOOKER MATCH ROLLED INTO ONE ENTHRALLING GAME.

BBC Micro/Master, Electron & A3000/Archimedes











#### **PLAY IT AGAIN SAM 15** A New Action-Packed Four-Game Compilation **LAST NINJA 2**

The Last Ninja is bock with a vengeance! Battling with fists, shuriken stars, swords and lots of other devious weapons, against the evil Shogun in downtown New York.

"Animalion is excellent and there's lots of detailed scenery. The puzzles are quite fiendish"....Micro User.

#### **NETWORK**

An action-packed Top Ten' game by Peler Scott, featuring teleport machines, litts, springs, strange allens and lots, lots more. Shoot your way through more than 100 different screens as you attempt to collect the twenty ports of the 'Flynche' machine. Nerve-tingling excitement.

**BBC Micro/Master & Electron** 

#### CYBORG WARRIORS

A brand-new release by Superior. A mulli-level, sideways scrolling shoot-em-up, with lots of weith robots and monsters to shoot, and lokens to collect which can give more powerful weapon systems. The BBC Micro/ Master version has a joystick option, which allows two players to bottle together.

#### RICOCHET

A massive arcade adventure with brilliant graphics, as you control SPRAT, the Small Partially Robotic Allen Time-traveller, Five ditterent levels: FORTRESS, TECHLEV, DERELICT, THE UFO and ANCIENT.

"A superb problem-solving game. A must for your games collection"....BBC Acom User.

#### SPEECH!

#### **MASTER BREAK**

#### PLAY IT AGAIN SAM 15

Cyborg Warriors

BBC Micra/Electran Cassette...£12.95 BBC Micra 51/4"Disc...£14.95 Master Campact 31/2" Disc......\$19.95

BBC Micro Cassettes & BBC Micro 51/4" Discs are composible with BBC B, B+ & Moster 128 computers. Screen pictures show the BBC Micro versions of the games, unless otherwise stoled.

We have in stock over 30 different titles for the BBC Micro/Master and Acorn Electron computers including such great games as: ELITE, REVS + REVS 4 TRACKS, EXILE, HOSTAGES, A QUESTION OF SPORT, REPTON INFINITY, PERPLEXITY and SIM CITY, and the compilation titles: ACORNSOFT HITS 1 & 2, SUPERIOR COLLECTIONS 1, 2 & 3 and PLAY IT AGAIN SAMS 1 to 14. All are available for immediate despatch

(Superior Software is a trading name of Superior Microcomputing Ltd.)

Dept. Q1, P.O. Box 6, Brigg, S. Humberside DN20 9NH. Tel: (0652) 58585

Our A3000/Archimedes hitles include great classics such as ZARCH, CONQUEROR and REPTON 3 (now with enhanced graphics), and the new highly praised golf simulation/designer, SUPERIOR GOLF. Also the action-packed HOSTAGES game.

Please write to the address below or telephone for a full list of Superior Software games.





24 HOUR TELEPHONE





Postage and packing is free
 Cassettes and discs that are faulty on receipt will be replaced immediately

ANSWERING SERVICE FOR ORDERS

OUR GUARANTEE

All mail orders are despatched by first-class post