

BIGGEST AND BEST



We're best because we're biggest. The biggest Acorn Distributor you can get. We've got the biggest range of hardware, software, add-ons, books, stationery, peripherals, monitors and printers. And the most efficient distribution facilities in the country.

Don't try the rest-come to the best!





The official magazine for users of the Acorn Atom, the BBC microcomputer system, and the Econet system, published by Addison-Wesley for Acorn Computers Limited.

- Authoritative information on all new Acorn products
- All the latest software reviewed, including the products of Acornsoft
- New peripheral equipment described and tested, including unofficial items
- Feature articles on the latest developments in microcomputing from the UK, Europe, North America the Far East, and Australasia
- Dealer and service features
- National and international user group news

Use the form below to make sure of your regular copies now!

Preferred Method of Payment Please complete the appropriate section and delete where necessary (*).
UK Subscribers I enclose my cheque/postal order* for £ payable to Addison-Wesley Publishers Limited.
Overseas Subscribers I enclose my cheque/international money order/sterling
bank draft* for £payable to Addison-Wesley Publishers Limited.
Credit Card Payment Please debit my Access/American Express/Barclaycard/ Diners Club/MasterCard/Visa*.
Account No.
Signed Date
Important Note If you are paying by credit card, the address you give for delivery of Acorn User must be the same as the address
to which your credit card account is sent. Send this form, with your remittance, to the address overleaf.
Providence of the About and and Province and
Preferred Method of Payment Please complete the appropriate section and delete where necessary (*).
UK Subscribers I enclose my cheque/postal order* for £ payable to Addison-Wesley Publishers Limited.
Overseas Subscribers I enclose my cheque/international money order/sterling
payable to Addison-Wesley Publishers Limited.
Credit Card Payment Please debit my Access/American Express/Barclaycard/ Diners Club/MasterCard/Visa*.
Account No.
Signed Date Important Note If you are paying by credit card, the address you give for delivery of Acorn User must be the same as the address

Acorn User

The official magazine for users of the Acorn Atom, the BBC microcomputer system, and the Econet system, published by Addison-Wesley for Acorn Computers Limited.

- Authoritative information on all new Acorn products
- All the latest software reviewed, including the products of Acornsoft
- New peripheral equipment described and tested, including unofficial items
- Feature articles on the latest developments in microcomputing from the UK, Europe, North America the Far East, and Australasia
- Dealer and service features
- National and international user group news

Use the form below to make sure of your regular copies now!

Acorn User

MAGSUB (Subscription Services) Ltd Ground Floor Post Room Oakfield House Perrymount Road HAYWARDS HEATH West Sussex RH16 3DH

Acorn User

MAGSUB (Subscription Services) Ltd Ground Floor Post Room Oakfield House Perrymount Road HAYWARDS HEATH West Sussex RH16 3DH

CONTENTS



Managing Editor Jane Fransella Editor Tony Quinn Sub-editor Ann Nimmo Production Susie Home Promotion Manager Pat Bitton Editorial Secretary Jane Lake Publisher Stanley Malcolm Typesetters and Designers **GMGraphics** Graphic Designer Phil Kanssen Printed in Great Britain by E.T. Heron & Co. Ltd.

> Editorial 01-631 1636 Advertising Agents Dealer Deals Ltd 20 Orange Street London WC2H 7ED 01-930 1612

Published by Addison-Wesley Publishers Limited 53 Bedford Square London WC1B 3DZ Telephone: 01-631 1636 Telex: 881 1948 ISSN: 201-17002 7 Addison-Wesley Publishers Ltd 1982

Subscription Information

For UK Subscriptions, send your cheque or postal order made payable to Addison-Wesley Publishers Ltd to: MAGSUB (Subscription Services)
Ltd, Ground Floor Post Room Oakfield House Perrymount Road Haywards Heath West Sussex RH16 3DH

Annual subscripton rates,

UK £15

Europe £18

Middle East £20

The Americas and Africa £22

Rest of the World £24

- 2 Editorial
- 3 News

8 Acorn on show

Personal computer exhibition in London's Barbican Centre.

10 Latest from the BBC

Telesoftware and the User Guide.

13 Business

The BBC micro can play a useful role, say John Turnbull and John Gordon.

19 BBC or Spectrum?

Paul Beverley gives an unbiased review of the pros and cons.

24 NEC 30 Hour Basic

Richard Freeman explains the course and how it came about.

27 Art on screen

Brian Reffin Smith leads the way and hands out some ideas.

31 Hints and tips

Joe Telford conducts the sound of music from his keyboard.

36 Atom in action

Disk pack commands. BBC Basic conversion board.

41 Bugged by ULAs

Andy Hopper explains how these chips go wrong.

44 Teletext graphics

Paul Carpenter and Graham Field show how to save on memory.

49 Machine code graphics II

John Shaw and Anthony Ferguson continue their probe.

52 Schools

Ian Carpenter plugs analogue in. Pam Fiddy on teachers' problems.

56 Puzzles

Simon Dally's prize teaser.

- 58 User Groups
- 59 Atom graph fitting
- **60 Letters**

62 Dealer list

Front cover. Brian Reffin Smith produced this piece of art using the drawing package Jackson, at the Royal College of Art in London (see article page 27).



How to submit articles

You are welcome to submit articles to the Editor of Acorn User for publication. Acorn User cannot undertake to return them unless a stamped addressed envelope is enclosed. Articles should be typed or computer written. Black and white photographs or transparencies are also appreciated. If submitting programs please send a cassette or disc. Listings should not contain more than 39 characters per line for ease of reproduction. Payment is £50 per page or pro rata. Please indicate if you have submitted your article elsewhere.

Send articles reviews, and information to: The Editor, Acorn User, 53 Bedford Square, London WC1 3DZ

See next month's Acorn User for:

 Communication by micro across the world ● Red/green/blue decoder for the Atom ● Speech from the Beeb ● Tips on the pitch envelope and moving graphics ● BBC paddles ● Printing graphics ● Book reviews ● Computer crime

All rights reserved. No part of this publication may be reproduced without prior written permission of the publisher. The publisher cannot accept any responsibility for errors in articles, programs or advertisements published. The opinions expressed on the pages of this journal are those of the authors and do not necessairly represent those of the publisher. Acorn Computers Ltd. or Acornsoft Ltd.

Acorn, Acornsoft, and the Acorn symbol are the registered trademarks of Acorn Computers Ltd and Acornsoft Ltd.

EDITORIAL

In the second issue of Acorn User, the official, monthly magazine for users of Acorn products, we bring you more authoritative, official and accurate information. We include items for potential business users, musicians and code breakers – to name but a few. Whatever your interests we cater for them.

Independent hardware reviews

We publish an independent review of the BBC micro and the Spectrum. We felt this would be of interest to readers as so many extravagant claims have been made about the Spectrum. In our view, the BBC micro is a much more powerful machine and is a wiser buy for anyone with a serious interest in microcomputers.

Readers' letters

Letters and telephone calls have poured in from readers all over the world. We like to hear from you, but bear with us if you have not yet received a reply. Keep on sending your queries, comments, hints and tips or complaints. A selection of letters will be published every month.

Atom users

We have been inundated with complaints from Atom buffs that they were neglected in the first issue of **Acorn User.** Greater emphasis was given to the BBC micro but given the topicality of the machine at the time and the number of unresolved issues, I think we can be forgiven because the Atom is a well established micro. We have included more on the Atom in this issue and will continue to do so. We would particularly welcome contributions from Atom enthusiasts for consideration for publication.

BBC

The BBC will be making regular contributions, and this month we have articles from John Radcliffe, David Allen and Meyer Solomon of the Computer Literacy Project. See page 10 for details of the BBC's telesoftware plans. We also have news from BBC Publications about their software.

Acorn User competition

Entries to our first competition have come flooding in. Look out for the results in the October issue of **Acorn User**. This month's competition is on page 56.

PCW Show

We will make our presence felt at the Personal Computer World Show at the Barbican Centre in London, September 9-12. You'll find us on stand 444 in Hall B (upper). Acorn Computers will be there and there will be a separate dealer arcade (page 8). See you there!



Official dealers

For those needing servicing and upgrading facilities, we would advise you to consult the official dealers list on page 62. Each month we wil carry an update.

Software and books

You are invited to submit your programs and books for review. Future issues will carry substantial coverage of all products related to Acorn computers.

User groups

Each month we will list user groups which have come to our notice (page 58). If you are running a group let us know.

Contributors

If you have any articles, hints or programs – we're ready and waiting! Articles should be typed or computer written, with black and wnite photographs, or colour transparencies. When submitting programs please send a cassette or disc with a full printed listing.

Vane Fransella

Managing Editor



Hauser hits at Sinclair campaign

ACORN director Hermann Hauser has attacked Sinclair's comparison advertising campaign in the computer press.

Hauser described the six page insert as 'unfair and incorrect' and said he was considering taking the matter up with the Advertising Standards Authority – who have already had several complaints about other Sinclair promotions.

The main query was Sinclair's claim: 'What may not be so obvious is that it also provides more power.' This claim is made in direct comparison to the BBC model A

Hauser's reply was:
'Whichever way you
measure it the BBC
computer is more powerful
than the ZX Spectrum.

'The first measure of power is benchmarks – and the BBC model A is three to five times faster than the Spectrum.'

The benchmarks are widely used in the

Standard RAM	C VAT	ZX Spectrum	BBC mic	1 20	nal co	omp	uter
Maximum Dass	sing high-resolution		£300 16K	20 £190 5K	£300	99/4A	Colour
- Control of the Cont			3K_		16K		£450
Maximum	-	**C160		The second second	7K		16K
FLASH Colours on screen	ni .			29K		14K*	10K
BRIGHT-OF	at one time	D D				48K	32K
High-resolution		4)		16		DEN
available for PLOT aphics (>4	0000	-	-	6			9
User-definable and DRAW	Dixeis)				-5	16	8
Full upper/lower parties chara	cters		-				-
- Marian - M					-		
Screen dinas Character set					21		
Auto-re-		4					
-dsSette	.32	x24				-	
aud (data transfer)	ecordos	406	25) 22 4	22		- v	
UAD & SAVE	underg i			40	1x24 33	um.	-
HIFY	1500	100-	-		G ₂	*24 32	×16
HGE	- 1	1200	300				-
	- 4		- 1	120	450	F	-36
			0	V)
000-			0		F		
-yant, effect	VO				*But Di co		
Iter. On the left is the PCB	RAM. It offers twice on the screen at a colour brightne	as many cold any one time	re Erimum u Durs V	And it BASIC (Si Ise in ove Vorldwide We belie	employs a di inclair BASIC ir 400,000 co	lalect of C) already in Emputers	,
		The second secon		THE CHARLES	W	CORRECT	
The same of the sa	Sound generator Colours available Maximum colours on screen FLASH BRIGHT- or equivalent High-resolution graphics (>40 available for PLOT & DRAW User-definable graphics character set Full upper/lower case ASCII User-definable character set Screen display (columns x rows) Auto-repeat on all keys Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE Generation Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE Cassette interface for all normal in Baud (data transfer) rate CAD & SAVE ERIFY ERGE CASSETT IN CASE CASSETT IN	Sound generator Colours available Maximum colours on screen at one time FLASH BRIGHT- or equivalent High-resolution graphics (>40000 pixels) User-definable graphics characters Full upper/lower case ASCII User-definable character set Screen display (columns x rows) Auto-repeat on all keys Cassette interface for all normal recorders Gaud (data transfer) rate BRIGHT- or equivalent High-resolution graphics (>40000 pixels) User-definable graphics characters Full upper/lower case ASCII User-definable character set Screen display (columns x rows) Auto-repeat on all keys Cassette interface for all normal recorders Gaud (data transfer) rate FRIFY ERGE PERIFY ERGE GEGANT, Effective, Unique Is than half the price of its rest competitor—and more Is elegant. What povious is that more power The 2X Spect usable RAM. If offer twice on the screen at a colour brightne offers user-defin It has data transition of the screen at in that so data transition of the screen at a colour brightne offers user-defin It has data transitation.	Sound generator Colours available Maximum colours on screen at one time BRIGHT- or equivalent High-resolution graphics (> 40000 pixels) User-definable graphics characters Full upper/lower case ASCII User-definable character set Screen display (columns x rows) Cassette interface for all normal recorders GAD & SAVE CAD & SAVE Serge GERIFY ERGE GERIFY GERGE GERG	Maximum RAM Sound generator Colours available Maximum colours on screen at one time BRIGHT- or equivalent High-resolution graphics (>40000 pixels) User-definable graphics characters Full upper/lower case ASCI User-definable character set Screen display (columns x rows) Cassette interface for all normal recorders GABA SAVE ERIFY ERGE PGANT, effective unique—the ZX Elegant What may not be so more power abovious is that it also provides more power It offers twice as many colours on the screen at any one time. Plus with the	Maximum RAM Sound generator Colours available Sound generator Colours available Maximum colours on screen at one time BRIGHT- or equivalent High-resolution graphics (> 40000 pixels) User-definable graphics characters Full upper/lower case ASCII User-definable character set Screen display (columns x rows) Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders Auto-repeat on all keys Auto-repeat on all keys	Maximum RAM Sound generator Golours available ABRIGHT- or equivalent High-resolution graphics (>40000 pixels) User-definable graphics characters User-definable characters User-definable characters User-definable characters Screen display (columns x rows) Cassette interface for all normal recorders Auto-repeat on all keys Cassette interface for all normal recorders ERIEY ERIGE GOOD & SAVE ERIEY 1500 1200 300 1200 450 *Bull PLOT & D *Bull P	Colours available 48k 3K N/A 7k 14kk Maximum colours on screen at one time 8 8 16 16 16 16 BRIGHT- or equivalent 8 16 16 16 16 16 16 16 16 16 16 16 16 16

computer industry and quoted in magazines.

Another incorrect assertion was that the maximum RAM for the BBC model A micro was 32k.

In fact it can go up to 96k when a second processor is added, said Hauser.

He added that the

model A could give eight colours, that the display ran up to 32 not 25 columns, and that it did provide VERIFY and MERGE statements, but under a different name.

The advertisement also gave the impression that the model did not provide user-definable graphics.

And close analysis of the insert shows that it has had several alterations.

The insert marked 'PCW807' had no less than eight changes compared to that marked 'COT806'.

However, Sinclair's advertising agency Primary Contact defended the insert. Spokesman Chris Fawkes said: 'The information has been correct as far as we can check. It was provided by our client Sinclair.'

He admitted receiving a complaint about the insert from the ASA, to which he had replied. Changes had been made since it came out in June and a third version produced.

On the subject of power, he said it was a difficult comparison to make and that bench tests were the most independent assessments. But, he added, Sinclair had clarified his claim by referring to the RAM provided.

Acorn drops hints on Electron

The Electron will be in the price range of the Spectrum, but out perform the Apple – that's the confident prediction from Acorn.

The company is unwilling to release any specification or photographs of their new machine as they feel it would spoil the launch. Their spokesmen are talking in terms of a December release – but even that is not definite. Acorn have, however,

And prototype microfloppy 'for £100' on test

let lip that they are working on prototypes of a full facility 3½" micro-floppy for their computers. And they forecast a price tag of under £100.

This compares with Sinclair's much vaunted –but not yet seen – Microdrive which is advertised as 'available

later this year, for around £50.'

However, several 'Sinclair-watchers' have said this is unlikely to be a proper microdrive as it may not have a random access facility and will be more like a fast cassette, without the full advantages of a floppy disc.

Nobody is giving anything away at Acorn on test results, or a release date -but we'll let you know.



Weetabix troubleshooters aid distribution handover

THE BBC's new distribution system for its micros was due to be in action from today.

Vector marketing, an Acorn subsidiary, has taken over from BL Marketing at Kettering.

John Radcliffe, executive producer of the Project said there had been 'a few teething problems', but that these were being dealt with.

The change, said Mr Radcliffe, was because of 'a very heavy volume of calls and letters which strained the BLM system beyond its capacities'.

He hoped the new distribution organisation with its computer record system would provide a good service for the 'disgruntled users – or would-be users' of BBC micros.

Vector have installed a computer to deal with the operation and plan to use BBC micros as terminals with purposewritten software.

Weetabix - BLM's parent company - appointed a 'trouble shooting' team to ensure the handover to Vector was as gremlin-free as possible.

Customers with outstanding orders for micros and peripherals should have received a letter giving a new order number. Please quote this with any enquiries.

Vector spokesman, Peter Goater, said the new Alpha computer was working 'very well indeed', but added that delivery delays couldn't be solved until the production backlog was filled.

The new address will be Vector Marketing, Denington Industrial Estate, Wellingborough, Northants, NN8 2RL Tel: Wellingborough (0933) 79300

Maths, science English and Lisp programs

en simple science, maths and English are now available on cassette and disc for the BBC micro.

The science programs cover speed, time and distance; properties of light; electric current theory and Archimedes' principle. Maths theory covered is addition, subtraction and division, while the language program tackles sentence construction, word sequencing and spelling.

All three are produced by Acornsoft, with prices starting from £8.65 per cassette and £13.65 per disc.

The list processing language Lisp has been adapted for the Atom and the Beeb.

Acornsoft and Owl Computers developed the interpreter which is provided on cassette at £17.25 for the Atom, and £16.85 for the Beeb, both including VAT. The books – Lisp Theory and Practice (£6) and Lisp on the BBC Microcomputer (£7.50) – were written as introductions.

Cassettes and books are available through dealers, or from Acornsoft direct at 4a Market Hill, Cambridge CB2 3NJ.



Any help for Denis?

DENIS Thatcher and his two friends look a bit non-plussed by whatever their BBC micro is up to. The students are from South Downs College near Havant where the Prime Minister announced the Government's £9m subsidy for micros in primary schools. The date for Mrs Thatcher's brave new world, when all primary and secondary schools will have micros is 1984. Perhaps it was that ominous date which was worrying our intrepid trio. (Turn to page 54 for a picture of the PM in action.)

Dealer tests

TEST equipment for the BBC machines is now in production, says Acorn.

The final inspection tester (FIT) and the progressive establishment tester (PET) will both be offered to dealers at £80 and £200 respectively.

Learning with simple listings

TEN programs to help you explore the potential of the BBC micro are contained in Learning with the Beeb, by Eric Deeson. It is aimed specifically at educational users and produced by AVC Software, who have up to now sold software for the Sinclair range.

The longest listing is 46 lines and the level of program varies from primary/remedial to 16-plus physics, although most can be played by children of any age. Games include a reflex tester, train race, bar chart, graph, projectile simulation – and even a

simple version of Logo.

The booklet costs £2.50 in the UK, and is 50p dearer elsewhere. Members of Muse, Beebug and Ezug can buy it for £2.

Details from AVC Software, PO Box 415, Harborne, Birmingham B17 9TT.

Software for all

We're only a few minutes from your Post Box. So why not try our mail order service.

For Model A or B, real time advanced Startrek Game.

Extra facilities include "probe satellites", "damage reports" & "on-board computer".





Cobra/Robo-Swamp

For Model A or B (please state version required). Two addictive graphic games -

insomniacs delight!

For Model A or B





For Model B only. Two player game, features include exploration, drilling, employment and £6.95 Price Wars.

Accepts up to ten definable fields. Facilities include Quick Search, Sort and Hard copy - capable of storing up to 300 complete records Property in memory (Model B).


For Model A or B. Classic Arcade game. With colour and sound.



Programmers We are looking for good quality programs covering games, utilities and education on the BBC Micro. We pay excellent royalty rates. Please write or phone us on Dealer enquiries also welcome. (0708) 60725

Character Generator

For Model B only. Useful utility programme enables user to re-define character set using Mode 4. Displays new character in graph form.



Please send me:-	
······································	£
	£
	£
Landless Observe/D.O. fee	C

I enclose Cheque/P.O. for -Please debit my Access/Barclaycard No. Address

Make cheques/P.O. payable to: SOFTWARE FOR ALL 72 North Street, Romford, Essex. Tel: Romford (0708) 60725

Software for all

72 NORTH STREET, ROMFORD, ESSEX. TEL 0708 60725







John Radcliffe of the BBC

Telesoft receiver details

PRODUCTION the telesoftware receiver is due to start next month at Acorn in Cambridge.

The BBC estimates it has received 1200 orders for receivers, and is hoping for 5000 within the next year. And the Corporation is already transmitting a telesoftware magazine REM on page 705 of Ceefax.

The 'magazine' is nine pages long and gives news about the BBC micro. It is updated every two weeks, (see page 10 Acorn User).

Teletext is called using the command *TELETEXT, and channels can be switched by typing *BBC1, *BBC2 or *ITV.

The display will be 25 lines high, leaving the bottom line free for message or commands to be typed in.

Software for transmission has been written by the Government's Microelectronics Education Programme, Acornsoft and the BBC.

John Radcliffe, executive producer of the BBC Computer Literary Project, sees a great future for telesoftware.

The only problem, he said, was finding some way of funding it as in its present form it is free to users. And the BBC cannot, of course, carry advertising on the service.

For more news, see pages 10 and 11.

£9m primary school micro subsidy set to go

THE Government's £9m scheme to provide microcomputers in every primary school by 1984 will start from next month.

Primary spending on any of three chosen systems will be matched by the Department of Industry. price to schools includes a cassette recorder training material, monochrome TV with the option of a colour monitor.

Two of the packages are similar to those offered to secondary schools - the BBC Acorn Model B £540. (colour monitor £110 extra) and the Research Machines Link 480Z (£818 plus £104). The third system is the Sinclair Spectrum at £346 (plus £126).

This scheme is an extension of the secondary scheme, started last April, and the Government believes

it is 'well on target' in its aim of seeing a micro in every secondary school. So far, 5200 have been provided between the 6000 schools - although the Department of Industry believes every secondary school now has at least one micro. Application should be made through local education authorities, who have been provided with details for the school year's start.

Cassette lead

diagrams

wiring up the BBC

micro cassette interface

on page 14 of July's

Acorn User are correct.

looks into the wire

while the other part

looks out. So follow

the numbers, then you

can't go wrong. Pin

numbers are stamped

on the insulation of

one

part

THE

However,

Second TV series

THE BBC has announced the dates for transmission of their second computer series - Make the Most of Your Micro.

The ten programmes are scheduled to start on BBC 1 on Sunday January 9 and will run until March 13. The broadcast time will be 12.35 to 1.00 pm, with repeats on Mondays from 3.05 to 3.30 pm. The series will again be shown late at night on Mondays in May.

Meanwhile, the series will be repeated on BBC 1, Sundays 12.35 to 1.00 pm from October 10 to December 12; again on Mondays 3.05 to 3.30 pm on BBC 2 from October 11 to December 13.

Another series Micros in Education will be broadcast on Monday afternoons 3.30 to 3.55 pm on BBC 2 from February 13 to March 14 and repeated on Sunday mornings BBC 1 in May.

New Guides

the DIN plug.

REVISED User Guides are now being delivered and everyone should have them within the next week, says the BBC. Over 9,000 were despatched in the first week of August, and the BBC had taken delivery of almost all copies. The delay in sending them out was apparently caused by difficulties with ring binding.

BBC software review to start

Acorn User is to begin a major software review section. All programs for BBC micros - A and B will be studied and assessed by an independent panel of experts.

No matter how small or large your programs are, whether you write them at weekends or for the BBC, if they are sold we will review them.

The software can be directed at any market games, educational, business, word processing. Please include standard packaging and instructions with tapes, as well as price list.

Send your cassettes

or discs to Software Review Editor, Acorn User, 53 Bedford Square, London WC1 B 3DZ.

The sooner we receive your contribution, the sooner we can review it and assess it for our readers.



BBC soft

AUNTIE has jumped into the software market eight with cassettes for the BBC micros. They cover home finance, early learning, games of strategy, fun games, painting, drawing, music and programs from the Computer Programme. Each costs £10 from **BBC** Publications.

ANGLIA COMPLITER CENTRE


MICROCOMPUTER SPECIALISTS FOR BUSINESS AND SCIENCE


88 ST. BENEDICT'S STREET **NORWICH NR2 4AB**


TELEPHONE: (0603) 29652, 26002 TELEX: 975 201











SPECIAL PRICES ON **ASSEMBLED ATOMS**

8k-2k...£135.00

12k-12k . . .£210.00

SEKOSHA GP100..£199.00

WHILE STOCKS LAST!

PLEASE ADD VAT @ 15% TO ALL PRICES SECURICOR DELIVERY £4.50

10% OFF ALL OTHER **ACORN PRODUCTS**

To: Anglia Computer C	entre, 88 St. Benedicts Street,
Norwich NR2 4AB	Tel: (0603) 29652

QTY ITEM		TOTAL PRICE INC. VAT + P&F

I enclose cheque for £	
Please debit	
my Access No	

my Access No	_
Signature	

7 Orginatoro	
Name	
Address	

Telephone

ACORN USER SEPTEMBER



IT'S ALL THERE



Acorn put on fun and games fun and games

Acorn are exhibiting on two stands at the PCW Show in London's Barbican Centre on September 9-12.

Stand 200 is for hobbyists in the upper hall A and features a host of computers for keenies to play with. An Econet will be on display with the new System 5s as file servers. If you've never heard of Smartarm, now's your chance – they're robotic arms produced by Systems Control Ltd and worked by Atoms.

And if you want to see a laser, Acorn have Laserpoint - where the beam is controlled by an Atom.

The lower hall B holds Acorn's exhibit for educational and business users on stands 317 and 322. Dedicated BBC machines will demonstrate word processing, ULA chip design and circuit board drawing.

Again you will be able to get your hands on the keyboards to test out software for schools and the office.

An interesting application on view is a spectrometer used to diagnose certain cancers, with

the help of Acorn micros.

The upper and lower stands will never be far away - they're connected by Econet.

And last – but certainly not least – there's the Acorn Arcade in hall A on stands 221, 223, 225, 227, 229 and 331. There will be applications galore – all using Atoms and Beebs.

The staff of Acorn User will be on stand 444 in upper hall B under the wing of Addison Wesley Computing, the publishers. Also featured will be books and software for schools and colleges.

EXTRAS IN THE ARCADE

Computer Concepts specialise in software for the BBC micros (we deal with no other machine) and will be demonstrating the Wordwise word processor. This ROM-based text editor and formatter written specifically for this computer is a sophisticated piece of software.

We will also have a large range of cassette-based software on sale including games such as Snake, Fruit Machine, Cube, etc., and utility programs as well as Basic Logo.

Electronequip specialise in software and services for Acorn products. A full repair service (including warranty) is available, as well as support for customer modifications. For details phone (0705) 325354.

Eltec Services of Bradford are dealers for Acorn products, including the BBC micro and the ACT Sirius 1. See Eltec Services in the Acorn Arcade at the PCW show and receive extra help and attention and see some exciting products. Or contact them on Bradford (0274 491372).

Silversoft will be demonstrating and selling their range of cassette-based BBC micro-computer software. Prices range from £5.95 and all the cassettes come with detailed instructions.

Microage Electronics will be demonstrating and selling a complete range of Atom and BBC compatible disc drives, printers, cassette recorders, monitors, paper and software.

Microage from London are promising some bargains on their two stands.

Mutek on stand A8 will have for sale: Voxbox (speech synthesiser); Spriinter (see GB Computers on stand A11) and will be demonstrating their range of add-ons for the BBC – and other micros. Details from Mutek (MSF) Ltd., Tel: (0225) 743289.

GB Computer Products will be on stand A11 showing how Mutek's Spriinter stores print data in its own memory, thus freeing the computer for other tasks. The machine will be on sale. Details from GB Computer Products, 14 Greenwood Grove, Winnersh, Wokingham RG11 51 H. Tel: (0734) 786635/791678.




BBG Microcomputer

BBC Model A £299 Model B £399 (Inc. VAT) (Carr. £8/unit) Model A to Model B Upgrade Kit £60 Memory Pack 8X84816AP £21.60 Print & User Parts Kit £9.50 Analogue Kit £7.30 F.D. Part Kit £70 RS423 & VDU Parts Kit £10.80 BUS & Tube Parts Kit £7.50

(the above prices do not include fitting charges) All mating connectors with cables available in stock Full range of ACORNSOFT, BUGBYTE & PROGRAM POWER software always in stock PHONE/SEND FOR OUR BBC LEAFLET

ACORN ATOM

Atom Kit £120, Basic Built £135 Expanded 12K + 12K £175 8K + 5K + Colour Card £169 (Carr £3/unit) Atom Upgrade to BBC £45 F.P.ROM £19 1K RAM £1.80 Work Pack ROM £26 Tool Box Rom £25 All ATOM Buffers & Connectors in stock Atom Forth £10 Atom Lisp£15 Atom Calc £34 Monitor ROM for direct entry of Machine Code £16 Atom Disc Pack £299 + £7 Carr.



PHONE/SEND FOR OUR ATOM LIST FOR FULL DETAILS

PRINTERS



EPSON MX80C100F/TIII *MX80: 80 COLS. 80 CPS *MX100: 136 COLS. 100CPS *Bit Image Printing *Bi-directional Logic Seeking *International Characters *32 print FONTS *Auto underline. Super & Sub Scripts

SEIKOSHA GP100A *80 COLS. 30 CPS *Self Testing only £1752 « £6 carr Hi-Res Graphics

Our new low price £340 + £10 Carr. MX80F/T3 £330. + £8 Carr Printer Cable £13.50 1000 sheets 91/2" x 11" paper £14.00+ £4 Carr. 500 sheets 91/2" x 11" paper £4.50 + £2 Carr MX100F/T3 £430 + £10 Carr Variety of interfaces, spare ribbons available from stock



MONITORS

BM12EA Green Screen Monitor RGB Input/Separate Video Sync. 18MHz Scan Fre 400 dots at Centre ●40 x 25 char Anti glare screen 18MHz Scan Frequency

> 80 x 24 char £99 + £6 Carr



Computer Grade Sanyo Cassette Recorder £24.50 Recorder head £3.50 (specify type required) Computer Cassettes 50p ea. or £4.50 for 10

Floppy Disc Drives

FD50A in Cabinet with PSU £190 + £6 Carr 2 x FD50A in Cabinet with PSU £360 + £10 Carr These drives are fully compatible with BBC Micro Single Disc Drive Connecting Leads 36" long £9.00

Dual Disc Drive Connecting Lead 36" long £14.00 BBC Single Drive £204 + £3 Carr BBC Dual Drive £338 + £6 Carr PRINTERS, MONITORS & F.D. Drives Carry 12 months warranty

The above are just a few of the items from our large stock range. We carry a very wide range of connectors, made up cable assemblies, TTLs, CMDs, Microprocessors, Interface & Linear Devices, RAMs, EPROMs, CRYSTALS etc. Our price lists, catalogues, leaflets are available on request. Our large stocks enable us effect same day despatch on most orders.

Orders from schools, colleges and educational establishments are welcome.

All prices include carriage and VAT


Please add 40p for P&P/Carr. unless stated otherwise and VAT at 15% to the order value.

MAIL ORDERS TO: 17 BURNLEY ROAD, LONDON NW10 3ED Tel. 01-452 1500/450 6597 Telex 922800

RETAIL SHOPS: 15 BURNLEY ROAD, LONDON NW10 395 EDGWARE ROAD, LONDON W2



HERE COMES AUNTIE





by DAVID

Another Exam

P198 CEEFAX 198 Thu 29 Jul 11:53/49

10 JLS PRINT
20 CS=CHRS(130)+CHRS(141)
30 TS='THE MODIFIED JULIAN DATE"
40 PRINT CS.TS PRINT CS.TS PRINT
50 IMPUT "ENTER THE YEAR? 19" Y
60 IMPUT "ENTER THE MONTH (1 10 12)" M
70 IMPUT "ENTER THE DAY IN THE MONTH TO 31)?" D PRINT
80 IF M=1 OR M=2 THEN L=1 ELSE L=0
90 Jate=14956+D+INT(365 25*(Y-L))+INT
30 6001*(M+1+(12*L)))
100 PRINT "THE MODIFIED JULIAN DATE IS

#SWH BBC TELESOFTWARE WA 10 REM LANDER ISWH BBC TELESOFTWARE WA 10 REM LANDER I LUNAR LANDER GAMEWAL 11 REM (C) BB C 1982WL 12 REM by Jim MurrayWL 13 REM Version 1.1 / March 1982WL 14 REM Needs 32K BBC MicrocomputerWL 20 DN ER ROR REPORT:GOTO 320WL 30 MODE 7WL 50 PROCINTROWL 60 MODE 5WL 70 VDU 23,2 40,8,8,28,28,62,62,62,62WL 80 VDU 23,2 41,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62WL 90 VDU 23,242,62,62,62,62,62,62,62WL 90 VDU 23,22WL 100 VDU 23,242,62,62,62,62,62,62,62WL 90 VDU 23,22WL 100 VDU 23,22WL 100 VDU 19,2,20,0,0WL 130 VDU 28,0,19,11,1WL 140 WMILL 160 PROCINITIAL 160 PRO

BBC microcomputer It ed automatically if the uitable adaptor or can ectly.

xample of a simple

Shape of things to come... these three pictures are all taken from the Ceefax service, showing just what the BBC is up to

An exciting new use for the broadcasting television signal is the transmission of programs on Ceefax which can be received by a decoder and immediately 'run' at home on a BBC micro. Telesoftware could provide broadcasters with the chance to provide viewers with interactive material to back up a television series.

A computer program – if it works and satisfies editorial and technical criteria – can be run into the Ceefax computer at Television Centre to appear as a series of cycling subpages on an allocated page of the Ceefax magazine. You can see an example of telesoftware on pages 703 and 704 of BBC1 Ceefax. Hence, a computer program can be broadcast to the user at home instead of having to be typed in by him or run in from tape.

A domestic decoder has been developed by Acorn Computers, working with BBC design and research departments. If this decoder is connected to the television aerial and to the BBC micro then, if the television signal is good, it can detect the page of Ceefax carrying telesoftware and download it into the computer's memory. It is exactly as if the owner had typed it in on the computer's

keyboard himself.

Because of the relatively high cost of producing programs, telesoftware would (initially at any rate), be likely to come from public sources – such as Department of Education's Microelectronics Education Programme, which is commissioning software for use in schools. Alternatively, some material might consist of modified programs designed to encourage subsequent sales.

Given sufficient resources, there are many possibilities, ranging from 'game of the week' and quizzes to the transmission of political or economic data to be processed by home computers.

Finally, there is the idea of a club page, where viewers' programs can be put on the air. Editorial





Telesoftware is on the way, micros are not yet available. and judging by these pictures coming over the airwaves from the Ceefax stable, Auntie is pretty near to sorting things out at her end. Present transmissions - like the Channel 4 testcards - are only experimental, with engineers downloading programs to test Acorn-built telesoftware receivers. Anyone with a Ceefax symbols which are decoded set can pick up these pictures, but the receivers to download -the letter on page 60). software directly into BBC

The REM newsletter page is coming over Ceefax to let people know just what is happening and provide some simple programs. We hear that there will be programs to interest every sort of user games, educational, business and household. The programs are in BASIC but have special by the BBC teletext unit (see

responsibility for telesoftware will lie with the editor of Ceefax.

Test transmissions are already on the air and decoders should soon be available. They will not require the use of teletext television set and, indeed, will enable those who own model B micros to receive teletext transmissions standard from the IBA and BBC as well as telesoftware. The only thing which may not be possible is the mixed picture and text facility used to give subtitles for the deaf. However, the decoder will enable certain other features of teletext to be used, such

as the storage of 'linked' pages. This will mean that the viewer will not have to wait for these pages to cycle round - they will have been captured automatically by the computer's memory

Telesoftware is the first chance to provide interactive material as part of the television signal. It is too early to tell how the service will proceed, but interest has been considerable.

David Allen is producer of the Computer Programme and editor of the Computer Literacy Project

Guide in a nutshell

The revised User Guide contains many tips on good programming scattered throughout so here, I have gathered a few together.

Use as few GOTOs (and, in general, GOSUBs) as possible, instead, use procedures and functions at the end of the program. Try to declare LOCAL variables in procedures. Never define procedures and functions within the body of a program. But GOTOs are useful for handling errors. When developing programs, redefine one of the function keys to give mode 7 and then LIST.

Don't waste precious time trying to memorise VDU codes and *FX. Remember, the VDU statement is generally preferable when sending characters to the screen.

CALL transfers control to a machine code subroutine. Use it within a Basic program only if you have a thorough grasp of assembly language, otherwise you may mess up your program. The CHAIN statements come in handy if you are writing a game with a lot of instructions.

The 'resident integer variables' @% and A% to Z% help you retain values that would otherwise disappear after CLEAR, NEW and LOAD.

When using the INPUT statement, print a message on the screen to tell the user what response is expected. A good way of suppressing the ? mark is by having "" just before the input (X, or whatever) you expect from the user. Use the ESCAPE key for stopping a program; avoid using BREAK.

It is bad practice to jump out of a REPEAT -UNTIL loop with a GOTO statement. If you do jump out, jump back in. Always exit a subroutine with a RETURN. Avoid leaving it with a GOTO.

These are just a few points, and the best exercise you can do is to make notes of all the advice you come across.

> Meyer Solomon Software Editor **BBC** Publications

ELTEC SERVICES LTD



BBC Microcomputers

BBC Model "A" (In Stock Now!)	£326.00
BBC Model "B" (In Stock Now!)	£435.00
BBC Model "A" plus extra 16K memory	£367.86
16K HITACHI memory (as fitted by ACORN)	£41.86

FULL UPGRADE KIT (Genuine ACORN issue)	£100.00
UPGRADE KIT Fitting Charge	£10.00
140 E W	

14" Full colour Monitor (Used in BBC Computer programmes)	£309.35
12" Green Screen MONITOR RGB Monitor Lead Monitor Lead	£126.00 £5.00 £5.00
GP100A Printer Printer Cable Cassette Recorder Cassette Lead (7 pin DIN/3 Jacks)	£247.25 £18.40 £26.00 £5.00

Software	
Sinclair (IJK) Software Cassettes 1-7 fr	om £3.95
Bug Byte Golf (B)	£7.00
Bug Byte Multifile	£25.00
Bug Byte Spacewarp (B)	£11.50
Bug Byte Polaris (B)	£8.00
Bug Byte Backgammon	£8.00
FULL RANGE of ACORNSOFT BBC	all £9.95
CASSETTES	
NEC 30hr Basic	£5.50
Practical Programmes for the BBC	£5.95
Computer Johnson-Davies	
Basic Programming on the BBC Computer	£5.95
Cryer	

Atom Microcomputer

Expand Your Atoms Capability	
Extra Memory (2114L) per K	£2.50
Floating point ROM	£23.00
ACORN 96K Disk Pack	£343.00
Disk Buffer Pack	£11.75
Word Pack ROM	630.00

Very Special

DISATOM SUPER ROM – undoubtedly the most advanced chip of its kind on the market!	
17 BASIC words are made available, including	
the most powerful READ, DATA and RESTORE you will ever have seen.	
5 MACHINE LEVEL Functions including	
TRACE and M/C DEVELOP which make the	
ATOM absolutely TRANSPARENT!	
This is a chip which no serious ATOM user	£32.50
can afford to be without. Complete with	
manual	

Utility ROM Switch

Up to 4 ROMs keyboard selected	£41.79
Prices are VAT exclusive, P&P 50p Books, casse	ttes, chips.
Atom Magic Book Getting Acquainted with your ACORN ATOM	£5.50 £7.95
ATOM FORTH Cassette	£11.95
ATOM FORTH Manual	£6.00

Hardware items £3.00 delivery by Securicor

ELTEC SERVICES LTD 231 Manningham Lane Bradford BD8 7HH Tel (0274) 491372

PS Come and see us in the ACORN ARCADE at the PCW show Barbican Centre London Sept 9-12; We'll have lots of exciting offers & products.



SEIKOSHA GP-100A



* 80 CHARACTERS PER LINE

★ 30 CHARS/SEC ★ FREE HI-RESOLUTION 'DUMP OUT' LISTING

ACORN Printer Cable £16 + VAT £199 + VAT. Carr £6 ATOM Modification EXTRA



BBGMICRO

MICRO UPGRADES

RAM KITS: Upgrades the Model 'A' to 32K RAM Supplied with full fitting instructions. £29.90 + VAT ANALOGUE KITS: Suitable for adding joysticks, controllers etc. £15.00 + VAT POWER INTERFACE & I/O PORT: Enables a Centronic Interface printer to be attached ... £16.00 + VAT

MODEL 'A' TO MODEL 'B' UPGRADE £86.00 + VAT

Send for details on other items, cables, cassettes, plugs, software etc.


Why not send your machine to us for upgrading?

PRINTERS

EPSON MX80 F/T2 — The printer recommended for the BBC Microcomputer.

★ Dot Matrix Printer ★ 80 Cps

* Hi-Resolution Graphics ★ Bi-directional Printing





Telephone STD (0438) 65385 2 Daltry Close, Old Town, Stevenage.





BUSI-BEEB

The BBC micro is too new for many uses, but it has potential says John Turnbull

10 PRINT "Enter numbers to be added"

20 PRINT"To finish, enter a zero"

30 T = 0

40 REPEAT

50 INPUT X

60 T = T + X 70 UNTIL X= O

00 DDINITT

80 PRINTT

The BBC micro for business computing – is it on? This is the question asked by many who have ordered a system and by many others who are wondering whether to take the plunge.

What must be made clear straight away is that the present system is not suitable for serious business applications – as indeed is the case with any cassette-backed system lacking application programs. Any business user who identifies a need for a computer will require disc drives, printer and suitable programs.

But that's not the end of the story, as many purchasers of systems are exploring computing in anticipation of viable systems. For some this will mean rejecting the BBC system in favour of others which offer specific application packages. But for others, the growth of facilities will be more than adequate and, assuming programs emerge, their organisations will build around this flexible system.

First though, you've got a machine and, assuming you can get near it, let's see if it can be used now to help the business.

For a start, here's a program which does no more than add up numbers – like a calculator but without the frustration. It simply uses the fact that the computer display contains much more information than a calculator display.

Now that's a bit crude and you don't need to know much about programming to improve on it. One less obvious technique would be to suppress the line feed after INPUT and thus provide much more information on the screen. To do this, control the INPUT with a TAB function. Omitting the original instructions, the above program could become:

30 CLS: T=O:P=O

40 REPEAT

45 C = 10 * (P MOD 4) : R = 6 +

INT (P/4)

50 INPUT TAB(C,R) X

60 T = T + X : P = P + 1

70 UNTIL X = 0

80 PRINT: PRINT "total" T

(Note: the INPUT position is defined by row R and column C)

Even this little program can reduce significantly the time spent preparing VAT returns. Another program aids stock valuation where stock had been purchased (and prices quoted) in varying quantities. Fundamental stages in the program were:

INPUT "NUMBER IN STOCK" N INPUT "PURCHASING QUANTITY" Q INPUT "COST PER QUANTITY" C

The opportunity to develop and use simple models such as these will grow considerably as financial

modelling packages appear.

TOTAL = TOTAL + N * C/Q

First priority will be twin floppy disc drives. As with any system, two

drives are suggested to provide security copies. For the new user of computers it is essential to retain back-up copies of essential files and institute a system of archiving.

An alternative to floppy disc storage is the Winchester disc which is attractive in terms of speed, reliability and capacity.

For applications in which the output stays in house, a cheap dot matrix printer will suffice. However, if documents are to be sent out a letter quality printer is essential.

As for software the small business may require packages specific to the trade or may be looking at standard applications. Production of such packages takes time, but one interesting feature of the BBC system which may overcome this is the Tube architecture.

The Tube enables the heart of the machine - a 6502 processor to be relegated to input/output processing and the main processing to be undertaken by a second processor. Early plans are for the second processor to be a Z80 microprocessor and, with this, the way is open to adopt the ubiquitous CP/M operating system. This has many critics, but its availability brings in its wake a wealth of existing application software. An efficient CP/M option may be the determining factor for many would-be purchasers of the BBC micro.

John Turnbull is manager of microsystems administration at the National Computing Centre, which coordinates the Federation of Microsystems Centres. These centres, supported by Department of Industry, offer an impartial service of workshops, advice and training on business systems. Further details from: the Microsystems administration unit, National Computing Centre Limited, Oxford Road, Manchester, M1 7ED



DOWN TO WORK

John Gordon sets up mailing lists and simple files on the BBC micro

or the first time user the BBC machine offers a very friendly introduction to computers – and can do some real work. A first task could be to set up a mailing list which involves: creating a file of names and addresses on tape; reading this information and writing it to the printer.

Using the BBC micro we create the mailing list as follows:

• Instruct the computer to open (for output) a file on the cassette tape. This gives the computer advance warning that you wish to write information onto tape. When a file has been opened, the computer gives it a channel number, and writes the file name onto tape. The BBC BASIC command for this is:

100 ch_no=OPENOUT("mail_list")

from now on the channel number ch no is used to refer to the file.

Once the file is opened, we can accept names and addresses from the keyboard and write them to the tape. We repeat this process until the last name, which is a special, recognisable name - end_of_list, perhaps. This would be coded as,

200 REPEAT
210 INPUT name\$,address_1\$,
address'2\$,address_3\$,p_code\$
220 PRINT#ch_no,name\$,
address_1\$,address'2\$,
address_3\$,p_code\$
230 UNTIL name\$="end_of_list"

Notice line 220, PRINT#ch_no writes the following data onto the tape. Lines 200 to 230 are continually repeated until the special name end_of_list is entered. Thus we can end up with a fairly extensive set of data on tape.

 At this point in the program, the computer does not know if all the data has been finished. Therefore the programmer must instruct the machine to close the file. Thus:

)300 CLOSE#ch_no

If we collect these three sections of code together we would have a program which could be used to create a mailing list on tape. As it stands, the program would not look very good – it would not be user friendly. The following program expands on the code to make it more usable. Notice the use of REM statements to make it self documenting.

```
100 REM Mailing list J. Gordon,
120 REM for the BBC micro
130 ch_no=OPENOUT("mai)_(ist")
140 REPEAT
150 CLS : REM clear screen
160 PRINT "Enter name and address,
    use name=end_of_list to finish"
170 INPUT '"Name - "name$
180 INPUT '"Address_1 - "address_1$,
    ""Address_2 - "address_2$,
    '"Address_3 = "address_3$
190 INPUT' "Post Code - "p_code$
200 PRINT#ch_no, name$, address_1$,
    address_2$, address_3$, p_code$
210 UNTIL name = "end_of_list"
220 CLOSE#ch_no
230 END
```

When this program is run, the following appears on the screen:

```
) RUN
RECORD then RETURN
Enter name and address,
use name=end_of_list
to finish
Name - Jim Smith
Address_1 - 3 The Close
Address_2 - Paisley
Address_3 - Renfrewshire
Post Code - PA1 2BE
Enter name and address,
use name=end_of_list
to finish
Name - end_of list_list
Address_1 -
Address_2 -
Address_3 -
Post Code -
```

Thus we can make the program appear straightforward.

We now have the problem of getting the names and addresses off of the tape and onto sticky labels. The program in this case takes the following form:

 open the file for input. This is a similar instruction to open for output. The BASIC statement is:

100 ch_no=OPENIN("mail_list")

• Read a name and address from the tape and write it to printer. With the BBC micro, we have a very simple means of getting data onto the printer. We issue the command VDU 2, and all subsequent data PRINTed, will appear on both the screen and the printer. If we wish to stop printing we issue the command VDU 3. We can then keep on reading and writing names and addresses until we get to the last name (end-of-list). Thus:

```
200 REPEAT
210 INPUT#ch_no, name$,
address_1$, address_2$,
address_3$, p_code$
220 PRINT name$, address_1$,
address_2$, address_3$, p_code$
230 UNTIL name$="end_of_list"
```

Notice in line 210, we are inputting from the tape (channel = ch_no), and PRINTing to the screen. If we are using the printer, we add the following two lines,


190 VDU2 240 VDU3

 Lastly, as before we close the file.

300 CLOSE#ch_no

The above pieces of code would enable the user to obtain a printout of the mailing list, but it must be fine-tuned to fit a sticky label. This is done by printing lines onto the label to get the names and addresses lined up (see program 1). When using a disc system, we do not need to know the value of the last name. The system is provided with an end-of-file function – EOF#. We can replace line 280 with:

280 UNTIL EOF#ch_no




Thus we can see that it is not too difficult to use the tape operating system to hold files of data, and subsequently to retrieve that data. I leave it as an exercise to the reader to amend the second program to print out a selective mailing list, (use IF statements around about line 240).

One second application shows some of the limitations of a computer with only one tape cassette for data storage.

The simplest stock control system consists of the stock file, a file containing all transactions on the stocks (all the withdrawals and additions to stock) and a printout of all items which need to be recorded.

We would use the transaction file to update the stock file, and the updated stock file to produce a list of all items recorded. Thus the flowchart would be as in figure 1.


This is only part of the full



system, there would have to be other programs to set up the transaction file, and to ensure that it was correct and in the correct order. But even with this restricted system we have problems. We see that the stock-update program requires the BBC micro to access three files simultaneously – but we only have one cassette unit. With the machine, in its present form, therefore, this type of program cannot be implemented. Of course with discs there would be no problem

However, if the stock file is not too large, then we could read the file into memory in the form of an array of data, then update this array from transactions on tape, and lastly dump the array back onto tape. Figure 2 gives the system diagram.

In this amended system we only need one tape at any one time. Before we go any further, let us consider what an array is. An array



is simply a table of data held within the computer's memory. To hold an array in memory, the computer must be instructed to reserve space for it. This is done by using the DIMension statement. Thus:

100DIM name\$ (10)

assigns space for 10 items of information to be held in an array name\$. To refer to any individual element in the array, we use:

200PRINTname\$(3)

prints the third value of the array name\$ onto the screen.

To print the full 10 values of name\$, we would code:

200 FOR I=1 TO 10 210 PRINTnames(I) 220 NEXT I

with this additional feature, let us construct a computerised system for a stock file holding the information: stock number; a description of the article; the number in stock; the minimum allowable stock level and the number of items to be recorded if necessary. Thus:

Stock no	Descrip- tion	No in stock		Rec- order quan- tity
1	Widget	10	5	5
	Pofor	7	6	10
2	Duferry	11	4	6
4	What for	23	10	12
4 5	Thingies	13	5	4
6	Eh	8	2	4
7	Jiffies	18	10	20
8	What-you- call-ems	8	2	3
9	Bits	13	5	4
10	Pieces	8	3	9



The transaction file is a file containing information regarding withdrawals from and additions to stocks. The format of the file is: stock number, code, quantity.

Notice the stock description is not held, only the stock number, which reduces the size of the file. The code is 1 for a withdrawal from stock, and 2 is an addition. We will assume that the data have been verified. For example, there is no stock number 11, say. The file contains the following information:

Stoc	k Number	Code	Quantity
	3	1	- 6
	5	1	3
	2	2	9
	3	2	4
	8	1 -	- 1
	7	2	3
	3	- 1	- 8
	1	1	2

Program 2 can be used to update the stock file. The following printout was obtained using the given data.

Items	to	be	reordered	:		
	3Du	fer	ry	1	4	Б

A dump of the new stock file gave:

1Widget	8	5	5	
2Pofor	16	6	10	1
3Duferry	1	4	Б	
4Whatfor	23	10	12	
5Thinsies	10	5	4	
6Eh	8	2	4	
7Jiffies	21	10	20	
8What_you_call_ems	7	2	3	
9Bits	13	5	4	
10Pieces	8	3	9	

If we do not have a disc unit available, then the maximum file size is limited by the memory available. With a disc drive, however, we can have fairly large files for holding data. But there are still limitations.

100	REM Disc based stock-update program
110	REM J. Gordon, M. E. D. C Paisley, 1982
120	REM Written for the BBC Micro
130	REM This program reads a transaction
	file to update a master stock file
140	trans=OPENIN("transacts")
150	old_stocks=OPENIN("stock_file")
160	new_stocks=OPENOUT("new_stocks")
170	INPUT#trans, stkno, code, quantity
180	REPEAT
190	INPUT#old_stocks, stock_number,
	descriptions, no_in_stock, reord_level, reord_quant
	IF stock_number=stkno THEN PROCupdate PRINT#new_stocks, stock_number, description\$, no_in_stock, reord_level, reord_quant
220	UNTIL EOF#old_stocks
1000	CLOSE#trans
240	CLOSE#01d_stocks
250	CLOSE#new_stocks
260	END
280	DEF PROCupdate
290	IF code=1 THEN no_in_stock=no_in_stock = quantity ELSE no_in_stock=no_in_
	Stock + quantity
300	INPUT#trans, stkno, code, quantity
310	IF stkno =stock_numberTHEN PROCupdate ENDPROC

Program 2

The simplest means of holding a file on disc is to arrange all stock records to be held in sequence – a sequential file.

If we wish to process information held in a sequential file, then we must search for the required information starting at the beginning of the file and read records one at a time until the search is successful. In the last example, where the stock file was in memory, we did not have to use this approach. We were able to process the transactions without considering stock number sequence.

When using a sequential file on disc, we would normally sort the transaction file into-stock number sequence thus:

Stock Number	Code	Quantity
4	1	2
2	2	9
3	- 1-	6
3.	.2	4
3	1	8
5	1	3
7	2	3 -
8	1	1

We can take advantage of the order of the transaction file when we update the stock file. It is possible to update the stock file in one pass. Notice that stock item 3 has three transactions made against it. We have to take this point into consideration when we attempt to update the file.

The transaction file must be read independently of the stock file to handle multiple transactions on the same stock item. Program 3 will carry out this task. Notice the use of a recursive procedure to handle the problem of multiple transactions.

One of the most common requirements of a computer system is to retrieve information instantly. This would not normally be done using sequential files, as such processing would be rather slow, so we use random files.

Instead of reading the records in the form 1st, 2nd, 3rd, 4th . . . we could read them 4th, 17th, 2nd, 9th, 1st, 17th . . . with the possibility of reading a record more than once.

The programing involved is fairly complicated and will be considered in a later issue.

John Gordon is a lecturer at the Microelectronics Educational Development Centre in Paisley, Scotland.

100REM Stock Control System 110REM J. Gordon, M. E. D. C., Paisley, 1982 120REM Written for the BBC micro 130REM This program is written as a series of modules 150REM The first section sets up space for the stock file 150REM The stock file is held in memory in the form of 2 arrays, the first being a string array to hold the descriptions 170REM The other is a 2 dimensional array containing the numeric data of the stock file 180DIM description\$(10).numbers(10,4) 190REM We now read in the stock file 200CLS 210PRINT "Load stock file tape into cassette and rewind" 220PRINT "Press any key when ready" 230a\$=GET\$ 240PRINT "Press PLAY on recorder" 250stocks=OPENIN("stock_file") 260FOR I=1 TO 10 270 INPUT#stocks, numbers(I, 1), description\$(I), numbers(I,2), numbers(I,3) +numbers(I,4) 28ØNEXT I 290CLOSE#stocks

370REM The following section of code updates the stock file in memory 380REPEAT 390INPUT#trans, I, code, quantity 400IF code=1 THEN numbers(I, 2) = numbers(I, 2) + quantity 410UNTIL EOF#trans

310PRINT "The stock-file in memory" 320PRINT"Remove Stock file and load

330PRINT"Hit any key when ready"

350PRINT"Updating Stock-file" 360trans=OPENIN("transfile")

transaction file, rewind if necessary"

420REM Stock-file updated 430CLOSE#trans

300 CLS

340a\$=GET\$

440REM The following section of code prints all items to be reordered, and writes the new version of the stockfile to tape

460PRINT"Load fresh tape into recorder and rewind" 470PRINT"Ensure that printer is set up properly" 480PRINT"Hit any key when ready" 490a\$=GET\$ 500CLS 510PRINT"Processing..... 520VDU 2:REM start printer 530PRINT"Items to be reordered:" 540new_stock=OPENOUT("stock_file") 550FOR I=1 TO 10 560PRINT#new_stock, numbers(I, 1), description\$(I), numbers(I,2), numbers(I,3), numbers(I,4)570IF numbers(I, 2) (numbers(I, 3) THEN PRINT numbers (I, 1), description\$(I), numbers(I, 2), numbers(I,3), numbers(I,4)580NEXT I

590VDU 3:REM stop printout 600CLOSE#new_stock 610CLS 620PRINT "Job finished" 630END

> Program 3. Ensures independent transaction file

Wordwise

The most sophisticated piece of software yet written for the BBC Micro. This full feature word processor is ROM based so once fitted inside the machine (no soldering it enables the user to gain INSTANT access to a powerful word processing system.

WORDWISE consists of two distinct sections - a text editor and a text processor. The editor allows text to be entered at the keyboard in much the same way as a typewriter except that the carriage return is quite automatic. When editing the cursor can be moved to any part of the document where changes can be made either by overwriting existing text or by inserting new text at the cursor position. In addition to the delete key, which works in the normal manner, there are a variety of other deleting options allowing characters, words, sentences or any specified section of text to be deleted.

While editing or entering text, special instructions can be embedded into the document. These embedded instructions are interpreted by the text processor and control the exact layout of the printed output. Some of the simpler instructions control the positions of the margins, the number of lines per page or the line spacing, etc.

There is not room here to begin to describe the many more powerful features such as the block move and copy, search and replace, the word counting facilities or the file handling commands.

As an alternative to word processing this software can be used to edit BASIC programs or any ASCII text. This enables the programmer to use the vastly superior editing facilities of WORDWISE on programs. e.g. automatic string search and optional replace, etc.

Although this software is ideal for secretaries, authors or journalists it will prove invaluable to anyone who has to prepare letters, articles, leaflets or documents of any kind.

It is our aim to sell high quality software that, like the BBC Micro, is excellent value for money. We believe that WORDWISE compares favourably with other word processors costing four or five times as much.

WORDWISE costs £65.00 + £1.50 p&p + VAT. Technical details and an order form are available from the address below.

MEMORY KITS Model A

Now only £26.00 + VAT These kits upgrade the Model A to 32K RAM, the same as the Model B, enabling it to run Model B programs and graphics.

Simple to fit - no soldering is required. Supplied with step by step instructions.

SNAKE Model B

£7.80+ VAT

This colourful arcade type game makes full use of the amazing graphics (Mode 2) and sound facilities of the BBC Micro. One of the best games around, fast moving and addictive - requires quick reactions.

ADVENTURE 1 Model B

£5.80 + VAT

An adventure based on the characters of the book 'Hitchhikers Guide to the Galaxy'. Explore the 'Restaurant at the End of the Universe', 'Betelgeuse Spacedome', read Vogon poetry, etc.

REVERSI Model A/B

£7.80 + VAT

Play this classic board game, also known as Othello, against your Micro. This game offers 3 levels of difficulty - level 3 is extremely hard to beat.

CUBE Model B

£7.80 + VAT

A simulation of the famous Rubik Cube. This program displays a full colour 3 dimensional view of all sides of the cube. Choose how jumbled you want the cube and then try to solve it. Stunning 3-D graphics.

FRUIT MACHINE Model A/B.

£5.80 + VAT

Another great game that shows off the superb graphics and sound effects of the BBC machine. Features 'Nudge', 'Hold', 'Gamble' etc.

BASIC LOGO Model B

£10.00 + VAT

The first implementation on the BBC Micro of the graphics language LOGO. It graphically demonstrates the ideas of defined procedures, sub-routines, loops, etc. This is an excellent introduction to the LOGO language before Acorn release a complete implementation in ROM in 1983.

SOUND IDEA Model B

£5.80 + VAT

A utility program for those interested in the SOUND and ENVELOPE facilities of the BBC machine. The first part of the program displays all 18 parameters on the screen, any of these can be changed by using the cursor keys and the new sound can be heard. Pressing H (help) will give a full description of that parameter. In the second part of the program the keys act like a musical keyboard playing either the sound defined in the first part or one of the 9 preset effects.

CHARACTERS Model A/B

£5.80. + VAT

Forget about clumsy binary or hex notation when re-defining character shapes. Just fill in the displayed grid with the required shape and it will re-program the character and give the VDU 23 numbers for that shape. It can also save the character tables on tape for use in other programs.


DISASSEMBLER Model A/B

£5.80 + VAT

A machine code disassembler that runs on both models. Ideal for discovering the workings of the MOS and BASIC. Invaluable for the Assembly Language programmer.

CASH OR ROYALTIES

We offer a national marketing service for any quality software for the BBC Micro. We pay cash, or for more substantial programs a royalty. As for further details.



Dept AC1 16 Wayside Chipperfield Herts. WD4 9JJ Tel. (09277) 62955

SAVE &&& - WHY PAY MORE

MATRIX PRINTERS

MX80 T Type III

MX80 F/T Type III

£299

£335

MX82 F/T

£365

MX100 Type III

BMC 14" Colour Monitor

£222

Delivery free within 30m radius, otherwise add £10 delivery charge per order

BBC MICRO SOFTWARE

Quality Software designed by professionals

Utilities

£8.00

An assortment of useful procedures which can save you hours/days of programming effort: - date conversion, input and validation routines, graphics routines, sorts and many more.

Educational £7.00

Hours of fun and learning for children. Animated graphics will make your children enjoy math, spelling, clock, memory games etc.

Music Program £6.00

Lack musical ear? This amazing program harmonizes (add chords to) any music you type in.

GAMES

£8.00

Super Life Fast (machine code) version in a large universe. Competitive Life - see the reds and blues compete for space. Killer Life - a new twist in this popular game introducing predatory cells.

Cruncher

£7.00

Super version of an increasingly more popular game. Can the Cruncher crunch through the crunchies in the maze before the monsters get him?

Katakombs

£8.00

Can you discover the secret in this exciting Adventure type game?

Special Offer Any 3 cassettes for £16.50, additional cassettes £5.00 each. Add 50p p/p per order.

All orders - add VAT 15% Cheque/P.O. TO GOLEM LTD, 77 Qualitas, Bracknell, Berks, RG12 4QC, tel. (0344) 50720



WHAT PEOPLE ARE SAYING ABOUT OUR

BBC MICRO GAMES

... I bought all your tapes to date for the BBC Micro and I think they are just super, especially STAR TREK, and the sound effects in CANDY FLOSS really made me sit up! Well done and keep them coming".

J. S., Paisley

"... I was very impressed, not only with the cassette, but also at the speed at which it came!"

- R.L., Cheshire

".... I must congratulate you on your MUTANT INVASION cassette. I have had it for two weeks now and it is really superb. Incidentally, I have beaten your high score of 4,500 mine is 7,580!"

- S.L., Berks

GAMES FOR MODELS A AND B

CASSETTE ONE

(i) STAR TREK. A superb version with 8 x 8 Galaxy, Klingons, Phasers, Torpedoes etc.

(ii) CANDY FLOSS. A tremendous new game in which you run a candy floss stall on Blackpool's Golden Mile. But watch the weather and the donkeys! ONLY £5.95 inc.

CASSETTE TWO

Contains an exciting collection of games with music and graphics to keep the family amused for hours: HANGMAN (in which you can even enter your own category), KRYPTOGRAM, DICE, BEETLE, GRAND NATIONAL and MUSIC. ONLY £3.95 Inc.

CASSETTE THREE

Contains, for the arcade fanatics, MUTANT INVADERS. A brilliant new "Space Invaders" type game. Can you destroy the mutants before they land and try to destroy you with their radioactivity.

WARNING - VERY ADDICTIVE! ONLY £5.95 Inc.

CASSETTE FOUR

Contains BREAKOUT. A terrific version of the popular arcade game. Practice your wall demolition with 6 skill levels and 1 or 2 player option!

ONLY £3.95 Inc.

GAMES FOR MODEL B ONLY

CASSETTE FIVE

Contains BEEBMUNCH. Our version of the record breaking 'Pacman' arcade game, and we believe one of the best versions available. Stunning hi-resolution colour graphics including multi-ghosts, tempting fruits, super points, screams etc. Liven up your micro with this tremendous game. ONLY £5.95 inc.

CASSETTE SIX

Contains SUPER HANGMAN. The special feature of this version is the hi-resolution animated man. Watch the expression on his face change as the noose tightens around his neck. Marvel at the detail of his clothing - but don't take too long, he grows very impatient! ! Contains many categories from educational to just plain fun! ONLY £3.95 inc.


CASSETTE SEVEN

Contains 3-D MAZE. Pit your wits against the computer's logic in this highly realistic graphical game. The computer sets up logical mazes (you choose the size). And then it shows the view you have of the maze in 3-D each step you take as you battle against the clock to escape!!! ONLY £3.95 inc.

ALL CASSETTES AVAILABLE NOW FROM: SINCLAIR (I. J. K. Software)

(All our software is available before we advertise)

55 Fitzroy Road, Bispham, Blackpool, Lancs



Comparisons are odorous, said the Immortal Bard, and so they are, especially when the person making them is biased. I'm sure you must have seen advertisements for the ZX Spectrum and noticed Clive Sinclair's comments on the relative merits of his and the BBC machine – but I think we must allow that he is a little biased! By the same token, since I am writing in a magazine called Acorn User, surely I am likely to be biased – the other way!

But I am not trying to sell either machine, I am also a previous owner of a ZX81, present owner of a Spectrum, and have a BBC micro. So I have had a chance to look at both sides. I shall be referring to the BBC model A, since that is the

comparison originally made by Mr Sinclair.

Should we in fact be comparing these machines? The Spectrum costs only £125 whereas the BBC is £299. Well, maybe it isn't fair comparison, but what Uncle Clive started, others have continued. Tim Hartnell in his review in Your Computer said the specification of the Spectrum exceeds that of the BBC model A. As you make the factual comparison of the two machines, I think you will see this is just not tenable. However, although the Spectrum does not come out as favourably as some would like to think, you must remember that it costs less than half as much. Would you think it a fair comparison to look at the

relative merits of a basic Mini Metro at £3,300 and a Rover 2600 at around £8,000?

I have set out the comparison in the form of three tables. The first is an expansion of the Spectrum advert, while the second and third show features each has which are not included as standard on the other. I shall make no comment on the facts at this stage – that is up to you.

The Spectrum, as indicated in Table 1, is expandable on board to 48k RAM, and it has address, data and control lines brought out on an edge connector ready for all sorts of peripherals. The ZX printers are already available, and an RS232



TABLE 1 - Comparison of features of the BBC model A and the ZX Spectrum.

	ZX Spectrum (16 k)	BBC micro, model A (16 k)	
Price (inc. VAT)	£125	£299	
Maximum RAM	48k	32k (96k with second processor)	
Standard ROM Maximum ROM	16k 16k	32k 80k on board 256k on cartridges	
High resolution graphics	256 x 192 in 8 colours (7k RAM)	320 x 256 in 2 cols (10k RAM) or 160 x 256 in 4 cols (10k RAM) or 80 x 96 in 8 cols (11k RAM) (ie teletext mode)	
RAM reserved for operating system RAM left in high resolution mode for programs and variables	approx ½k 16 – 7 – ½ = 8½k	3¼k (includes 26 integer variables) 16 - 10 - 3¼ = 2¾k	
maximum program and variable RAM in any mode	8½k	$16 - 1 - 3\frac{1}{4} = 11\frac{3}{4}$ k (teletext)	
Text	32 x 24 (8 cols)	40 x 32 (2 cols) or 20 x 32 (4 cols) or 40 x 25 (2 cols) or 40 x 25 (8 cols)	
Programmable characters	21	32 – 224	
Processor	Z80A (3.5 MHz)	6502A (2 MHz)	
Speed of Basic Benchmark 1 Benchmark 2 Benchmark 3 Benchmark 4 Benchmark 5 Benchmark 6 Benchmark 7 Benchmark 8	4,9 9.0 21.9 20.7 25.2 62.8 89.9 25.1	Speed factor 1.0 4.9 x 3.1 2.9 x 8.2 2.7 x 8.7 2.4 x 9.1 2.8 x 13.9 4.5 x 21.4 4.2 x 5.1 4.9 x	
Sound	single channel, frequency + duration	3 channels of tones + 1 noi volume, frequency + duration full enveloping (14 parameter	
Cassette interface	1500 baud + VERIFY + MERGE	1200 baud or 300 baud (verification possible using *CAT command) + automatic meter control *EXEC can be used for	
Keyboard	40 calculator-type keys	73 full depression keys on a steel base plate	

TABLE 2 - Spectrum features not standard on BBC model A

BRIGHT
CIRCLE
BIN – direct entry of
binary numbers
PAUSE – an easy-to-use 'wait'
statement
CONTINUE – sadly lacking on
the BBC micro
copyright symbol ©
single key entry of keywords

TABLE 3 - BBC features not available on the Spectrum

Assembler, called from within Basic, full parameter passing Graphics and text windowing Procedures - fully recursive - local variables - parameter passing Direct entry and output in hexadecimal Real-time clock (Spectrum clock has to be accessed by PEEKs, POKEs and arithmetic calculations. Structuring facilities within Basic in addition to procedures: IF THEN ELSE REPEAT UNTIL ON GOTO ON GOSUB Word and string indirection (4 byte and string PEEKs and POKEs). 16 user-definable keys (yes, 16 - in O.S. 1.00 includes cursor keys and copy key. Other useful features: AUTO RENUMBER DELETE CHAIN *LOAD *SAVE *RUN *SPOOL *EXEC *ROM TRACE COUNT Integer variables ON ERROR GOTO, REPORT, ERR and ERL for comprehensive error handling Multi-line function definitions Facilities for logic and hexadecimal manipulation: (AND) (OR) (NOT) (not available as bit-wise operator on Spectrum). EOR MOD DIV TRUE FALSE Extra string handling facilities: INSTRING STRING\$ SPC handling Comprehensive file facilities: OPENIN OPENOUT PRINT# INPUT# PTR# EOF#

CLOSE#

BPUT# BGET#

EXT#



serial interface is promised – but surely the most exciting single feature is the £50 microdrives, each of which will give 100k of on-line storage – and they are apparently going to be stackable. Then there will be interfacing units to enable you to run your micro-mice or model railways etc, and also speech synthesis units. Already, a number of companies plan to market add-on units.

The BBC model A, as it stands, is hardly capable of interfacing anything, but once it has all the sockets and plugs, it can be attached to serial or parallel printers, and a wide range of other possibilities. But before adding things outside the box, there is a fair bit that actually adds on inside the box:

- disk interface,
- speech synthesis,
- Econet interface,
- plug-in ROMs for extra languages or toolkits
- ROM cartridge interface giving professional programs, extra speech vocabulary, alternative characters sets etc.

Then, in separate add-on boxes you will be able to get:

- teletext acquisition unit,
- Prestel acquisition unit,
- second processor 6502 + 64k
 RAM, Z80A + 64k
 RAM with
 CP/M, or 16032 + 128k
 RAM.

If you want to follow up this theme, see the July issue of Personal Computer World.

Having put forward the facts, let me now give my own views. I don't think it makes sense to try to say one is 'better' than the other - it all depends what you are looking for and how much money you are prepared to spend. If you only have £125 in your pocket and want a colour computer then Sinclair has just what you are looking for! But suppose you have £300 to spend, is it necessarily better to go for the with machine the broader specification? I don't necessarily think so. Do you really need all the facilities the BBC machine offers?



If you are a more experienced programmer and want to write structured programs, or think you may need some of the expansion features, then you would be better to go for the BBC machine.

But if you are a complete beginner wanting to learn to program and to play a few games, then I think you'd be better off with a Spectrum, plus £175 to spend on peripherals and software.

On the educational front, to do anything other than use the microcomputer as a demonstration aid, you really need a decent pupil to micro ratio. Therefore it is quite tempting to compare the cost of ten Spectrums with four BBC model A's and decide you'd rather have a pupil-micro ratio of 3 to 1 instead of 7½ to 1. But there is a slight fallacy




Someone else has ULA problems

You may have heard about a problem Sinclair found which held up delivery of the first Spectrums. Well apparently it was a small problem with ... yes, you've guessed it, the ULA! While the ULA was being redesigned, and so as not to disappoint the public, they have sent the computers out with a temporary modification. This consists of a small integrated circuit stuck onto the board with double-sided adhesive tape. Some of its legs are soldered together, and others are joined by bits of wire to a couple of the legs of the ULA. This does not seem to me to be an ideal way to do a modification for production machines, but I have been assured by Mr Bill Nichols of Sinclair Research that only 'a

small number of thousands' of machines have gone out with the temporary modification; that so far they have not had any machines sent back with faults caused by the modification, and that as soon as the new ULAs become available they will be put into all new machines.

My main worry is that the heat generated by the voltage regulator will degrade the adhesive sufficiently for the chip to come unstuck. It may move around and short out on other components. However, Mr Nichols assures me that if this did happen within the 12month guarantee, they would be repaired free.



in that argument. What about the cost of the colour monitor or TV, and the tape-recorder you will need for each micro, and what about the cost of software and of machine maintenance?

Also what is the rest of education going to do? If you swim with the tide then there will be far more support available, and far more educational software. If you look at the extra features available on the BBC machine, it seems to me that it is well worth the extra £175. Then what about the Acorn Electron? If that is going to be software compatible with the BBC machine and capable of linking into the Econet, then that would swing things further in favour of the BBC machine.

The other educational factor to be thought out is the Sinclair's single key entry, and here I can only give my own opinion. The major point in favour of single key entry, is not that it is easier for the beginner to enter whole keywords rather than typing them out on a conventional keyboard. Indeed, when each key has five or six functions, it is debatable whether it really is easier. Certainly for anyone with experience of conventional keyboards, it makes typing in programs extremely slow and laborious - at least initially.

But what does make the ZX series more friendly to the beginner is the fact that each line is checked accepted.

My conclusion is that for the beginner - especially of the younger generation not yet acquainted with a conventional keyboard - nothing yet rivals the Spectrum's price. This will be

LE The kids can use the Spectrum - I shall work with the Beeb "

doubly so if microdrives are on the market some way before their competitors. However, it will be interesting to see what the Electron will be like - I can only pass on the vague rumours coming from Acorn Computers. I hear that it will have 32k ROM, 32k RAM, various modes of graphics, though not as versatile as the BBC machine, and that in

terms of price it will be a more realistic rival to the Spectrum


When will it become available? for syntax errors before it is That I don't know. I would simply say that if I were in Acorn's shoes I would be pulling out all the stops to get it into volume production for Christmas. My feeling is that Christmas 1982 will be an extremely important time in the fight for the UK market in small micros.

> far as education As I don't think the concerned, Spectrum has much of a chance but I may be wrong. It depends to some extent on when the Electron becomes available, and exactly what features it has. In particular I feel it is extremely important that it should have an eight-bit port - not just the address and data lines as on the Spectrum and ZX81. In my experience, schools are really beginning to wake up to the importance and potential educational terms of getting kids wiring up their computers to the outside world.

> Spectrum versus BBC? - I hope I've been able to put forward a few helpful facts to help you compare the two machines. It's up to you to sort out what suits your pocket and your application. In my household, I shall be working on the BBC machine and the kids can use the Spectrum!

MICRORGE ELECTRONICS

B B C Microcomputer System A's in stock now!



We've got the BBC

Microcomputer Model A's in stock

– ready for immediate sale. Call in, try them out.

Official orders taken for Local Authorities, Schools and Businesses

BBC Machines

Model 'A'

16K RAM 32K ROM. Full colour, highresolution graphics (+£7 p+p)
Model 'B' 32K RAM 32K ROM £399
16 Colour graphics (+£7 p+p)
BBC Disk Interface £69*
BBC 'B' Upgrade kit £130*
BBC Compatible Single Disk

Drive 100K bytes £235 (+£2.50 p+p)

BBC Compatible Dual Disk
Drive 200K bytes £389
(+£2.50 p+p)

14" RGB Colour Monitor (as used in the BBC Computer programme) £279 (+£9.50 courier)

(+£9.50 courier)
12" Green Monitor £95
(+£6.50 courier)

Cassette Player. Includes DIN to
DIN lead £28
Battery mains option (+£2 p+p)
BBC Joystick £13 p. pair (+£1 p+p)

*These prices include fitting send or bring in your machine for upgrading.

BBC Software

The first of the software from Acornsoft. Snapper, Defender, Monster, Creative Graphics. Come and review it!

Printers

Acorn GP 80A Printer £199
Lowest ever price! (+£4.50 p+p)
Acorn GP100A Printer £228
(+£4.50 p+p)

Epson MX80 FT111 Printer New model, dot matrix, high res. graphics 80 or 132 char's per line £431 (+£4.50 p+p)

All with free interface cable

Atoms

Atom kit

Colour Atom £199
Complete with 4 software cassettes (+£3 p+p)
Atom Disk Pack £335

Atom Software

All the latest Acornsoft software in stock. Atomcalc, electronic spread sheet. FORTH, LISP, Adventure etc.

Accessories for BBC

Computers

Listing paper, 2000 sheets £14 (+ £4 p+p)£4(+£1p+p) Cassettes per 10 Disks, Dysan, top quality 51/4" per 10 £28.75 (+ £1 p+p) GP80 and GP100 ribbon £4.75 (+£1p+p)Printer Cable (parallel) £15 (+ £1 p+p)6522 buffers £4.75 (+£1p+p)DIN to DIN cassette leads £3.50 (+ £1 p+p)BBC Machine dust covers £5.75

Books

£135

(+£2.50 p+p)

BBC 30 hour BASIC £5.50 (+£1 p+p)
Practical Programs for Atom & BBC £5.95 (+£1 p+p)

(+ £1 p+p)

(+ £1 p+p)

BASIC Programming on the BBC
Micro £5.95 (+£1 p+p)
Programming the 6502 £11.75


All the products are the official versions, beware of imitations, they will invalidate your guarantee.

ALL PRICES INCLUDE VAT. FOR FURTHER DETAILS AND MAIL ORDER LIST SEND LARGE S.A.E. Open Mon-Sat 9am-6pm.Thurs 9am-1pm

TICHOAGE ELECTRONICS

135 HALE LANE EDGWARE MIDDLESEX HAS 9QP
TEL: 01-959 7119 TELEX 881 3241

Catering for a motivated minority



he 30 Hour Basic course predates the BBC micro in some senses. In 1980, the National Extension College decided that in view of the growth of interest in mircocomputers, it should develop a course in programming. The college already had such courses, but they were for mainframe systems and were declining in popularity. It was clear that a course for home owners of micros would have

So work started on a course aimed at the home correspondence student or students in schemes run by local colleges. Then in late 1980, the college and the BBC became aware of each other's activities.

more appeal.

At that stage the BBC project was little more than a title, Hands on Micros and everything was a total muddle. It was computers for the masses - hardware, programming, applications, industrial revival, education. There might be a BBC book; there might be a BBC computer. Bit if there was a computer, would it be the main feature of the series?

No one knew what computer literacy meant - perhaps no one yet does! But in the BBC and NEC some people had long associations with literacy (from On the Move), numeracy (with the NEC/YTV Make it Count and Numbers At Work series

Richard Freeman of the NEC explains the history of 30 Hour Basic

and the BBC It Figures series). Was computer literacy like that? And, more important, did computer literacy mean being able to program a computer?

the project and remains crucial to how educationists are approaching the use of computers in schools and colleges. It is glibly said by many - usually not owners of micros - that soon there will be a computer in every home. It is then assumed that everyone must learn to program a micro.

The first assumption is probably false, the second definitely so. Take the first: long before most families get round to purchasing a micro, they will be offered cheap, intelligent viewdata terminals. Once these are available, most homes will have no use for a separate micro. Instead, the power of many computers will available to people who own (or rent) little more than a keyboard.

The second false assumption was more important to how thoughts developed on the NEC course. It requires only a brief acquaintance with programming to appreciate that only a small proportion of the population would ever find it beneficial to learn programming. They might program for interest but there are few problems in home life that justify writing your own program.

This latter point was vital to Unce that conclusion was reached, the role of an NEC course to accompany the BBC series became clearer. If the BBC series were to be 'computing for the masses', it could not be more than casually concerned with programming. But the less it was concerned with programming, the more there needed to be another part of the project that provided the chance to learn programming.

> That was what the NEC was planning before the BBC discussions, so why all the agonising about what to teach? The answer lies in the highly innovatory nature of the project. No other nation has run a computer literacy project so it had to be carefully thought through.

> Having decided that the NEC course should concentrate on programming, the next question was which language was it to be? This was a decision the BBC eventually made, opting for Basic because most micros provide it rather than, say, Comal because most micros ought to provide it. Without a BBC micro, the language would



have to have been Basic. What has not been so clear to critics is that even with a BBC micro, the language still had to be Basic. If it had been any other choice, a mass appeal project to interest all machine owners would have become a buff's corner for those who, by definition, had no need of the project.

To settle on Basic was one thing. To decide on a dialect, quite another. Here we came up against a classic problem of collaborative projects. In early 1981, the BBC's schedules necessitated fixing on a choice of machine. But already the NEC's schedules necessitated that piloting of the course be well on the way. So we wrote and piloted the course using a Superbrain. Then the timescales of the NEC course and the BBC micro became increasingly incompatible. This became a dominant factor in the dialect decision. We started with the assumption that once the BBC Basic was clear, the course would follow that Basic. But after running two pilot version of the course in a local college, there was still no sign of a BBC micro nor of a definitive language. By May 1981, final decisions had to be made at NEC if an October publication was to be kept to. (At that stage, October 1981 was still the BBC transmission date.) So with no other choice, 30 Hour Basic was going to have to go to press at roughly the same time as an emulator for the BBC micro was to become available.

his then, by default, settled the issue and we chose a minimal version of Basic that would run on most micros. Only when the course was perfected in that version was it checked out on a BBC emulator so that notes on BBC Basic could be added.

The final 30 Hour Basic course is a self-contained (but add your own micro) course of nine study units. It introduces all the major features of Basic



30 Hour Basic is available for £5.50 (post free) from the National Extension College, 18 Brooklands Avenue, Cambridge, and from bookshops. Two cassette tapes of the programs in the courses

Clive Prigmore, author of the NEC book 30 Hour Basic produced to complement the BBC Computer Literacy Project. Below, the College's headquarter in Cambridge.



are available from the NEC, £5.95 (post free) each. Many local colleges run courses based on the course. For details write to BBC Computer Literacy Project, PO Box 7, London W3 6XJ.

up to and including simple file-handling through a step-by-step learning sequence. That in the end has proved to be the course's contribution to computer education – its learning structure. There are hundreds of books that will tell you the syntax of Basic, but few show any sign of being written by someone who appreciates the problems of learning by yourself – which is what the NEC specialises in.

The other major feature which stands the course apart from others is that it puts a heavy emphasis on problem solving and program structure. Beginners may wonder why this is necessary, and the answer lies in what is beyond. Almost any fool can string together 20 lines of syntactically correct Basic which run. But unless those lines are programmed against a clear understanding of the need for good structure, they

will not successfully extend to 200 lines. 30 Hour Basic lays the foundation for this extension.

It is too early to evaluate the course and its contribution to the BBC project or to programming education but some points can be made.

First, we were right about dialect - we were pushed into producing a Sinclair ZX81 edition which has sold in enormous quantities.

Second, we were right to assume that amongst the BBC audience there would be a motivated minority who would wish to master programming. They do not just want an acquaintance with programming, but to solve real problems. These are the people who have chosen to take the course and they would have felt cheated with anything less substantial than we have given them.

OFF RECORDS...

The London ACORN-BBC Centre Suppliers to Schools and Colleges

Atom: FREE 10K upgrade with every Atome purchased. Utility ROM page modules now in stock.

BBC: Main Dealers & Service Centre. Models A and B in stock. Memory up-grades (HM 4816 AP-3) £26.99.

Printers: Epson £345. Oki £295. Seikosha £209. Setting up for BBC free.

Cassettes: BBC-matched cassette recorders £32.

Monitors: 12" 18Mhz green screen monochrome £99.


14" colour £229.

Software: Acornsoft, Bug-byte, CP/M.

Accessories: Tapes, listing paper, forms, chips, sockets,

diskettes, components, add-ons.

Also: TORCH, NASCOM, GEMINI, GALAXY, QUANTUM, IOTECC, MICROPROFESSOR. Add 15% VAT to all prices. Carriage extra.



Looking for an ACORN dealer in the

WEST OF **SCOTLAND?**

then why not visit us?

We have a full range of software by:-

ACORN SOFT BUG-BYTE PROGRAM POWER

for the ATOM and BBC micros

We also stock RAM chips and can carry out upgrading work to both ATOM and BBC micros.

PERSONAL COMPUTERS

20 Wellington Square, Ayr. Telephone: Ayr 285082

26

aoventure BBA

Colossal Adventure .. 16K/32K .. £8/£10 The classic mainframe game "Adventure" with all treasures and creatures of the original. And with 70

extra rooms!

Adventure Quest .. 16K/32K .. £8/£10

From the great forest, up orc mountain, braving fire,, marsh and darkness on a quest against Tyranny. Face vampires, demons, wizards, 200-foot worms . . .

Adventure games are fascinating. You enter English phrases and the computer acts as a window to worlds of magic.

Every Level 9 adventure has over 200 individually described locations and a game may take weeks to solve! Only our combination of data and code compaction allows so much to be provided.

FREE P&P. NO VAT. Money back if unhappy. Supplied on TDK cassettes. Send order, describing your computer, or a SAE for full details of all our BBCpu games to:

LEVEL 9 COMPUTING

229 Hughenden Road, High Wycombe, Bucks



Education Hobbyist & Small Business Computers



IT'S NOT JUST **ACORNS THAT** LOOK BETTER

ON AN OAKTREE WORKSTATION

THE UNIT SUITS BBC VIC 20 TRS 80 ZX SPECTRUM ETC. With a built-in accessory drawer. this smart unit turns your setup into a

professional and business like system. The drawer holds up to 50 diskettes or your tape collection and leads etc.

TWIN USER JOYSTICK INTERFACE ATOM/BBC £13.95 Protect the keyboard of your computer by interfacing "Atari" joysticks to it. The joysticks plug into the interface which in turn simply plugs into either the Atom 64way bus, or the BBC 20way user port. (Atom bus units available at £3.99 if ordered with the interface). Now two people can

successfully play games or one person can have more control over the computer. Full_ software supplied.

ATOM LATEST

It Atom have made it, we stock it. Disk drives off the shelf. Hardware. books, printers. Phone now. Prices always competitive.


BBC UPGRADES

Full or partial upgrades, memories, printers or disk interfaces etc. All in stock Prices dropping. Phone for quotation. All current BBC peripherals stocked.

ALL PRICES INCL. VAT AND P&P Please send your remittance to:

121 DUDLEY ROAD GRANTHAM, LINCS. NG31 9AD CORN SPECIALISTS TELEPHONE: (0476) 76994





JOIN THE REVOLUTION

This article is not exactly about how to make art with a BBC computer. That problem is no different from the more general one that every art student, great artist or weekend painter is faced with: how to make art at all.

We should distinguish between images and art. Just because you can have fun with random numbers or spirals on a TV screen, that doesn't necessarily make very significant art. So this piece sets out to do three things.

First, we'll look at the general context for art done by, with, or sometimes in spite of, computers. Second, we'll examine some of the possibilities the BBC microcomputer suggests: what are its special characteristics? Finally, there are a few suggestions, pointers towards what you might consider doing, using your computer, to make art.

So-called 'computer-art' has been going for about 30 years - ever since computers became available. But most of the work has been done by people who were often better at computing than art.

Art isn't as simple as making pretty pictures on a screen, says Brian Reffin Smith.

He points the way, and outlines some possibilities the BBC micro suggests



A mathematical formula or transformation that produced an interesting-looking graph or perhaps a whirling spiral, was seized upon, framed on the wall, and labelled 'art'. It is arguable, though, that if it had been done with a Spirograph, or by doodling with eyes shut, people would hardly have given it a glance.

o if we are interested in what computers in general, and the BBC micro in particular, can do to help us make art, we have a dual responsibility. Not only must we get the computing right, but also the art should, at the very least, not bore rigid those who just see it, having


missed the (very wonderful, no doubt) process that created it.

Ah! But there's a thought! Perhaps if we actually made the process itself the artwork . . . then people could get more involved. Well – yes. And some of the most celebrated pieces of technological art have made quite clear, and have actually used, the process and systems 'behind' the artwork.

ake Edward Innatowicz's famous 'Senster' shown overleaf. This piece of -what, sculpture? - was quite clearly a mechanical device, linked to a computer. It vaguely resembled a 3-legged pneumatically-powered giraffe, but all its workings



Senster vaguely resembled a three-legged, pneumatically-powered giraffe, with all its workings visible



were visible. The computer was programmed to make the thing go towards gentle movements or sounds, but to avoid violent moves or loud cries.

It used microphone 'ears', and radar 'eyes'. Perhaps just because there was a conflict between what it looked like (technological) and how it acted (animal-like), people would stand and watch it for hours at a time. Yet the program in the computer was, in essence, simpler than most graphics programs.

Gerald Hushlak is a Canadian artist who often uses computer graphics in his works. Living in Calgary, a city rich in graphics information technology because of the oil exploration boom (oil companies need to visualise masses of data), he has access to some very sophisticated equipment. But the techniques he uses are available to anyone with a BBC machine and the imagination.

Briefly, he gets the computer to construct an image that is partly random, partly made up of predefined elements. This is processed in such a way as to produce a whole series of images, each bearing some relationship to the one before, and also to the totality of images. Elements are enlarged, reduced, moved around, combined . . . and again, the 'thinking' (his and the computer's) is made visible.

His work does not rely on a single image - none of the individual frames might be thought particularly stunning - but it is the

process of production that he exhibits.

ere, at last, is where we, with small computers, can score heavily. For virtually anything we choose to do with the machine is, by definition, all process! We have to lay open the series of events and decisions which we will use to achieve some result – because that is the program. We may attempt to conceal it from others, but we ourselves cannot possibly avoid it.

Let's consider some of the things the BBC computer can do, that we can use – sticking as closely as possible to that idea of process.

Process implies change, and the powerful graphics of the BBC machine are just what we need. In the old days, you could just light up parts of the screen, individual 'pixels'. Then – wonder of wonders – you could draw lines!

But now, we have the choice of at least 47 ways of drawing anything: that being the number of different PLOT commands
Suppose we have, incorporated in a program as a series of DATA statements, numbers specifying the horizontal and vertical co-ordinates of a series of lines.

If we draw those out using DRAW (ie PLOT 5), we get a line shape, in whatever colour we choose. But let's see what else we can do – and imagine the resulting images being photographed, framed, and gradually building up into a huge series for our retrospective show at the New York Museum of Modern Art (well why not?)

Suppose we use PLOT 1 instead of DRAW. This draws a line 'relative', in the current colour. This means that the x and y values of the line's endpoint are not measured on the screen like a piece of graph-paper, from the 0,0 origin at bottom left, but are added on to the measurements of the last point. In other words, if we were last 'at' 40, 50, and the new line is PLOT 1,100, 100 then a line will be drawn to position 140, 150. This will then be the starting position for the next line, and so on.

As an amazingly difficult exercise (humans weren't built for this kind of thing!) try to imagine a simple shape (say a square) drawn out in the ordinary way, and then using PLOT 1. What happens to it?

Picking almost at random from the list of PLOT commands in the BBC manual, we might then try PLOT 86. This not only draws a solid triangle between the last three points 'visited', it also does it in the logically inverse colour to what was already there. And by use of the GCOL command, we can choose to draw in 'exclusive or' mode (immediately doubling the 47 options.)

So not only do parts of the drawing become solid (and probably not like we'd imagine, either), but also the colours change when the solid areas overlap.

This is advanced stuff – I mean the art, not the graphics; see how we've really got things going for us? What we've done is to restructure the relationships between



the various parts of the image. No longer does line follow line, like a history book or a story, in a linear way.

Instead, parts of the image interact with previous parts, where the triangles overlap, spilling out of the sparse, thin little lines. And all by changing PLOT 1 to PLOT 86!

Lhis is of some interest, even if you consider the drawing just as a picture. But think! A picture must be of something. So it isn't just lines or bits of colour we're altering - it's actually little, bits and pieces of meaning. If you want an analogy, the lines themselves are just like the sounds in the words used to tell a story - but who ever remembered a good story because of the 'w' sound in 'wolf'? It's the story's meaning that counts, and whether Little Red Riding Hood got eaten or not.

When I began this piece, I thought that I'd be mentioning all sorts of PLOT commands, routines for doing this and that, maybe show a photo of an image produced by a

short program. But really, that's unnecessary. For the truth is, there are so many good articles around on how PLOT works; and lots of programs that will make circles or move squares. The BBC manual itself - the revised version - is pretty good too.

So I ended up by just trying to tell you about one or two of the things that I think are really important in making art with a computer. See if you agree.

nother point is that 'really', the art doesn't matter much either. It's the ideas, and how they change us, that matter. There's never been a potentially powerful such combination, to do things like that, as you and your computer.


If there are two categories of people that can get away with almost anything (for all the wrong reasons, I know, but let's use it!) it's artists and computer people.

So welcome to the revolution. (Technological? Art? Political? If you can separate them, you choose.)



Brian Reffin Smith works in the Royal College of Art's design research department. He wrote the BBC software on Drawing and Painting, now available. Although simple, these will help develop the techniques in this article. The Painting package simulates air-brushing and produces three-dimensional effects. The Drawing software explores shapes, patterns and colour.

Details of the Painting and Drawing cassettes can be obtained from BBC Publications at 35 Marylebone High Street, London W1M 4AA. They run on both model A and B machines.



Hushlak..graphics use sophisticated equipment, but his techniques are open to all

Timeshare your Colour Monitor with the Family

Colour TV-RGB-PAL Video

£299 inc. vat

PortaTel LUXOR TV Receiver 14" Colour Monitor RGB3711 **BBC** Micro lead included



A recent addition to the PORTATEL Monitor range is the RGB 3711. Priced at just £299 inc. VAT, it compliments the Home Computer perfectly being suitable as the second domestic TV and an excellent resolution Monitor.

Based on Sweden's LUXOR range of quality Colour Televisions it has front panel switching to TTL level RGB signals with positive or negative synchronisation, or PAL encoded composite Video at 1 volt, 75 ohms. Included is a 6 pin DIN connector for use with the BBC Micro 'B' model.

PortaTel conversions limited

25 Sunbury Cross Centre, Staines Road West, Sunbury-on-Thames, Middlesex. TW16 7BB Telephone: Sunbury-on-Thames 88972

FOR COMPUTERS & COMPUTING IN SURREY EQUIPMENT LTD

The BBC and Acorn dealer for Surrey. If you are a business user or hobbyist we give a full and expert back up to ALL our sales. Call in or ring for a frank discussion on computers and computing and what we can do for You.

Agents and stockists for: Acorn, BBC, Sharp, Complete Tandy range, SD, Cumana Disk Drives, Epson, VIC, Dual purpose colour TV/RGB Monitor @ £279.90;

Software and hardware accessories and expertise all supplied 3 BRIDGE ST., GUILDFORD, SURREY (0483) - 504801

Essential reading for all computers


FORTH THEORYAND PRACTICE LISP THEORYAND PRACTICE

Two books from Acornsoft that provide a thorough introduction to programming in LISP and FORTH. Many practical examples of programs are included.

Most of the contents of the manuals are applicable to any machine, although the manuals also explain the operations for the Acorn Atom. Both manuals are spiral bound to lie flat and have been produced and laid out clearly and concisely.

Each manual costs £6 including post and packing and is available from dealers or direct from: - Acornsoft Ltd, 4A Market Hill, Cambridge CB2 3NJ.

Credit Card Holders can ring 0223 316039





*A*CORNS#FT

Printers for your BBC Micro-Computer

The new Epson MX80FT/3: the best buy for your BBC computer. This versatile printer has more features than any other for the price, including full high-resolution graphics modes, many text modes including subscript and superscript, emphasised printing, double-width printing etc. Very versatile and 100% reliable. Only £345. Connector cable to BBC computer £20.00.

Bargain of the year: a Daisywheel Printer at only £300 plus V.A.T.!!!! We are offering brand-new converted Olivetti Praxis typewriters (you have seen them advertised elsewhere at £475 + VAT) as daisywheel printers. They are fitted with standard 36-way parallel connectors, but you must write your own printer driver routine (in 6502 code) as they do not return handshake signals. In all other respects they are the lowest-cost solution for wordprocessing quality printing available. Connector cable: £20.00

Monitors for your BBC Micro-Computer

BMC 1401 colour monitor only £225.00 Sanyo green monitors suitable for 'A' and 'B' models £99.00 Kaga black & white £115.00 Philips Amber monitor £110.00


Accessories for your BBC Micro-Computer

We carry BBC-compatible cassette-recorders at £26.00, RS423 connectors at 75p, BNC connectors at £1.25 and video connectors at 75p.

Mail order software: we offer the full range of software from the BBC, Acomsoft and independent Software Houses. Send a stamped, addressed, envelope for a copy of our price-list.


Please add VAT at 15% to all prices quoted. Carriage is Free.

Protocol Computer Products, 49 Beckenham Lane, Shortlands, Bromley, Kent BR1 3BE 01-460 2580/01-466 6982





Wake up to the SOUND of MUSIC



Laking sounds with the BBC Micro is easy - despite what you may have heard. The harder part is to turn the noise into music. The last issue covered sound effects, so here we experiment with notes; playing tunes and turning your keyboard into an organ.

The SOUND command has four major parameters: voice control C; amplitude, A; pitch control P; duration D. It can be expressed in terms of these parameters as

SOUND C, A, P, D.

In its simplest form, the voice control can be in any channel from 0 to 3, the amplitude (volume) may be a value from 0 to -15, the pitch control may be a note from 0 to 255 and the duration may be a time in units of 1/20 s from 0 to 255. So:

Sound 3, -15, 101, 20

will play voice 3 at full volume on top C for one second.

Defore we can produce notes, we need to know the relationship between the pitch control numbers and the actual notes played, which is shown overleaf. Apart from the lowest note (A#) with value 0, the remainder of the notes have a gap of 4 units per semitone. This arithmetic sequence indicates that octaves will occur at intervals of 48 ie (gap of 4 multiplied by 12 semitones in an octave). Program 1 uses the simple SOUND command to generate the 12 semitones of a chromatic octave from middle C.

By altering the 53s in line 20, it would be possible to play a chromatic octave from any note. For example from G, simply exchange the 53s for 81s.

Even if you're not Mozart, writing music is fun on the BBC micro. This month Joe Telford gives you some ideas on playing tunes and using the keyboard as an organ.

Lo further consider the production of scales, look at program 2. The gaps between notes in major octaves are regarded as whole prefix). tones or semitones, and a complete scale is made up of the semitones (S) of line 20. The * is simply a reference point for the first note and could have been any symbol (other than T). Line 60 examines which type of gap (T or S) is being played and increments the note value by four, so tones have gaps of eight while semitones are gapped as 4. We can play a scale in any key - input 53 in response to line 30 gives the key of C, while a value of 73 would give F major and 61 would give D major.

Let us look again at the voice control parameter of the SOUND simple this command. Type program.

NEW 10 SOUND 1, -15, 53, 20 20 SOUND 2, -15, 69, 20 30 SOUND 3, -15, 81, 20 RUN

The result is a fairly pleasant, though slightly fuzzy chord in C major (C, E, G). Now replace line 10 with:

10 SOUND &0201, -15, 53, 20


and run the program. Now we have a much crisper chord. To explain

this, the voice control parameter should be regarded as a 4-byte hexadecimal number (hence the &

Lhe four bytes from which this combination of tones (T) and number is constructed are labelled &HSFC. The most significant byte is labelled H for maintain. It is set to 0 for normal SOUND statements, but could be set to 1 if an envelope is in use. In this case the final stages of the previous note would be maintained under envelope control while the note containing H would not sound.

> Dyte 3-S- produced the crisp chord above. When set to 0, each note is sounded depending on its place in the sound queue, hence 2 voices sounded in order appear slightly fuzzy. Because S is a mnemonic for synchronise, setting S as follows causes the effects overleaf

Program 1 10 REM CHROMATIC DETAVE 20 FOR note = 53 TO 53 18 STEP & 30 SOUND 1,-15 note.5 AD NEXT Program 2 CO DATA #, T. T.S. T.T.T.S 30 INFUT WHICH NUMBER TO DEGIN (SJ FOR E) , STOPE LO REN STANDARD DETAVE 40 FDR note - start 10 (start 48) STEP A IF VALUERSHIT! THEN ROLE ? DOLE ! 9 gound t,-15, note+5



S = 0 voices take their turn in the queue.

S = 1 this voice and next voice sound together.

S = 2 this voice and next 2 voices sound together.


S = 3 this voice and next 3 voices sound together.

Byte 2 is normally set to 0 when it allows the next note to play its full length. If set to 1, all sounds in the queue are removed and the note containing this byte is played immediately.

The final byte C for channel is the easiest to understand. It can take the values 0, 1, 2, 3 and refers to the voice to be sounded. The parameters &HSFC can be used in any combination although &FC combinations and &SFC combinations especially are dealt with in this article.

The SOUND command is a good example of the actual parameters for a musical note. We have





examined the voice parameter and the pitch parameter, but before we produce musical tunes we need to examine the duration of each note.

Figure 1 gives a list of parameters for duration referring to commonly used time values. So:

SOUND 2, -15, 101, 8

would play top C as a crotchet (at a rate of 150 crotchets per minute).

Lhe best source of 'easy to convert tunes is simple organ books. The first stage of conversion is to write each tune as letters, then use the art work above to convert to numbers. To each pitch number thus found we make up a pair by adding the duration of the note as found by using the keyboard given above. The next stage is to write the pitch duration pairs into DATA statements from which a program can produce a tune. Examine program 3, which plays a particular tune, found in the DATA statements of lines 60 to 130. Replacing the numbers with your own would change the tune. It is useful to end each tune with a value which the computer can easily check, hence the -1 data at line 150.


Because tunes have different tempos or speeds, although they may all have quavers, we may need to speed up or slow down every duration code by the same factor. Line 170 sets the tempo to 0.75 which slightly speeds up the tune.

Experiment with values for the tempo of 0.5, 1, or 2, to achieve the best result.

Although the program is well explained by REM statements it is the SOUND worth examining commands. To gain a pure single sound, lines 270, 280, 300, 310, 370, and 380 can be omitted. However, their inclusion with voice 2 playing bass (note -48) and voice 3 playing high octaves (note +96) and without the T parameter of the voice command being set, gives an old-fashioned fairground organ sound. Lines 290 to 320 are essential to separate notes with short gaps of silence. Remove lines 290 to 320 to fully appreciate their value. Lines 360 to 380 give a rather longer silence at the end of each verse.

Finally, the number of verses can be altered at line 190. There is a great deal of value in this type of program as it can be adapted to any tune. Unfortunately it has two main faults. The first is that at the end of musical phrases there is normally a slight pause – but not in program 3. The second is that program 3 cannot play accented notes. An accented note is a note played at a louder volume for





emphasis. Try clapping the rhythm of 'Jack and Jill went up the hill' to hear the accents on certain beats.

To bring the BBC micro's sound production closer to music performed live by people, it is necessary to rectify both these faults.


One solution is found in program 4, where we enter 3 figures for data on each note:

- volume (-12 for normal and -13 for accent),
- pitch (as program 3),
- duration (as program 3 except in some cases where I finally got my dotted crotchets correct).

Some lines (eg 75) contain an 0, 0, 8 DATA statement which effectively says 'rest for a crotchet of time', and occurs at the end of musical phrases.

Moving on from this area of canned music, the BBC micro can be a very versatile musical instrument for live performances. Program 5 is my attempt to improve on the organ of the Welcome Pack. However, I have made no attempt to produce colours to match.

Two main problems exist when using the BBC machine as a keyboard instrument. The first is that each note sounds for a set length of time, and the second is






Figure 2. Diagram of keys used in organ program. Switching between octaves is done using Shift lock.

that because of the type-ahead facility on the keyboard, notes can play on long after fingers have been removed from the keys. Shortening the note duration and relying on the auto repeat facility gave a drill-like effect, as in my prototype program.

The solution was to adjust the repeat rate – as detailed in the previous edition to give a fast repeat instantly, (lines 70, 80) and then to use the &IV parameter (lines 210-230) so that sound was continuous but the effect of stopping playing was instantaneous.

program generates my fairground organ over a good two octaves range, changeable from lower to upper octaves via the shift Because of the lock key. adjustment to repeat rates they are reset on ERROR or on ESCAPE. Look at figure 2. This gives the layout of the keys used for each octave so that 'z/C' means lower case z plays a C in the lower octave, while '?/E' means ? plays an E in the upper octaves with shift key down.

Figure 2 will therefore let you convert music from a tune book to the keys of your BBC micro. By way of starting off a BBC tunebook, I offer figure 3 as tune no 1. Make sure the shift lock LED is lit, then play the notes shown – you should pick up the rhythm quickly as the tune seems to be fairly well known.

Envelopes, as the name suggests, are useful ways of packaging sounds so that the waveform has an overall shape. The ENVELOPE command is a convenient way of controlling both pitch and volume of a sound, though its use requires careful forethought. It is followed by 14 parameters:

ENVELOPE N, T, P11, P12, P13, PN1, PN2, PN3, AA, AD, AS, AR, ALA, ALD

The ENVELOPE commands only appear to work during a SOUND command, so that SOUND 1, 4, 101, 20 plays voice 1 with the basic frequency of top C for one second. During that second it is under control of envelope 4. You can generate up to 4 envelopes to work simultaneously, numbered 1 to 4 in parameter N of the ENVELOPE

Z X C V V V V V V V C X Z Z X C V V V B B N N N N J J B V B N B V Z Z Z X C V < < N < < N < > < J N J J J B J J B J < < N < < N < > < J N J N B V Z V C V B V

Figure 3. Play notes on these keys with Shift lock LED lit.



command, and matched by 1 to 4 in the volume section of the SOUND command.

Look at figure 4. This is an amplitude waveform common to the BBC ENVELOPE statement. It consists of 4 ranges marked attack (AA), decay (AD), sustain (AS), and release (AR), as well as two set points (ALA) -volume after attack ramp and ALD, -volume after decay ramp. The volume levels ALA and ALD are numbers between 0 and 126. To produce a useful envelope consideration has to be given to the type of instrument to be imitated. Look at figure 5 which is the amplitude envelope of a percussive piano-like instrument. Note the steep gradient of the attack ramp - giving the note bite, and the gentler slope of the decay, sustain, and release ramps, giving the fading sound of a piano note. The command to produce this is:

ENVELOPE 1, 0, 0, 0, 0, 0, 0, 0, 126, -4, 0, -1, 126, 100






Figure 4. Amplitude waveform common to ENVELOPE statement.

The first parameter N, is 1, the envelope number. The second parameter T, is the time per step in 1/100s. (Plus an extra 1/100s. In this case 0 = 1/100s.) The next six zeros would be the pitch envelope. The next number, 126, is parameter AA. Combined with the parameter T and volume level ALA we create an attack ramp which increases at a volume (AA) of 126 per 1/100s (T) up to a maximum of 126 (ALA).

he next parameter is AD, the decay rate. The combination of parameters around this is T, AD, and ALD (the last parameter, 100). The decay ramp decreases to 100 (ALD) at a volume rate of -4 (AD) per 1/100th sec (T). The note then is sustained at that level (AS=0) until the time set in the sound statement runs out. The note then releases at a volume rate of -1 per 1/100s (T), and ceases sounding.

f further notes follow an envelopecontrolled note, the release stage is cancelled. The next note starts immediately after the preceeding one has been held for the time set in its SOUND command. I'll let you consider figure 6, which is a totally different envelope, reminiscent of an accordian or mouth-organ. It is generated by the statement:

ENVELOPE 2, 1, 0, 0, 0, 0, 0, 0, 60, 10, 0, -60, 60, 120

Using the programs developed in this article, experiment with the amplitude envelopes. Enter them as low-numbered line numbers and alter the volume parameter of each sound statement to indicate the envelope waveform required.

The next stage is to move on to designing your own amplitude envelopes. The only warning is to keep off the six pitch parameters until you know what you are doing. Beware also, an envelope with AS and AR parameters set to 0, can sound permanently. To prove this micro is the beeb's knees, I include program 6 which uses the **ENVELOPE** and SOUND statements to play a round. Here, two voices play the same tune starting at slightly different times. The program is well REM'd so should not be too difficult to follow.

Next issue: pitch envelope and moving graphics.




Figure 5. Percussive amplitude envelope given by ENVELOPE 1, 0, 0, 0, 0, 0, 0, 0, 126,-4, 0,-1, 126, 100.




Figure 6. Reeded amplitude envelope given by ENVELOPE 2, 1, 0, 0, 0, 0, 0, 0, 60, 10, 0,-60, 60, 120.

Home Micro Work Station

Computing Comfort, Convenience and Control in your Living Room with this Specially Designed Work Station



- Armchair height for easy keyboarding
- Attractive scratch resistant finish looks good in any living room
- Includes 4-gang power socket to do away with trailing wires
- Convenient drawer for manuals etc., fitted with cassette storage rack
- Easily assembled flat pack

THIS EXCLUSIVE MAIL ORDER OFFER AT ONLY £49.95 (+£7 CARRIAGE)

And because we think your Microcomputer should be protected from damaging dust particles we are including a fitted Micro Cover FREE with every Work Station. This reinforced VINYL DUST COVER with wiring cut out at rear is AVAILABLE SEPARATELY at £2.95 incl., P&P

TO:	EARLCA	PE LTI	D., LOWFIELD	S ROAD	, LEEDS	LS12	6BT	

Please send me Micro Work Station(s) at £5	6.95 incl. VAT and carriage (UK Mainland only)
I enclose cheque for or charge my Access	Account Number
	SIGNATURE
Please send me Micro Dust Cover(s) at £2.95 including P & P (state model)	NAME
I enclose cheque/postal order for £	ADDRESS
Please allow 28 days for delivery of Work Station	

ACORN USER SEPTEMBER 35



SPOOL, EXEC AND VERIFY -JUST FOR THE RECORD

The disc pack manual does not tell all about these useful features

The Atom disk pack provides several capabilities which were not documented in the initial disk pack manual. These include the ability to keep a record of all information printed to the screen on the disk, and to store on the disk a set of commands which can then be obeyed as if they were typed in at the keyboard. Also not mentioned was a VERIFY command which is The last here. documented undocumented feature is the software to drive the Acorn 40character VDU card from the Atom.

The command *SPOOL "name" opens a file of the given name and all characters subsequently printed to the VDU system are also stored in this file using ASCII. The spooling of characters to a file is stopped by using the *SHUT command. Examples will probably make this clearer.

Characters can appear on the screen in several ways:

- as a result of a print statement in a Basic program.
- when a character is typed at the keyboard.
- as a result of some command in Basic or the operating system (eg, LIST or *CAT).

All these characters will end up in the spool file if one is opened. One important point is that the carriage return and line feed codes sent to the screen at the end of each line of a Basic listing will also end up on the spool file. For example,

- 10 *SPOOL "Example"
- 20 PRINT "1234567890"
- 30 *SHUT
- 40 END

will create a file containing the following bytes in hex: 31 32 33 34 35 36 37 38 39 30, whereas the sequence:

>*SPOOL "Program"

>LIST

10 *SPOOL "Example"

20 PRINT "1234567890"

30 *SHUT

40 END

>*SHUT

will create a file with the ASCII codes for the Basic prompt and the characters LIST followed by the bytes OA and OD which are the codes for line-feed and carriage return. Next in the file will be the codes for the next line which consists of some spaces followed by characters 1 and 0, a space and so on until the line-feed and carriage return at the end of this line. This continues including the codes, for SHU and T and a final line-feed before the spool file is closed.

Contents of a spool file can be examined or printed to the printer by a program such as:

5 P.\$2

10 A = FIN "Program"

20 DO

30 P. \$BGET A

40 UNTIL PIRA = EXTA

50 P.\$3

60 END

Hence a record can be made of the output from the computer for subsequent printing, or examination by another program.

The *EXEC "name" command is a complimentary utility to SPOOL which gets bytes from a serial file on disk and enters them to the computer as if they had been typed at the keyboard. Hence doing an EXEC on the file "Example" created as in the description of spool would go as follows:

*EXEC "Example" 1234567890

and because there was no carriage return stored in the spool file, you would have to hit return to get the prompt back.

sequence of common commands can be stored as a file to be EXECed.

*LOAD "Data" 8200

?18 = #28

LOAD "Program"

RUN

To type this in every time would be tedious, so an EXEC file could be created using the following program.

10 A = FIN "Start"

20 SPUT A, "*LOAD""Data""8200"

30 SPUT A, "?18 = #28"

40 SPUT A, "LOAD""Program"""

50 SPUT A, "RUN"

60 SHUT A

70 END

After this has been done, the program can be started by typing the *EXEC START command.

Another use of the EXEC file is to merge Basic programs.

A program similar to the one above could be used to create a file containing a few lines of Basic including line numbers and when the file was EXECed, the lines would be added to any Basic programs already in the current text space. If line numbers are duplicated, the lines in the EXEC file overwrite the lines in the program, so care must be taken.



```
Program 1
                                                       70 d
 1 REM**************
                                                       75 B=H!E&M;Q=H!(E+2)&M;W=H!(E+4)&M+(H?(E+6)/16)*M
 2 REM (C) ACORN COMPUTERS (1982)
                                                       80 T=(H?(E+6)\&15)*256+H?(E+7)
 3 REM*****************
                                                       85 R=W/256; IFW&255( )0; R=R+1
 5 REM NO RECOMENDATION IS GIVEN
                                                                                   "F T-F; A=F; C=T-1; X=100; G.r
                                                       90 IFFY T; P. "BLANK
 6 REM OR IMPLIED AS THE USE OF
                                                      100 IFE=0; END
 7 REM ANY OF THE ROUTINES USED
                                                      110 FOR 0=0TO6
 8 REM IN THIS PROGRAM FOR ANY
                                                      120 P.S(O?(L+E)); N.
 9 REM OTHER PURPOSE
10 STOP="P. ""ERROR IN CATALOGUE SECTOR 1 OR 2""; END" 125 P. &B, &Q, &W, T, R
                                                      126 A=T ;C=T+R-1
12 ?16=TOP;?17=TOP/256;*CAT
                                                      127 IF R=0; G. 190
13 @=5
                                                      130 X=190;G.r
15 M=#FFFF; U=#9C
                                                      190 E=E-8
20 L=#2000; H=#2100
                                                      200 IFE)=0;G.d
30 N=H?5
32 P. "NUMBER OF ENTRIES"N/8
                                                      300 END
35 P.
                                                     1130 rF=A
                                                     1:35 LINK#E75B
45 P.
                                                     1140 !U=#A000
50 S=(H?6&15)*256+H?7
                                                     1150 U?4=0;U?5=1;U?6=F/256;U?7=F
55 P. "SECTORS" S'
56 P. "NAME STRT EXEC LENGTH SSEC SEC"
                                                     1153 P.$21
60 E=N
                                                     1155 STOP="G.s"
                                                     1156 Y=!16;?16=TOP;?17=TOP/256
65 F=2
                                                     1157 REMLINK #E567
```

An alternative method of creating an EXEC file for a routine is to spool a copy of the required routine. If we have a program with a routine between lines 2000 and 3000 that we want to use:

```
>*SPOOL "Section"
>LIST 2000, 3000
2000 - - -
-----
2900 - - -
> *SHUT
```

The file created will contain the >LIST and > *SHUT lines which will cause errors when the file is EXECed in, but this will not be a problem. The file however, also contains line-feed characters which must be removed. The following program will create a new file called ROUTINE with the line-feeds removed.

```
10 A = FIN "Section"
20 B = FOUT "Routine"
30 E = O
40 DO
50 D = BGET A
60 IF D = 13; IF E = 10;
PTRB = PTRB-1
70 BPUT B,D
80 E = D
90 UNTIL PIRA > = EXTA
100 SHUT A
110 SHUT B
120 END
```

It is then possible to use the EXEC command to add this routine to your programs.

Another command can be used to redirect all screen output to a set of routines in the disk pack which drives the Acorn 40-character Prestel character set VDU. This card from Acorn can be connected inside this Atom with a suitable power supply and will provide a 40 character by 25 line screen display on a colour monitor. Further details can be found in the Acorn Computer brochure. Systems Output will be sent to the 40 character VDU following *VDU 1 and to the normal Acorn screen following *VDU 0.

The verify utility (program 1) is written in Basic to run on the Atom in conjunction with the Atom disk pack. The program will attempt to verify all the sectors on a disk inserted in the drive indicating which files any corrupted sectors are in. The disk to be verified should be inserted in the drive before the program is run.

The program will first attempt to load the catalogue of the disk. This is stored on the disk in two sectors on track zero nearest the edge of the disk. If there are any errors in either of these two sectors, the rest of the verify program cannot operate and the program will report the fact and stop. Assuming the catalogue has loaded correctly, the program will then report.

The number of sectors on a disc should be 400. A disk formatted for eighty tracks will have 800 sectors and will not work in the standard Atom disk pack, though it is still possible to read the catalogue off an eighty-track disk.

The program will then, for each program saved on the disk, print:

- file name,
- start address in memory where the file would be located to
- execution address of the file,
- length of the file in bytes,
- location of the first sector of the file on the disk,
- number of sectors on the disk occupied by the file.

A row of dots should be printed below every file name. Each dot represents a sector of the file that has been verified. Any stars printed indicate sectors that cannot be loaded or verified. Any areas of the disk not allocated to files will be reported as blank and verified in the same manner, in particular you will normally find a large blank area after the last file on the disk.

If you do not wish to verify the whole disk, the escape key may be used. However, as the screen is disabled at certain points in the program, control F should be used after pressing the escape key to reenable the screen. The correct sequence to escape is therefore ESCAPE, control F, RETURN, the error message can be ignored. The result on the screen is a clear visual indication of the size of files and blank areas on the disk, and corrupted sectors.



BBC BASIC FOR THE ATOM

Acornsoft's 20k BBC ROM conversion module can be added to an Atom, which will support the full set of BBC-type Basic commands. The syntax is identical, so all programs that don't rely on BBC hardware can be run on the Atom.

The module is fitted in parallel with Atom Basic and may be selected by a switch or from the keyboard with modifications. It consists of 16k Basic ROM, a 4k operating system ROM and an additional 2k RAM that can be used by the Atom as well. A comprehensive manual is supplied giving operating and fitting instructions.

The conversion board uses the same 16k Basic ROM as the BBC micro. The board includes a 4k MOS ROM to provide the correct machine environment on the Atom. The board also includes logic to alter the memory map so that RAM is available from 0000 upwards, and so that the 16k Basic ROM can reside at 8000 to C000.

The BBC-Basic time function is implemented by means of interrupts, generated by the Atom's 6522 timer (which must therefore be fitted).


The BBC board is fitted by removing four integrated circuits from the Atom and inserting these in sockets on the board. The board is then plugged into the empty sockets on the Atom.

The BBC Basic board includes 16k Basic ROM, 4k MOS ROM, 2k of additional RAM, socket for utility ROM, socket for MOS extension ROM, decoding logic.

The board can either be wired permanently in BBC-type Basic mode, or, with the addition of two wires to the Atom keyboard, you can select between Atom or BBC-type Basic by pressing CIRL-BREAK or SHIFT - BREAK respectively. Alternatively, the module can be fitted by your dealer.

The commands MOVE, DRAW, and PLOT are supported, with drawing of lines or points, relative or absolute, and drawing in white, black or inverted. The facilities for area fill and dotted lines are not supported.

The board allows users to type in BBC programs, but cassettes cannot be loaded. It costs £49.95.



BBC Basic board fitted inside the Atom


Memory map for conversion **BBC-type** mode Atom mode Atom ROM MOS ROM F000 Optional DOS Optional DOS E000 Extension ROM Extension ROM D000 Optional MOS Atom ROM C000 1/0 B000 BBC Utility ROM Basic A000 9800 Graphics RAM 2000 1/0 7000 **Utility ROM** 6000 5800 Graphics RAM 4000 Optional 3000 RAM 2000 RAM 0400 RAM 0000

Electronequip

(Authorised BBC and Acorn Dealer, stockists and repair centre)

	BBC Micro Model A	ATM1 ATM2 ATM3 ATM10	Atom assembled 2Kram £140.00 Atom assembled 12Kram £160.00 Atom assembled 5Kram colour £158.00 Atom kit 2Kram £110.00
BBC35 BBC36	BBC Cassette Recorder £26.00 Casette Lead DIN to Jack £4.00 Single 5.25" Disc Drive £230.43	ATM11 ATM25	Atom kit 12Kram £130.00 New PAL Colour Encoder £38.00 New 1.8A Power Supply £8.40 Atom Cassette lead £2.00
Epson Epson Epson	Printer MX80T type 3 £325.00 Printer MX80FT type 3 £345.00 Printer MX100 type 3 £445.00	BMC BMC	12A Black/Green Monitor £79.00 12E Black/Green Monitor £99.00

Prices exc. VAT and inc. postage (except BBC micro's 2.00)
All items always in stock (even BBC's) — quick despatch





Electronequip BBB

128 West Street, Portchester (A27 opp. RUBY) Hants PO16 9XE Tel: 0705-325354

ACORN PLUS &

FREE! NEW 100 PAGE CATALOGUE FREE!

Control Universal stock Acorn, Rockwell, Cubit and fine peripherals. Send for our catalogue.

STOCK STOCK



Ring Control Universal on four telephone lines for technical advice and fast deliveries on all Acorn products – Eurocards, systems, Atoms, all software, networks components, connectors, spares – everything you need.

MORE: STOCK

Control Universal also stock Rockwell Computers, EPSON and TEC printers, BMC and MICROVITEC vdu displays, G.P.I. EPROM programmers and erasers, disks, stationery, memory and TTL chips.

CUBIT'



The CUBIT range is made by Control Universal and includes single board computers with 4K RAM and VIA i/o chip for 6502, 6802 and 6809 processors; CU-MEM memory card for eight 24 or 28 pin memory chips, with on board battery back up for CMOS RAM; CUBIO 64/80 channel digital i/o card; CUBAN eight bit analogue interface with 16 analog inputs, one analog output and 20 digital i/o channels; CU-KEY ascii keyboard.

'ATOM PLUS 17K RAM — £69 why 17k?

 to fill in the gap from hex 3COO to 3FFF with 1 K of static RAM, and provide 16k of dynamic RAM from 3OOO to to 7FFF. Uses 5v only devices, and fits in the standard Atom case.

Standard Eurocard size and bus connector.

'CU-DRAM' 64K bytes DRAM - £99

For all Acorn and Control Universal systems. Each block of 4k can be enabled or disabled to match the system. Carries also a 4k/8k 28 pin socket for ROM or EPROM, and can be software selected at board level to allow up to 16 boards in one system and hence a maximum of 1 Mbyte of RAM.

Standard Eurocard size and bus connector.

CONTROL UNIVERSAL LTD.

Unit 2, Andersons Court, Newnham Road, Cambridge (0223) 358757

VISIT OUR
NEW SHOWROOM

ACORN USER SEPTEMBER 39

ACCESSORIES for G ATOM

Printers

£26.95*

£4.50

Cassette

Sanyo cassette recorder with motor control (compatible with BBC & Atom) Cassette lead (specify BBC or Atom)

Monitors

Lowe 12" green screen monitor
Video lead for above (specify computer)
Orofton Prince 12" hi-res green monitor
Video lead for above (specify computer)
Microvitec 14" RGB colour monitor – as
recommended for BBC Micro

Power Supply

Consumables

Listing paper for GP100, MX80 500 sheets for \$4.78 Continuous labels for same 1000 for \$4.78 C.12 data cassettes 10 for \$4.78

Books

£5.50
£6.45
£5.95
£7.95
£5.50
£6.95

*Delivery £2.50; otherwise 85p for orders under £10, over £10 sent free. ALL PRICES INCLUDE VAT where appropriate.

LIVERPOOL COMPUTER CENTRE

14/16 Manchester Street, Liverpool, L1 6ER.
Access & Visa Accepted 051-236 2000

Run BBC type BASIC on your ATOM

then switch back to ATOM BASIC

Available now from Acornsoft, a 20k BBC ROM conversion module which can be added inside an Atom. It will support the full set of BBC - type BASIC commands. The BASIC syntax is identical so all programs that don't rely on the BBC hardware can be run on the Atom without any modification.

The module is fitted in parallel with Atom BASIC and may be selected by a switch or from the keyboard if certain modifications are made. It consists of 16k BASIC ROM, 4k operating system ROM and an additional 2k RAM that can be used by the Atom as well.

Complete with manual

A comprehensive BBC - type BASIC manual is supplied with every set giving full operating and fitting

instructions, alternatively the module can be fitted by your dealer.

The price is £49.95 including VAT.

If you don't have a dealer near you just write to us with with a cheque at the address below, or credit card holders holders can ring Cambridge (0223) 316039 and order directly.

Dept AU 2, Acornsoft Ltd., 4a Market Hill, CAMBRIDGE CB2 3NJ

ACORNS#FI




ATOM & BBC MICROS

- **OUPGRADES OADD-ONS**
 - **●BOOKS**
- PERIPHERALS SOFTWARE
 EX-STOCK

ACORNSOFT BUG-BYTE PROGRAM POWER

AVAILABLE OVER THE COUNTER

MAIN BE GAGENT FOR WARRANTY REPAIRS & SERVICE





TYPEWRITER CENTRES

For all your VIC requirements

- branches throughout the

MIDLANDS and BOURNEMOUTH

PET specialists
-COMMODORE appointed dealers

BIRMINGHAM

City Centre:

52 Bromsgrove Street 021 622 5385

Edgbaston:

92 Dudley Road (opp. Hospital) 021 455 9111

Erdington:

52 High Street (opp. Library) 021 382 0185

Kings Heath:

46 High Street 021 444 7349

Sutton Coldfield:

Knights House,

Gracechurch Centre 021 255 6789

LEICESTER:

34-36 Rutland Street 0533 538745

WALSALL:

7 Leicester Street 92 27589

WOLVERHAMPTON:

68 Worcester Street 90 27627

COVENTRY:

128 Far Gosford Street 0203 28799

BOURNEMOUTH:

75 Seamoor Road, Westbourne 0202 766997



The chip that made a name for itself

In designing an Acorn computer we consider the system both from hardware and software points of view. But between these two is a grey area where functions can be implemented by either. Often the specification of a computer can be enhanced by implementing complex low level software functions in hardware. To do this we need to design hardware rapidly and cheaply.

This can be done if we design chips specifically for the application, as off-the-shelf components often provide features we do not require.

There are exceptions: chips such as microprocessors and memories are standard parts which can be manufactured in volume to cut costs. Specially designed chips can also be used to 'mop up' the board and keep the number of components to a minimum.

There are many ways of designing and manufacturing a chip. At one semiconductor extreme there is the fully custom approach where all steps in the manufacturing process are specified by the designer. Each transistor, resistor and chip component is of the right size and type to perform its function. At the other end, programmable logic arrays (PLAs) have been designed which perform complex combinatorial functions but have no memory, and so can only be used to implement restricted system functions.

there Between these are uncomitted logic arrays (ULAs). These are chips where most of the design work is already done and components have predetermined

There's no smoke without fire although computer and magazines make little of the issue (right), Sinclair does seem to have been hit by the same problem that delayed the BBC micros - faulty ULAs. But how can one chip cause such a fuss? Acorn director Andy Hopper explains the tricky aspects of uncommitted logic arrays in system design.



who has started the rumo that Sinclair has run into the same ULA problems which have dogged the BBC Computer? Do we sense dirty Puter: Do we sense dirty deeds afoot? Fact is, there the Spectrum which involved the first batch of machines being sent back to the Timex factory at Dundee and this, Coupled with a short strike there, delayed initial deliveries Somewhat. But production is recently with according to the residence of th recently witnessed by Editor

Codwell in person when

Clive flew a select group of micro-hacks to

Dundee in the Sinclair plane Dundee in the Sinclair plane
(a twin engined, turbo-prop
Cessna Corsair — nice, but
without the gold-plated
fittings which Jack Trameil
has in his jet). And 'Rodders'
Spectrum, so they are being Spectrum, so they are being delivered. And it works, so discount any ULA rumours

Spectrums, hilarious news reach Cop clu Spewere hand

technical unincumes.

values and sizes. Furthermore, these basic building blocks are in fixed places on the chip. Normally this is done on a grid with components grouped into cells, which are then arranged in rows across the chip. To commit the chip, or customise it to a design, the designer has to specify how these building blocks are connected. Normally this is done by a small number of easy manufacturing steps so the chips can be made cheaply.

Lhere are many ULAs designed in both bipolar and MOS technologies and in sizes ranging from 100 to 8000 gates. Customisation is carried out by depositing either a single or double interconnecting layer of metal on the surface of the chip. In some ULAs, the metal connects resistors and transistors which are used to form gates, in other systems the gates have already been manufactured and the customising is done at a higher level.

Depending on the application the ULA works at a speed at which it can communicate with the neighbouring logic. The fastest ULAs have switching speeds of less than one nanosecond per gate. Then there are systems which switch at tens or hundreds of nanoseconds per but gate, consume less power. Hence a larger number of gates can be houses in one package without the need for special cooling.

To make ULAs versatile it is

41

ULA DESIGN



possible to specify the voltages on the pins used to communicate with other chips. Thus it is easy to mix MOS, TTL and ECL logic or use any other system. This is normally possible because around the outside of the ULA there are peripheral cells which contain components used to implement pin driving functions. In some cases it may be possible to perform simple analoguefunctions in this way.

Lo design a ULA it is necessary to know the rules for implementing logical functions. The ULA concept restricts the way components can be connected but this has the advantage that it prevents mistakes. The rules are simple and specify the maximum fan-in and fan-out of a gate and may prohibit some unusual forms of asynchronous logic. To design the chip it is also important to take into account the propagation delay of each gate and how this varies with the way it is others, connected to with termperature and with production tolerances.

Once equipped with the design rules it is possible to specify how ULAs are to be committed. This can be done either by designing in some other logic system - such as TTL - and converting to the chip design, or by designing directly in the logic system of the ULA. The former approach has the advantage that it is possible to build an emulation easily. The latter allows gates to be used only as required and it is possible to take advantage of ULA features to design systems which would otherwise impossible with discrete logic. There is an example of this kind of flexibility in the BBC machine's video processor.

In this we have used a palette memory which provides some of the sophisticated graphics features. The memory is dual-ported so it can be addressed in two ways, one for up-dating and the other for reading contents. This would take many more components if it were done externally in discrete logic.

When the logic design is complete the likelihood of



ULA casing hides 8000 gates

successfully computing the physical interconnection structure of the ULA is estimated. To do this, the gates in the system are counted. Clearly this must be less than the total number of gates available for connection. However, if the design is complex, it may be difficult to use each gate without blocking-off or encircling others. Thus it may take great skill to use more than threequarters of the available components. However, as the chip price is not very dependent on the number of components used, there is always pressure to use as many gates as

'Some faults only appear in extreme conditions'

possible. All Acorn ULAs have used 95% or more of the available components.

When designing the ULA it may be possible to implement analogue as well as digital functions, but this is only possible with ULA systems where individual transistors and resistors are available for interconnection. An analogue circuit on the BBC machine serial processor can approximate a sine wave used for storing data on cassettes. This interface performs well because the ULA allows a high quality approximation to be provided cheaply.

Although ULAs can be designed using hand techniques, as the number of gates increases software tools have to be provided. These fall into two categories: simulators which predict the behaviour of the chip before manufacture and layout, and layout and verification programs which take the simulated

design and implement it on a ULA.

Therefore a complex design is begun by simulating the logic. To do this the design is specified using either graphical input or a Once design se. the has been described it can be by providing simulated input waveforms. The outputs are then checked until the design is satisfactory. To convert this to a physical chip the gates are placed on the surface of the ULA (or allocated to uncommitted components) then and connected together.

Ithough programs exist to do this automatically, complex designs require manual intervention. Because the simulator only uses assumptions about the location of gates and because hand intervention may have introduced errors, it is crucial to be able to simulate the chip using the physical implementation as the model. Only once this has been done and the results are information satisfactory is the passed to a manufacturer who makes the chips. If the tools are of high quality the chip will perform exactly as the simulator predicts and work first time.

anufacturing steps are fairly simple - but they take time. If a fault is found it can take months for it to be corrected. In particular, if the design assumes everything will work and does not provide facilities for tracing faults, debugging may be a severe problem. Also it is easy to try to use more components than can be utilised on a chip. The design may work with small variations in production tolerances but may fail if these change substantially. Some faults may only become apparent at extreme operating conditions. Everybody has heard about the BBC machine ULA problem. This was caused by a fault which did not show in samples but was present in later chips. Although it was quickly traced and corrected, the delay in production almost made ULAs a household word.

CARDIFF MICRO COMPUTERS LTD





STOCKIST, **SERVICE &** INFORMATION CENTRE

- BUSINESS COMPUTERS
 - COMPUTER SOFTWARE
- PERSONAL COMPUTERS
- COMPUTER BOOKS
- WORD PROCESSORS
- COMPUTER GAMES
 - COMPUTER MAINTENANCE SERVICE



OSBORNE


All backed by experienced after sales service Over 40 man years of computer experience

46 CHARLES ST. CARDIFF Tel: 373072

PHONE US FOR THE BEST PRICE ON ACORN

SALES & SERVICE AVAILABLE

ESSEX SUFFOLK






CALL US 865926

TEL (0206) 865926



INDUSTRIAL ROBOTS DESIGNED FOR

INDUSTRY RESEARCH & TRAINING



PERRY AVENUE, TEESSIDE IND ESTATE, THORNABY,

CLEVELAND TS17 9LN Telephone: 0642 764823

Windsor Computer Centre

For Acorn/BBC in Berkshire

On display in our Showroom:

- * BBC Model A & B
- * Acorn Atom
- * Tandy Microcomputers
- * L.S.I. System M3
- * Programming Courses Available
- * Specialised programming service
- * Full customer support

We are authorised dealers for all the above products


Stockists for:-

- * Acorn software
- * Books games etc
- * Epson printers
- * Centronics printers
- * Microline printers
- * Monitors
- * Cassette Recorders
- * Calculators
- * Disks etc

Open Weekdays 9.30am-6pm Saturday 10am-6pm

1 Thames Avenue, Windsor, Tel: Windsor 58077 (4 lines)





Paul Carpenter and Graham Field of the ITMA project explain how they write programs using teletext graphics

onverting programs to run on the BBC Machines has presented the ITMA project with a major problem. Software has been written for the Research Machine, 380Z microcomputer and although programs convert relatively easily, there is not enough memory on the model A to use any of the graphics modes and have the program in memory. Even using the model B has proved with some impossible longer programs. But the flexible graphics of the BBC machine provided an answer - write programs using graphics teletext Mode 7 in characters (see below).

Although mode 7 is not precise enough for accurate scientific representation, or measurement, it can provide perfectly adequate displays for educational programs when used with care.

The teletext character set consists of two sequences, which we will call

Pirates. . . just one of the programs ITMA has converted to run in BBC mode 7





the alphabetic sequence and the graphics sequence. The former consists of standard ASC11 characters 32-127, display control codes 128-159, and the ASCII characters 32-127 repeated from 160-255. The latter has the same control characters from 1 - 31, the same display control characters from 128 - 159 and the upper-case letters together with a few other characters repeated twice between 64-95 and 192-223. The graphics themselves consist of six small squares forming a 3 x2 grid for which the code may be calculated from the scheme in figure 1, to which should be added an offset of 160.

he alphabetic sequence is selected by writing an alpha control character, and the graphics sequence by writing a graphic control character (see figure 2) on the current line to the left of the character to be displayed.

Two things must be remembered about the display control characters. Each effects the remainder of the line it is on (until changed by another control character) and each occupies one character position on the screen. Thus:

PRINT TAB (5); CHR\$136; CHR\$132;"*"

will display a flashing (CHR\$136), blue (CHR\$132), star at the seventh position on the line.


To change background, first decide, and set, a colour, change to a new background (which will be in that colour) and then choose and set a character colour. Thus:

PRINT CHR\$131;CHR\$157;CHR\$148;

will display, on the remainder of the line, blue graphics characters (CHR\$148) on a yellow (CHR\$131) background (CHR\$157).

o view the mode 7 graphic character set, run the following program:

- 10 MODE 7
- 20 FOR J=32 TO 126
- 30 PRINT J:CHR\$151,CHR\$1
- 40 Z=INKEY (20)
- 50 NEXT
- 60 FOR J=160 TO 254
- 70 PRINT J:CHR\$151,CHR\$1
- 80 Z=INKEY (20)
- 90 NEXT



BIGALF. . . an introduction to the alphabet which uses screen colour techniques described below

Note that CHR\$151 on lines 30 and 70 defines white graphics. For a different colour, change the 151 to the appropriate code, for example 146 changes the colour to green. The following example shows how to colour the whole screen yellow and print the word FRED in red, double height characters:

- 10 MODE 7
- 20 REM COLOUR SCREEN
- 30 FOR J=0 TO 24
- 40 PRINT CHR\$147,CHR\$157; CHR\$129
- 50 NEXT
- 60 REM PRINT DOUBLE HEIGHT
- 70 PRINT TAB (20,10); CHR\$141; "FRED"
- 80 PRINT TAB (20,11); CHR\$141; "FRED"
- 90 END

This facility is used in the program

...46▶





Figure 1. Six squares make up a graphics grid used to build up characters

Display control characters

- 129 Alpha red
- 130 Alpha green
- 131 Alpha yellow
- 132 Alpha blue
- 133 Alpha magenta
- 134 Alpha cyan
- 135 Alpha white
- 136 Flash
- 137 Steady
- 140 Normal height
- 141 Double height
- 145 Graphic red
- 146 Graphic green
- 147 Graphic yellow
- 148 Graphic blue
- 149 Graphic magenta
- 150 Graphic cyan
- 151 Graphic white
- 152 Conceal display
- 153 Continuous
 - graphics 54 Separated
- 154 Separated graphics
- 156 Black background
- 157 New background

Figure 2. The graphics sequence is controlled by these characters, each of which effects the remainder of the line it is on, until changed by another character





Wordworm. . . spelling program

Figure 3. Listing to plot individual squares

BIGALF which was designed as an introduction to the alphabet for young children.

outines to plot individual squares are shown in Figure 3. To use them, clear the screen and put the appropriate graphics controls down the left-hand side of the screen. Do any display of (upper-case) characters using PRINT TAB (x,y); where y is always less than 24. Do not allow the screen to scroll.

We have found the Basic interpreter fast enought to cope with moving displays using these routines, as in our spelling program, Wordworm above in which a 'worm' is steered by the user to eat the letters of a word.

The ITMA Project - Investigations on Teaching using Microcomputers as an Aid - provides a back-up for teachers. Details from: The Secretary, ITMA Project, College of St Mark and St John, Derriford Road, Plymouth, Devon PL6 8BH.

```
10 REM GRAPHICS RUUTINES
20 REM
30 REM XX runs from 0 to 79 across the screen
40 REM YX runs from U to 69 down the screen
60 REM Include this function in all programs
100 DEF FNMask(A%,D%)=4*E0+2*A% - 32*(A%+D%=2)
120 REM Test location XX.YX. Return ASCLT code il letter,
130 REM O if empty, 1 if set, 2 for a control character.
500 DEF FNtest(XX.YX)
510 LOCAL AX, LX, A1X, D1X, PY
520 PROCEICKOUT(XX.YX)
530 IF(PX)63 AND PX(96) OF (PX)191 AND PX(224) THEN 580
540 IF (PX(32) OR (PX)126 AND PX(160) THEN FX=2:GOTO 580
550 IF PX(127 THEN PX=PX-32 ELSE PX=PX-160
550 P#==((P# AND FNmask(A1#,D1#)) ) 0)
590 REM
595 REM Allocate character position to coordinates XX. YX.
600 DEF PROCPICKOUT (XX,YX)
810 AX = XX DIV 2: A1% = XX MOD 2
620 DX = YX DIV 3: DIX = YX MOD 3
630 PX = 7 (HIMEM + DX*40 + AX)
640 IF(F%)31 AND F%(64) DR (F%:95 AND F%:127) THEN F%=F%+128
550 ENDPROC
660 REM
570 REM Plot at XX. YX
680 REM CX)1 - A graphics character or letter
690 REM CX=1 - A small square in the foreground colour
695 REM CK=0 - A small square in the background colour
700 DEF PROCPIOT(XX,YX,CX)
710 PROCpickout (XX, yX)
720 IF C%)1 THEN F%=C%: GUTU740
730 PX=PX-(FX AND FNmask(A1X,D1X)) + DX*FNmask(A1X,D1X)
740 PRINT TAB(AX,DX); CHRS(PX)
750 ENDPROC
```

Addison-Wesley Computing



A series of quality, reasonably-priced paperbacks created to meet the demands of the microcomputer revolution

PASCAL FROM BASIC Peter J Brown, University of Kent

If you're fluent in BASIC and want to go on to PASCAL without starting from scratch again, this is the book for you. Peter Brown explains the development, advantages, and disadvantages of Pascal, illustrating each new idea with an example. He calls it 'a computing book you can read in bed'.

192 pages fully illustrated

£5.95 paper

BASIC AND THE PERSONAL COMPUTER Thomas A Dwyer and Margot Critchfield

An easy-to-follow introduction to programming in BASIC and extended BASIC for personal computer applications, this book illustrates the great diversity of applications possible on a microcomputer. It is an ideal self-instruction manual for the new user.

438 pages fully illustrated

£9.95 paper

REAL TIME PROGRAMMING - Neglected Topics Caxton C Foster

A practical, applied book for experienced programmers, REAL TIME PROGRAMMING provides an original approach to acquiring the skills needed to connect microcomputers to other computer systems and to access their programs.

224 pages fully illustrated

£6.95 paper

THE LITTLE BOOK OF BASIC STYLE: How to Write a Program You Can Read John M Nevison

Anyone with two hours' programming experience in BASIC can use this book to improve their programming style. It gives nineteen simple rules of style which, once mastered, will reduce the time and practice needed to write better programs.

160 pages fully illustrated

£4.95 paper

Computers in Education

A PRACTICAL GUIDE TO COMPUTERS IN EDUCATION

Peter Coburn, Peter Kelman, Nancy Roberts, Thomas Snyder, Daniel Watt, and Cheryl Weiner

This concise American book will help teachers in Britain take full advantage of the educational opportunities offered by microcomputers. Spanning all ages, abilities, and subject areas, it is filled with practical tips, recommendations, resources, and actual classroom applications.

192 pages fully illustrated

£6.00 paper

Graphics

FUNDAMENTALS OF INTERACTIVE COMPUTER GRAPHICS

James D Foley and Andries van Dam

This comprehensive volume is indispensable for anyone seriously involved with computer graphics. With over 500 illustrations, many in full colour, it covers every aspect of

creative graphics - hardware, software, data structure, mathematical manipulation, user interface, and fundamental implementation algorithms.

960 pages fully illustrated

£15.95 hard

Artificial Intelligence

LISP

Patrick H Winston and Berthold K P Horn

This lucid account demonstrates how symbol manipulation is used in practice. Case studies from many different areas of artificial intelligence illustrate the basic concepts and provide the information needed to go on to further study.

430 pages fully illustrated

£7.95 paper

Networks

THE CAMBRIDGE DISTRIBUTED COMPUTING SYSTEM

R M Needham and A J Herbert, Cambridge University Computer Laboratory

For those who already have some knowledge of logic and computing system design, this book provides a complete description of one complete network system - the Cambridge Ring. The authors discuss the main design issues, functions and applications.

286 pages fully illustrated

£8.50 paper



Addison-Wesley Computing Addison-Wesley Publishers Ltd

53, Bedford Square, London WC1B 3DZ

Please send me the following books. I enclose my cheque for

ORDER FORM

DR Please debit my Access/Barclaycard/Vis	n/Dino	re Club/A	morican
Express Account No.	T T	TS CIUD/AI	Tencan
		шь	ш
Brown/Pascal from BASIC Coburn/Practical Guide to	0 201	13789 5	£5.95
Computers in Education — Dwyer/BASIC and the Personal	0 201	10563 2	£6.00
Computer — Foley/Fundamentals of Interactive	0 201	01589 7	£9.95
Computer Graphics	0 201	14468 9	£15.95
 Foster/Real Time Programming Needham/The Cambridge 	0 201	01937 X	£6.95
Distributed Computing System Nevison/The Little Book of BASIC	0 201	14092 X	£8.95
Style	0 201	05247 4	£4.95
Winston/LISP	0.201	08329 9	£7.95

Address

Signature

Date



Addison-Wesley Computing 53, Bedford Square, London WC1B3DZ

47 ACORN USER SEPTEMBER

Some Great New Deals from Acorn's Great New Dealer...







Banish Saving and Loading Time with the NEW ATOM DISK SYSTEM

NOW you can spend your time actually programming!!
(5K programs load in approx. 2 seconds)

- (5K programs load in approx. 2 seconds)

 40 track single sided 5.25 inch disk drive
- 40 track single sided 5.25 inch disk drive
 integral power supply for Disk and Atom
- disk controller card with 4K DOS ROM
 64 way Euro-connector plug and cable
- manual containing full operating instructions

SOFTWARE

We stock the full range of ATOM and BBC Micro
programs from ACORNSOFT and PROGRAM POWER,
including Word Processor ROM £26
Atom Calc ROM £34
Atom FORTH — Tape £10 Book £6
Programmer's Toolbox ROM £24.50
(ROM Selector Board) £19.50
BBC basic ROMS (phone for availability)



- 80 column print line
- speed 30 characters per second
- single and double width characters
- parallel interface

Visit our new SHOWROOM for a free demonstration or use our prompt mail order service.

MICRO POWER Ltd., 8/8A Regent Street Leeds LS7 4PE Tel. (0532) 683186





Please add 15% VAT to all items except books. Post & Packing 55p/order Large Hardware Items £3.00

MUCROPOWERMUCROPOWERMUCROPOWERMUCRO

ACORN STYLE T-SHIRTS ONLY £2.95




Show the flag with these Acorn real cotton T-Shirts. Send just £3.10 (£2.95 plus 15p post and packaging) and we will despatch one high quality cotton T-Shirt printed in two colours.

Two types available "I'm nuts about Acorn" or just a simple stylish logo, both printed in two colours, three sizes small, medium or large.

Just clip the coupon, send the money and we will do the rest.

To Dealer Deals Ltd., 20,	Orange Stre	et WC2H 7EI			
Please send me (a Deals Ltd	ity) Acorn T-S	Shirts I enclose	cheque/Postal (Order for £ p	ayable to Dealer
NAME					
Please Tick		Logo □ Med □			





unctions can easily be driven from an assembly language program. This follows from the design of the BBC's design of the BBC's display software which is 'code driven' and aimed at an intended future role of machine namely the sophisticated graphics terminal to second language processor, 6502, Z80 or a 16-bit option, with its own memory.

The varied nature of graphics programs makes it difficult to standardise an approach to how VDU commands might readily be translated to a series of assembly language statements.

As each command is accurately defined by a series of data items, one possible way is to use a subroutine to send the series of data items to the machine operating system. For example:

VDU 25,0,0,0,0

is accurately defined by the data series

5,25,0,0,0,0

where the first number, 5, indicates the number of separate data items that follow and are to be sent to the machine operating system via subroutine OSASCI.

he subroutine in figure 1 will send any such series of data items to the machine operating system. It uses the first number in the series to determine how many times it must call the subroutine OSASCI and send a byte of data.

A pair of page 0 memory locations are used as a pointer to

the appropriate data items to be output and the subroutine is called successively for each data item to be sent. The VDU command is stored as a series of parameters to be sent to the machine operating system via the subroutine and any change in the variables (e.g. x, y data pairs) to be sent can be made to the appropriate values in the data series. commands that regularly go homing together can be made into commands have been combined

combined data series for faster execution.

This technique is illustrated in figure 2, a new version of the earlier somewhat lengthy program (Acorn User, July). This is only one possible approach to adopt and is not universally suitable for all assembly language programs.

Since changing the graphics Two or more colour is always followed by the cursor these

Figure 1

```
100 REM assembly language graphics
110 OSASCI=&FFE3
120 PNT=&70
125 DIM A 100
130 FOR PASS=0 TO 3 STEP 3
140 P%=A
150 REM subroutine to send string of
160 REM data bytes as VDU command
170 REM on entry PNT set to start of
180 REM required command string
190 [OPT PASS
200 . SEND
           LDY #0
                       ;Y counts bytes
210
           LDA (PNT), Y ; save string
           STA PNT+2 ;length here
220
230 .NBYTE INY
           LDA (PNT), Y ; send next
240
           JSR OSASCI ; byte
250
           CPY PNT+2 ; finished?
260
           BNE NBYTE
270
280
           RTS
290 ]
300 NEXT PASS
310 END
```



into a single series of bytes. Unfortunately, the BBC assembler does not support a define byte statement and the data values have been placed into RAM from Basic at CCHC. Since CCHC+3 always contains the byte that represents the foreground graphics colour, its value in the data series is changed from within the program.

he command to draw the line horizontally across the screen is also a series comprising two commands that always go together. This series has been placed into RAM at DLIN. After assembly they can be run using the CALL command.

All versions of this program, including the Basic one, will produce far more interesting screen effects if, instead of changing the screen colour, the colour relationship parameter is changed.

In the Basic program this is the first parameter in the GCOL statement. The changes required are:

105 FOR Rel=0 TO 255 120 GCOL Rel, Colour 190 NEXT Rel

In the final assembly language program changing lines 450 and 460 to

450 INC CCHC+2 Inc colour relationship 460 LDA CCHC+2

The unique design of the display software on the BBC microcomputer gives the programmer easy access to all the graphics functions from a machine code program. Since Basic and machine code programs use the same graphics software, the latter does not necessarily lead to any significant speed advantage.


However, machine code programs should prove useful in allowing the programmer to build up a collection of routines that lie outside the Basic text area, loaded directly from tape or housed within the machine in EPROM. Such a library of routines would prove useful in expanding the graphics. For example, circle or arc drawing routines could be written that would be available for use from Basic or any other high level language option as required.

Figure 2

```
100 REM assembly language graphics
110 MODE 5
120 REM
130 REM placing the command data into RAM
140 DIM DLIN 200
150 REM draw lines command data
160 \text{ FOR J} = \text{DLIN TO DLIN}+12
170 READ BYTE
180 ?J=BYTE
190 NEXT J
200 DATA 12,25,1,0,5,4,0,25,1,0,&FB,4,0
210 CCHC=DLIN+13
220 FOR J = CCHC TO CCHC+9
230 READ BYTE
240 ?J=BYTE
250 NEXT J
260 DATA 9,18,0,0,25,4,0,0,0,0
270 OSASCI=&FFE3
280 POINT=&70: REM page 0 location
290 FOR PASS=0 TO 3 STEP 3
300 P%=CCHC+10
310 [OPT PASS
320 .NCOL LDA #CCHC MOD 256 ; set pointer to
330
           STA POINT
                              ; CCHC data
340
           LDA #CCHC DIV 256
350
           STA POINT+1
           JSR SEND
360
370
           LDX #128
           LDA #DLIN MOD 256 ; set pointer to
380
390
           STA POINT
                              ;lines data
400
           LDA #DLIN DIV 256
410
           STA POINT+1
420 .NLIN
          JSR SEND
430
           DEX
                              ;dec line count
440
           BNE NLIN
                               ;another line?
450
           INC CCHC+3
                               ;inc colour
           LDA CCHC+3
460
470
           CMP #16
                               ;finished?
480
           BNE NCOL
490
           RTS
                               ; return to BASIC
500 ]
510 REM subroutine to send string of
520 REM data bytes as VDU command.
530 REM On entry POINT is set to start of
540 REM required command string
550 REM Note - corrupts Y reg
560 [OPT PASS
570 .SEND LDY #0
                     ; set byte count
580
           LDA(POINT), Y ; save string
590
           STA POINT+2
                         ; length here
600 .NBYTE INY
610
           LDA (POINT), Y ; send next
           JSR OSASCI ; byte
620
630
           CPY POINT+2
                         ;finished?
640
           BNE NBYTE
650
           RTS
660 ]
670 NEXT PASS
680 END
```









Snapper makes eating noises as he snaps the ghosts, dots



After the ghost has been 'snapped' their eyes return to the cave. direction they are



The ghosts eyes always look in the




Blue ghost ready for eating. If not eaten quickly they flash and



Fruits increase in value with higher scores.



Bonus points awarded for eating fruit.



Snapper-the new addictive arcade-style game for the BBC micro from Acornsoft. Snapper's food is fruit and he must eat to stay alive. Ghoulish ghosts try to gobble him up and he can't fight back until he has found and eaten a power pill.

A total of 1,000 points is the minimum to rank among the top eight players on the high-score table - but the highest known score is 127,000!

Snapper has amazing eight colour graphics with full sound effects and a high score ladder.

Acomsoft Ltd 4a Market Hill CAMBRIDGE CB2 3NJ.

51 ACORN USER SEPTEMBER



Getting analogue data onto the screen with a BBC model B is easy. Ian Carpenter, a Cambridge science and microtechnology inspector shows you how. If you haven't got the upgraded model, don't worry - getting from A to B is as easy as . . .

ANALOGUE IN

Vicrocomputers are digital devices, they live in a world of 'on' and 'off' or 0s and 1s. But the world around us is not so black and white, so to connect the real world to a micro you need an analogue to digital converter (ADC). The model B is fitted with a converter available through 'analogue the connector. Don't despair if you only have a model A; about £10 and 15 minutes will sort that out.

BBC Basic fetches Analogue-Digital VALue from the ADC with the instruction ADVAL (1). There are four channels on the ADC chip so selects brackets just channel.


Type this into your computer: P. ADVAL (2)


Model A owners can easily add on the 'analogue in' facility. A 74LS00N chip fits in socket IC77, a D7002C ADC chip fits in socket IC73 leaving 10 minutes to solder a right angle 15 way 'Dee' socket onto the main board using the holes provided. If you are not happy doing this job yourself, have a word with your Acorn dealer.

the you will get a number, about 60,000 returned. Try it again, you should get another number at about 60,000. As we haven't connected the number in anything to the 'analogue in' which connector we are getting random numbers returned through ADVAL. Voltages of from 0 to 1.8 volt fed connector produce into the

numbers in the range 0 to 65,520 (see User Guide for why). The easiest way of feeding this voltage in is to use a variable resistor or potentiometer connected beween 0 to 1.8. The computer gives us 0 and 1.8 on the 'analogue in' connector on pins 5 and 11 respectively and we can feed back our voltage on pin 15. (Note that Adval (1) refers to CH0, ADVAL (2) to CH1 etc on the diagram on page 223 of the provisional guide, note also error number 2,756! (Pin 14 is not CH1 it is VREF.)

Let's look at a program using ADVAL. Program 1 is called 'paint the adder and draws a snake on the screen - you have to paint the stripes on his back using a potentiometer as a paint brush.





Pendulum recording . . . same period, but different amplitude



Lines 10 and 20 clear the screen and select a graphics mode with text and graphics combined. Line 30 determines the x co-ordinate of the snakes head whilst line 40 determines the y co-ordinate. PROCBOX is a procedure defined in lines 150 to 160 which fills in a box on the screen at co-ordinates x, y.

ine 70 takes the value of ADVAL (1) and divides by 65 to make the number returned to be in the range 0 to 1000, so it fits on the graphics screen. Line 80 uses the value of V to print '>' on the back of the snake so our simple voltage divider potentiometer can move the arrow up and down the screen to leave the '>' on the adder's back (with practice!). Line 90 slows the snake down - if you get good you can reduce the 20 to a smaller number to suit your ability. Line 140 allows you to repeat the game by pressing the space bar.

The 'paint brush' or games paddle should be made from a 10kΩ potentiometer as shown in figures 1-3. The 10kn potentiometer should be 'linear' but a 'log' type could be more fun.

Any aspiring (or perspiring!) O-Level physics student could have a great deal of fun rearranging the potentiometer above with a piece of string and a small weight to get the arrows painted automatically on the snake's back. Fun maybe, but it does have a serious side because many of the measurements made in school laboratories could be fed into the BBC micro for processing and display.

ambridgeshire Educational Computing has produced programs which allow pH, voltages, current, light level, wind speed, temperature, weight, mass and so on to be displayed in large digits, on an analogue scale or as a graph with respect to time. Automatic weather stations can be set up recording say temperature, sunshine, windspeed and wind directions over a time span of a week or, as shown on the left, a recording over 20 seconds of the swing of a simple pendulum showing that the period is the same even though the

Britain. . . as seen on the screen via a graphics tablet

10MODE 5 20VDU5 30FOR X=0 TO 1100 STEP 20 40Y=450+250*COS(X/90) 50PROCBOX 60VDU26 70V=ADVAL(1)/65 80MOVE X, V: GCOL1, 2: PRINT">" 90Z=INKEY(20) 100NEXT 110VDU19,3,8,0,0,0 120SOUND 0,-15,4,30 130MOVE X+35, Y+50: GCOLO, 3: PRINT"<" 140REPEAT UNTIL GET\$=" ":GOTO 10 150DEF PROCBOX 160VDU24, X; Y; X+70; Y+70; 170GCOL1, 129: CLG 180ENDPROC

Program 1. Draws snake on screen ready for colouring


amplitude is significantly different. The displayed just as easily as a heart's content. cooling curve. These areas will With a micro as good as the over the next few years - exciting times ahead. manufacturers beware!

Another interesting possibility using the 'analogue in' connector is the use of a cheap graphics tablet costing about £60 (one tenth the cost of any conventional tablet).

software developed for Exponential decay of voltage graphics tablets allows pictures to across a capacitor can be be rotated and distorted to your

revolutionise science equipment BBC machine we are in for some

Further details of software and hardware can be gained (sae Cambridgeshire from please) Educational Computing, Resource and Technology Centre, Back Hill, Ely, Cambs.



TEACHING TEACHERS

Primary teachers in their thousands are now showing an active interest in computing, and the advent of the BBC micro is expected to swell their numbers still further. We have the beginnings of computer studies (learning about computers) and computer-aided learning (learning with computers) two areas which often overlap. learning Teachers how are computers handle information in the world outside school, and discovering how computing could be used to help children handle information.

No one can claim to have all the answers about computing and primary education, but anyone with initiative, a microcomputer and an interest in education is well equipped to join the pioneers.

At first, teachers looked to a computer for help with work they were already doing. Many programs of the 'drill and practice' variety were written, which children find more attractive on a computer than with pencil and paper.

However, despite the claims, these programs do not teach, although they can test or practice what children have already learnt.

Far more exciting are programs that aim to extend learning. These may look more like play than work, but they offer opportunities for children to discuss ideas, think, try things out and learn from mistakes.

Computer awareness and confidence is something children can gain once a micro comes into a primary school, no matter what programs are on it. Children can see for themselves that computers are fast and interactive, and that information flows between the user and the computer. They develop a casual approach to the technology that is the envy of many adults.

In many schools this is taken further. At any age there is a certain satisfaction to be gained from understanding a program, knowing what the computer must do, and then imputting some information that will force it to make a fool of itself, or will outwit the programmer. Such experiences help can develop children healthy a

Pam Fiddy reviews the problems facing teachers who want to use micros

relationship with the technology, and prove computers do not always know the answers, and are not better than people at 'getting things right'.

hildren can be taught to program from an early age – though arguments rage as to whether they should do so. But the intention is not to turn everyone into programmers, it just reflects the fact that computers, like written words, are important in our lives.

Learning to use a microcomputer can be exasperating as well as exhilarating, but help is available from BBC micro user groups such as MAPE, the Shell Centre for Mathematical Education at Nottingham University, and the ITMA Project at Plymouth.

Expertise and equipment is spreading quickly beyond the inner circle of committed enthusiasts. Now computer users can hope to be guided safely past the blind alleys which have dogged early developments in this area.

EYES down! Mrs Thatcher

EYES down! Mrs Thatcher studies some positive results of her micros for education scheme at South Downs College near Havant. The school has launched a four-year microelectronics programme supported by local industry and Hampshire County Council.

Help is at hand if you're stuck

Training courses are springing up everywhere, but many teachers have difficulty applying their new-found knowledge when they return to their own schools.

The ITMA Project (Investigations on Teaching with Micros as an Aid) and the Shell Centre for Mathematical Education are evaluating three types of training course. Each gives a pair of teachers a BBC micro, software, evaluation material and six workshop sessions. The difference is in the level of support given with the workshops. A school with full support has the benefit of a personal tutor with each session. Medium back-up means that the two teachers pack up their computer and join others for a workshop with a tutor.

Minimum support means no tutor is provided with the workshops. The results are not yet available, but we'll let you know.

Details of these courses are available from Mrs. Rosemary Fraser, ITMA Project, College of St Mark and St John, Plymouth PL6 8BH, or from Professor Hugh Burkhardt, Shell Centre for Mathematical Education at Nottingham University.

A user group for teachers – and parents – is MAPE (Micros and Primary Ecducation), which was formally launched in January. Call for help to: Barry Holmes, St Helens Primary School, Bluntisham, Cambridgeshire (sae appreciated).



REGISTERED REFERRAL CENTRE FOR THE BBC PROJECT

DEVOTED EXCLUSIVELY TO THE BBC MICROCOMPUTER

CURRENT MEMBERSHIP **EXCEEDS 6000**

BRITAIN'S LARGEST SELLING SINGLE-MICRO USER GROUP

IF YOU OWN A BBC MACHINE, OR HAVE ORDERED ONE, ORARE JUST THINKING ABOUT GETTING ONE, THEN YOU NEED BEEBUG.

BEEBUG runs a regular magazine devoted exclusively to the BBC Micro (10 issues per year).

Latest News on the BBC project.

What you should know before you order a machine.

New program listings, regular advice clinic, and hints and tips pages in each issue.

April Issue: 3D Noughts and Crosses, Moon Lander, Ellipse and 3D Surface.

Plus articles on Upgrading to Model B, Making Sounds, and Operating System Calls.

May Issue: Careers, Bomber, Chords, Spiral and more, Plus articles on Graphics, Writing Games Programs, and Using the Assembler.

June Issue: Mazetrap, Mini Text Editor, Polygon; plus articles on upgrading. The User Port, TV set and Monitor review, Graphics part II, More Assembler Hints, Structuring in BBC Basic, plus BBC Bugs.

July issue BEEB INVADERS and other programs - plus articles on using the Teletext mode. BBC cassette bugs fix. Software Review, using user defined keys. More on structuring in Basic, Using the User Port, and many hints and tips.

BEEBUG Not only bring you 10 Magazines a year (now 36 concentrated pages) but provides two other invaluable services:

MEMBERS SOFTWARE LIBRARY and EXTENSIVE DISCOUNT SCHEME on products for the BBC micro.

MEMBERS SOFTWARE LIBRARY

A growing range of software available to members at around £3.00 -£3.50 per cassette eg

GAMES 1: STARFIRE (32k) Starwars type game with excellent sound and graphics.

GAMES 2: MOON LANDER (16k) 3D NOUGHTS &

CROSSES (32k)

GAMES 3: SHAPE MATCH (16k) RAT SPLAT (16k) MINDBENDER (16k)

GAMES 4: MAGIC EEL (32k) MAN HOLE (32k) UTILITIES 1 DISASSEMBLER (16k) REDEFINE

(16k) (Create your own graphics characters)

MINI TEXT EDITOR (32k)

APPLICATIONS 1 SUPER PLOT (32k)

Note: This software is only available to members at these prices. For further details of our software library, and how to order cassetes. JOIN BEEBUG.

Send SAE for information or; Membership: 6 months - £4.90 Send £1.00 and A4 SAE for sample.

£8.90 (Overseas yearly membership only. Europe £14.00) London SW3 4TE 1 year -

Make cheque to BEEBUG and send to: BEEBUG, Dept. 13, 374 Wandsworth Road.

For editorial material send to: The Editor, BEEBUG, P.O. Box 50, St. Albans, Herts AL1 1AR

VoxBox

the product that speaks for itself!

Speech adds a new dimension to computing and the Mutek VoxBox, unlike most other systems, gives the capability to generate unlimited vocabulary speech from your computer. The unit is easily programmed via a parallel or serial port and a version is available for most popular computers. The principle of phoneme synthesis is used and, because phonemes are the "building blocks of speech", all English words and a large number of foreign language components may be easily constructed.

An increasing range of software is available to enable quick and easy sentence construction The hardware is supplied complete and tested with inbuilt power supply and connectors for your computer.

Versions range from £65 for connection to PET, Apple, TRS-80, Video Genie, OSI, UK101, VIC and Acorn with no hidden extras for connecting leads, free demonstration software and excellent documentation.

Listen before you buy

We can honestly say the quality is nearly as good as human speech, so why not call us after 6pm and listen to our computer talking through VoxBox. You may place a credit card order or a request for further information after the message.

Mutek

Quarry Hill, Box, Wilts Tel: Bath (0225) 743289

BI 12 6 **BYTES**

44 Fore St. Ilfracombe, Nth Devon. Tel: (0271) 62801

Acorn Dealers Video Genie Sales and Service

Atom Micros

Acorn GP80 Printers

Seikosha GP100A Printers

Monitors - 12" B/W

Monitors - 12" Green

51/4" Disc Drives (C/W P.S.U. & CASE)

BBC Micro Service and Information Centre

BBC Upgrade Kits

51/4" Floppy Discs

BBC printer interfaces

C-12 Cassette Tapes

Cassette Recorders

Continuous Stationery

Software

Software

written to order

REPAIRS & SERVICE



Solve the cyphers in Simon Dally's brainteaser and you are well on the way to winning this month's £20 prize of software.


The advent of the computer age has opened up vast new areas in the field of codes and ciphers. A computer's ability to perform millions of operations slavishly and correctly makes it an ideal tool for taking the drudgery out of encoding and decoding a language. Indeed, looked at one way, a computer is a natural cryptological machine.

Some codes, such as semaphore or morse, have been developed, not to ensure secrecy, but to facilitate communications. Radio hams sometimes convert text to and from morse code with computers: if you can interface your micro to a shortwave radio you can have some fun 'eavesdropping' on the traffic.

The most famous example of a computer-related code must be that produced by the Enigma machine, used by the German High Command throughout World War II.

But at Bletchley Park in Buckinghamshire a top-secret Allied team was merrily reading most of the messages from mid-1940 onwards. The resulting material – dubbed 'Ultra' – is now recognised as having played a significant role in winning the war.

Enigma consisted of interlinking and individually settable wheels (three to begin with), each of which had 26 pairs of input/output leads, wired differently for wheel one, wheel two, etc. The operator would punch the relevant letter on a 26-letter keyboard and, via a tortuous route,



Enigma with the lid off . . . this Polish reconstruction shows the wheels which did most of the encoding, the lamps which lit up the encoded or decoded letter and the keyboard.

the signal would travel through the wheels (and a few other things built into this electronic maze) before coming back to light up a different letter on a glass-covered keyboard. In this way a whole message could be encoded and sent by morse to its destination, where an identical machine would decode it.

If you are a skilful programmer, you could probably turn your micro into a simulation of an Enigma machine. On a BBC micro, the DEF PROC statement might be useful in setting up the input/output leads on each rotor.* For those less inclined to embark on grandiose projects, this month's competition features two secret messages. Both can be solved with pen and paper – but a computer program should make it easier.

In the example on the left below, each letter stands for one and only one other letter. The starting point is to analyse the frequency of the letters. The subject matter of the message, incidentally, was frequently helpful in breaking into Enigma.

The example on the right below is more complex, as it uses a keyword. Thus, if your keyword is 'ACORN' and the word you're encoding is 'Microcomputer', the result is NLRJCDRBHIUHG, obtained as follows: A is the first letter of the alphabet; you therefore add one to M to get N. C is the third letter, so I becomes L. O is the 28th letter, etc.

You have two clues from your spies: at least four of the five-letter words are suspected to be the same. Second, the encipherer is known to favour keywords of a literary bent - 'LEOTOLSTOY'.

'WILLIAMSHAKESPEARE'.

One final aid - the spaces in both messages are genuine.

Send your entries to the Competition Editor by October 1 and mark them 'Competition 2'. The first three correct entries out of the bag win £20-worth of Acornsoft packages.

FOOTNOTE

*For details see *Top Secret Ultra* by Peter Calvocoressi (Sphere), *Ultra Goes to War* by Ronald Lewin (Arrow) and, best of all, *Cryptologia* vol 6, no 2 (Rose-Hulman Institute of Technology, Terre Haute, Indiana 47803, USA)

UVQOAVI IVGRIO XIRH OAV OJHVK NFDP XRFIOVVM MJMVOVVM
VJTAOP OUR DRMSRM KRFOA VQKO VMTDQMS OAFMSVIP KARUVIK
ZVCRHJMT HRIV UJSVKGIJEV UJMS VQKOVIDP DJTAO OR HRSVIQOV
HQYJHFH OVHGVIQOFIV OUVMOP X JEV SVTIVVK CVMOJTIQSV
KVEVMOP KVEVM XQAIVMAVJO

GISS J RTM F QRJZI J NIUPS KT O HIDEX N IXESWTOHII OC

B QMJGW C YVYVUMU VL U HVSMR GVO PBJB S CSHBHX U ROX

J DZU VPUD QRJZIJNA N MWXHG KPM GIB KO TSJ UCKIZUR B

UQBNL XFFUMM

Get the NEW EPSON mk



Quickly. Cheaply.

QUICKLU because as one of the UK's largest Epson distributors we have ample stocks.

In London, Birmingham, Manchester, Newcastle and St. Ives (Huntingdonshire).

Ohoanlu because we move Epson's quickly, and you are buying directly from the distributor.

Get it





Bilton Industrial Estate Fairway Drive Greenford Middlesex UB6 8PW

Telephone: London: Birmingham:

01 578 0957 021 554 5827

Manchester: Newcastle:

061 764 0324 0632 326551

St. Ives:

0480 66343

30+ PROGRAMS FOR THE BBC MICROCOMPUTER

This Book contains program listings, with explanations and tips on using the BBC Micro

GAMES UTILITIES GRAPHICS & MUSIC

'ASTRO RUN' 'FASTFINDER' '3D GRAPHICS' Most programs will run on Models A & B Edited by C.J.Evans, various Authors.

> ISBN 0 946190 00 3 £5.00 inclusive of p&p

Cassette leads for the BBC Micro

The BBC Micro comes with an incomplete lead 7Pin Din to 2x3.5mm & 1x2.5mm minijacks £4.65(a) 7Pin Din to 5Pin Din & 2.5mm minijack £4.65(a) £4.65(a) 7 Pin Din to 7Pin Din £1.50 (a) 7Pin Din to 2x3.5mm minijacks (see XX) £1.50 (a) 7 Pin Din to 5 Pin Din (see XX) 7Pin Din PLUGS Two for£ .65(a) Two for£ .65(a) 6Pin Din PLUGS (for RGB socket) 5Pin Din PLUGS (360° for RS232) Two for£ .65(a)

XX These leads allow you to load and save but have no remote facility

MONITOR/VIDEO LEADS

BNC Plus to Phono Plus £2.20 (b) (i.e. BBC Micro to Rediffusion TVRM) Full range of video leads in stock

PRINTERS

FROM £228.85 inc VAT STAR DP8480 80CPS : 80/96/132 COLS

BIDIRECTIONAL LOGIC SEEKING

CENTRONICS RS232 FRICTION FEED £199.00 £213.00

+29.85 VAT +£31.96 VAT =£228.85 =£245.00

TRACTOR WITH £217.39 £246.09 +£36.91 VAT FRICTION FEED +£32.61 VAT

=£283.00=£250.00

(24HR SECURICOR DELIVERY FOR PRINTERS £6.00)

PRINTER CABLE BBC to 36way CENTRONICS TYPE CONNECTOR £17.50 (f)

PRINTER CABLE BBC to 25 WAY D TYPE (FOR USE WITH RS232) £9.50 (f)

RAM CHIPS

4816 (100ns) As used in the BBC, 8 Chips gives 16k £4.00 each (b)

Special offer 8 x 4816 for £29.00 p&p free

2114 As used in the Acorn Atom 20 Chips gives 10k £1.20 each (b)

Programs for the BBC Micro wanted

A RANGE OF SOFTWARE CASSETTES AVAILABLE SHORTLY Send SAE for full price list

VAT Included where applicable POSTAGE (a) 35p (b) 50p (f) & Book Free Orders over £10.00 post free (Not applicable to printers)

C.J.E. MICROCOMPUTERS

25 HENRY AVE, RUSTINGTON, W.SUSSEX. BN16. 2PA (09062) 74998

USER GROUP NEWS



Calling all Atom fans

The **Atom User Group** started in 1980 as a result of discussions between myself, then an undergraduate at Cambridge and the staff of Acorn. It is run as a part-time enterprise by three people in Coventry. We intend to provide a newsletter four times a year, and to provide a software library service, all at basically the cost of organisation, production and distribution.

Software in the library has been contributed by members of the group, and all members are encouraged to contribute software and articles for the newsletter.

Membership is around 1000 worldwide. The majority of members are individuals, although there are a number of schools. I feel the education section is an area that needs encouraging as it does not seem to be well supported.

If you would like any more information, contact: David Frost, c/o 18 Freshwell Drive, Potters Green, Coventry.

Teachers unite

Muse is a national organisation of teachers involved schools microcomputing. Members receive our journal Computers in Schools four times a year, and two special reports on important and topical aspects of microcomputers. The February 1983 report will consist of a comprehensive review of the BBC micro and The peripherals. next report (September 1982) will deal with interfacing microcomputers.

Regular meetings are arranged and Muse is active in the development and standardisation of educational software. It supports an extensive library of progams for microcomputers. Other services to members include microcomputer (and video) insurance, and

concessions with equipment suppliers.

Membership fee is £10 and forms can be obtained from Muse, Freepost, Bromsgrove, Worcestershire B61 7BR.

And the rest

- ■The BBC (National) User Group holds monthly meetings: has a free software library, and issues a monthly news-sheet: Discounts arranged on printers, disk drives, and other hardware. Membership £8 a year payable to the Group. Contact: J. Craig, 40 Mount Pleasant Avenue, Wells, Somerset BA5 2JQ
- ■Abug stands for Atom/BBC User Group. Meetings are on second Wednesday of every month at premises of Superior Systems Ltd, 178 West Street, Sheffield from 6.30-8.30 pm. Contact Steve White at (0742) 755005
- ■Beebug have asked us to inform readers that the club is run by Sheridan Williams and David Graham.

Anybody else out there? Contact Acorn User, 53 Bedford Square, London WC1

USER GROUP LIST

Mr J. Ashurst

Acorn Computer Users Group

Abraham Moss Centre Crescent Road Manchester 8

Mr P. Beverley

Norwich Area Acorn User Group

Room 12a Norwich City College Ipswich Road Norwich NR2 2LL

Mr B. Carroll The Cottage 42 Manor Road Aldershot GU11 3DG

Mr M. Christiansen

BBC Users Group

Marienlystveien 2 - Stavne
N-7000 Trondheim

Mr J. Craig
National BBC User Group
40 Mount Pleasant Avenue
Wells

Somerset BA5 2JQ

Norway

Amateur Computer Club St John's College Oxford OX1 3JP Mr D.L. Evans 23 Hitchin Road, Henlow Camp Bedfordshire

Mr J. Price Bedford House 27-28 St George's Road Brighton Sussex

Mr T. Sharples

Laserbug

4 Station Bridge

Woodgrange Road

London E7 ONE

Mr C. Rutter

Medway Atom Users Group St John Fisher School Ordnance Street Chatham Kent

Mr P. Frost
Atom User Group
18 Frankwell Drive
Potters Green
Coventry CV2 2FB

Robin Bradbeer
Association of London
Computer Clubs
Polytechnic of North London
Holloway
London N7 8DB

Mr T.G. Meredith

Acorn Atom User Group

Sheerwater, Yealm View Road Newton Ferrers South Devon

Mr C.M. Rutter

Manchester Atom Users' Group

3 Leopold Avenue Withington Manchester M20 8JG

Mr R. Luff
Kingbee
54 Arlington Close
Kingswinford
West Midlands

Steve White
Atom/BBC User Group
c/o Superior Systems Ltd
178 West Street
Sheffield
Tel: (0742) 755005

N.P. (Bazyle) Butcher Harrow Computer Group 16 St Peter's Close Bushey Heath Watford WD2 3LG

Richard Green

Muse
22 Tennyson Avenue
Hull HU5 3TW



his program aims to provide a means of displaying experimental data graphically. The data

inspected and then, if appropriate, it can be approximated to a straight

represented on the graph can be line, the gradient and intercept being calculated by the method of

continued page 63▶

```
10 FDIMMMM50, MYY50; DIM C20, B5, P-1
                                                             4160 N. FIF %A=0 G.a
  20 P. #21; V=P: [ JSR#FFE3; RTS: ]
                                                            4170 D=1:60S.b:60S.d:D=-1:60S.b:60S.d
  30 H=185; N=249; J=4
                                                             4200aIF L L=01G.e
  49hH=0, P=0, L=0, MA=0, @=1
                                                             4210 G. U
  50 P. #6#12"INPUT YOUR VALUES AS PROMPTED" 16.X
                                                            4300b; XN=0:DO XN=XN+D*XH; XR=XN*XF+F; MDVEXR, (G-2); PLOT2:0:4
 100mP. $12"1. INPUT MORE POINTS"
                                                            4318 U.MRD 255 OR MRCOSR.
 110 P. "2. CHECK VALUES ALREADY ENTERED"
                                                             4400dXN=0.D0 XN=XN+D*XB:XR=XN*XG+G:MOVE(F-2):XR:PLOT2.4.0
 120 P. "S. CHANGE CERTAIN VALUES"
                                                             4410 U.WRD191 OR MRCOSR.
 138 F. "4. PLOT POINTS ONLY"
                                                             5000 P.#12,608.j/IF E E=0,L=0,6.u
 140 P. "5. CALC. GRADIENT & INTERCEPT"
                                                            5010 MP=0: MD=0: MS=0: MD=0: MU=0
                                                          5020 FOR A=1TON; MP=MP+XXXA; MQ=MQ+MYYA; N.
5030 MP=MP/N; MQ=MQ/N
5040 FOR A=1TON; MX=MXXA-MP; MS=MS+MX*MYYA; MD=MD+XX*MX; N.
5050 MS=MS/MD; MC=MQ-MS*MP
 150 P. "5. CALC. GRADIENT FOR Y=MX"
 160 P."7. PLOT PTS. & BEST FIT LINE"/
170 F. "S. DELETE CERTAIN POINTS"
 180 P."9. SET SIZE OF DIVISION MARKS"
                                                           5060 FOR R=1TON: XT=XYYA-XS*XXXA-XC; XU=XU+XT*XT; N.
 190 P. "10. RESTART"
                                                            5070 NU=XU/(N-2):XV=S0R(XU/XD)
 200 IN. $B D=XVAL$B; IF DC1 OR D010 G.W
 210 G. (1000*D)
                                                            5680 MW=SQR(MU*(1/W+XP*XP/XD))
1000 P. $12
                                                            5085 IF L G. 1
                                                            5090 FP. "GRADIENT= "XS"ST.DEV. = "XV"
1010xH=H+1
1020EP. "M"N; IN. #B; XXXN=VAL#B
                                                            5100 FP. "INTERCEPT= "%C"ST. DEV. = "/%W)G.U
1030 IF?B=13 N=N-1;6.m
                                                            6000 P.$12,605.3; IF E E=0:L=0:G.V
1040 605.6; IF E G.z
                                                            60100XS=0;XU=0;XD=0;XC=0
1050gP. "Y"N, IN. #B, NYYN=VAL#B
                                                          6020 FOR A=1TON: 2S=XS+XXXA*XYYA, ZD=XD+ZXXA*ZXXA; N.
1060 IF7B=13 N=N-1/6.m
                                                          6030 XS=XS/XII; FORA=1T0H; XT=XYYA-XS*XXXA; XU=XU+XT*XT; N.
                                                          6040 XU=SQR(XU/(N-1)/XD)
1070 GOS. a. IF E G. y
                                                          6050 IF L G. i
1080 6.x
1190cE=0;FORD=0TO(LENB-1)
                                                            6060 FP. "GRADIENT= "%S" "ST. DEV, = " MU.G. o
1110 T=B?D; IF T<58 IFT>47 N. JR.
                                                            7000 P. $12, L=1
1120 IF T=69 ORT=46 ORT=45 ORT=43 ORT=13 N. P.
                                                            7010 IN. "DO YOU WANT TO ASSUME Y=MX"$B; IF?B=89 G. 8
1130 E=1 P. $7 N. FR.
                                                            7020 0.5000
2000 P.$12"PRESS RETURN TO GO DH""
                                                            7110 XX=XL*XF+4; XY=(XS*XX/XF+XC)*XG; PLOT5, CXX+F), (XY+G)
2010 FOR A=1TON; P.A" ", FP.XXXA" "XYYA"
                                                            7120 6.0
2020 IF AX16=0 LIMMY
                                                            8000 GOS.w.IN. "DELETE" $B: IF?B=78 L=2:G.+
2030 H.; IF L=2 L=0; G. P
                                                            8010 IF?BO13 IF?BO89 0.8000
2040 IF L L=0;6.h
                                                            8020 M=0, DO
2950 G.V
                                                            8030 IN. "DELETE POINT NUMBER" $B
3000 605.0
                                                           8040 C?M=%VAL$B; M=M+1; U.LENE=0; M=M-1; IF M=0 G.m
3010 IN. "CHANGE" $B: IF?B=78 L=1:0.#
                                                            8050 FOR T=0TOM; A=0; FOR D=0TO M; IF CODEA A=COD; K=D
3020 IF2B048 IF2B058 G.u
                                                            8060 N., C?K=0; IFA=0 N., G.m.
3030hIN. "CHANGE POINT NUMBER"$B
3040uA=%VAL#B; IF ASH P. "I ONLY HAVE "N"PAIRS!" G.h
                                                            3070 N=N-1,FOR D=A TO N; (A)(D=200((D+1); 2)(Y)D=22YY(D+1); N., N.: G.m.
3050 FP. "I HAVE "XXXA" "XYYA"
                                                            $200mP.$12"THE POINTS YOU HAVE ENTERED" "ARE NUMBERED 1 TO "N
                                                            3210 P. "DO YOU KNOW THE NUMBERS OF THE"
3060 P. "WHAT SHOULD THEY BE?"
3070 F. "X"A: IN. #B; IF LENB THEN MXXA=VAL#B
                                                            8220 P. "POINTS YOU WANT TO ".R.
                                                            9000 P. $12; L=2; G. i
3086 P. "Y"A: IN. $B: IF LENB THEN XYYA=VAL $B
                                                            9010 FF. "THE RANGE OF W VALUES IS" MP" TO "ML"
3090HIN, "ANY MORE"$B: IF ?B=786.m
                                                            9020 FP. "THE RANGE OF Y VALUES IS" (XO" TO "XM"
3100 IF?B>48 IF?B<58 G.u
                                                            9030 FIF %A=0 G.s
3118 IF7E=89 6.h
                                                            9040 P. "THE X" GOS. N. FP. " "XA" (P. "THE Y" GOS. N. FP. " "XE"
3120 G.m
                                                            9050s00S.a.IN." K AKIS"$B.GOS.c.IF E G.s
4000 P. $12
401017L=2881172M=299172P=2L720=2M
                                                            3060 IFPR=13 0. t
                                                            9070 MA=VALIB
4020 FOR A=2TON
4030 FIF MOMADML THEN ML=MXXA
4040 FIF MOMACME THEN MP=MXXA
                                                            9080tGOS.a.IN. " Y AMIS"$B.GOS.c.IF E G.t
                                                            9090 IF?B=13 G.m
                                                            9199 %B=VAL#B,G.m
4050 FIF XYYADXM THEN XM=XYYA
4060 FIF XYYACNO THEN XQ=XYYA
                                                            92000P. "WHAT SIZE OF DIVISIONS DO YOU"
4070 N. IF L=2 L=006.9010
                                                            9210 P. "WANT TO USE FOR THE" , R.
                                                            9300 P. " AXIS IS NOW MARKED IN" "DIVISIONS OF ":R.
4080 FIF %PD0 THEN MP=0
                                                            94000LINKY) G. 11
4090 FIF %000 THEN %0=0
                                                            95000 IF NO2 R.
4188 NF=W/(NL-NP) (NG=H/(NM-NO)
4110 F=3-X(XP*XF), IF F<3 F=3
4120 G=3-X(X0*XG); IF G<3 G=3
                                                            9510 P.$7"LEAST SQUARES METHOD WILL NOT"
                                                           9520 P. "WORK WITH LESS THAN 3 POINTS."
                                                          9530 E=1;R.
4130 CLEARJ, MOVE F. 0) DRAW F, 191, MOVE@, 6; DRAW 255, 6
4140 FOR A=1TOH: PLOT14; (2(2)XXA*XF)+F); (2(2)YYA*XG)+G)
                                                           10000 G.n
4150 PLOTS: 2:2:PLOT1: 0:-4:PLOT1: -4:0:PLOT1: 0:4:PLOT1: 4:0
```

ACORN USER SEPTEMBER 59

her Her

I would like to ask some questions about my BBC miero. Model B. There is an annoying buzz from the speaker, which goes off only when the break key is pressed. What can I

Are all expansion sockets supplied do about this?

In the diagram on page 13 of the on the Model B? first issue of Acorti User 5 ROM ICs are shown but in my Model B there are no ICs in sockets 88, 100, and 101.

What effect will this have? Can you tell me the approximate cost of the BBC disc system with single side disc drive including any work which has to be done by an Acorr, dealer? The Atorn disc pack includes regulated power supply. Does the BBC disc pack also include this?

O. Tropisch Halesower



The buzz from the speaker is pronounced some more machines than on others. It can be stopped most simply by fitting a plug into the 1MHz expansion bus and on this plug fitting a resistor between pin 16 and pin 15. The resistor should have a value of 10k ohms. Alternatively a similar resistor can be soldered to the printed circuit board between the appropriate tracks. The modification to reduce the level of this buzz is being included in the next issue of the printed circuit boards.

The Econet expansion as well as the disc internal expansion and the speech synthesis internal expansion are all additional rather than being fitted as standard on the Model B.

Some machines have been supplied with the operating system in EPROM in the sockets that you mentioned. In other machines four EPROMs replaced by a single ROM. This does not affect the performance of the machine in any way.

The BBC disc system does not have a regulated power supply. The switch mode power supply on the BBC microcomputer is able to run the discs as well as the computer itself. If such a power supply was not fitted initially then the dealer will fit this as part of the disc upgrade. If you wish to have your model B subsequently upgraded to include a disc interface then the dealer will do this and will probably charge in the region of £80 or £90. The single disc drive itself costs £265.00.

We have received our ten BBC microcomputers and are very pleased with them. The odd fault here and there but nothing at all to worry about. We have, or rather will have, very soon, ten colour monitors to go with them; they are all cassette based at the moment 5 x A's and 5 x B's. 1 have just ordered another 6 x B's. I am not convinced that I want an Econet; I may rather like more stand alone disc systems. So where do you suggest we go from here? D.W.J. Carne Exeter School

Here are a few comments that may help you to plan for the future. It is quite possible to put a large number of disc systems on the network and as there are very clear advantages in a network system we would encourage you in that direction. For example with a network all the users can share one or more expensive printers.A network would enable the teacher to see what each person is doing without having to actually walk around and can also be used over a considerable distance as a message service.

However, if you do find that you can afford a large number of disc systems then there is absolutely nothing to stop you installing those alongside the net. Any one or more other disc systems can act as a file server or of course they can be used individually.

My BBC Model B has exceeded all my expecsations except to the - mas onal

Temporal from caseste of both "SAVEd and 'PRIMITE' microsation is so upreliable that over 75% of my programming effort is being wasted trying to deal with this difficulty.

thying in deal with the expression of can think of including 4 different casesthe which different computer tapes, which different computer tapes, variations in recurring spends store control, and in recurring spends store can end only the latter seems to have end effect upon the failure take - which everages seem.

The prospect of being single to read-back masses of sanchously beyed-in program and data turns programming from a computation obtained to a nightmap. The only obtained seems to be to seen doors of copy and archive back-up tages in the hope that just one of them will read note that just one of them will read

rack.
I underguated that many other came two tracking experience.

After having acquired the first usue Of Section of Section of Particles the Atom was toude to Accept Champitche Hee the Atom tecome the Bly (http://property poor residence are gitte tylebe where he others measured and and the combined a feet measured and the combined as on their in computeristic servicing for a sharare for the Atom. IT, See North Brights North River Cliff (4000) Users official marketing how about Some User defined Staphic details Trodes Guines and service branches a tem bi-granulating plans are and because a EDADIO DE TIETE ADMIEST. MORIES DE MORIESTO. the keptoands Does the Atom BBC ROLL mean J ONLY JOING BRC BOTTORIE CAPEUP W. Hop Edinburgh

We must apologize to all the Atom users who felt that we gave too much space to the BBC micro in the first issue. We have included several items specifically for Atom users in this issue and plan to continue to do so. On page 38 we publish details of the BBC HASIC Board for the Atom. This will enable Atom owners to run most software for the RBC micro Atoms. However, programs must be typed in, they cannot be run from cassette. See page 38.

Caste spart from the failure rate. the messages 'Data?' 'Block?' 'File?' are pointless unless they also help the user by informing him of exectly What has done wrong, exactly why and exactly how it can be put right. If volume levels are immremly set, for example, the message should read. 'turn up volume' or 'nur, down volume. In Chien PRODUCE LEADING TO SERVICE THE TAXABLE PARTY. componer pargon the error messages tare fallitte 500 Francis unfriendly'

Moreover it is intolerable that an entire massate tile should be ettavined as useless due to a failure squast one point. It should at least be possible to read in the good blocks, if necessary re-keying the lost sections.

Bonsiri Alphar Wimborne

We are surry to hear of the trouble you have been having over readback from your cassette. We have passed your complaints on to Acorn Computers who have suggested that their cassette filing system program may be of help to you.

Lines of the protocol control of the protocol of the protocol

LETTERS

CASSETTE FILING SYSTEM

A number of shortcomings in the machine operating system version 0.1 for the BBC micro have come to light. This article provides details of two useful modifications that can be applied by users to their own machines.

Perhaps the two most significant problems with the machine operating system are concerned with the cassette filing system. The first involves the character output routines within the operating system whereby complete Basic strings are sometimes not written to the tape. The second is caused by a hardware problem which corrupts certain files as they are written to the tape. This prevents the file being input back into the computer.

A software modification to remedy these problems has been devised by Richard Russell of the BBC and has been evaluated by Aborn. So far as it is possible to ascertain, the prescribed change overcomes these difficulties.

For the lechnically minded, detailed descriptions of the problems are given here, in the first case, the cassette OSBPUT routine sometimes afters the processor's A register when this should be preserved. It this accurs when Basic is outputting a string in a PRINTs statement the characters of the string will not be sent to the tape. This will then be detected during use of a subsequent INPUT# statement at which point a type mismatch error will occur.

The second problem is caused by the corruption of the first byte of a block on tape. Since this contains block header information, the block itself cannot be read back. One particular manifestation of this is that a program SAVEd at 1200 bits per second may not subsequently be LOADable.

The modification is given below as a program to be typed into the BBC micro and RUN on startup. It contains a *KEY command in line 9 to ensure the modification is preserved over use of the BREAK key. Obviously, the modification is lost from memory if power is turned off and also on a 'hard reset' (rapid BREAK BREAK). Having installed the modification it might be a good plan to SAVE it on the front of a tape to be LOADed whenever the computer is started up.

LETTERS

Can you help me with the following on the please? Is the information on How please? Is the programs into my take teletext pages in machine code? BBC teletext pages in machine into my take do I get the programs into the screen do I get the programs into the screen information direct from the information with a teletext using a television with a teletext display?

D. Coulter

Preston

Whether you would like to have a question answered or just to air your views, write to us at *Acorn User*, 53 Bedford Square, London WC1B 3DZ. The Editor reserves the right to amend or alter any letter prior to

publication.


information that transmitted on the teletext pages is in fact in Basic and not in machine code but a number of special symbols are used to mark particular characters such as the end of line character. It is not possible to type into the computer what you see on the screen. The special codes have to be de-coded by the BBC teletext unit which works with the BBC Microcomputer System. It is not possible to use a normal teletext television in any way at all to get teletext into the BBC Computer System. The only way that one can receive telesoftware directly to the BBC Microcomputer is with the special unit mentioned above.





Official Acom Dealers in the U.K.

Acorn dealers stock and service the Atom computer, Acorn systems and Acorn softsoftware. Many also offer service facilities for the BBC micro and these are marked with an asterisk. The Acorn dealer not only sells computers and peripherals but provides vital customer support. Most have recently attended technical seminars in Cambridge to ensure that they deal effectively with customers' enquiries. In addition, Acorn supply dealers with specific test and diagnostic equipment to speed fault finding.



Cavendish Cavendish

Cavendish Sales E1 01-247 3453 Canonbury Radio N1 01-226 9392 *Centre of Sound W11 01-727-0511 *Group 70 E18 01 505 7724 *Micro Store SW3 01:352.9291 Off Records SW11 01-223 7730 Paul Electrical SW20 01/542 6546 PAJ Rental Ltd NWs 01/368 0572 REW West End Video Centre WC2 01-240 3386 7 RA Balley Ltd. 5E26 01-693 1818 *Technomatic Ltd NW1D 01:723/0233

BIRMINGHAM Quality Radio &

01-937 8587

The Video Palace W8

Quality Radio & Television Co B14 021-444 2889 Typewriter Centre (Erdingtoni B23 021-382 0185 Typewriter Centre (Head Office/B5 021-622 5386/7 Typewriter Centre (Dudley Road) B18 021-455 9111 Typewriter Centre (Kings Heath) B14 021-444 7349 AVON

0225 334659 BEDFORDSHIRE

*Broadway Electronics Ltd Bedford 0234-213639

BERKSHIRE
*Windsor Computer Centre Windsor
07535-58077

BUCKING HAMSHIRE

A L Wheeler Ltd Great Missenden
024-08-2580

D24-06 2560
*Tarace Ltd Wendover
D296-623915
Hi-Vu Electronics Wolverton
0908 312808

CAMBRIDGESHIRE

*Arden Personal Computers
Peterborough
0733-47767

*Cambridge Computer Store
Cambridge

0223-65334

*Control Universal Cambridge 0223-358757

CHESHIRE

0208 3171

96 365280

0202 28666

Bellard Electronics Ltd Upton 0244-380123 *Northern Computers Warrington

CLEVELAND *Customised Electronics Ltd Middlesbrough 0642-247727

CORNWALL
*Brewer & Bunney Camborne
0209 712681
Microtes! (td Bodmin

DERBYSHIRE
*Datron Micro Centre Derby
0332-380065
*First Byte Computer Systems Ltd
Derby

DEVON
*Bits & Bytes Ilfracombe
0271-62801
Devon Computers Paignton
0803-526303

DORSET
Lansdowne Computer Centre
Bournemouth
0202 23776
Chassic Office Equipment
Bournemouth

ESSEX

*Arden Business Systems Coichester
020-637-368

**Computers for All Romfold
0708-80725

*Emprise Ltd Colchester
0206-865926

GLOUCESTERSHIRE Computer Shack Ltd Chellenham 0242 584343 *Independent Computer Consultants Tewkesbury 0684 298033

HAMPSHIRE

*Electroneguip Porchester
0705-325-35-4
Hugh Symons Group of Companies
Boumemouth
0202-23776

*R D S Electrical Ponsmouth
0705-812478

*R M K Electronics Ltd New Milton 0425-616110

HEREFORDSHIRE Kemosoms Hereford 0432 8480

0438 65385

HERTFORDSHIRE
*Compshop Ltd New Barnet
U1 441 2922
*Computer Plus Wattord
0923 33927
In F Shefflerd Ltd Abbots Langley
092 77 63184
Intelligent Artifacts Ltd Royston
0233 207689
*O-Tex Systems Ltd Stevenage

HUMBERSIDE
"Computer Facilities Scurithorpe
3724-63167
"Vision Computer Systems Cleethorpes
0472-58561

KENT
Kent Computers Herne Bay
02273-68900
Kent Micro Computers Maidstone
0622-52794
*MDWright Data Services Canterbury
0227-69090
*Protocol Computer Products Bromley
01-460-2580

LANCASHIRE
Amaine Co, Colne
0282 863520
J. Lambert (Radio) Ltd Burnley
0282 71459
Ment Computers Ltd Wigan
0942-495621
Microrose Ltd Bentham
0468 62180
*NSC Computing Shops Ltd
Marchester
061-832 2269

LEICESTERSHIRE

*O A Computers Leicester

0533 549407

Fercy Lord & Son Ltd Wigston

0533 785033

Praff Bros (Leicester Ltd Blaby

0533 773020

*R H Murcoll Ltd Loughborough

0509 214444

*TB Computer Service:

Market Harborough

0536-770884

*Cakleal Computers Grantnam

LIVERPOOL, MERSYSIDE BEC Computer World Liverpool *Data Exchange Ltd Birkennead 05h 647 4213 *Liverpool Computer Centre Liverpool

051-236 2000 fisdals Newton e Writing 09252 5577

MIDDLESEX
*Microage Electronics Edgware
D1-959 7119

*Twickenham Computer Centre Twickenham p1-891 1612 NORFOLK *Anglia Computer Store Norwich

NORTHAMPTONSHIRE MA Electrical Installations Inflingborough 0933-650133

0603 29651

NORTHUMBERLAND Tam Newton & Sons Wooler 066-82721

NOTTINGHAMSHIRE

*Leasalink Viewdata Ltd Nothingham 0602-396976 H N & L Fisher (Huthwarter Ltd Sutton in Ashtheld 0623-53435 *Mansheld Compusers & Electronics Mansheld F R Hattley Ruddington 0602-213492 9 P Electronics Hucknall

0602 632467
SHROPSHIRE
Comiter Newport
Number Services Ltd. Bridgenorth

07462 5287

SOMERSET
*Somerset Business Computers
Taunton
0823-52149
*The Computer Room Yenvil
0935-20268

STAFFORDSHIRE Typewner Centre Wowerhampton 90-27627

SUFFOLK CB Matthews & Co Ipswich 0473-215666 *Micro Management Ipswich 0473-59181 S Emery & Go Bungar 0271 62503

SURREY
TUS Simnet Computers Ltd.
Kingstor-upon-Themes
Q1-546-3793
TPU Equipments Ltd Guildford
Q483-504801
"3D Computers Surbran
Q1-337-4317

SUSSEX
*Cashe Electronics Hastings
0424-437875
*Date: Micros Worthing
0903-39290
Gamer Brighton
0273-698424
*Vicrocentre Bognat Regis

TYNE AND WEAR

H C C S Gatesnead

0632-821924

Newcastle Computer Services
Newcastle-upon-Tyne

WARWICKSHIRE Carvel Rugby 0788 65275

WEST MIDLANDS

A E Chapman & Co (Old Hill) Ltd

Cradiey Heath

D F Gibbs Etd Coventry

0203 87432 H & H Business Systems West Bromwich 021-553 7606:7 Ibek Systems Coventy 0203-661162 Micrologic Ltd Halesower 021-550 8036 Richard Mons (Electrical) Ltd Wahey 021-429 1161 *Taylor Wison Systems Ltd Scihull 05645 6192 Typewriter Certific Covenity. 0203-28799 Typewriter Centre Walsail 92-27589 Typewriter Centre Sutton Coldwid

Stourbridge 03843-70811/2/3 YORKSHIRE Adhur Yates Ltd Ripon 0765-2731

Customised Electronics Ltd Leeds

*Waiters Computer Systems Ltd.

021 355 6789

0532-792332

*Datren Computers & Suppliers Shemeta \$10 0742 755105 *Datren Micro Centre Shettert \$7 0742 565490 *Ener Services Ltd Briddera 0274 491371 Green's Telecom Bamsley 0226-5031

07667 5 Telector Samsley 0226-5031 M cro Power Leeds LS7 0532-683186 "Superior Systems Ltd Sheffield 1 0742-755005

WALES
"Bucon Ltd Swarsea
"Carolf Microcomputers Carolf
0222-373072
"Carolgan Electronics Carolgan
0239-614483
"NE Wales Microprocessor Centre First
0244-816236
K.B. Computers Wrextram
0978-822465
SIR Computers Carolf

SCOTLAND *Esco Computing Glasgow 041-4275497 *Highland Microcomputers Inveness 0463-221544 ian Hutchison (Leven) Ltd Leven 0333-23870 J. H. Donard Ltd Huntord McQueen Systems Ltd Galasniels 0896-4866 *Personal Computers Av-0292 285082 *Service Centre Greenlock 0475-20228 Silicon CEntre Edinburgh 031-332-5277 W M Coupar Blangowne & Cundee

0222 616065

NORTHERN IRELAND

*C E.M.Millr.computer Services Bertast
0232-44111-43564

CHANNEL ISLANDS
*Channel Data Processing (Jersey)
St Heiler
D534-24333.72897

"Typestyle Ltd Onchan 0624/25890/24650

0382 2436 7

ISLE OF WIGHT Excel Berronage 098 387 2578

▶continued from page 59

least squares.* There are two main advantages of using the Atom instead of a programmable calculator. First, the scatter of points either side of the best straight line can clearly be seen, so any general trends can be noted and individual points, which may suspect, can quickly identified. Second, data can easily be added, deleted, or amended, and the effect on the best straight line can then be seen and/or calculated. (The graph is automatically re-ranged every time the data is changed, so that it fits exactly onto the screen.)

The structure of the program is such that after entering an initial set of pairs of X and Y values, the user is given menu:

- input more points
- check values already entered.
- change certain values.
- plot points only.
- calculate gradient and intercept.
- calculate gradient for Y=MX.
- plot points and draw best fit line.
- delete certain points.

Paul Beverley on straight-line graphs

- set size of division marks for axes.
- restart.

The program should be entirely self-documenting, and no problems encountered during running, provided you follow the general rule: If in doubt – press the return key. If you are being asked to input, delete or change anything, and you don't want to, just press return.

The program was written to run in a fully-expanded Atom (12k+12k) but if you only have 3k in the graphics memory, you could

change line 30 to H=185; W=121; J=3 (or even with $1\frac{1}{2}k - H=90$; W=121; J=3).

A bare listing of the program is provided, but for a fully annotated listing plus a cassette of the program send £1.50. to Mr P. Beverley, Department of Electronics & Electrical Engineering, Norwich City College, Ipswich Road, Norwich, to whom comments and criticisms should be sent – they would be much appreciated.

*Practical Physics by G.L. Squires, McGraw-Hill, ISBN 070940703.

THERE'S ONLY ONE THING THAT CAN HELP YOU TO GET THE BEST OUT OF YOUR BBC MICRO



The only non-commercial independent national BBC Microcomputer user group

Please enrol me as a member of LASERBUG.
I enclose a cheque/PO for £12.00 for 12 months subscription.
Name
Please make all cheques/PO payable to LASERBUG and send to

4 Station Bridge Woodgrange Road Forest Gate London, E7 ONF

ADVERTISERS INDEX

Acomnside back cover	Leasenink viewdata
Acornsoft30, 62	Level 9
Addison-Wesley47	Liverpool Computer Ce
Anglia 7	Micro Age
BBC Basic 40	Mutek
Beebug	Oakleaf Off Records
C. J. E 57	P. J. Computers
Cardiff Micros43	Personal Computers
Computer Concepts17	Portatel
Computers for All5	Program Power
3D Computers40	Protocol
Control Universal39	11010001
Earlcape	'Q' Tek
Electronequip39	Snapper
Eltec12	Systems Control
Emprise43	'T' Shirt Offer
Golem18	Technomatic Typewriter Centre
I. J. K. Software (Sinclair)18	Westrex
Laserbug64	Windsor Computer Cer

Leaselink Viewdata Level 9	
Liverpool Computer Centre	
Micro Age Micro Power Mutek	48
Oakleaf Off Records	
P. J. Computers Personal Computers Portatel Program Power Protocol	26 30 back cover
'Q' Tek	
SnapperSystems Control	51
'T' Shirt Offer Technomatic Typewriter Centre	9
Westrex Windsor Computer Centre	

A bigger range than the Himalayas



The Acorn Atom From £118 plus VAT.

Personal Computing - Instructional and Fun

To get the best out of the personal computing you need two thingshardware that is powerful and reliable -software that uses the hardware to the full. The Atom range is just that.

The Atom-tried and tested

The Atom was designed to last inside and out. Outside a rugged, high impact case with a proper keyboard. Tested to withstand children as well as adults. Inside a powerful operating system that will never be bettered. It is available in several versions so you can choose what you want. And there is an enormous range of additional boards that fit inside the casing-start where you like - add more power, more versatility when you need it.

The Accessories - something for everyone

Diskpacks, printers, monitors, plug-in ROM's, manuals, other languages, arcade-type games, business and household software. Whatever you want to do-teach your children, run your business-you can't do better than choose the Atom range.

Available Nationwide

Not just mail order, the Atom range can be bought through a national dealer network-they will help and advise you. And in the unlikely event of breakdown they will be there. Like our equipment Acorn Computers are here to last.

Acorn Computers Limited, Fulbourn Road, Cherry Hinton, Cambridge CB1 4JN MPUTER Tel: (0223) 245200.

FREE Catalogue

For full details of the complete range and a list of dealers just fill in the coupon or write to us.

To: Acorn Computers Ltd. Fulbourn Road, Cherry Hinton, Cambridge CBI 4JN Tel: (0223) 245200. Please rush me a complete list of the Atom range.

The Acom Atom

